Clearance

Jason Morrison jmorrison@thoughtbot.com



\$ SUDO GEM INSTALL \ THOUGHTBOT- Clearance \ --SOURCE HTTP://GEMS.GITHUB.COM

\$ CURL "HTTP://GITHUB.COM/THOUGHTBOT/ \
CLEARANCE/TREE/MASTER%2FREADME.TEXTILE? \
RAW=TRUE"



Thank you.



Encore!



Looking for traditional values and vanous interests. \$\frac{1}{288866}\$

Rails developer seeks simple, modular, well-tested authentication plugin.

Accessorizing well with suspenders is a plus.

DWM, 32, Italian, black/hazet, sweet and passionate. \$288209






"Who goes there?"



email + confirmation + password + forgot = authentication.

No authorization, no roles, no ACLs, no HTTP basic auth, no OpenID (in core), no admin (in core), no, no, no, no!





Keep It Simple, Sucka.

Generator free!





(but it's small)

```
# models and controllers
[~/dev/clearance/lib/clearance/app] find . I xargs wc -l
     434 total

# units and functionals
[~/dev/clearance/lib/clearance/test] find . I xargs wc -l
     822 total
```



Let's see it!





http://github.com/thoughtbot/clearance



Have it your way

```
class User < ActiveRecord::Base
  include Clearance::Model

def encrypt(password)
    Digest::SHA1.hexdigest "--#{salt}--#{password}--"
  end

protected

def initialize_salt
    self.salt = Digest::SHA1.hexdigest(
    "--#{Time.now.to_s}--#{email}--") if new_record?
  end
end</pre>
```



Have it your way

```
# similar deal for UsersController, ConfirmationsController
class SessionsController < ApplicationController
include Clearance::SessionsController

def url_after_create
   video_url(:awesome_and_exciting_welcome)
end

def url_after_destroy
   video_url(:wistful_farewell)
end
end</pre>
```







Get goin'

end

Get goin'

```
class UsersController < ApplicationController
  include Clearance::UsersController

before_filter :authenticate, :except => [:new, :create]
  before_filter :can_only_edit_self, :only => [:edit, :update]

protected

def can_only_edit_self
  unless current_user == User.find(params[:id])
    flash[:error] = 'Oh, snap! Get outta here.'
    redirect_to root_url
    end
end
```



Future Work





TODO.textile

Some refactoring& documentation to do



Loot from merb-auth

- Store current_user on the session, not controller
- HTTP fluency
 - 401 Unauthorized
 - 405 Resource not allowed
- Make a strategy:
 - Email confirmation
 - Forgot password
 - Salted passwords



clearance-admin

<% if current_user.admin? -%>

Admin::UsersController

logged_in_admin_context {}

should_only_allow_admins_on 'get :index'

clearance-openid

Extract from http://hoptoadapp.com



Always be on the lookout for Clearance



http://www.youtube.com/watch?v=sEaqfpqLBK4



THANKS!

creative commons

Guard Dog
http://headrush.typepad.com/creating_passionate_users
/2007/03/seven_blog_virt.html


<u>Kiss</u> http://flickr.com/photos/andraspfaff/623258079/

Awesome Delorean http://flickr.com/photos/f1rstborn/757609629/

"Shh!" http://flickr.com/photos/cupcake eater/2721122278/

Personals Ad http://flickr.com/photos/eggplant/3211654/

Baseball Photosiñata http://flickr.com/photos/mcbeth/156411746/




THANKS!

\$ tail -n 8 README.textile

h2. Authors

- * thoughtbot, inc.
- * Dan Croak
- * Jason Morrison
- * Mike Burns
- * Josh Nichols
- * Mike Breen



THANKS!

github.com
/thoughtbot
/clearance

github.com
/jasonm
/talks

