Kitchen — cabinet shop cut list

Export: 2026-11-02. All dimensions are inches. Size order on this export is **across grain × along grain**.

Includes all six replacement doors: C0-L/R, C1-L/R and C13-L/R (under sink), retaining their existing recorded sizes. This export is the remake scenario; the saved Shop Book still excludes those already-hung doors from its remaining cuts.

Island trim is square rough stock. Its three blanks include fitting length. Fit corner miters and front-end lips to the assembled wrap later. The four main island panels have vertical grain; the three bottom trim pieces have horizontal grain.

Material and quantities

- 3/4" rift-sawn white oak plywood: 44 parts on 7 layout sheets; 67% modeled yield. Stock: 48" × 96".
- 1/2" prefinished plywood: 40 parts on 3 layout sheets; 80% modeled yield. Stock: 48" × 96".

An optional additional spare rift sheet is outside these layouts.

Cutting requirements

- Do not rotate parts. Grain runs along sheet length. Dimensions are shown to the nearest 1/16". Label every back with part ID, TOP and show face before separating.
- Layout uses 1/8" kerf and 1/4" trim off each sheet edge. Group blanks include internal subdivision kerfs. With another kerf, recalculate group envelopes and nesting; individual part dimensions remain the cutting targets.
- Each door pair comes from one contiguous blank, left then right. Each drawer-front stack comes from one contiguous tall blank in installed top-to-bottom order. Keep match groups on the same sheet and preserve orientation. The schedules on the sheet pages list whole blanks before subdivision.
- Door/front plywood dimensions already deduct their solid lipping allowance, normally 1/8" per edge. Do not deduct it again. Island back halves have no lipping deduction.
- Island end plywood blanks: 42-1/2" across grain × 35" along grain. Add 1/4" hardwood to front and back vertical edges only; finished edge coverage is 1-1/2" over the built-up end. Top and bottom are not lipped. Finished envelopes remain 43" × 35".
- Bottom trim: 3/4" plywood, horizontal grain. Square rough lengths include 1" fitting allowance, based on overlay trim with front ends flush to the main ends (planning assumption). Top-edge deduction is 1/8"; add that lip to reach 5-1/2" finished height. Fit miters and exposed front ends after assembly; allow for front-end lips during fitting. Do not lip mating miter faces. Seal unlipped bottoms. Cut blank dimensions are not final miter lengths.
- Drawer boxes use nominal 1/2" plywood. Measure actual thickness and confirm box fit before cutting; update thickness-dependent dimensions if needed. This is a panel cutting list. Grooves, runner notches, drilling, hinge boring, lipping stock, handles, island frame/build-up and seam backing are outside its scope.

3/4" rift white oak — individual parts

Quantity one per ID. Dimensions: across grain × along grain.

Part ID	Across grain	Along grain	Sheet	Status
C1-L	13-3/16"	41-5/8"	1	CUT
C1-R	13-3/16"	41-5/8"	1	CUT
C4-L	16-1/16"	41-3/4"	1	CUT
C4-R	16-1/16"	41-3/4"	1	CUT
D15	35-1/2"	6-5/8"	1	CUT
D5	17-1/2"	6-5/8"	1	CUT
D6	17-1/2"	22-11/16"	1	CUT
ISL-TRIM-L	5-3/8"	44-3/4"	1	ROUGH BLANK - FIT LATER
ISL-TRIM-R	5-3/8"	44-3/4"	1	ROUGH BLANK - FIT LATER
C3-L	12-5/8"	41-3/4"	2	CUT
C3-R	12-5/8"	41-3/4"	2	CUT
C5-L	14-9/16"	23-3/8"	2	CUT
C5-R	14-9/16"	23-3/8"	2	CUT
D11	32"	6-5/8"	2	CUT
D12	32"	15-11/16"	2	CUT
D3	32"	6-5/8"	2	CUT
ISL-BACK-L	40-1/2"	35"	3	CUT
ISL-BACK-R	40-1/2"	35"	3	CUT
ISL-TRIM-BACK	5-3/8"	86-1/2"	3	ROUGH BLANK - FIT LATER
C2-L	13-1/16"	41-3/4"	4	CUT
C2-R	13-1/16"	41-3/4"	4	CUT
C7-L	17-9/16"	23-1/4"	4	CUT
C7-R	17-9/16"	23-1/4"	4	CUT
D13	32-1/2"	11-1/8"	4	CUT

3/4" rift white oak — individual parts

Quantity one per ID. Dimensions: across grain × along grain. Continued.

Part ID	Across grain	Along grain	Sheet	Status
D14	32-1/2"	11-3/16"	4	CUT
D4	32-1/2"	6-5/8"	4	CUT
C0-L	17-9/16"	29-1/2"	5	CUT
C0-R	17-9/16"	29-1/2"	5	CUT
D1	26-1/2"	6-5/8"	5	CUT
D10	25-7/8"	11-3/16"	5	CUT
D2	25-7/8"	6-5/8"	5	CUT
D7	26-1/2"	11-1/8"	5	CUT
D8	26-1/2"	11-3/16"	5	CUT
D9	25-7/8"	11-1/8"	5	CUT
C13-L	16-1/16"	18-3/4"	6	CUT
C13-R	16-1/16"	18-3/4"	6	CUT
C6-L	16"	41-3/4"	6	CUT
C6-R	16"	41-3/4"	6	CUT
D16	26"	14-11/16"	6	CUT
D17	26"	14-11/16"	6	CUT
Bay0-L	17-9/16"	22-3/4"	7	CUT
Bay0-R	17-9/16"	22-3/4"	7	CUT
ISL-END-L	42-1/2"	35"	7	CUT
ISL-END-R	42-1/2"	35"	7	CUT

1/2" prefinished — individual parts

Quantity one per ID. Dimensions: across grain × along grain.


Part ID	Across grain	Along grain	Sheet	Status
D10-F	9-5/16"	22-3/8"	1	CUT
D11-BTM	28-7/8"	20-1/2"	1	CUT
D11-F	4-3/4"	28-3/8"	1	CUT
D11-SL	4-3/4"	21"	1	CUT
D12-BTM	28-7/8"	20-1/2"	1	CUT
D12-SR	13-13/16"	21"	1	CUT
D14-F	9-5/16"	28-3/8"	1	CUT
D14-SL	9-5/16"	21"	1	CUT
D7-BTM	22-7/8"	20-1/2"	1	CUT
D7-SL	9-1/4"	21"	1	CUT
D7-SR	9-1/4"	21"	1	CUT
D8-BTM	22-7/8"	20-1/2"	1	CUT
D10-SL	9-5/16"	21"	2	CUT
D12-B	13-13/16"	28-3/8"	2	CUT
D12-F	13-13/16"	28-3/8"	2	CUT
D13-B	9-1/4"	28-3/8"	2	CUT
D13-BTM	28-7/8"	20-1/2"	2	CUT
D13-SR	9-1/4"	21"	2	CUT
D14-BTM	28-7/8"	20-1/2"	2	CUT
D8-B	9-5/16"	22-3/8"	2	CUT
D8-F	9-5/16"	22-3/8"	2	CUT
D8-SR	9-5/16"	21"	2	CUT
D9-SL	9-1/4"	21"	2	CUT
D9-SR	9-1/4"	21"	2	CUT

1/2" prefinished — individual parts

Quantity one per ID. Dimensions: across grain × along grain. Continued.

Part ID	Across grain	Along grain	Sheet	Status
D10-B	9-5/16"	22-3/8"	3	CUT
D10-BTM	22-7/8"	20-1/2"	3	CUT
D10-SR	9-5/16"	21"	3	CUT
D11-B	4-3/4"	28-3/8"	3	CUT
D11-SR	4-3/4"	21"	3	CUT
D12-SL	13-13/16"	21"	3	CUT
D13-F	9-1/4"	28-3/8"	3	CUT
D13-SL	9-1/4"	21"	3	CUT
D14-B	9-5/16"	28-3/8"	3	CUT
D14-SR	9-5/16"	21"	3	CUT
D7-B	9-1/4"	22-3/8"	3	CUT
D7-F	9-1/4"	22-3/8"	3	CUT
D8-SL	9-5/16"	21"	3	CUT
D9-B	9-1/4"	22-3/8"	3	CUT
D9-BTM	22-7/8"	20-1/2"	3	CUT
D9-F	9-1/4"	22-3/8"	3	CUT

3/4" rift-sawn white oak plywood, 4x8 — sheet 1




Whole blanks before subdivision

Parts in order	Across grain	Along grain	Subdivision order
ISL-TRIM-R	5-3/8"	44-3/4"	single part
C4-L / C4-R	32-1/4"	41-3/4"	left to right
ISL-TRIM-L	5-3/8"	44-3/4"	single part
C1-L / C1-R	26-1/2"	41-5/8"	left to right
D5 / D6	17-1/2"	29-7/16"	top to bottom
D15	35-1/2"	6-5/8"	single part

Grain follows the long sheet axis. Diagram labels are individual plywood blank dimensions. Use the whole-blank schedule to preserve front continuity. Keep trim square-ended and fit its miters later.

3/4" rift-sawn white oak plywood, 4x8 — sheet 2




Whole blanks before subdivision

Parts in order	Across grain	Along grain	Subdivision order
C3-L / C3-R	25-3/8"	41-3/4"	left to right
D3 / D11 / D12	32"	29-3/16"	top to bottom
C5-L / C5-R	29-1/4"	23-3/8"	left to right

Grain follows the long sheet axis. Diagram labels are individual plywood blank dimensions. Use the whole-blank schedule to preserve front continuity. Keep trim square-ended and fit its miters later.

3/4" rift-sawn white oak plywood, 4x8 — sheet 3




Whole blanks before subdivision

Parts in order	Across grain	Along grain	Subdivision order
ISL-TRIM-BACK	5-3/8"	86-1/2"	single part
ISL-BACK-L / ISL-BACK-R	40-1/2"	70-1/8"	top to bottom

Grain follows the long sheet axis. Diagram labels are individual plywood blank dimensions. Use the whole-blank schedule to preserve front continuity. Keep trim square-ended and fit its miters later.

3/4" rift-sawn white oak plywood, 4x8 — sheet 4




Whole blanks before subdivision

Parts in order	Across grain	Along grain	Subdivision order
C2-L / C2-R	26-1/4"	41-3/4"	left to right
D4 / D13 / D14	32-1/2"	29-3/16"	top to bottom
C7-L / C7-R	35-1/4"	23-1/4"	left to right

Grain follows the long sheet axis. Diagram labels are individual plywood blank dimensions. Use the whole-blank schedule to preserve front continuity. Keep trim square-ended and fit its miters later.

3/4" rift-sawn white oak plywood, 4x8 — sheet 5




Whole blanks before subdivision

Parts in order	Across grain	Along grain	Subdivision order
C0-L / C0-R	35-1/4"	29-1/2"	left to right
D1 / D7 / D8	26-1/2"	29-3/16"	top to bottom
D2 / D9 / D10	25-7/8"	29-3/16"	top to bottom

Grain follows the long sheet axis. Diagram labels are individual plywood blank dimensions. Use the whole-blank schedule to preserve front continuity. Keep trim square-ended and fit its miters later.

3/4" rift-sawn white oak plywood, 4x8 — sheet 6




Whole blanks before subdivision

Parts in order	Across grain	Along grain	Subdivision order
C13-L / C13-R	32-1/4"	18-3/4"	left to right
D16 / D17	26"	29-1/2"	top to bottom
C6-L / C6-R	32-3/16"	41-3/4"	left to right

Grain follows the long sheet axis. Diagram labels are individual plywood blank dimensions. Use the whole-blank schedule to preserve front continuity. Keep trim square-ended and fit its miters later.

3/4" rift-sawn white oak plywood, 4x8 — sheet 7




Whole blanks before subdivision

Parts in order	Across grain	Along grain	Subdivision order
ISL-END-L / ISL-END-R	42-1/2"	70-1/8"	top to bottom
Bay0-L / Bay0-R	35-1/4"	22-3/4"	left to right

Grain follows the long sheet axis. Diagram labels are individual plywood blank dimensions. Use the whole-blank schedule to preserve front continuity. Keep trim square-ended and fit its miters later.

1/2" prefinished plywood (drawer box sides/backs/bottoms) — sheet 1




Whole blanks before subdivision

Parts in order	Across grain	Along grain	Subdivision order
D12-SR	13-13/16"	21"	single part
D14-SL	9-5/16"	21"	single part
D7-SR	9-1/4"	21"	single part
D7-SL	9-1/4"	21"	single part
D11-SL	4-3/4"	21"	single part
D10-F	9-5/16"	22-3/8"	single part
D11-BTM	28-7/8"	20-1/2"	single part
D14-F	9-5/16"	28-3/8"	single part
D12-BTM	28-7/8"	20-1/2"	single part
D11-F	4-3/4"	28-3/8"	single part
D7-BTM	22-7/8"	20-1/2"	single part
D8-BTM	22-7/8"	20-1/2"	single part

Grain follows the long sheet axis. Diagram labels are individual plywood blank dimensions. Use the whole-blank schedule to preserve front continuity. Keep trim square-ended and fit its miters later.

1/2" prefinished plywood (drawer box sides/backs/bottoms) — sheet 2




Whole blanks before subdivision

Parts in order	Across grain	Along grain	Subdivision order
D13-SR	9-1/4"	21"	single part
D9-SR	9-1/4"	21"	single part
D8-SR	9-5/16"	21"	single part
D10-SL	9-5/16"	21"	single part
D9-SL	9-1/4"	21"	single part
D8-B	9-5/16"	22-3/8"	single part
D13-BTM	28-7/8"	20-1/2"	single part
D13-B	9-1/4"	28-3/8"	single part
D12-F	13-13/16"	28-3/8"	single part
D12-B	13-13/16"	28-3/8"	single part
D8-F	9-5/16"	22-3/8"	single part
D14-BTM	28-7/8"	20-1/2"	single part

Grain follows the long sheet axis. Diagram labels are individual plywood blank dimensions. Use the whole-blank schedule to preserve front continuity. Keep trim square-ended and fit its miters later.

1/2" prefinished plywood (drawer box sides/backs/bottoms) — sheet 3



Whole blanks before subdivision

Parts in order	Across grain	Along grain	Subdivision order
D8-SL	9-5/16"	21"	single part
D11-SR	4-3/4"	21"	single part
D14-SR	9-5/16"	21"	single part
D12-SL	13-13/16"	21"	single part
D13-SL	9-1/4"	21"	single part
D13-F	9-1/4"	28-3/8"	single part
D14-B	9-5/16"	28-3/8"	single part
D9-F	9-1/4"	22-3/8"	single part
D10-B	9-5/16"	22-3/8"	single part
D11-B	4-3/4"	28-3/8"	single part
D10-BTM	22-7/8"	20-1/2"	single part
D9-BTM	22-7/8"	20-1/2"	single part
D7-F	9-1/4"	22-3/8"	single part
D10-SR	9-5/16"	21"	single part
D7-B	9-1/4"	22-3/8"	single part
D9-B	9-1/4"	22-3/8"	single part

Grain follows the long sheet axis. Diagram labels are individual plywood blank dimensions. Use the whole-blank schedule to preserve front continuity. Keep trim square-ended and fit its miters later.