## My New Title

Optional Subtitle

### My New Title

Optional Subtitle

#### **Proefschrift**

ter verkrijging van de graad van doctor aan de Technische Universiteit Delft, op gezag van de Rector Magnificus prof. ir. K.C.A.M. Luyben, voorzitter van het College voor Promoties, in het openbaar te verdedigen op dinsdag 1 januari 2015 om 10:00 uur

door

#### Albert Einstein

Faculty of Technology, Policy, and Management, Delft University of Technology, The Hague and Delft, Netherlands, geboren te Ulm, Duitsland. Dit proefschrift is goedgekeurd door de

promotor: prof. dr. A. Kleiner copromotor: dr. A.A. Aaronson

#### Samenstelling promotiecommissie:

Rector Magnificus, voorzitter

Prof. dr. A. Kleiner, Technische Universiteit Delft Technische Universiteit Delft Technische Universiteit Delft

#### Onafhankelijke leden:

Prof. dr. A. Jansen Technische Universiteit Delft Prof. dr. ir. A.B.C.D. van de Lange-Achternaam

Technische Universiteit Delft

Prof.dr. N. Nescio Politecnico di Milano, Italië

Prof. dr. ir. J. Doe, Technische Universiteit Delft, reservelid

#### Overige leden:

Prof. dr. ir. J. de Wit, Technische Universiteit Delft Dr. ir. Q. de Zwart, Technische Universiteit Eindhoven

Prof. dr. ir. J. de Wit heeft in belangrijke mate aan de totstandkoming van het proefschrift bijgedragen.



Keywords: ...

Printed by: Johannes Gutenberg

Front & Back: Beautiful cover art that captures the entire content of this thesis in a single illus-

tration.

Copyright © 2015 by A. Einstein

ISBN 000-00-0000-000-0

An electronic version of this dissertation is available at

http://repository.tudelft.nl/.

Science is a wonderful thing if one does not have to earn one's living at it.

Albert Einstein

## Contents

1	Introduction	1
	1.1 Document Structure	2
	1.2 Title Page	2
	1.3 Chapters	
	1.4	4
	1.4.1	4
	1.5 Fonts and Colors	4
	1.6 Citing References	
	1.7 References	5
2	Clean Example2.1 Introduction2.2 References	
3	Conclusion	9
4	Bibliography	11
E	pilogue	13
Ac	cknowledgements	15

1

## Introduction

#### **Albert Einstein**

Nature and nature's laws lay hid in the night; God said 'Let Newton be!' and all was light.

Alexander Pope

It did not last: the devil shouting 'Ho. Let Einstein be!' restore the status quo.

Sir John Collings Squire

Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

This document is intended to be both an example of the TU Delft dissertation template for  $\[Mathebox{MT}_{E}X$ , as well as a short introduction to its use. It is not intended to be a general introduction to  $\[Mathebox{MT}_{E}X$  itself,  $\[^1$  and we will assume the reader to be familiar with the basics of creating and compiling documents.

Instructions on how to use this template under Windows and Linux, and which Lagar packages are required, can be found in README.txt.

#### 1.1. Document Structure

Since a dissertation is a substantial document, it is convenient to break it up into smaller pieces. In this template we therefore give every chapter its own file. The chapters (and appendices) are gathered together in dissertation.tex, which is the master file describing the overall structure of the document. dissertation.tex starts with the line

\documentclass{dissertation}

which loads the dissertation template. The template is based on the MEX book document class and stored in dissertation.cls. The document class accepts several comma-separated options. By default, hyperlinks are shown in cyan, which is convenient when reading the dissertation on a computer, but can be expensive when printing. They can be turned black with the print option. This will also turn the headers dark gray instead of cyan. Moreover, it will add a 3 mm bleed around the page including crop marks. This will help the printer with the thumb indices, since they run right up to the page borders. Finally, the nativefonts option can be used to override the automatic font selection (see below).

A dissertation is a big document, which makes it easy to miss warnings about the layout in the MTEX output. In order to locate problem areas, add the draft option to the \documentclass line. This will display a vertical bar in the margins next to the paragraphs that require attention.

The contents of the dissertation are included between the \begin{document} and \end{document} commands, and split into three parts by

- 1. \frontmatter, which uses Roman numerals for the page numbers and is used for the title page and the table of contents;
- 2. \mainmatter, which uses Arabic numerals for the page numbers and is the style for the chapters;
- 3. \appendix, which uses letters for the chapter numbers, starting with 'A'.

The title page is defined in title.tex in the title folder and included verbatim with \include{title/title}, 2 (see below). Additionally, it is possible to include a preface, containing, for example, the acknowledgements. An example can be found in preface.tex. The table of contents is generated automatically with the \tableofcontents command. Chapters are included after \mainmatter and appendices after \appendix. For example, \include{chapter-1/chapter-1} includes chapter-1.tex, which contains this introduction.

#### 1.2. Title Page

The title pages are defined in title/title.tex, which you will have to modify according to your needs. Note that these pages are subject to the requirements of the *promotieregelement* and cannot be changed at will. Apart from the names and dates, most of the Dutch text is dictated literally.

Since the thesis title and name of the author appear several times throughout the document (on the title page, but also in, *e.g.*, the preface and cv), special commands are provided so they only have to be specified once. The title (and optional subtitle) can be specified with

\title[Optional subtitle]{Title}

The name of the author is specified with

<sup>&</sup>lt;sup>1</sup>We recommend http://en.wikibooks.org/wiki/LaTeX as a reference and a starting point for new users.

<sup>&</sup>lt;sup>2</sup>Note that it is not necessary to specify the file extension.

1.3. Chapters 3

```
\author{First name}{Last name}
```

Note that the first and last name are separate arguments, since they may be printed in different font shapes. The \title and \author commands also ensure that the title and author appear in the metadata of the final PDF.

See title/title.tex for detailed documentation on the comment and layout of the title pages. Logos of institutes that have contributed financially to the dissertation may be included on reverse side of the title page. A few example logos can be found in the title/logos folder.

#### 1.3. Chapters

ach chapter has its own file. For example, the  $\mbox{MT}_{E}X$  source of this chapter can be found in chapter-1.tex. A chapter starts with the command

```
\chapter{Chapter title}
```

This starts a new page, prints the chapter number and title and adds a link in the table of contents. If the title is very long, it may be desirable to use a shorter version in the page headers and the table of contents. This can be achieved by specifying the short title in brackets:

```
\chapter[Short title]{Very long title with many words which could
not possibly fit on one line}
```

Unnumbered chapters, such as the preface, can be created with \chapter\*{Chapter title}. Such a chapter will not show up in the table of contents or in the page header. To create a table of contents entry anyway, add

```
\addcontentsline{toc}{chapter}{Chapter title}
```

after the \chapter command. To print the chapter title in the page header, add

```
\setheader{Chapter title}
```

If (parts of) the chapter have already been published elsewhere, it is customary to add a reference. This can be done with the special unnumbered footnote command \blfootnote. For example,

```
\blfootnote{Parts of this chapter have been published in Annalen der
Physik \textbf{324}, 289 (1906) \autocite {Einstein1906}.}
```

generates the footnote at the beginning of this chapter. Because this footnote is unnumbered, the hyperref package may throw a warning, which safely be ignored.

If multiple people have contributed significantly to this chapter, they can be lister with the \authors command. This can be followed by a quotation using \epigraph as shown above. Finally, it is customary for a dissertation to include an abstract for every chapter (except perhaps the introduction). This can be accomplished with the abstract environment. The abstract should be followed by \newpage to start the chapter text on a new page.

In a dissertation, each chapter has its own list of references. These can be generated with the special command \references{dissertation} from dissertation.bib at the end of the chapter.Note that this means that you need to run a command like bibtex chapter-1/chapter-1 for each chapter. The bibliography style is specified in dissertation.bst, which is a modified version of apsrev4-1.bst (from REVTeX) designed to also display the titles of referenced articles. The template will automatically generate clickable hyperlinks if a URL or DOI (digital object identifier) is present for the reference. Although it is possible to manage the bibliography by hand, we recommend using EndNote (available from Blackboard) or JabRef (available from http://jabref.sourceforge.net/).

Chapters are subdivided into sections, subsections, subsubsections, and, optionally, paragraphs and subparagraphs. All can have a title, but only sections and subsections are numbered. As with chapters, the numbering can be turned off by using  $\ensuremath{\texttt{Section*}\{...\}}$  instead of  $\ensuremath{\texttt{Section*}\{...\}}$ , and similarly for the subsection.

1

1. Introduction

1

#### **1.4.** \section{...}

#### **1.4.1.** \subsection{...}

\subsubsection{...}

**\paragraph{...}** Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

#### 1.5. Fonts and Colors

The fonts used by this template depend on which version of Latex, you use. Regular Latex, i.e., if you compile your document with with latex, pslatex or pdflatex, will use Utopia for text, Fourier for math and Latin Modern for sans-serif and monospaced text. However, if you want to adhere to the TU Delft house style, you will need to use Xalatex, as it supports TrueType and OpenType fonts. Compiling with xelatex will use Bookman Old Style for titles, Tahoma for text, Courier New for monospace and Cambria for math. If you want to use Xalatex, but do not want to use the TU Delft house style fonts, you can add the nativefonts option to the document class.

This template supports the use of drop caps, a large colored initial at the beginning of a chapter or section, via the \dropcap command:

```
\dropcap{L}{orem} ipsum...
```

The first argument is the capital that will be printed on two lines (in the title color), and the second argument is the rest of the word. Depending on the font, the latter may be printed in small caps.

The corporate colors of the TU Delft are cyan, black and white, available, respectively, via \color{tudelft-cyan}, \color{tudelft-black} (which differs slightly from the default black) and \color{tudelft-white}. Apart from these three, the house style defines the basic colors

```
tudelft-sea-green,
tudelft-green,
tudelft-dark-blue,
tudelft-purple,
tudelft-turquoise and
tudelft-sky-blue,
```

#### as well as the accent colors

```
tudelft-lavendel,
tudelft-orange,
tudelft-warm-purple,
tudelft-fuchsia,
tudelft-bright-green and
tudelft-yellow.
```

#### **1.6.** Citing References

his template uses biblatex and biber to manage references. There are two main citation styles that come with these packages and a custom one:

- 1. \autocite is the main type, like when making a claim (Einstein, 1906).
- 2. \textcite can be used for in-line citations, like when Einstein (1906) made some claim.
- 3. \posscite is to use the author(s) as a possessive, like when talking about Einstein's (1906) claim (it also works for multiple authors and when the *et al.* is used. Note that "James's" is grammatically correct, but not "authors's".).

1.7. References 5

### 1.7. References

Einstein, A. (1906). "Eine neue Bestimmung der Moleküldimensionen". In: *Annalen der Physik* 324.2, pp. 289–306. DOI: 10.1002/andp.19063240204.

1

## Clean Example

#### **2.1.** Introduction

This is an example chapter file with just the barebones of what you might need (Einstein, 1906; Author, 2020).

Also, it's possible to refer to other sections in other chapters using \cref{cha:chapter\_1}, which gives: chapter 1.

8 2. Clean Example

#### 2.2. References

Author, A. (2020). "Paper Title". In: *Journal Name* 1.1, pp. 1–100. DOI: 10.xxxx/xxx.xxxx. Einstein, A. (1906). "Eine neue Bestimmung der Moleküldimensionen". In: *Annalen der Physik* 324.2, pp. 289–306. DOI: 10.1002/andp.19063240204.

2

# 3

## Conclusion

This is a concluding chapter explaining the scientific and technical implications for society of the research findings in considerable detail.

# 4

## Bibliography

Author, A. (2020). "Paper Title". In: *Journal Name* 1.1, pp. 1–100. DOI: 10.xxxx/xxx.xxxx. Einstein, A. (1906). "Eine neue Bestimmung der Moleküldimensionen". In: *Annalen der Physik* 324.2, pp. 289–306. DOI: 10.1002/andp.19063240204.

## Epilogue

This is an optional epilogue.

# Acknowledgements

This is an optional chapter containing acknowledgements.