

SERVICENOW APPLICATION DEVELOPMENT WORKSHOP

Application Development Workshop

SERVICENOW APPLICATION DEVELOPMENT WORKSHOP

This
Page
Intentionally
Left
Blank

SERVICENOW APPLICATION DEVELOPMENT WORKSHOP

Table of Contents

Setup.....	1
Load sample data.....	1
Activate Plugins	2
Start the Application	5
Choose How to Start the Application	5
Verify Results	7
Create the Database Tables	9
Add Fields to the Marketing Event Table.....	9
Create the Equipment Request Table.....	11
Verify Results	14
Optimize the User Interface.....	16
Inspect what's been generated	16
Modify the Marketing Event List Layout.....	17
Modify the Marketing Event Form	19
Modify the Equipment Request List Layout.....	20
Modify the Equipment Request Form	24
Create a Reference Qualifier	25
Test Drive the Application	26
Enter Marketing Events	26
Enter Equipment Requests	26
Add a Related List	27
Extend the Data Model.....	29
Create the Attendee Table	29
Modify the Marketing Events Table.....	30
Make Requests Through the Service Catalog	32
Create a Record Producer.....	33
Verify Results	35
Automate with Workflows and Approvals	37
Start the Workflow	37
Add an If Activity.....	38
Add an Approval - User Activity.....	41
Add Set Values	43
Add a Notification Activity.....	43
Connect the Activities	44
Publish and Test the Workflow.....	46
Secure the Application	50
Test Default Application Role	51

SERVICENOW APPLICATION DEVELOPMENT WORKSHOP

Understand Access Control Lists (ACLs).....	52
Enforce Business Rules	53
Create a Business Rule	53
Enhance the User Experience	56
Create a Page	56
Testing the page	58
Build Custom Controls.....	59
Create a Custom Widget.....	59
Testing the Widget.....	62
Create a new Attendee Page	63
Test the Page	66
Integrate with Other Systems.....	68
Create a custom REST service	68
Explore the REST API.....	70
Test & Explore our Scripted REST API	71
Access Other API Definitions	73

SERVICENOW APPLICATION DEVELOPMENT WORKSHOP

Setup


If you are working in a pre-configured lab instance, all plugins are activated and the sample data is already loaded for you and you can skip to the next chapter.

Setup

Load sample data

This workshop relies on a specific set of sample data. Follow these steps to load the data into your instance.

1. In the **Filter navigator** box, type “retrieved”



2. Click **Import Update Set from XML**

Related Links


[Import Update Set from XML](#)

3. Select the **AppDevWorkshop2017.xml** file provided by your instructor and click **Upload**

SERVICENOW APPLICATION DEVELOPMENT WORKSHOP

* XML file AppDevWork...p2017.xml

4. Select the **App Dev Workshop** update set record



5. Click **Preview Update Set** button


6. Click **Commit Update Set** button

Required sample data is now loaded.

Activate Plugins

1. In the **Filter navigator** box, type “plugins”

SERVICENOW APPLICATION DEVELOPMENT WORKSHOP



2. Filter for **Name** beginning with “Service Portal”

A screenshot of the ServiceNow search results page. The search bar shows "Name" and "Service Portal". Below the search bar, a filter icon and the text "All > Name >= Service Portal" are displayed.

3. Open the “Service Portal for Enterprise Service Management” record
4. Click “Activate/Upgrade” from **Related Links**

Related Links
[Activate/Upgrade](#)

5. Check the “Load demo data” box and click **Activate**

SERVICENOW APPLICATION DEVELOPMENT WORKSHOP

Activate Plugin



Service Portal for Enterprise Service Management

Provides a default service portal with easy configuration and designer. End user resources include Knowledge Base, Service Catalog, Services Status, and Social Q&A

Plugin dependency status

[Service Portal Social QA \(will be activated\)](#)

[Service Portal - Service Status \(will be activated\)](#)



[Load demo data](#)

[Cancel](#)

[Activate](#)

6. You are now ready to begin the labs.

SERVICENOW APPLICATION DEVELOPMENT WORKSHOP

Start the Application


This lab explains how to create the initial application.

Lab 1 Start the Application

Choose How to Start the Application


In this section, you decide how to start the application and give the application a name.

1. Navigate to **System Applications > Applications** by typing **applications** in the application navigator filter box.



SERVICENOW APPLICATION DEVELOPMENT WORKSHOP

2. In the **Develop** tab, click **New**.



3. In the **Get started building application** page, next to **Create custom application**, click **Create**.



4. In the **Create Application** form, enter the following information (ServiceNow automatically fills in some fields based on the application name):

In this field...	Enter...
Name	Marketing Events
Create Table	On

SERVICENOW APPLICATION DEVELOPMENT WORKSHOP

5. In the **Table** section, enter the following:

In this field...	Enter...
Label	Marketing Event

Note: Your application scope will vary from the screenshots depending on if you are using a lab instance, personal developer instance or your company's dev instance.

* Name	Marketing Events
* Scope	x_snc_mkevt_wkshp
Menu	Marketing Events
* User Role	x_snc_mkevt_wkshp.user
Create Table	<input checked="" type="checkbox"/>

Table


* Label	Marketing Event
* Name	x_snc_mkevt_wkshp_marketing_event
Module	Marketing Event
Extends Table	
Extensible	<input type="checkbox"/>
Live Feed	<input type="checkbox"/>
Auto-number	<input type="checkbox"/>

6. Click **Create**.
7. In the **Confirm Application** dialog, click **OK**.
8. Click **Edit App** to open your newly created app in Studio

Verify Results

ServiceNow has created a new application named Marketing Events.

SERVICENOW APPLICATION DEVELOPMENT WORKSHOP



You created a new application, but it does not do much yet. The next lab explains how to start marking it functional.

SERVICENOW APPLICATION DEVELOPMENT WORKSHOP


Create the Database Tables

At the heart of every application is a database to store information. ServiceNow provides a relational database model for business objects. You can store the attributes of a business object and the relationships between them.

The application needs three objects:

- Marketing Event
 - Has a one-to-many relationship to Equipment Request and one-to-many relationship to Attendee.
- Equipment Request
- Attendee

Lab 2 Data Model




This lab explains how to build the Marketing Event and Equipment Request tables. You build the Attendee table later.

Add Fields to the Marketing Event Table

Creating the application created the Marketing Event table, but the table now only has system-generated fields. In this section, you add the fields required by the business.

1. In the **Studio**, open the **Marketing Event** table.

SERVICENOW APPLICATION DEVELOPMENT WORKSHOP



2. In the **Columns** section, double-click **insert a new row**.
3. Complete the **Dictionary Entries** embedded list with the following values:

Column Label	Type	Reference	Display
Name	String		True
Event type	Choice		False
Location	Reference	Location [cmn_location]	False
Sponsor	Reference	Company [core_company]	False
Start date	Date		False
End date	Date		False
Budget	Currency		False

SERVICENOW APPLICATION DEVELOPMENT WORKSHOP

The screenshot shows the ServiceNow Studio interface. On the left, the Application Explorer sidebar is open, displaying the Data Model, Access Control, and Navigation sections. In the center, a table named 'Marketing Event' is being edited. The table has seven columns: 'Created by' (String), 'Created' (Date/Time), 'Sys.ID' (Sys ID (GUID)), 'Updates' (Integer), 'Updated by' (String), 'Updated' (Date/Time), 'Name' (String, set to true in the 'Display' column), 'Event type' (Choice), 'Location' (Reference to Location), 'Sponsor' (Reference to Company), 'Start date' (Date), 'End date' (Date), and 'Budget' (Currency). The 'Display' column for 'Name' is highlighted with a blue border.

Setting **Display** to true for **Name** causes ServiceNow to display the user-friendly value for the event name rather than displaying a unique system generated ID whenever another record references a Marketing Event.

4. Click **Update**. You have created a first table with seven custom columns.

Create the Equipment Request Table

Create the Equipment Request table in a similar manner.

1. In the upper left hand corner of Studio, click **+ Create New Application File**
2. Select **Data Model > Table** and click **Create**

SERVICENOW APPLICATION DEVELOPMENT WORKSHOP

Create New Application File

The screenshot shows the 'Create New Application File' interface. On the left, a sidebar lists various 'Data Model' categories with their counts: Forms & UI (14), Server Development (9), Client Development (6), Access Control (2), Properties (3), Navigation (4), Notifications (3), Content Management (16), Service Catalog (10), Reporting (6), Integrations (10), and Workflow (2). A search bar at the top says 'Filter...'. In the center, a detailed view of the 'Table' data model is shown, including its sub-components: Table Column, Many to Many Definition, and Relationship. To the right, a detailed description of the 'Table' data model is provided, mentioning it is used for storing instance data and managing data and processes. A 'Create' button is located at the bottom right of the central panel.

3. In the **Label** field, type **Equipment Request**. ServiceNow automatically fills in the **Name** field based on the label and application name.
4. In **Extends table** field, enter **Task** and select **Task** from the auto-complete drop-down list. Extending an existing table is a powerful facility that allows easy reuse of existing functionality. In this case, Task provides the underlying functionality for an object to participate in a workflow. Since the Equipment table extends task, it can also participate in a workflow without any additional effort. You build the workflow in a later lab.

SERVICENOW APPLICATION DEVELOPMENT WORKSHOP

5. Fill in the **Dictionary Entries** embedded list with the following values:

Column Label	Type	Reference	Display
Type	Reference	Hardware Model [cmdb_hardware_product_model]	True
Needed from	Date		False
Needed until	Date		False
Marketing event	Reference	Marketing Event [x_<YOUR_SCOPE_HERE>_marketing_events_event] *	False

* Note: the scope prefix (x_) on tables you create on your instance will vary from what you see in this guide.

The screenshot shows the 'Table' creation screen in ServiceNow. At the top, there's a summary bar with 'Table' and 'New record' buttons, and standard edit, save, and cancel buttons. Below this is a help banner about tables. The main configuration area includes fields for 'Label' (Equipment Request), 'Name' (x_snc_mkevt_wkshp_equipment_request), 'Application' (Marketing Events), and checkboxes for 'Create module' (checked) and 'Create mobile module' (checked). There's also a dropdown for 'Add module to menu' set to Marketing Events. At the bottom, there are tabs for 'Columns', 'Controls', and 'Application Access'. The 'Dictionary Entries' tab is selected, displaying a list of entries with columns for 'Column label', 'Type', 'Reference', 'Max length', 'Default value', and 'Display'. The entries are:

Column label	Type	Reference	Max length	Default value	Display
Type	Reference	Hardware Model		true	
Needed from	Date			false	
Needed until	Date			false	
Marketing event	Reference	Marketing Event		false	


An 'Insert a new row...' button is at the bottom of the list.

Note: The **Marketing Event** field is a **Reference** type field to the **Marketing Event** table. A reference field creates a relationship between two tables. In this case, a particular piece of


SERVICENOW APPLICATION DEVELOPMENT WORKSHOP

equipment is related to a particular marketing event. It allows you to display information from another table and is like a foreign key in a relational database.

5. Navigate to the **Controls** section



6. Check **Auto-number**
7. Change the **Prefix** to **ERQ**




8. Click **Submit**. Now there are two tables in the application.

Verify Results

Get another perspective on data model using the schema map.

1. Click back to the **Marketing Event** table.



SERVICENOW APPLICATION DEVELOPMENT WORKSHOP


2. In the Related Links, click Show Schema Map.



Related Links

[Design Form](#)
[Layout Form](#)
[Layout List](#)
[Show Form](#)
[Show List](#)
[Show Schema Map](#)
[Add to Service Catalog](#)
[Explore REST API](#)
[Track in Update Sets](#)

This shows the schema map (Entity Relationship diagram) for the application.



If you do not see the relationship as depicted above, it means that the reference field between the two tables is not properly set. Go back to step 4 in the previous section.

Use the schema map to drill down and look at the application's tables and fields. Notice that there are a few standard system fields added such as Sys ID and Updated. For the Equipment Request table, note the fields included from extending the Task table. The application now has two tables. In the next lab, you modify the user interface so that you can enter data into these tables.

SERVICENOW APPLICATION DEVELOPMENT WORKSHOP

Optimize the User Interface

Users need to interact with the application to enter details about a marketing event or to request equipment. Fortunately, ServiceNow automatically generates most of the user interface (UI) features you need. By default, ServiceNow automatically provides a list view of all records in a table and a form to create new records. The current task is to customize the automatically generated UI.


This lab explains how to modify the user interface for users to interact with the application.

Lab 3 User Interface

Inspect what's been generated

When you create tables, lists and forms are generated as well.

1. Switch windows from Studio back to the main instance window and reload your browser
2. Type “marketing” into the **Filter navigator**



3. Explore the Marketing Event and Equipment Requests. Make note of the values and behaviors when you select values on the **Event Type** field on **Marketing Event** and **Type** on **Equipment Request**.


You'll find that while a good start, the layout and order can be improved. In the next section, you will change the layouts to make the app easier to use.

SERVICENOW APPLICATION DEVELOPMENT WORKSHOP

Modify the Marketing Event List Layout

In this section, you change how the list columns are presented to users looking at marketing events.

1. Switch back to the Studio browser window and reload
2. **Create New Application File** and select **Forms & UI > List Layout**



3. Select **My Tables > Marketing Event** and click **Create**


My Tables

Equipment Request [x_snc_mkevt_wkshp_equipment_request]

Marketing Event [x_snc_mkevt_wkshp_marketing_event]

SERVICENOW APPLICATION DEVELOPMENT WORKSHOP

4. Arrange the column headers by selecting a column and clicking the **Up** or **Down** arrow. Arrange the column headers in the following order: **Name, Event Type, Location, Budget, Sponsor, Start Date, and End Date.**



5. Click **Save**. The list uses the new order of column headings.

SERVICENOW APPLICATION DEVELOPMENT WORKSHOP

Modify the Marketing Event Form

Now that the list is formatted better, turn your attention to the form layout.

1. If you see **Marketing Event** under **Forms & UI > Forms**, skip to step 4
2. **Create New Application File** and select **Forms & UI > Form**
3. Select **My Tables > Marketing Event** and click **Create**
4. Configure the form as follows by dragging the field from **Fields** list on the left and dropping them on the **Marketing Event** form, as specified below

The screenshot shows the ServiceNow Form Designer interface. At the top, it says "Marketing Event [x_snc_mkevt_wkshp_marketing_event]" with a dropdown menu showing "2" and a plus sign. Below is a grid of six input fields:

Name	Location
Event type	Start date
Sponsor	End date
Budget	

5. When exploring the **Marketing Event** form, you may have noticed how the **Event type** field is a drop-down field containing no values. Remember that you made this into a **Choice** field. Hover your mouse over the **Event type** field and click the gear icon that appears



6. Click the **Create choices** button
7. Add the following values for event types: **LUG, Major, Seminar, and Booth**.

SERVICENOW APPLICATION DEVELOPMENT WORKSHOP

Choices

Choice type

Dropdown with none

<input type="checkbox"/>	LUG	[LUG]	<input type="button" value="+"/>	<input type="button" value="X"/>
<input type="checkbox"/>	Major	[Major]	<input type="button" value="+"/>	<input type="button" value="X"/>
<input type="checkbox"/>	Seminar	[Seminar]	<input type="button" value="+"/>	<input type="button" value="X"/>
<input type="checkbox"/>	Booth	[Booth]	<input type="button" value="+"/>	<input type="button" value="X"/>
<input type="checkbox"/>		[]		

8. Close the Properties window

Note: Providing users with a choice list prevents data entry errors and typos that a free-form text field allows. A fixed list also prevents users from creating multiple variations of the same value.

9. Click **Save** when done.

Modify the Equipment Request List Layout


Now customize the Equipment Request list and form views following a similar process.

1. Create New Application File and select **Forms & UI > List Layout**
2. Select **My Tables > Equipment Request** and click **Create**
3. Since the Equipment Request table extends from the Task table, you will see a lot of fields in the available fields list and some fields from the Task table in the **Selected** list.
4. Remove all the default fields in the **Selected** list by double-clicking on the field names. Alternatively, hold down the **SHIFT** key and select all these fields and then press the **<** (remove) button.

SERVICENOW APPLICATION DEVELOPMENT WORKSHOP

Note: You can safely remove fields from a list or form view. Removing fields with configuration does not change the actual table structure.

5. In the **Available** list, double-click on the **Type** field to add them to the Selected list.



SERVICENOW APPLICATION DEVELOPMENT WORKSHOP

6. Display in the Equipment List a field from the related Hardware Model table. To see fields from this related table, select the **Type** field from the **Available** fields list. ServiceNow displays tables in green text with a [+] next to the table name.




Click on **Type** to show a list of the fields in the related table.

Available


- [Equipment Request fields](#)
- [.Type-->Hardware Model fields](#)
- Acquisition method
- Asset tracking strategy
- Barcode
- Bundle
- CMDB CI class
- [Catalog Item \[+\]](#)
- Certified
- Class
- Comments
- Cost
- Created
- Created by
- [Depreciation \[+\]](#)
- Description

SERVICENOW APPLICATION DEVELOPMENT WORKSHOP

7. Double-click the **Cost** field to add it to the Selected list.



8. In the **Available** list, click **Equipment Request fields** to return to the fields directly on the Equipment Request table.
9. Add and order the **Needed from**, **Needed until**, and **Marketing event**.



10. Click **Save**.

SERVICENOW APPLICATION DEVELOPMENT WORKSHOP

Modify the Equipment Request Form

Now configure the Equipment Request form.

1. If you see **Equipment Request** under **Forms & UI > Forms**, skip to step 4
2. **Create New Application File** and select **Forms & UI > Form**
3. Select **My Tables > Equipment Request** and click **Create**
4. Remove all the default fields in the form except **Number** and **Work notes** by selecting each field and then clicking the X.

The screenshot shows the ServiceNow Form Design interface. The top bar includes tabs for 'Equipment Request [x_snc]' and 'Default view'. On the right are 'Undo' and 'Save' buttons. The main area is titled 'Form Design' and contains a section for 'Equipment Request [x_snc_mkevt_wkshp_equipment_request]'. This section has two fields: 'Number' and 'Work notes'. To the left is a sidebar with tabs for 'Fields' and 'Field Types', and a 'Filter' search bar. Under 'Fields', there are three listed: 'Active', 'Activity due', and 'Actual end'. A placeholder text 'Drag content, drop it here' is located above the 'Work notes' field.

5. Configure the form as follows:

The screenshot shows the ServiceNow Form Design interface with the 'Equipment Request' form configured. The main area now contains six fields: 'Number', 'Needed from', 'Needed until', 'Type', 'Marketing event', and 'Work notes'. The 'Work notes' field is still at index 1. The 'Number' field is at index 2, 'Needed from' is at index 3, 'Needed until' is at index 4, 'Type' is at index 5, and 'Marketing event' is at index 6. The top bar and sidebar are identical to the previous screenshot.


6. Click **Save**.

SERVICENOW APPLICATION DEVELOPMENT WORKSHOP

Create a Reference Qualifier

The form looks good. You can optimize the user experience even more by making reference lists more relevant. This reference list filtering can be done with a reference qualifier.

1. Open the **Equipment Request** table.
2. In the **Columns** section, scroll to **Type** and click on the column label.



Hint: it will be on the last page at the end

3. In the **Reference Specification** section, in the **Reference qual condition** field, set the filter condition to **Model categories contains Marketing** as shown below.

The Reference field specifies what table this field displays values from.

* Reference: Hardware Model

Reference qual condition: Model categories contains Marketing

Add Filter Condition | Add "OR" Clause | AND | OR | X

4. Click **Update**.

Now the application has two tables, forms to add new records, and lists to view all records. In the next lab, take your application for a spin!

SERVICENOW APPLICATION DEVELOPMENT WORKSHOP

Test Drive the Application

This lab explains how to verify what you have done in the previous labs.

Enter Marketing Events

It is time to start enjoying the fruits of your labor. Add a few marketing event records.

1. Switch back to the main ServiceNow window and navigate to **Marketing Events > Events**.
2. Create marketing event records using the following information.

Lab 4 Test Drive

Name	Type	Sponsor	Budget	Location	Start date	End date
San Diego LUG	LUG	ACME North America	\$2000.00	815 E Street, San Diego, CA	2017-05-15	2017-05-18
London LUG	LUG	ACME UK	\$1000.00	3 Whitehall Court, London	2017-06-01	2017-06-02

The screenshot shows the ServiceNow interface for the Marketing Events module. At the top, there is a navigation bar with 'Marketing Events' and a 'New' button. Below the navigation bar is a search bar labeled 'Search'. The main area displays a grid of event records. Each record includes columns for Name, Type, Sponsor, Budget, Location, Start date, and End date. The 'London LUG' event is listed first, followed by the 'San Diego LUG' event. The grid also features various filtering and sorting icons at the top.

Now add some corresponding equipment request records.

Enter Equipment Requests

1. Navigate to **Marketing Events > Equipment Requests**.
2. Create equipment request records using the following information.

SERVICENOW APPLICATION DEVELOPMENT WORKSHOP

Type	Marketing Event	Needed from	Needed Until
Sony Projector	London LUG	2017-06-01	2017-06-02
Sony Wireless Microphone	London LUG	2017-06-01	2017-06-02
Sony Projector	San Diego LUG	2017-05-15	2017-05-18
Sony Wireless Microphone	San Diego LUG	2017-05-15	2017-05-18

	Type	Cost	Active	Needed from	Needed until	Marketing event
<input type="checkbox"/>	Sony Projector	\$1.000.00	true	2017-06-01	2017-06-02	London LUG
<input type="checkbox"/>	Sony Wireless Microphone	\$300.00	true	2017-06-01	2017-06-02	London LUG
<input type="checkbox"/>	Sony Projector	\$1.000.00	true	2017-05-15	2017-05-18	San Diego LUG
<input type="checkbox"/>	Sony Wireless Microphone	\$300.00	true	2017-05-15	2017-05-18	San Diego LUG

Note: You can sort by the column headings in the list view as well as edit any field by double clicking. Give it a try.

Add a Related List

Make one small enhancement to the application. When you look at a particular marketing event, you want to be able to see the equipment requested for that event on the same page. Since the Equipment Request table is related to Marketing Event table, you can do this easily.

1. Back in Studio, Create New Application File and select **Forms & UI > Related List**.
2. Select the **Marketing Event** table and click **Create**.
3. From the **Available** list, select **Equipment Request->Marketing event** and click .

Configuring related lists on Marketing Event form

Available

Selected

Equipment Request->Marketing event

Cancel Save

SERVICENOW APPLICATION DEVELOPMENT WORKSHOP

4. Click **Save**.
5. Switch back to the main ServiceNow window and navigate to **Marketing Events > Marketing Event**
6. Click on the **London LUG** record. Notice that the related equipment requests for the event now show up in the same view.

The screenshot shows the ServiceNow interface for a Marketing Event named "London LUG". The event details include:

- Name: London LUG
- Event type: LUG
- Location: 3 Whitehall Court, London
- Sponsor: ACME UK
- Start date: 2017-06-01
- Budget: \$ 1,000.00
- End date: 2017-06-02

Below the details, there is a grid of related "Equipment Requests" for the event:

	Type	Cost	Active	Needed from	Needed until
<input type="checkbox"/>	Sony Projector	\$1,000.00	true	2017-06-01	2017-06-02
<input type="checkbox"/>	Sony Wireless Microphone	\$300.00	true	2017-06-01	2017-06-02

At the bottom of the grid, there is a button labeled "Actions on selected rows...".

You now have a functioning application hosted securely in the cloud. This is already a huge improvement over ad-hoc spreadsheet sharing. But you are not done with the application yet.

SERVICENOW APPLICATION DEVELOPMENT WORKSHOP

Extend the Data Model

In this lab you will:

- Create a new attendee table and link it to the marketing event table
- Create two new fields in the marketing event table:
 - Expected number of attendees
 - Actual registration

Lab 5 Data Model Extension

The process of creating a new table is the same as that outlined in [Create the Database Tables lab](#).

Create the Attendee Table

1. In **Studio**, create a new table labeled **Attendee** with the following fields.

Column label	Type	Reference	Display
First name	String		False
Last name	String		True
Email	String		False
Phone	Phone Number (E164)		False
Marketing event	Reference	Marketing event [x_<YOUR_SCOPE_HERE>_marketing_events_event] *	False

* Note: the scope prefix (x_) on tables you create on your instance will vary from what you see in this guide.

SERVICENOW APPLICATION DEVELOPMENT WORKSHOP

The screenshot shows the ServiceNow Table Definition interface for the 'Attendee' table. At the top, there's a header bar with tabs for 'Attendee' and 'Table'. Below the header, the table name 'Attendee' is displayed along with its application 'Marketing Events'. There are buttons for 'Update', 'Delete', and 'Delete All Records'. The main area shows the table structure with columns: 'Label' (Attendee) and 'Name' (x_snc_mkevt_wkshp_attendee). Below this, there are tabs for 'Columns', 'Controls', and 'Application Access'. The 'Columns' tab is selected, showing a list of fields: Email (String, 40, false), First_name (String, 40, false), Last_name (String, 40, true), Marketing_event (Reference to Marketing_Event, 32, false), Phone (Phone Number (E164), 40, false), and Created_by (String, 40, false). A search bar and navigation buttons are also present.

2. Click **Submit**.

Modify the Marketing Events Table

1. Add these fields to the **Marketing Event** table.

Column label	Type	Display
Number of attendees expected	Integer	False
Number of attendees registered	Integer	False

SERVICENOW APPLICATION DEVELOPMENT WORKSHOP

	Updated	Date/Time	40	false
X	/	Number of attendees expected	Integer	false
X	/	Number of attendees registered	Integer	false
+	Insert a new row...			

2. Click **Update**.

SERVICENOW APPLICATION DEVELOPMENT WORKSHOP

Make Requests Through the Service Catalog

Service Catalog is a term that has its origins in IT Service Management. A Service Catalog is a representation of the Services offered to an organization by a service provider (IT) to their customers (the Business). Using the ServiceNow Service Automation Platform's built-in Service Catalog ensures that users have a single interface for all of their request-based needs without having to navigate multiple applications and interfaces. Multiple, independent catalogs can be managed while still giving requesters a single entry point and interface.

Here is a sample Service Catalog.

The screenshot shows the ServiceNow Service Catalog homepage. At the top, there is a banner featuring two MacBook Pros. The left one displays a landscape scene, and the right one displays a blue abstract swirl. Below the banner, the title "MacBook Pro" and the subtitle "with Retina display" are visible, followed by the text "Now with the Force Touch trackpad". On the left side, there is a sidebar with a "Categories" section containing links like "Can We Help You?", "Hardware" (13), "Office" (4), "Peripherals" (27), "Quick Links" (2), and "Software" (17). To the right of the sidebar, there is a "Popular Items" section showing a card for the "Apple iPad 3" with a price of \$600.00. The URL at the bottom of the page is https://mktdcal98.servicenow.com/sp?id=sc_home.

This lab explains how to create a Service Catalog for marketing event requests.

To implement the request, you create a Record Producer. A Record Producer creates an input form within the service catalog to capture requests and then uses the request data to create a new record in a

Lab 6 Service Catalog

SERVICENOW APPLICATION DEVELOPMENT WORKSHOP

destination table. For this exercise, you want a Record Producer that creates new records in the Marketing Event table when someone uses the Service Catalog to request a new event.

Create a Record Producer

1. In **Studio**, open the **Marketing Event** table definition.
2. In the **Related Links**, click **Add to Service Catalog**.

Related Links

[Design Form](#)

[Layout Form](#)

Select fields from this table to create a new Service Catalog item

[Show Schema Map](#)

[Add to Service Catalog](#)

[Explore REST API](#)


[Track in Update Sets](#)

3. Fill in the **Record Producer** form with the following values:

In this field...	Enter...
Name	Request Marketing Event
Short Description	Request a marketing event in your region
Category	Departmental Services

SERVICENOW APPLICATION DEVELOPMENT WORKSHOP

4. Add fields to the record producer by moving fields from the **Available** side to the **Selected** side in the order they are shown below.



5. Click **Save and Open**.
6. In the Script field, delete or comment out line 1

The screenshot shows a 'Script' editor with a toolbar above it containing various icons. Below the toolbar is a code editor window. The code consists of two numbered lines:
1 //producer.redirect = "catalog_home.do?sysparm_catalog=e0d08b13c3330100c8b837659bba8fb4";
2

7. Click **Update**

SERVICENOW APPLICATION DEVELOPMENT WORKSHOP

Verify Results

Now that you created the variables, the Record Producer displays fields for users to fill out.

1. Click the **Preview Item** link. This provides a preview of record producer.

The screenshot shows the ServiceNow Record Producer configuration interface. At the top, it says "Record Producer" and "Request Marketing Event". On the right, there are buttons for "Update", "Copy", and "Delete". Below the title, there are several input fields:

- Name: Request Marketing Event
- Application: Marketing Events
- Table name: Marketing Event [x_snc_mkevt...]
- Model: (empty)
- Active: checked
- Preview link: [Preview Item](#)

2. Test it out. Enter some data and click **Submit**. You are redirected to the newly created record.
3. Close the pop-up window.
4. Next try it from the Service Portal. In the main window, navigate to **Service Portal > Service Portal Home**.
5. Navigate to **Order Something > Departmental Services**.
6. Now select the **Request Marketing Event** service from the catalog. Add an entry.

The screenshot shows the Service Portal's "Request Marketing Event" form. At the top, the navigation path is "Home > Service Catalog > Departmental Services > Request Marketing Event". There is a search bar on the right. The form itself has the following fields:

- Name: Trade Show
- Event type: Booth
- Start date: 2017-06-05
- End date: 2017-06-07
- Location: Seattle
- Sponsor: ACME Americas
- Number of attendees expected: (empty)

SERVICENOW APPLICATION DEVELOPMENT WORKSHOP

7. Click **Submit**.
8. Verify that it has been added by switching back to the main window and navigating to **Marketing Events > Events**.

Congratulations! You created a new Service Catalog item for users to submit Marketing Event requests.

SERVICENOW APPLICATION DEVELOPMENT WORKSHOP

Automate with Workflows and Approvals

Too often business processes are implemented by a combination of email, ad-hoc conversations and other inefficient, manual methods. Workflows can automate this, resulting in increased efficiency and reduced errors.

Start the Workflow

In this section, create the workflow container.

Lab 7 Workflow

1. In Studio, Create New Application File and select **Workflow > Workflow**. A new browser window opens with the workflow editor.
2. In the Name field, type **Marketing Event Equipment Request**.
3. In the Table field, select **Equipment Request**.
4. You want the workflow to run only for active requests. Set the Condition to **Active is true**.

The screenshot shows the 'Conditions' tab of the ServiceNow Workflow editor. It displays a condition configuration for 'Run the workflow' when 'Active' is 'true'. The interface includes dropdowns for conditions and operators, and buttons for adding filter conditions or clauses.


5. Click **Submit**. An empty workflow is shown. On the right, in the **Core** tab, is the palette of tasks and other activities you can add to the workflow.

SERVICENOW APPLICATION DEVELOPMENT WORKSHOP

Add an If Activity

In this section, you add an activity to check if approval is required based on the equipment cost.


1. In the **Core** tab, expand the **Conditions** folder. Drag the **If** activity between the **Begin** and **End** activities. The connecting line will turn blue. Drop it there.



2. In the **New Activity: If** dialog **Name** field, enter **Over \$500?**.

SERVICENOW APPLICATION DEVELOPMENT WORKSHOP

3. For the **Condition**, you will use the **Cost** field from the related **Hardware Model** table. To access the fields on the related table, from the **field** list, select **Show Related Fields**.



4. Select **Type** → **Hardware Model** fields.
5. Select **Cost**.
6. Complete the condition to read **Cost greater than 500 USD**. The completed form is shown below.

SERVICENOW APPLICATION DEVELOPMENT WORKSHOP

Workflow Activity
New record [Diagrammer view]

Name: Over \$500

Stage:

Conditions

The If activity checks a condition and/or script to determine which transition a workflow follows: 'yes' or 'no'. Use the 'Condition' builder to specify conditions that must be true for the activity to transition along the 'yes' path. [More info](#)

Condition: Cost > 500 USD AND OR


Check 'Advanced' to use a script for creating additional conditions. When you check 'Advanced', a text box appears where you can enter your script. In the script, add your code to determine when the script returns 'yes' or 'no'.

If the condition is false, or the script returns 'no', the activity transitions along the 'no' path.

Advanced:

7. Click **Submit**.

Marketing Event Equipment Request - Checked out by me



SERVICENOW APPLICATION DEVELOPMENT WORKSHOP

Add an Approval - User Activity

You want to track the status of the workflow in a field on the record itself so that the user who submitted the request can quickly know whether their request was approved or not. For this you use a field from the task table called Approval (remember that Equipment extends Task so you have access to all the fields in the task table). The Approval field can have four possible values as shown below—this works nicely for what you want to do.

- Not Yet Requested
- Requested
- Approved
- Rejected

In this section, you add manager approval.

1. To prepare for the workflow for the new activity, click the line that connects the **If** activity and the **End** activity. Press **Delete**. Do the same for the line between **Begin** and **If**. Move the **End** activity down and to the right.




2. In the **Core** tab, expand the **Approvals** folder. Drag and drop the **Approval-User** activity to the right of the **If** activity.
3. In the **New Activity: Approval – User** dialog, in the **Name** field, type **Manager Approval**.
4. You can send the request to the requester's department manager. Click on next to **Users**.

SERVICENOW APPLICATION DEVELOPMENT WORKSHOP

5. Click .

6. In the **Select fields for the list** dialog, expand **Opened by**, expand **Department**, and click **Department head**.

Select fields for the list 



- [+] Location
- [+] Marketing event
- [+] Opened by
 - [+] Building
 - [+] Company
 - [+] Cost center
 - [+] Default perspective
 - [+] Department
 - [+] Company
 - [+] Cost center
 - Department head**
 - [+] Parent
 - [+] Primary contact
 - [+] Domain
 - [+] LDAP server
 - [+] Location

7. Click . You should see the variable `${opened_by.department.dept_head}` in the **Users** field.

Users



`${opened_by.department.dept_head}`

8. Click **Submit**.

SERVICENOW APPLICATION DEVELOPMENT WORKSHOP


Add Set Values

Now update the approval values as the request moves through the workflow

1. Expand the **Utilities** folder. Drag and drop the **Set Values** activity between **Begin** and **If**.
2. In the **Name** field, type **Set Requested**.
3. In the **Values** section, set **Approval** to **Requested**.



4. Click **Submit**. The workflow should now look like the example.



5. Add two more **Set Values** activities, one setting **Approval** to **Approved** and another setting **Approval** to **Rejected**.

Add a Notification Activity

It would be nice for the requester to be notified if the request is rejected. Use a **Notification** activity for requester notification.

1. In the **Core** tab, expand the **Notifications** folder, drag the **Notification** activity to the canvas and drop it above the **End** activity.
2. In the **New Activity: Notification** dialog, in the **Name** field, type **Rejection**.
3. Unlock the **To** field. Using the **Select fields dialog box** as you did before, select **Opened by**.

SERVICENOW APPLICATION DEVELOPMENT WORKSHOP

4. In the **Subject** field, type **Your equipment request was not approved**.
5. In the **Message** field, type **Your request for \${type} was not approved. Try submitting a request for less expensive equipment.**

To \${opened_by}

To (groups)

Advanced


Message ▼

In 'Subject' specify the text to appear in the message's subject line. In 'Message' specify the text of the message itself. To include the value of a field in the message body, place the cursor at the point in the text where you want the field's value inserted. Then click the + icon next to Fields and select the field you want.

Subject

Message - + Select variables:
Your request for \${type} was not approved. Try submitting a request for less expensive equipment. + Fields

6. Click **Submit**. Your workflow should look like the example.



Connect the Activities

Now that all of the activities are in place, connect activity results to the appropriate next step in the process.


SERVICENOW APPLICATION DEVELOPMENT WORKSHOP

1. To connect activities, drag the square next to the activity result to the target activity. Alternatively, you can right-click on the activity result and select **Link to...** to use a dialog to make the connections. Use this table to make the connections:

From activity...	Drag result...	To activity...
Begin	Always	Set Requested
Set Requested	Always	If
If	Yes	Approval - User
If	No	Set Approved
Approval – User	Approved	Set Approved
Approval – User	Rejected	Set Rejected
Set Approved	Always	End
Set Rejected	Always	Notification
Notification	Always	End

SERVICENOW APPLICATION DEVELOPMENT WORKSHOP


2. Rearrange the activities to make the process flow more readable.



Publish and Test the Workflow

The workflow is complete and ready to be activated. In this section, you will publish the workflow.

1. In the **Workflow Actions** menu, select **Publish**. The status at top should now show **Published**.



2. Before you test the workflow, make a simple addition to the Equipment list view. In Studio, open **Forms & UI > List Layouts > Equipment Request**

SERVICENOW APPLICATION DEVELOPMENT WORKSHOP

3. Configure the **Equipment Requests** list view and add the **Approval** field.

Selected

Number
Type
Type.Cost
Active
Needed from
Needed until
Marketing event
Approval


4. Now test the approval process. In the main application window, enter a new equipment request for an equipment **Type** that costs more than **\$500** (see sample below) and click **Submit**.

Equipment Request
Sony Projector

Number	ERQ0001005	...
Type	Sony Projector	...
Marketing event	Trade Show	...
Needed from 2017-06-05		
Needed until 2017-06-06		


Update Delete

5. To see if someone got the approval request, you first need to log in as Natasha Ingram who part of the approval chain. As a System Administrator, you can impersonate other users in the system. Click your username in the banner area select **Impersonate User**



SERVICENOW APPLICATION DEVELOPMENT WORKSHOP

6. In the dialog that appears search for **Natasha Ingram**.



You should now be impersonating Natasha Ingram.

6. Navigate to **Self-Service > My Approvals**. A list view of all the approval requests appears.

A screenshot of the 'My Approvals' list view. The top navigation bar includes 'Approvals', 'Go to', 'State', a dropdown menu, and a 'Search' input field. Below the navigation is a filter section with a funnel icon and the condition 'All > Approver = Natasha Ingram'. The main table has columns: 'Approvals' (with a gear icon), 'Go to' (with a magnifying glass icon), 'State' (with a list icon), 'Approver' (with a list icon), 'Comments' (with a list icon), and 'Approval for' (with a list icon). One row is shown: a checkbox, a link to 'Requested', the approver 'Natasha Ingram', and the ID 'ERQ0001005'.

Click the **Requested** link for the recently submitted request.

7. Click **Approve**.
8. Now go back to the role of System Administrator. Click **Natasha Ingram** in the banner again, **Impersonate User** and click **System Administrator**.

SERVICENOW APPLICATION DEVELOPMENT WORKSHOP

9. Navigate to **Marketing Events > Equipment Requests**. The recently approved item should appear with the status **Approved**.

		Number	Type	Cost	Active	Needed from	Needed until	Marketing event	Approval
<input type="checkbox"/>	(i) ERQ0001001	Sony Projector	\$1,000.00	true	2017-06-01	2017-06-02	London LUG	Not Yet Requested	
<input type="checkbox"/>	(i) ERQ0001002	Sony Wireless Microphone	\$300.00	true	2017-06-01	2017-06-02	London LUG	Not Yet Requested	
<input type="checkbox"/>	(i) ERQ0001003	Sony Projector	\$1,000.00	true	2017-05-15	2017-05-18	San Diego LUG	Not Yet Requested	
<input type="checkbox"/>	(i) ERQ0001004	Sony Wireless Microphone	\$300.00	true	2017-05-15	2017-05-18	San Diego LUG	Not Yet Requested	
<input type="checkbox"/>	(i) ERQ0001005	Sony Projector	\$1,000.00	true	2017-06-05	2017-06-06	Trade Show	Approved	Approved

Notice that in this example you can change the approval field status directly. Though this may be fine in this example, in a real world scenario you may want to make this field read only for the user who submits the request.

Workflows and approvals are extremely powerful features. With the ServiceNow Service Automation Platform this functionality is easily accessible by your applications.

SERVICENOW APPLICATION DEVELOPMENT WORKSHOP

Secure the Application

Security is an important and multifaceted topic. The ServiceNow Service Automation Platform provides a variety of administrative controls and a fine-grained application security model to secure your applications.

The diagram below depicts one way to think about the security of the applications and some of the platform capabilities provided to address security requirements. At the bottom are the controls that are mandated by your company's security policies. On top of that may be industry-specific requirements and best practices.

These two layers may be common across multiple applications. Finally, there is application-specific security that controls access to an individual application.

Lab 8 Security



The platform security capabilities should not be looked at in isolation but should be used together to secure the application in an optimal fashion. In this tutorial, we defer security to a later lab. As a best practice, you should understand the security requirements for your applications and incorporate them into earlier stages of the implementation cycle.

In this lab you look at two of the capabilities provided by the ServiceNow platform to secure your applications—roles and access control lists.

SERVICENOW APPLICATION DEVELOPMENT WORKSHOP

A role is a category that can be assigned to a user and can be granted access to particular parts of the system—in this case the marketing events application. When you created the application (in lab 1), it conveniently created a new role (`x_<YOUR_SCOPE_HERE>.user`) that you can assign to users that need access to this application.

Test Default Application Role

Review the impact of having and not having the `x_<YOUR_SCOPE_HERE>.user` role.


1. To test the current application security, **impersonate** Beth Anglin who does not have this role. If you trying to navigate to the **Marketing Events** application, it should not be visible.
2. Go to the **System Administrator** role to give Beth Anglin the role `x_<YOUR_SCOPE_HERE>.user`.
3. In the main window, navigate **System Security > Users and Groups > Users** and open the user record for **Beth Anglin**.



4. In the **Roles** section, click **Edit**.

SERVICENOW APPLICATION DEVELOPMENT WORKSHOP

5. In the form, search for **x_<YOUR_SCOPE_HERE>.user** and add it to the Roles List. Click Save.



6. Impersonate **Beth** again and navigate to **Marketing Events**. The application should appear.
7. After you confirm this, return to the **System Administrator** role to continue the lab.

Understand Access Control Lists (ACLs)

Defining a role gives visibility to the application only to users with that role. However, you may want to further restrict what a particular role or user is allowed to do. Access Control Lists is one of the mechanisms provided to restrict access at a fine level of granularity. Though we do not cover ACLs in this lab, it is an important concept to be aware of to secure your applications.

SERVICENOW APPLICATION DEVELOPMENT WORKSHOP

Enforce Business Rules

You have built a fairly sophisticated system so far without having to write a single line of code. This is by design. The ServiceNow Platform is designed to help you build your application declaratively, with mouse clicks. However, there may be instances in which the declarative features are not sufficient. In such cases, you can choose to write code. Almost all ServiceNow platform capabilities (including workflow, security, UI, and database) can be customized with JavaScript code.

Lab 9 Business Rules

This lab explores Business Rules, one of the more common scenarios that can benefit from custom code. Business Rules can be made to execute before or after a database operation like insert, update or delete. If you are familiar with relational database triggers, you will notice the similarity - Business Rules are indeed similar to triggers in relational databases.

You will write a Business Rule to calculate the number of attendees and update the registered attendee field on the marketing event table. This is a simple rule for illustrative purposes. Code written for the real world can be as complex as you wish.

Create a Business Rule

1. In Studio, Create New Application File and select **Server Development > Business Rule**
2. Fill out as shown below.

In this field...	Enter..
Name	Update attendee count
Table	Attendee [x_<YOUR_SCOPE_HERE>_attendee]
Advanced	Checked
When	After
Insert	Checked

SERVICENOW APPLICATION DEVELOPMENT WORKSHOP

Business Rule
New record

A business rule is a server-side script that runs when a record is displayed, inserted, deleted, or when a table is queried. Use business rules to automatically change values in form fields when the specified conditions are met. [More Info](#)

Name: Update attendee count

Application: Marketing Events

Table: Attendee [x_snc_mkevt_wkshp...

Active: Advanced:

When to run Actions Advanced

Specify whether the business rule should run on Insert or Update. Use Filter Conditions to specify under which conditions the business rule should run.

When: after Order: 100

Insert:
Update:
Delete:
Query:

SERVICENOW APPLICATION DEVELOPMENT WORKSHOP


- In the **Script** field, type the following code (also found in [Lab 9/Step3_BusinessRule.js.txt](#)) where the comment “// Add your code here” appears. And remember to match the table name in the first line to your application

Note: current refers to the Attendee record in the current insert transaction.

marketing_event is a field on the current record.

number_of_attendees_registered refers to the field **Number of attendees registered** on the **Marketing Event** table.

```
var event = new GlideRecord('x_<YOUR_SCOPE_HERE>_event');
event.get(current.marketing_event.sys_id);
event.number_of_attendees_registered =
event.number_of_attendees_registered+1;
event.update();
```



- Click **Submit**.
- Just as we did for **Equipment Requests** earlier, add a **Related List** to the **Marketing Event** table, this time adding **Attendee**.
- Test by adding a few attendees for any of the events. The current registration count in the **Number of attendees registered** should reflect the inserts.

The ServiceNow Platform enables you to build most of the functionality that you need with clicks. However as an application creator you never have to worry about hitting a wall or limitation of the platform—you can always customize with code when needed. In this lab, you looked at Business Rules that execute when a database operation occurs. Code-based customization is also an available option for hundreds of other platform capabilities such as UI, security and workflows.

SERVICENOW APPLICATION DEVELOPMENT WORKSHOP

Enhance the User Experience


We've already seen how defining a table also creates lists and forms for the user to interact with data in the table. Using Service Portal, we can quickly assemble those components into a responsive and mobile-friendly user experience.

Create a Page


1. In the main application window, navigate to **Service Portal > Pages** and click **New**.
2. Fill out the form as shown below.

In this field...	Enter..
Title	Marketing Event Management
ID	marketing_event_mgmt

3. Click on the page menu and select **Save**.




4. Under **Related Links**, select **Open in Designer**.



Lab 10 Service Portal Basics

SERVICENOW APPLICATION DEVELOPMENT WORKSHOP

This opens the Service Portal Designer in a new window



5. From the **Layouts** section, drag a **Container** to the page canvas.
6. Drag a **3/9** layout into the container.
7. From the **Widgets** section, drag a **Simple List** into the left content block
8. In the **Simple List** widget, click the to edit the widget's properties

A screenshot of the 'Simple List' properties editor. At the top, a breadcrumb navigation shows 'Container > Row > Column > Widget'. Below it, the 'Simple List' configuration is shown with a title 'Simple List' and a note 'No preview available'. There are 'Delete' and 'Edit' buttons at the top right. A large dashed blue box surrounds the entire configuration area.

9. Fill out the property values as shown below and click **Save**.

SERVICENOW APPLICATION DEVELOPMENT WORKSHOP

In this field...	Enter..
Table	Marketing Event
Display field	Name
Secondary fields	Location, Budget

10. Drag **Form** from the widget list into the right content block. Your page should look similar to this:

The screenshot shows the Service Portal Designer interface. On the left, there is a sidebar with a tree view showing 'Marketing Events' expanded, listing 'London LUG', 'San Diego LUG', and 'Trade Show'. Each item has a small description below it. On the right, there is a main content area with a header 'Container > Row > Column > Widget'. Below the header, there is a 'Form' button with a pencil icon. The main content area displays a table with one row, which contains the message 'Record not found'.

11. Congratulations! You have built your first custom Service Portal Page

Testing the page

12. At the top of the Service Portal Designer, click **Preview**.
13. Select a marketing event from the list on the left, note how the form automatically updates.
14. Click on the device icons in the upper left to quickly see how the page will render on phones and tablets




SERVICENOW APPLICATION DEVELOPMENT WORKSHOP

Build Custom Controls

Using the out of the box widgets lets you build responsive UIs quickly, but Service Portal also let you easily build custom widgets unique to your application. In this module we'll build an Attendee registration page with a custom widget.

Create a Custom Widget

1. Back in the main application window, navigate to **Service Portal > Service Portal Configuration**
2. The **Service Portal Configuration** tool pops up in a new window. Select the **Widget Editor**.



3. Select **Create a new widget**.
4. In the **Widget Name** field, type **Attendee Registration** and hit **Submit**

Service Portal widgets are miniature AngularJS apps with all of the plumbing in place to call server-side code. If you are already familiar with Angular, then you're ready to start building custom widgets for Service Portal. If not, the code needed for the widget is below.

5. Copy the block of HTML below (also found in **Lab 11/Step5_HMTLTemplate.html.txt**) and paste it into the **HTML Template** field, replacing all of the existing text.

```
<div>
  <div class="container">
    <form class="form-horizontal">
      <!-- Event picker -->
      <div class="form-group">
        <label for="mktg_event">Event</label>
        <sn-record-picker field="evt"
          table="'x_<YOUR_SCOPE_HERE>_marketing_event'"
          display-field="'name'"
          value-field="'sys_id'">
```

Lab 11 Service Portal Widgets

SERVICENOW APPLICATION DEVELOPMENT WORKSHOP

```
        display-fields="'short_description'"  
        search-fields="'name'"  
        page-size="20"  
        id="mktg_event">  
    </sn-record-picker>  
  </div>  
  
  <!-- First name -->  
  <div class="form-group">  
    <label for="exampleInputName2">First name</label>  
    <input type="text" class="form-control" id="attendee_first"  
placeholder="Joe" ng-model="c.data.attendeeFirstName">  
  </div>  
  
  <!-- Last name -->  
  <div class="form-group">  
    <label for="exampleInputName2">Last name</label>  
    <input type="text" class="form-control" id="attendee_last"  
placeholder="Employee" ng-model="c.data.attendeeLastName">  
  </div>  
  
  <!-- Email -->  
  <div class="form-group">  
    <label for="exampleInputEmail2">Email</label>  
    <input type="email" class="form-control" id="attendee_email"  
placeholder="joe.employee@example.com" ng-model="c.data.attendeeEmail">  
  </div>  
  
  <button type="submit" class="btn btn-default" ng-click="c.doIt()">Add</button>  
  </form>  
  
 </div>  
</div>
```

6. Copy the script block below (also found in **Lab 11/Step6-ClientController.js.txt**) into the **Client Script** field. This is your Angular controller.

```
function($scope, spUtil) {  
  /* widget controller */  
  var c = this;  
  
  /**/  
  Set up the Reference Field to Events.  
  Bind field to c.data variables.  
  ***/  
  $scope.evt = {  
    displayValue: c.data.eventName,  
    value: c.data.eventId,  
    name: 'evt'  
  };  
  
  /**/  
  Add selected Attendee to the chosen Event.
```

SERVICENOW APPLICATION DEVELOPMENT WORKSHOP

```
/*
c.doIt = function() {
    /**
     * Basic field validation. Make sure entire form is filled in.
    */
    if (!$scope.evt.value || !c.data.attendeeFirstName ||
!c.data.attendeeLastName || !c.data.attendeeEmail)
        spUtil.addErrorMessage('Please fill out all fields on the form above.');
    else {
        /**
         * Package up the form values to pass to the Server Script function.
        */
        var input = {
            'event' : $scope.evt.value,
            'first_name' : c.data.attendeeFirstName,
            'last_name' : c.data.attendeeLastName,
            'email' : c.data.attendeeEmail
        };

        /**
         * Call Server script passing input to the function
        */
        c.server.get(input).then(function(r){
            if (r.data.success) {
                spUtil.addTrivialMessage(c.data.attendeeFirstName + ' ' +
c.data.attendeeLastName + ' was successfully added to ' +
$scope.evt.displayValue + ".");
                c.data.attendeeFirstName = c.data.attendeeLastName =
c.data.attendeeEmail = '';
            } else {
                spUtil.addErrorMessage('There was a problem adding the attendee.
Please contact your administrator.');
            }
        })
    }
}
}
```

- Finally copy the code below (also found in **Lab 11/Step7-ServerScript.js.txt**) into the **Server Script** field.

```
(function() {
    /* populate the 'data' object */
    /* e.g., data.table = $sp.getValue('table'); */

    /**
     * If a server call is performed, run this function.
    */
    if (input){
        var attendee = new GlideRecord('x_<YOUR_SCOPE_HERE>_attendee');
        attendee.initialize();
        attendee.marketing_event = input.event;
        attendee.first_name = input.first_name;
        attendee.last_name = input.last_name;
    }
})
```

SERVICENOW APPLICATION DEVELOPMENT WORKSHOP

```
attendee.email = input.email;
data.success = attendee.insert();
return;
}
})();
```

8. Hit **Save**.


What we have built is a simple Angular form with fields for first & last name, email and a reference field to the Marketing Event table. The client script performs some basic data validation (ensuring all fields are filled in) and then packages the data up to send to the server. The server code simply takes the values passed in by the client and uses GlideRecord to insert them into the table.

Testing the Widget

Widgets can be previewed from within the Widget Editor. This makes it very quick and easy to see how your widget will look as you're developing it.



1. Click the icon in the upper right corner of the window and ensure **Enable Preview** is selected



2. Click the icon to turn on the widget preview.

SERVICENOW APPLICATION DEVELOPMENT WORKSHOP

Preview



Event

 ▼

First name

Last name

Email


Add

3. Make some changes to the HTML Template and hit **Save**. The preview will update to reflect your changes.

Create a new Attendee Page

1. In the upper left of the Widget Editor, click on the **ServiceNow** logo to go back to the Service Portal Configuration home.
2. Click on **Designer** to open the **Service Portal Designer** window.

SERVICENOW APPLICATION DEVELOPMENT WORKSHOP



3. Click **Add a new Page**.


Welcome to the Service Portal Designer

Select an existing page to edit or [Add a new Page](#)

4. In the **Page Title** field, type **Attendee Registration** and click **Submit**.
5. A **Container** has already been created on the canvas.
6. Drag a **12** layout to the **Container**.
7. Now drag a **HTML** widget into the layout.



8. Click the to edit the contents of the HTML widget.



9. Create a welcome message for attendees.

SERVICENOW APPLICATION DEVELOPMENT WORKSHOP

The screenshot shows the ServiceNow canvas editor interface. At the top left is a 'Title' field containing 'Marketing Event Attendee Registration'. Below it is an 'HTML' toolbar with various icons for text styling and layout. The main content area contains the title and a placeholder text 'Register to attend events here.' At the bottom right is a blue 'Save (⌘ + s)' button.

10. Click **Save**.
11. From the **Widgets** section, drag **Attendee Registration** to just below the **HTML** widget.
12. Similarly, drag a **Simple List** widget below that.



13. Click the to edit the widget's properties and set the following values.

In this field...	Enter..
Table	Attendee
Display field	Email
Secondary fields	First name, Last name, Marketing event

14. Click **Save**. Your canvas should now look similar to this

SERVICENOW APPLICATION DEVELOPMENT WORKSHOP

Marketing Event Attendee Registration

Register to attend events here.

[Attendee Registration](#)

First name

Joe

Last name

Employee

Email

joe.employee@example.com

Add

Attendees

asmith@example.com

Alice • Bobbins • San Diego LUG

asmith@example.com


a • smith • London LUG

jason.mckee@servicenow.com

Jason • McKee • London LUG

Test the Page

1. In the upper right corner of the **Page Designer**, click the small button next to **Edit Page Properties**.



2. The page will open up in a new widow

SERVICENOW APPLICATION DEVELOPMENT WORKSHOP

The screenshot shows a ServiceNow portal page titled "Marketing Event Attendee Registration". At the top, there's a navigation bar with links for Knowledge, Service Catalog, Requests (with 1 notification), System Status, and a System Administrator profile. Below the title, a sub-header says "Register to attend events here." There are several input fields: "Event" (empty), "First name" (containing "Joe"), "Last name" (containing "Employee"), and "Email" (containing "joe.employee@example.com"). A "Add" button is located below the email field. To the right, there's a "Attendees" section containing two entries: "jason.mckee@servicenow.com" (labeled "Jason + McKee + London LUG") and "jr_user@example.com" (labeled "JR + User + London LUG").

3. Try leaving a field blank and adding the registration, note that you'll get the error message defined in the widget's **Client Script**.
4. Now complete the form and click **Add** again. Note that the attendee is inserted into the table and the Simple List widget below updates automatically.

There's much more you can do with Service Portal such as adding the page you just built into a Portal or adjusting the theming and branding to match your organization, but hopefully this module has demonstrated how easy it is to build custom user interfaces for your applications.

SERVICENOW APPLICATION DEVELOPMENT WORKSHOP

Integrate with Other Systems

No application is an island. Most applications need to interact with other applications to either exchange data or participate in a business process. The ServiceNow Platform offers a rich set of integration features to solve common integration challenges—data import and export, real-time integration using REST and SOAP Web Services and prebuilt integrations to other systems.

Web Services provide standards based mechanism to connect systems together. The platform provides support for both SOAP and REST services. Both REST and SOAP based web services are automatically generated for all the tables. Sometimes however, a custom service is required and the platform supports that too. In this module, we will create a simple Scripted REST API to return Marketing Events and their equipment in a single “document” and then use the built-in REST API Explorer to test it out.

Create a custom REST service

1. Switch back to the **Studio** window
2. **Create New Application File** and select **Integrations > Scripted REST API**
3. For **Name** type **Events**, the **API ID** will fill in automatically

The screenshot shows the ServiceNow Studio interface with a form for creating a new application file. The 'Name' field is filled with 'Event' and has a small icon of a clipboard. Below it, the 'API ID' field is filled with 'event'.


*	Name	Event	
*	API ID	event	

4. Hit **Submit**
5. Scroll to the Resources section at bottom of the **Scripted REST API** definition

Lab 12 Integration

SERVICENOW APPLICATION DEVELOPMENT WORKSHOP

API analytics



6. Click **New** to create a resource

7. Set the following values.

In this field...	Enter..
Name	Get Event
Relative path	/{id}

8. Copy/Paste the following code (also found in **Lab 12/Step8-RESTScript.js.txt**) into the Script field

```
(function process(/*RESTAPIRequest*/ request, /*RESTAPIResponse*/ response) {  
    // query for a marketing event whose sys_id matches the id in the URI path  
    var event = new GlideRecord('x_<YOUR_SCOPE_HERE>_marketing_event');  
    if(event.get('sys_id',request.pathParams.id)) {  
        // build a result object to return  
        // be sure to convert GlideElements to Strings  
        // using getValue()/getDisplayValue()  
        var result = {  
            name: event.getValue('name'),  
            location: {  
                name: event.getValue('location'),  
                value: event.getValue('location')  
            },  
            startDate: event.getValue('start_date'),  
            endDate: event.getValue('end_date'),  
            equipment: []  
        };  
  
        // now add any equipment related to the event to the result object  
        var equipment = new GlideRecord('x_<YOUR_SCOPE_HERE>_equipment_request');  
        equipment.addQuery('marketing_event',event.getUniqueValue());  
    }  
});
```

SERVICENOW APPLICATION DEVELOPMENT WORKSHOP

```
equipment.query();
while(equipment.next()) {
    var item = {
        type: equipment.getDisplayValue('type'),
        cost: equipment.getDisplayValue('type.cost')
    };
    result.equipment.push(item);
}

// return the result as an object, the platform will
// convert the object to JSON or XML depending on
// the headers in the request
return result;
}

// if no matching id, return 404
return new sn_ws_err.NotFoundError('No record matching id ' +
request.pathParams.id + ' found');

})(request, response);
```

9. Hit **Submit**

Explore the REST API

1. Switch back to the main application window and navigate to **System Web Services > REST API Explorer**

First we'll explore the Table API which is created automatically when you define your table. By default, the **REST API Explorer** opens to the Table API

2. For **tableName** select **Marketing Event**.

Name	Value
＊ tableName	Marketing Event (x_snc_mkev... ▾)

Send

3. Scroll down and click **Send**.

By default, you'll get a single record back, you can change this with the **sysparm_limit** query parameter. Similarly, you can limit which fields come back via **sysparm_fields**. Or which records are retrieved by pasting in an encoded query string into **sysparm_query**. Hint: you can generate an encoded query string by building a filter on a list view, right-clicking on the breadcrumb trail and selecting **Copy query**.

SERVICENOW APPLICATION DEVELOPMENT WORKSHOP

The screenshot shows a ServiceNow application interface. At the top left is a funnel icon. Next to it, the text "All > Event type = LUG". Below this is a search bar with a magnifying glass icon and a dropdown menu labeled "Name". To the right of the search bar are icons for gear (settings) and location. A context menu is open over the first row of a list. The menu items are: "Open new window", "Copy URL", and "Copy query" (which is highlighted with a dark gray background). The list contains two visible rows. The first row has a checkbox, an info icon, the name "London LUG", and a location "3 Whitehall Col". The second row has a checkbox, an info icon, the name "San Diego LUG", and a location "815 E Street, Sa".

Test & Explore our Scripted REST API

Now that we've played with the generated APIs, let's test the custom one we built earlier.

1. In the **Response Body**, find the **sys_id** for a Marketing Event record and copy it.

Response Body

```
"link": "https://mktgcalg6.service-now.com/api  
"value": "98c37b193790200044e0bfc8bcbe5dbe"  
,  
"number_of_attendees_expected": "200",  
"sys_mod_count": "0",  
"number_of_attendees_registered": "",  
"sys_updated_on": "2017-02-11 22:24:29",  
"sys_tags": "",  
"sys_id": "ded99c0b1330b200600e70d66144b0f0",  
"event_type": "Booth",  
"sys_updated_by": "admin",  
"sys_created_on": "2017-02-11 22:24:29".
```

2. In the **Namespace** dropdown, select the one that matches your Marketing events app
3. We have only created one API and one resource so far, so **API Name** should already be set to **Event** and **Get Event (GET)** is the only option.

SERVICENOW APPLICATION DEVELOPMENT WORKSHOP

Namespace
x_snc_mkevt_1

API Name
Event

API Version
latest

▶ [Get Event \(GET\)](#)

- Paste the sys_id value you copied in the previous step into the id parameter field.

Name	Value
* id	e0ed78ad13ec7e00600e70d66144

- Scroll down and click **Send**. The **Response Body** should have our JSON object in it

SERVICENOW APPLICATION DEVELOPMENT WORKSHOP

Response Body

```
{  
  "result": {  
    "name": "London LUG",  
    "location": {  
      "name": "3 Whitehall Court, London",  
      "value": "8225b668ac1d55eb679878e192fca315"  
    },  
    "startDate": "2017-06-01",  
    "endDate": "2017-06-02",  
    "equipment": [  
      {  
        "type": "Sony Projector",  
        "cost": "$1,000.00"  
      },  
      {  
        "type": "Sony Wireless Microphone",  
        "cost": "$300.00"  
      }  
    ]  
  }  
}
```

Access Other API Definitions

To access the SOAP web service definition of a type, type the following URL into your browser (replace <instance_name> with the name of your instance and replace <table_name> with the name of the table you want to access):

https://<instance_name>.service-now.com/<table_name>.do?WSDL

For example, https://<instance_name>.service-now.com/incident.do?WSDL.

Similar to the **Scripted REST API**, there is also a **Scripted Web Service** capability that lets you build custom SOAP APIs.