Outcome Parameters

Correlation Heatmap – Mid Recovery Window

Membership correlations with outcome parameters *** p<0.001, ** p<0.01, * p<0.05, . p<0.10

vision Improvement (1 Month)	-0.001
vision Improvement (1 Week)	0.176
VD Intermediate Capillary Plexus Widefield (0-21°) Improvement	-0.059
PA Deep Capillary Plexus Macular (0-6°) Improvement	0.074
PA Intermediate Capillary Plexus Widefield (0–21°) Improvement	0.078
Thickness OuterRetina Macular (0-6°) Improvement	-0.083
VD Intermediate Capillary Plexus Macular (0-6°) Improvement	-0.085
VD Deep Capillary Plexus Widefield (0-21°) Improvement	0.100
VD Superficial Vascular Plexus Widefield (0–21°) Improvement	-0.134
Thickness Retina Macular (0-6°) Improvement	0.138
PA Deep Capillary Plexus Widefield (0–21°) Improvement	-0.140
PA Intermediate Capillary Plexus Macular (0–6°) Improvement	0.152
PA Superficial Vascular Plexus Macular (0-6°) Improvement	0.159
Thickness OuterRetina Widefield (0–21°) Improvement	0.162
Thickness Retina Widefield (0–21°) Improvement	0.203
VD Deep Capillary Plexus Macular (0-6°) Improvement	0.232
VD Superficial Vascular Plexus Macular (0-6°) Improvement	0.276
PA Superficial Vascular Plexus Widefield (0-21°) Improvement	-0.285
Thickness INL Macular (0-6°) Improvement	0.296
Thickness INL Widefield (0-21°) Improvement	0.315
PA Choroid Widefield (0-21°) Improvement	0.356
Thickness GCL.IPL Widefield (0–21°) Improvement	0.377
PA Choroid Macular (0-6°) Improvement	0.397
Thickness GCL.IPL Macular (0-6°) Improvement	0.456

