

AI-Based Food Recognition

with Nutrition-Aware Recommendations



Presented and made by

Jaspreet Singh (2022BCSE019)

Inderpal Singh (2022BCSE037)

Guide: Dr. Lavanya Madhuri Bollipo

Co-Guide: Dr. Insha Majeed

Table of Contents

01 Title Slide

Project introduction and basic details.

02 Table of Contents

Overview of the presentation structure.

03 Introduction

Context and core goals of the AI system.

04 Problem Statement

Key challenges in food recognition.

05–06 Literature Review

Analysis of existing research and methods.

07 Objectives of the Study

Primary and secondary research goals.

08 Semantic Workflow

Step-by-step logic of the AI architecture.

09–13 Datasets

Training data and nutrition databases used.

14 Tools & Technologies Used

Technical development stack.

15–17 Model Training & Evaluation

Training and evaluation metrics.

18–23 System Pipelines

Backend, API flow and frontend layer.

24–27 Project Demo & Summary

UI outputs and concluding remarks.



Introduction



Growing Need

Food image analysis is an emerging application of artificial intelligence in health and dietary support systems.



This Project

The system combines **YOLO-based detection** with a nutrition database to identify items from uploaded meal images.



Core Goal

Implemented as a **web-based platform**, this solution offers a practical and accessible tool for nutritional analysis.

Project Scope: An AI-based food recognition system specifically designed for the visual complexity of Indian cuisine.

Problem Statement



Health Tracking Importance

Food intake tracking is vital for dietary awareness and health monitoring.



Inefficiency of Manual Logs

Traditional logging is time-consuming and impractical for everyday use.



Recognition Complexity

Indian cuisine has high visual similarity, making AI detection challenging.



Conclusion: An AI-based system is required to automate food detection and provide real-time nutritional mapping from images.

Literature Review: Systems & Gaps

PAPER	IMPLEMENTATION	LIMITATION / GAP	OUR SOLUTION
Khana: Comprehensive Indian Cuisine Dataset (2025)	Created a large Indian cuisine dataset with 131K images across 80 labels and trained baseline models.	Focused on image-level understanding; doesn't solve multi-item detection in cluttered plates.	Uses YOLO11s to identify multiple food items in one image with bounding boxes.
What is there in an Indian Thali? (2025)	Built a pipeline for segmentation and weight estimation using a dedicated scanner setup.	Depends on specialized hardware kiosk; impractical for normal web or mobile users.	Scalable web-based solution works from a single uploaded image without special hardware.
Enhancing FKG.in: Indian Food Composition (2024)	Developed an automated workflow using knowledge graphs and LLMs from Indian recipe text.	Pipeline is text-dependent and cannot analyze a meal directly from an image.	Implements a fully visual pipeline where detection and nutritional mapping happen automatically.

Literature Review: Implementation

Reference Paper	Main Contribution	Relation to Our Work
Indian Food Composition Database (2024)	Developed the open-access Indian Nutrient Databank (INDB) with 1,095 items and 1,014 common recipes.	Directly used for the nutritional backend to map detected items to records.
IndianFoodNet: Detecting Indian Food (2023)	Introduced detection dataset with 5,500+ images and evaluated YOLO-based detectors.	Foundation for our object detection , extended via YOLO11s.
NutriGen: Personalized Meal Generator (2025)	Proposed LLM-based framework for meal-plan generation based on calorie goals.	Informed the recommendation phase , focusing on LLM-based nutritional guidance.
AI-Driven Personalized Meal Planning (2025)	Web-based platform for culturally aware personalized meal recommendations.	Served as a reference for culturally tailored planning and web interface guidance.

Objectives of the Project

01. INDIAN FOOD RECOGNITION

Recognize Indian food items from user-provided images using an AI-based object detection model.

02. MULTI-ITEM SUPPORT

Support simultaneous detection of multiple food items within a single image.

03. NUTRITION MAPPING

Map detected food items to a nutrition database and display macronutrient details.

04. GOAL & HEALTH-AWARE ENGINE

Adapts recommendations based on dietary goals and clinical profiles.


05. SMART RECOMMENDATION LAYER

- **Context-Aware:** Synthesizes food data with clinical guardrails.
- **Groq Integration:** High-performance Llama-3.1 inference.

06. WEB INTERFACE

Provide a simple drag-and-drop web interface accessible to users for uploading and tracking.

Semantic Workflow of the System



Backend Orchestration (FastAPI)

The backend acts as the central engine, orchestrating vision services for item detection, nutritional lookups from INDB, and generating personalized macro targets and AI-driven dietary guidance.

Dataset Pipeline Integration



The Scale

5 YOLO food datasets merged into a single master pipeline.



Consolidation

~100+ messy variant labels normalized into 72 clean classes.



Balancing Act

70/15/15 split with augmentations for min 300 images/class.

Detailed Dataset Statistics (Roboflow Sources)

Dataset Name	Classes	Train	Valid	Test	Total
Indian food detection (v1)	17	7,547	1,053	453	9,053
Indian food (v6)	29	8,088	213	105	8,406
Indian_food (v2)	7	1,698	159	92	1,949
IndianFoodNet YOLO	30	11,387	1,073	576	13,036
South Indian food (v19)	31	6,478	1,294	581	8,353

Merged Master Dataset Overview

Source: Integrated Pipeline from 5 Roboflow Sub-datasets



Dataset Structure

Organized into 70/15/15 splits (Train, Valid, Test) using Multilabel Stratified Shuffle Split.

Target Classes

~100+ variant labels normalized into 72 canonical Indian food classes via CLASS_MAP.

Consolidated Volume

• 41,977 training images (inc. aug) • 6,751 validation • 6,772 test images


Core Utility

Master source for retraining the YOLO11s model to cover all 72 canonical classes.

```

1 path: .
2 train: train/images
3 val: valid/images
4 test: test/images
5 nc: 72
6 names:
7 - aloo_gobi
8 - aloo_masala
9 - appam
10 - beetroot_poriyal
11 - besan_cheela
12 - bhakarwadi
13 - bhakri
14 - bhatura
15 - bhindi_masala
16 - biryani
17 - carrot_poriyal
18 - chai
19 - chicken
20 - chicken_65
21 - chicken_biryani
22 - chole
23 - coconut_chutney
24 - dal
25 - dhokla
26 - dosa
27 - dum_aloo
28 - eggs
29 - fish_curry
30 - ghevar
31 - green_chutney
32 - gulab_jamun
33 - idli

```



Nutrition Dataset and Database

	yolo...	matched_food_name	match_score
	Filter...	Filter...	Filter...
1	AlooGobi	Cauliflower kheer (Phoolgobhi ki kheer)	0.6875
2	AlooMasala	Dry potato (Sookhe aloo)	0.6666666666666666
3	Bhatura	Bhatura	1
4	Chai	Hot tea (Garam Chai)	0.5
5	Chole	Chickpeas curry (Safed channa curry)	0.5714285714285714
6	CoconutChutney	Coconut chutney (Nariyal ki chutney)	1
7	Dal	Lentil soup	0.6
8	DumAloo	Dum aloo	1
9	FishCurry	Fish curry (Machli curry)	1
10	GreenChutney	Green chutney	1
11	GulabJamun	Gulab Jamun with khoya	0.5263157894736842
12	Idli	Idli	1
13	Kebab	Boti kebab	0.5555555555555556
14	Kheer	Rice kheer (Chawal ki kheer)	0.5555555555555556
15	Kulfi	Kulfi	1
16	Lassi	Lassi (salted)	1
17	MuttonCurry	Mutton chops	0.5454545454545454
18	OnionPakoda	Onion pakora/pakoda (Pyaaz ke pakode)	0.6470588235294118
19	PalakPaneer	Cottage cheese pie	0.8125
20	Poha	Poha	1
21	RajmaCurry	Kidney bean curry (Rajmah curry)	1
22	RasMalai	Rasmalai	1
23	Samosa	Potato samosa (Aloo ka samosa)	0.5
24	ShahiPaneer	Shahi paneer	1
25	WhiteRice	Curd rice (Dahi bhaat/Dahi chawal/ Perugu annam/Dad...	0.5

Comprehensive Database

Maintains food names, category labels, and macronutrient values (calories, protein, carbs, fat, fiber).

Standardized Retrieval

Maps detected items to standardized records for per-100g nutritional retrieval.

Precise Mapping

Includes a `yolo_mappings` table for high-accuracy label-to-record matching.

Rows: 1,005								Filter 1,005 rows...
	id Filter...	name Filter...	normalized_name Filter...	calories Filter...	protein_g Filter...	carbs_g Filter...	fat_g Filter...	
109	109	Mutton biryani/biriyani	muttonbiryanibiriyani	190.76315307617188	7.376446723937988	22.495088577270508	7.724486827850342	
110	110	Vegetable biryani/biriyani	vegetablebiryanibiriyani	174.60516357421875	3.1605417728424072	18.557273864746094	9.507964134216309	
111	111	Lemon rice (Pulihora, Elumichai sadam, Chitranna)	lemonrice	176.30288696289062	4.256220817565918	21.622270584106445	7.8798065185546875	
112	112	Sweet rice (Meethe chawal)	sweetrice	215.41348266601562	2.095991611480713	42.59217071533203	4.565640926361084	
113	113	Curd rice (Dahi bhaat/Dahi chawal/ Perugu annam/Dad...	curdrice	195.73703002929688	5.753233909606934	32.93044662475586	4.316627025604248	
114	114	Tamarind rice (Chintapandu pulihora/Puliyodharai/Puli ...	tamarindrice	373.0386047363281	7.453181743621826	65.08139038085938	8.532773971557617	
115	115	Spanish rice	spanishrice	164.24085998535156	4.189563274383545	31.09807014465332	2.2327356338500977	
116	116	Chinese fried rice	chinesefriedrice	120.58412170410156	4.05177116394043	13.401684761047363	5.434627056121826	
117	117	Macroni cheese pie	macronicheesepie	170.62753295898438	5.85098123550415	21.09503173828125	7.483591079711914	
118	118	Vegetable chowmein	vegetablechowmein	129.71388244628906	3.066948175430298	15.444334983825684	6.358810901641846	
119	119	Chicken chowmein	chickenchowmein	151.3335723876953	6.331267833709717	13.301461219787598	8.234783172607422	
120	120	Cheese noodle ring	cheesenoodlering	133.66921997070312	6.224301815032959	13.955496788024902	6.117282867431641	
121	121	Spaghetti and cheese balls in tomato sauce	spaghettiandcheeseballsintomato...	508.322021484375	2.4087061882019043	7.815141677856445	52.08030700683594	
122	122	Penne platter	penneplatter	177.40061950683594	5.040764808654785	20.872121810913086	8.709636688232422	
123	123	Pasta hot pot	pastahotpot	125.17289733886719	5.837541580200195	11.601784706115723	6.466379642486572	
124	124	Chicken lasagne	chickenlasagne	187.4915313720703	10.452420234680176	13.902274131774902	10.36139965057373	
125	125	Fettuccine with spinach sauce	fettuccinewithspinachsauce	129.20672607421875	3.103574752807617	12.18928050994873	7.828339576721191	
126	126	Naan	naan	286.44964599609375	8.05210018157959	51.75419998168945	4.987837314605713	
127	127	Bhatura	bhatura	793.2029418945312	1.6303993463516235	10.733963012695312	82.5638427734375	
128	128	Idli	idli	137.53526306152344	4.637406349182129	28.17755699157715	0.33316707611083984	
129	129	Masala dosa	masaladosa	164.5846710205078	3.2877273559570312	19.566587448120117	7.840357303619385	
130	130	Semolina dosa (Suji/Rava dosa)	semolinadosa	227.05209350585938	7.300220012664795	32.84082794189453	7.116666316986084	
131	131	Onion tomato uttapam	oniontomatouttapam	462.0191955566406	1.9062505960464478	11.315990447998047	45.30297088623047	
132	132	Paneer kaathi roll	paneerkaathiroll	285.942138671875	6.916443347930908	20.103469848632812	19.554462432861328	
133	133	Makki ki roti	makkikiroti	263.9683532714844	3.4924707412719727	24.191999435424805	16.849411010742188	
134	134	Washed moong dal (Dhuli moong ki dal)	washedmoongdal	50.00269317626953	2.677743673324585	5.906931400299072	1.680992841720581	
135	135	Washed urad dal (Dhuli urad ki dal)	washeduraddal	61.32363510131836	2.5109291076660156	5.8411149978637695	2.9800169467926025	
+	1,006	Split bengal gram with bottle gourd (Channa dal with g...	splitbengalgramwithbottlegourd	73.25393676757812	2.789580821990967	7.101042747497559	3.602670431137085	

Tools & Technologies Used



Frontend & UX

Next.js 14: Full-stack React framework for seamless user flow.

Tailwind CSS: Utility-first styling for responsive results.

Lucide React: Icon library for clear navigation.



Backend

Python: Core logic and service integration.

FastAPI: High-performance RESTful API services.

UVicorn: ASGI server for backend application.



AI / ML

YOLO11s: Advanced food object detector for Indian cuisine.

PyTorch: Framework for training and high-speed inference.

Groq & Llama 3.1: Powers personalized recommendations.



Supporting Components

SQLite & aiosqlite: Lightweight async database system.

Pillow: Imaging library for loading and preprocessing.

OpenCV: CV library for auxiliary image operations.

Model Training Configuration

```
# Cell 2: YOLO11s detection training
# DATA_YAML and DEVICE are set in Cell 0/1 - run those cells first
print('=== Starting YOLO11s Training ===')
print(f'Dataset : {DATA_YAML}')
print(f'Device   : {DEVICE} | Batch : {BATCH} | Workers: {WORKERS} | Cloud: {CLOUD}')

model = YOLO('yolo11s.pt')

training_args = {
    'data'       : DATA_YAML, # resolved in Cell 0 - works on Kaggle + local
    'task'       : 'detect',
    'epochs'     : 100,
    'imgsz'      : 640,
    'batch'      : BATCH,      # 16 on Kaggle P100/T4, 4 on local 4GB
    'patience'  : 20,
    'device'     : DEVICE,     # 0 (GPU) or 'cpu' (fallback)
    'workers'    : WORKERS,
    'amp'        : True,
    'save_period': 10,
    'project'    : 'models/runs',
    'name'       : 'yolo11s_indian',
}

print(f'Training args: {training_args}')
results = model.train(**training_args)
print('\nYOLO11s training completed!')
```

Model & Task

Utilizing YOLO11s.pt for object detection tasks with optimized weights.

Infrastructure

Configured for Kaggle P100/T4 GPUs with a batch size of 16 to maximize throughput.

Optimization


Trained for 100 epochs with early stopping (patience: 20) to prevent overfitting.

Image Resolution

Input images scaled to 640×640 for a balanced trade-off between speed and accuracy.

Training Outputs

Epoch 95/100	GPU_mem 5.83G	box_loss 0.4702	cls_loss 0.3147	dfl_loss 1.043	Instances 4	Size 640: 100% — 2304/2304 2.9it/s 13:14 mAP50 mAP50-95): 100% — 186/186 3.5it/s 53.7s 0.83 0.691
	Class all	Images 5922	Instances 8812	Box(P 0.846	R 0.807	
Epoch 96/100	GPU_mem 5.83G	box_loss 0.4631	cls_loss 0.3078	dfl_loss 1.037	Instances 4	Size 640: 100% — 2304/2304 2.9it/s 13:14 mAP50 mAP50-95): 100% — 186/186 3.5it/s 53.6s 0.83 0.692
	Class all	Images 5922	Instances 8812	Box(P 0.846	R 0.807	
Epoch 97/100	GPU_mem 5.83G	box_loss 0.452	cls_loss 0.2994	dfl_loss 1.029	Instances 4	Size 640: 100% — 2304/2304 2.9it/s 13:14 mAP50 mAP50-95): 100% — 186/186 3.5it/s 53.8s 0.83 0.692
	Class all	Images 5922	Instances 8812	Box(P 0.847	R 0.807	
Epoch 98/100	GPU_mem 5.83G	box_loss 0.4472	cls_loss 0.2954	dfl_loss 1.026	Instances 4	Size 640: 100% — 2304/2304 2.9it/s 13:14 mAP50 mAP50-95): 100% — 186/186 3.5it/s 53.3s 0.83 0.692
	Class all	Images 5922	Instances 8812	Box(P 0.848	R 0.806	
Epoch 99/100	GPU_mem 5.83G	box_loss 0.4365	cls_loss 0.2868	dfl_loss 1.019	Instances 4	Size 640: 100% — 2304/2304 2.9it/s 13:14 mAP50 mAP50-95): 100% — 186/186 3.5it/s 53.6s 0.829 0.692
	Class all	Images 5922	Instances 8812	Box(P 0.852	R 0.803	
Epoch 100/100	GPU_mem 5.83G	box_loss 0.4337	cls_loss 0.2818	dfl_loss 1.018	Instances 4	Size 640: 100% — 2304/2304 2.9it/s 13:14 mAP50 mAP50-95): 100% — 186/186 3.5it/s 53.1s 0.828 0.692
	Class all	Images 5922	Instances 8812	Box(P 0.853	R 0.804	



Model Evaluation

Split	Images	Precision	Recall	mAP50	mAP50-95
Validation	5,922	0.847	0.807	0.830	0.692
Held-out Test	5,919	0.842	0.801	0.820	0.680
Best Logged mAP50: 0.83379 at epoch 78					

Key Takeaway

The detector generalizes well across validation and held-out test data, maintaining high precision (>0.84) even with 72 distinct food classes.

Canonical Dataset

72 Food Classes
48,693 Image-Label Pairs
36,852 Training Images

Food Detection Pipeline

- **Dynamic Loading:** The trained YOLO11s model is loaded dynamically from the configured path to enable runtime food detection.
- **Format Conversion:** The uploaded image is converted into RGB format and passed to the model for inference.
- **Methodological Alignment:** Detection uses confidence and IoU thresholds consistent with training, ensuring alignment between training and deployment.
- **Structured Output:** Generates detection data containing predicted food labels, confidence scores, and bounding-box coordinates.

```
82         return None
83
84     # Filter by per-class minimum confidence, then pick highest
85     valid_boxes = []
86     for box in detections:
87         class_id = int(box.cls[0])
88         class_name = self.model.names[class_id]
89         confidence = float(box.conf[0])
90         min_conf = WEAK_CLASS_MIN_CONF.get(class_name, conf)
91         if confidence >= min_conf:
92             valid_boxes.append((box, class_name, confidence))
93         else:
94             logger.info(f"Skipping {class_name} at {confidence:.3f} (min={min_conf})")
95
96     if not valid_boxes:
97         logger.warning("All detections below per-class minimum confidence")
98         return None
99
100     # Return ALL valid detections (sorted by confidence)
101     valid_boxes.sort(key=lambda x: x[2], reverse=True)
102
103     detections = []
104     for box, class_name, confidence in valid_boxes:
105         bbox = box.xyxy[0].cpu().numpy().astype(int).tolist()
106         detections.append({
107             "food_label" : class_name,
108             "confidence" : round(confidence, 4),
109             "bounding_box" : bbox
110         })
111
112     logger.info(f"Detected {len(detections)} foods: {[d['food_label'] for d in detections]}")
113
114     return {
115         "detections" : detections,
116         "img_width" : img.width,
117         "img_height" : img.height
118     }
```

Nutrition Mapping and Retrieval Pipeline

```
141 # Fuzzy matching
142 db_names = list(self._cached_foods.keys())
143 matched_name, score = find_best_match(food_label, db_names)
144
145 if matched_name and score >= 0.4: # Lower threshold for last resort
146     logger.info(f"Fuzzy match: {food_label} → {matched_name} (score: {score:.2f})")
147     async with aiosqlite.connect(str(self.db_path)) as db:
148         return await self._get_nutrition_by_name(db, matched_name, food_label)
149
150 logger.warning(f"No match found for '{food_label}'")
151 return None
152
153 except Exception as e:
154     logger.error(f"Error getting nutrition for {food_label}: {e}")
155     raise
156
157 async def _get_nutrition_by_name(self, db, db_food_name: str, original_label: str) -> dict:
158     """Get nutrition data by exact database food name"""
159     cursor = await db.execute(
160         "SELECT name, calories, protein_g, carbs_g, fat_g FROM indb_foods WHERE name = ?",
161         (db_food_name,)
162     )
163     row = await cursor.fetchone()
164
165     if row:
166         name, calories, protein, carbs, fat = row
167         return {
168             "food_label": original_label,
169             "display_name": name, # Return the ACTUAL database food name
170             "found": True,
171             "macros": {
172                 "calories": float(calories),
173                 "protein_g": float(protein),
174                 "carbs_g": float(carbs),
175                 "fat_g": float(fat)
176             },
177             "macros_unit": "per_100g",
178             "nutrition_source": "INDB",
179             "food_not_found": False
180         }
181     return None
```

- **Database Connection:** The nutrition module connects to the SQLite nutrition.db database and prepares food names for fast lookup.
- **Fuzzy Matching:** It matches detected food labels with database entries using exact and fuzzy matching methods.
- **Robust Lookup:** This helps the system handle cases where the detected name and database name are not exactly the same.
- **Data Retrieval:** After a match is found, the system retrieves calories, protein, carbohydrates, and fat values.
- **Structured Output:** The output is returned in a structured per-100g format using INDB-based nutrition data.

Nutrition Mapping Coverage

1,010

Nutrition Records

103

Audited Mappings

72

Classes Checked

0

Mapping Failures

- ✓ Nutrition service loads 1,010 records from SQLite
- ✓ 1,005 INDB records + 5 supplemental source-backed rows
- ✓ 103 audited mappings handle regional spellings and labels
- ✓ All 72 canonical classes verified with 100% macro coverage
- ✓ Eliminates dependency on LLM-estimated or hallucinated values

✓ Data Integrity Rule:

Numeric nutrition values are always retrieved from SQLite records; the LLM only generates dietary guidance.

Goal & Health-Aware Macro Engine

Dietary Goal & Nutrition Personalization

Goal	Carbs	Protein	Fat
Weight Loss	40%	35%	25%
Muscle Gain	40%	30%	30%
Maintenance	50%	25%	25%
Endurance	55%	20%	20%

** Health profiles (e.g., Diabetic, Hypertension) further modify these base splits.*

Clinical Guardrails

Handles conditions like Diabetes, Hypertension, Heart Disease, and PCOS to alter nutrient limits.

Frontend Magic

Interactive sliders and Tailwind CSS progress bars to track remaining daily macro allowances.

AI-Powered Recommendation Layer



Smart Analysis Engine

Context-Aware Advice

Synthesizes detected food items, INDB nutrition data, and user-specific clinical guardrails.



The Prompting Engine

JSON Transformation

Converts data into structured JSON payloads for LLM processing to generate actionable guidelines.



Resilient Infrastructure

Groq Integration

High-performance inference engine powered by Groq's Llama-3.1-8b-instant for rapid generation of dietary advice.

Frontend Layer

Responsibility: Upload workflow, detection visualization, nutrition display, goal setup, and serving adjustment.


- **User Flow:** Sets goal/calories/condition, uploads image, and views detection overlays.
- **Tracking:** Provides real-time tracking of remaining daily calories and macros.
- **Components:** Built with Next.js 14, TypeScript, Tailwind CSS, and Lucide React icons.
- **Serving Control:** Manual serving multipliers ranging from 0.25x to 10x per detected item.

```
3 import React, { useState, useCallback } from 'react'
4 import ImageUpload from '@/components/ImageUpload'
5 import NutritionLabel from '@/components/NutritionLabel'
6 import ResultsPanel from '@/components/ResultsPanel'
7 import { Brain, Utensils } from 'lucide-react'
```

```
8
9 You, last week | 1 author (You)
10 interface FoodDetection {
11   food_label: string
12   display_name: string
13   confidence: number
14   bounding_box: [number, number, number, number]
15   macros: {
16     calories: number
17     protein_g: number
18     carbs_g: number
19     fat_g: number
20   } | null
21   macros_unit: string
22   nutrition_source: string | null
23   nutrition_not_found?: boolean
24 }
```

```
25 You, last week | 1 author (You)
26 interface FoodAnalysis {
27   detections: FoodDetection[]
28   img_width: number | null
29   img_height: number | null
30   food_not_found: boolean
31   message?: string
32 }
```

Project Screenshots



2000 kcal remaining Maintenance | 2000 kcal

AI Food Recognition

Upload a photo and get instant nutrition analysis with smart recommendations


Set Your Daily Goal Show details

Dietary Goal: Maintenance Daily Calories: 2000

Health Condition: None What is this?

Quick select: 1500 1800 **2000** 2200 2500

Goal and Health Profile




Upload Food Image

Drag and drop an image here, or click to browse


Choose Image

AI Food Recognition · Final Year Project


Upload Interface




Project Screenshots



Goal Tracker




Nutrition Display



Smart Recommendations

Project Demo



AI Based Food Recognition

with Nutrition Aware Recommendations

Upload Food Image



Drag and drop an image here, or click to browse

Choose Image

Future Work & Scalability



Self-Trained Rec Model

Replace LLM dependency with a controllable, expert-reviewed model trained on Indian meal patterns and health constraints. Provides deterministic and reviewable advice.



Portion Size Estimation

Integrate depth estimation and instance segmentation to resolve volumetric uncertainty. Moving from bounding boxes to precise food-region estimation.



Mobile Deployment

Adapt frontend into a Progressive Web App (PWA) with camera access and offline behavior. Support for quantized local inference for real-time mobile logging.



Long-Term Tracking

Shift from single-image analysis to a longitudinal dietary assistant. Implement user accounts, meal history, trend charts, and weekly nutrition summaries.

Summary

Key Achievements

- ✓ **Full-stack prototype:** Next.js, FastAPI, YOLO11s, and SQLite integration.
- ✓ **AI Guidance:** Personalized recommendations via LLM integration.
- ✓ **Feature Rich UI:** Detection, serving adjustment, and macro tracking.
- ✓ **Data Integrity:** All 72 food classes mapped to audited nutrition records.

72 Classes

CANONICAL FOOD DATASET

48,693

IMAGE-LABEL PAIRS EXPORTED

0.830

VALID mAP50

0.820

TEST mAP50