









Detectable marker taps of red colour bearing words "Recycle Water,, should be fixed at suitable interval on pipes.

Octagonal covers red in colour or painted red and works "Recycle Water-Not for Drinking" embossed on them should be used for recycled water,

You shall provide alternative source of electricity for functioning of water supply, sewerage and storm water drainage scheme by providing Gen. set of required capacity.

- (xi) All pipes, fixtures, fitting, pumps, Gen. set and filtration plant etc. shall be conforming to relevant IS specification and ISI marked.
- (xii) Proper filtration plant shall be provided by you for filtration and recycling of the water of the swimming pool only small quantity of water shall be used for replacement of water in the swimming pool.
- (xiii) The responsibility of laying and maintaining (including quality and design etc.) of internal public health services shall be entirely of the owner/supervising Architect/Engineer of the scheme.
- (xiv) The replacement water shall be disposed off by you by using the same for watering of landscaped area in your colony or the same is disposed off into the rain water harvesting system.
- (xv) That the rain water harvesting system shall be provided as per central Ground water Authority norms/Haryana Govt. notification as applicable.
- (xvi) The swimming pools shall not be connected with the storm water drain for the disposal of replacement of water.
- (xvii) That you shall provide the minimum open area/aperture of 1/10th of the floor area of the habitable room and in case of kitchen the area of opening shall be increased by 250/100.
- (xviii) That the colonizer shall obtain the clearance/Noc as per the provisions of the Notification No. S.O. 1533 (E) Dated 14/09/2006 issued by Ministry of Environment and Forest, Government of India before starting the construction/execution of development works at site. You shall apply for Environment clearance within 30 days from the issuance of this letter.
- (xix) That you shall submit the fire fighting scheme duly approved in accordance with the section 15 of the Haryana Fire safety Act 2009 and directions issued by Director Urban Local Bodies Haryana before starting the construction work at site
- (xx) That the provision of solar water heating system shall be as per norms specified by HAREDA and shall be made operational in the each building block before applying for an occupation certificate,
- (xxi) That you shall use only compact Fluorescent Lamps fitting for internal lighting as well as Campus lighting.
- (xviii) That if site for Electric Sub Station is required then same will be provided by you in the colony.
- (xxiii) That you shall follow provisions of section 46 of 'The persons with Disabilities (Equal opportunities, Protection of Rights and Full participation) Act, 1995, which includes construction of ramps in public buildings, adaption of toilets for wheel chair user, Braille symbols and auditory signals in elevators or lifts and

