

Cucumber Report

Sep 16, 2024, 11:50:17 PM

Start : Sep 16, 11:50:06.907 PM

End : Sep 16, 11:50:15.589 PM

Duration : 8.682 s

Features


Scenarios

Steps

PASSED - 1
FAILED - 1
SKIPPED - 0


PASSED - 4
FAILED - 1
SKIPPED - 0

PASSED - 9
FAILED - 1
SKIPPED - 1




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Get Booking</u>	6.807 s	3	3	0	0	7	7	0	0
<u>Post Booking</u>	1.782 s	2	1	1	0	4	2	1	1

#	Feature Name	Scenario Name
1	<u>Post Booking</u>	<u>/booking should allow to create a booking</u>





#	Feature Name	T	P	F	S	Duration
1	<u>Get Booking</u>	3	3	0	0	6.807 s
2	<u>Post Booking</u>	2	1	1	0	1.782 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Get Booking</u>	<u>/booking/{id} should return an specific booking</u>	3	3	0	0	5.342 s
2		<u>/booking/{id} with a non-existent should return 404 code</u>	2	2	0	0	0.706 s
3		<u>/booking/{id} with a bad id should return 404 code</u>	2	2	0	0	0.719 s
4	<u>Post Booking</u>	<u>/booking should allow to create a booking</u>	3	1	1	1	1.047 s
5		<u>/booking should allow to create a booking</u>	1	1	0	0	0.707 s

Get Booking



PASSED	DURATION - 6.807 s	Scenarios		Steps	
/ 11:50:06.907 PM // 11:50:13.714 PM /		Total - 3		Total - 7	
		Pass - 3		Pass - 7	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

/booking/{id} should return an specific booking

PASSED		DURATION - 5.342 s			Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:50:06.913 PM // 11:50:12.255 PM /						
Get Booking						



#	Step / Hook Details	Status	Duration
1	Given I perform a GET call to the booking endpoint with id "1"	PASSED	4.272 s
2	Then I verify that the status code is 200	PASSED	0.037 s
3	And I verify that the body does not have size 0	PASSED	1.003 s

/booking/{id} with a non-existent should return 404 code

<div>PASSED</div>	<div>DURATION - 0.706 s</div>		<div>Steps</div> <div>Total - 2</div> <div>Pass - 2</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 11:50:12.268 PM // 11:50:12.974 PM /				
Get Booking				



#	Step / Hook Details	Status	Duration
1	Given I perform a GET call to the booking endpoint with id "999999999"	PASSED	0.702 s
2	Then I verify that the status code is 404	PASSED	0.002 s

/booking/{id} with a bad id should return 404 code



PASSED	DURATION - 0.719 s		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	
/ 11:50:12.995 PM // 11:50:13.714 PM /				
Get Booking				

#	Step / Hook Details	Status	Duration
1	Given I perform a GET call to the booking endpoint with id "aa@@"	PASSED	0.714 s
2	Then I verify that the status code is 404	PASSED	0.003 s

Post Booking



FAILED	DURATION - 1.782 s	Scenarios		Steps	
/ 11:50:13.807 PM // 11:50:15.589 PM /		Total - 2		Total - 4	
		Pass - 1		Pass - 2	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

/booking should allow to create a booking

FAILED		DURATION - 1.047 s			Steps Total - 3 Pass - 1 Fail - 1 Skip - 1			
/ 11:50:13.812 PM // 11:50:14.859 PM /								
Post Booking								

#	Step / Hook Details	Status	Duration
1	Given I perform a POST call to the create endpoint with the following data Jassir Guzman 150 True 1999-02-04 1999-02-06 TV	PASSED	1.030 s
2	Then I verify that the status code is 200 (post) Step undefined	FAILED	0.012 s
3	And I verify the following data in the body response Jassir Guzman 150 True 1999-02-04 1999-02-06 TV	SKIPPED	0.003 s

/booking should allow to create a booking

PASSED	DURATION - 0.707 s		Steps Total - 1 Pass - 1 Fail - 0 Skip - 0	
/ 11:50:14.882 PM // 11:50:15.589 PM /				
Post Booking				

#	Step / Hook Details	Status	Duration
1	Given I perform a POST call to the create endpoint with the following data Jassir Guzman 150 True a a TV	PASSED	0.707 s