

QA Interview Assignment

Manual Testing

Candidate Name:	JASVANT
Mobile	705[REDACTED]
Email:	Jasvant0singh123@gmail.com
Date:	[REDACTED]/2026
Website Tested:	https://ayuvya.com/login?next=menu
Browser:	chrome
Testing Type:	Manual Testing
Submission Date:	[REDACTED]/2026

Table of Contents

Table of Contents	2
1. Test Cases	3
2. Bug Report	10
3. Test Execution Summary	16
4. Conclusion	17

1. Test Cases

The following test cases were executed to validate the login functionality of the application. Testing includes Functional Testing, Validation Testing, Negative Testing, UI Testing, and API Testing.

Status options: *Pass* | *Fail* | *Blocked* | *Not Executed*

TC ID	Test Category	Test Scenario	Test Steps	Expected Result	Actual Result	Status
TC001	UI Testing	Verify Login page loads successfully	Open the login page	Login page should load without errors and display all UI elements	Login page loaded successfully with logo, phone number field, Generate OTP button, and navigation icons	Pass
TC002	Validation Testing	Empty phone number validation	Click Generate OTP without entering a phone number	Validation message should appear	"Phone Number must be 10 digits long." displayed	Pass
TC003	Validation Testing	Invalid starting digit	Enter 1234567890 and click Generate OTP	Validation should reject numbers not starting with 6, 7, 8, or 9	Validation message displayed: "Must starts with 6,7,8,9 numbers."	Pass
TC004	Validation Testing	Phone number less than 10 digits	Enter a 9-digit phone number and click Generate OTP	Validation message should appear	"Phone Number must be 10 digits long." displayed	Pass
TC005	Validation Testing	Phone number greater	Attempt to enter more than 10 digits	Input should restrict entry to 10 digits	Field does not allow entering more than 10 digits	Pass

TC ID	Test Category	Test Scenario	Test Steps	Expected Result	Actual Result	Status
		than 10 digits				
TC006	Validation Testing	Alphabetic input restriction	Try entering alphabetic characters in the phone number field	Only numeric input should be accepted	Alphabetic characters are blocked	Pass
TC007	Validation Testing	Special character restriction	Try entering @, #, ., -, and space	Special characters should not be accepted	All special characters were blocked	Pass
TC008	Functional Testing	Generate OTP with valid phone number	Enter a valid phone number and click Generate OTP	OTP should be generated and OTP screen should open	OTP screen opened and OTP was received instantly	Pass
TC009	Negative Testing	Verify login with incorrect OTP	Enter a valid mobile number, generate OTP, enter an incorrect OTP, and click Verify	The application should reject the incorrect OTP, display an appropriate error message, clear the OTP field, and allow the user to retry within the allowed attempt limit	Error message displayed: "Wrong OTP Entered!" . OTP field was cleared automatically. No attempt count or remaining attempts were displayed. After multiple incorrect attempts, the application showed "You've reached the maximum OTP request limit. Please try again later."	Pass

TC ID	Test Category	Test Scenario	Test Steps	Expected Result	Actual Result	Status
TC010	Negative Testing	Verify login with incomplete OTP	Generate OTP, enter fewer than the required OTP digits, and click Verify	The application should not verify the OTP and should display an appropriate validation message	Verification was prevented and the message <i>"Please enter a 4-digit OTP."</i> was displayed	Pass
TC011	Negative Testing	Verify OTP request behavior after reaching maximum request limit	Reach the maximum OTP request limit by entering incorrect OTPs. Refresh the page, enter the mobile number again, and click Generate OTP .	The application should either block the OTP request, disable the Generate OTP action, or clearly inform the user that the request limit is still active.	After refreshing, the application allowed the user to enter the mobile number and proceed to the OTP screen. However, no new OTP was sent because the internal request limit was still active.	Fail
TC012	UI Testing	Verify toast notification behavior on hover	Generate a valid OTP. When the success toast notification appears, hover the mouse pointer over the toast and then	The toast notification should remain readable and behave consistently according to the application's design.	While hovering over the toast, the auto-dismiss progress bar paused. After removing the cursor, the progress bar resumed and the toast disappeared after the remaining time elapsed.	Pass

TC ID	Test Category	Test Scenario	Test Steps	Expected Result	Actual Result	Status
			move it away.			
TC013	Functional Testing	Verify successful login with a valid OTP	Enter a valid mobile number, generate OTP, enter the correct OTP, and click Verify	User should be successfully authenticated , redirected to the authenticated area, and remain logged in across refreshes and browser tabs.	Login succeeded instantly. User was redirected to the authenticated page displaying product recommendations and account options. Session persisted after page refresh and in a new browser tab. Orders and Cart were accessible without requiring another login.	Pass
TC014	Functional Testing	Verify logout functionality	Log in successfully, click Logout , then verify session termination, browser back behavior, refresh, and navigation to protected pages.	User should be logged out successfully, redirected appropriately, session should be invalidated, protected pages should require authentication, and UI should remain consistent.	User was redirected to the Home page. Browser Back did not return to the authenticated page. Refresh redirected to the login page. Opening the site in a new tab showed the user was logged out. Protected actions redirected to login. However, inconsistent cart count behavior was observed after logout.	Pass (Bug Observed)
TC015	Negative Testing	Verify multiple rapid clicks on	Enter a valid mobile number and rapidly click	The application should process only	The application redirected to the OTP verification page immediately after the first click, preventing	Blocked

TC ID	Test Category	Test Scenario	Test Steps	Expected Result	Actual Result	Status
		Generate OTP	Generate OTP multiple times.	one OTP request and prevent duplicate requests.	observation of whether multiple requests were generated.	
TC01 6	Functional Testing	Verify page refresh behavior on the OTP verification screen	Enter a valid mobile number, generate an OTP, navigate to the OTP verification screen, and refresh the page before entering the OTP.	The application should prevent users from remaining on the OTP verification page after a refresh and redirect them to the login/mobile number page to maintain a consistent authentication flow.	After refreshing the OTP verification page, the application redirected the user to the mobile number login page.	Pass
TC01 7	Functional Testing	Verify OTP validity after refreshing the OTP page and requesting a new OTP	Generate an OTP, refresh the OTP page, and request another OTP for the same mobile number, then enter the previously	Once a new OTP is generated, the previous OTP should become invalid and only the latest OTP should be accepted.	The old OTP was rejected after requesting a new OTP, indicating that only the latest OTP remains valid.	Pass

TC ID	Test Category	Test Scenario	Test Steps	Expected Result	Actual Result	Status
			received OTP.			
TC018	API Testing	Verify OTP generation API response	Open Developer Tools → Network tab, enter a valid mobile number, click Generate OTP , and inspect the API request.	The API should return a successful response with an appropriate HTTP status code and should not expose the OTP in the response body.	POST request sent to https://backend.ayuvya.com/api/user/login/ returned HTTP 200 OK in approximately 796 ms with the response <code>{"status":200, "message":"success", "data":"<encrypted_token>"}</code> . The actual OTP was not exposed.	Pass
TC019	API Testing	Verify API response when OTP request limit is exceeded	Reach the OTP request limit and inspect the API response in the Network tab after clicking Generate OTP again.	The API should return an appropriate HTTP error status (e.g., 429 Too Many Requests) along with a descriptive error message.	The API returned HTTP 200 OK , but the response body contained <code>"status": 400</code> and <code>"message": "failed"</code> , indicating an error despite the successful HTTP status.	Fail
TC020	API Testing	Verify API validation for an invalid	Enter an invalid mobile number (12345678	The application should validate the input on the	The application displayed the validation message and no API request was sent. The Network tab showed	pass

TC ID	Test Category	Test Scenario	Test Steps	Expected Result	Actual Result	Status
		mobile number .	90) and click Generate OTP while monitoring the Network tab.	client side and should not send an API request for an invalid mobile number.	no new request after clicking Generate OTP .	

2. Bug Report

The following defects were logged during test execution. Each entry includes reproduction steps, severity, and current resolution status.

Severity options: *Critical* | *High* | *Medium* | *Low*

Status options: *Open* | *In Progress* | *Fixed* | *Closed* | *Retest*

Bug ID	Module	Bug Title	Steps to Reproduce	Expected Result	Actual Result	Severity	Status	Screenshot
BUG001	Login Validation	Incorrect grammar in validation message	Enter 1234567890 and click Generate OTP	Message should read "Phone number must start with 6, 7, 8, or 9."	Message displayed: "Must starts with 6,7,8,9 numbers."	Low	Open	na
BUG002	OTP Verification	OTP validity timer not displayed	Generate OTP using a valid phone number	OTP page should display expiry timer or validity duration	No OTP expiry timer or validity information displayed	Medium	Open	na
BUG003	OTP Verification	Resend OTP button becomes active after cool down despite request limit	Reach the maximum OTP request limit and wait 15 seconds	Resend OTP button should remain disabled or indicate remaining wait time	Button becomes clickable every 15 seconds, but clicking it only shows "You've	Medium	Open	na

Bug ID	Module	Bug Title	Steps to Reproduce	Expected Result	Actual Result	Severity	Status	Screenshot
				until the limit resets	reached the maximum OTP request limit. Please try again later." and no OTP is sent			
BUG004	OTP Verification	OTP request limit reset time is not communicated	Reach the maximum OTP request limit	Application should display when the user can request another OTP	Only "You've reached the maximum OTP request limit. Please try again later." is displayed, without any reset time	Low	Open	na
BUG005	OTP Verification	Expired OTP does not display a specific expiry message	Generate a new OTP (or wait for the previous OTP to expire) and enter the old OTP	Application should display a specific message such as "OTP has expired"	No specific expiry message was observed	Medium	Needs Confirmation	na

Bug ID	Module	Bug Title	Steps to Reproduce	Expected Result	Actual Result	Severity	Status	Screenshot
BUG006	OTP Verification	Remaining OTP attempts are not communicated to the user	Generate an OTP, repeatedly enter incorrect OTPs until the limit is reached	The application should inform the user about the maximum allowed attempts or display the remaining attempts before blocking further verification	The application only displays "Wrong OTP Entered!" for each failed attempt. After the limit is reached, it directly shows "You've reached the maximum OTP request limit. Please try again later." without any prior indication of remaining attempts	Medium	Open	na
BUG007		Application allows OTP request flow even when OTP request	1. Reach the maximum OTP request limit.	The application should prevent the user from	The application allows the user to enter the mobile	High	Open	na

Bug ID	Module	Bug Title	Steps to Reproduce	Expected Result	Actual Result	Severity	Status	Screenshot
	OTP Verification	limit is active	2. Refresh the page. 3. Enter the same mobile number. 4. Click Generate OTP .	initiating another OTP request while the request limit is active, or clearly display that the request is blocked.	number and navigate to the OTP verification screen. However, no OTP is sent because the request limit is still active internally, without informing the user at this stage.			
BUG008	User Dashboard	Generic welcome message is displayed for newly registered users	Register/Login using a new mobile number for the first time and complete OTP verification.	A first-time user should receive a neutral greeting such as "Welcome!" , "Welcome to Ayuvya!" , or "Hello!" .	The application displays "Hello User! It's good to have you back" , implying the user has previously visited, even for a first-time login.	Low	Open	visit

Bug ID	Module	Bug Title	Steps to Reproduce	Expected Result	Actual Result	Severity	Status	Screenshot
BUG009	Header / Cart	Cart item count flickers and changes unexpectedly after logout	1. Log out and add items to the cart. 2. Click the Profile or Cart icon multiple times.	You will have to login first then able to add items to cart.	Users can add items to the cart without logging in. After logout, the cart badge inconsistently flickers between 0 and the actual item count whenever the Profile or Cart icon is clicked..	Medium	Open	visit
BUG010	OTP Verification	OTP generation requests and OTP verification attempts share the same request limit counter	1. Generate OTP multiple times for the same mobile number (e.g., 4 times). 2. Enter an incorrect OTP once. 3. Observe the response after the combined	OTP generation requests and OTP verification attempts should have independent rate limits , or the application should clearly communicate that both	OTP generation requests and incorrect OTP verification attempts consume the same internal limit. After the combined limit is reached, the application	High	Open	visit

Bug ID	Module	Bug Title	Steps to Reproduce	Expected Result	Actual Result	Severity	Status	Screenshot
			limit is reached.	actions share a common limit.	displays "You've reached the maximum OTP request limit. Please try again later." , even when the user is only attempting OTP verification .			
BUG011	Login API	API returns HTTP 200 for a failed OTP request	1. Reach the OTP request limit. 2. Send another OTP request. 3. Inspect the API response in Developer Tools → Network.	The API should return an appropriate HTTP error status such as 429 Too Many Requests (or another suitable 4xx status) when the request cannot be processed.	The API returns HTTP 200 OK , while the response body contains "status" : 400 and "message" : "failed", resulting in inconsistent status reporting.	Medium	Open	visit

Bug ID	Module	Bug Title	Steps to Reproduce	Expected Result	Actual Result	Severity	Status	Screenshot

3. Test Execution Summary

This section provides a consolidated summary of test execution results and defect distribution by severity.

Metric	Count
Total Test Cases	20
Executed	20
Passed	18
Failed	1
Blocked	1
Not Executed	0
Total Bugs	11
Critical	0
High	2
Medium	6
Low	3

4. Conclusion

The login module was tested using Functional, Validation, Negative, UI, and API Testing techniques. A total of 20 test cases were executed, with 18 passed, 1 failed, and 1 blocked. During testing, 11 bugs were identified across different severity levels, primarily related to OTP handling, UI behavior, and API response consistency.

Overall, the core login functionality works as expected, but addressing the identified issues will improve the application's usability, reliability, and user experience.