

Cucumber Report

28-Sep-2024, 11:10:36 pm

Start : Sep 28, 11:09:15.023 pm

End : Sep 28, 11:10:33.611 pm

Duration : 1 m 18.588 s

Features



Scenarios


Steps

PASSED - 0
FAILED - 4
SKIPPED - 0


PASSED - 0
FAILED - 9
SKIPPED - 0

PASSED - 0
FAILED - 0
SKIPPED - 61







#	Feature Name	T	P	F	S	Duration
1	User Login	4	0	4	0	45.912 s
2	User Register	1	0	1	0	6.658 s
3	User Search	3	0	3	0	19.591 s
4	User Checkout	1	0	1	0	6.396 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>User Login</u>	<u>Login with valid credentials</u>	6	0	0	6	26.306 s
2	<u>User Login</u>	<u>Login with invalid credentials</u>	6	0	0	6	6.352 s
3	<u>User Login</u>	<u>Login with invalid credentials</u>	6	0	0	6	6.548 s
4	<u>User Login</u>	<u>Login with invalid credentials</u>	6	0	0	6	6.648 s
5	<u>User Register</u>	<u>Register with valid credentials</u>	10	0	0	10	6.657 s
6	<u>User Search</u>	<u>Search with valid product name</u>	5	0	0	5	6.534 s
7	<u>User Search</u>	<u>Search with valid product name</u>	5	0	0	5	6.379 s
8	<u>User Search</u>	<u>Search with valid product name</u>	5	0	0	5	6.655 s
9	<u>User Checkout</u>	<u>Successfull checkout process</u>	12	0	0	12	6.396 s


(F)- User Login

FAILED	DURATION - 45.912 s	Scenarios		Steps	
/ 11:09:15.023 pm // 11:10:00.935 pm /		Total - 4	4	Total - 24	24
		Pass - 0		Pass - 0	
		Fail - 4		Fail - 0	
		Skip - 0		Skip - 24	



(S)- Login with valid credentials

<div>FAILED</div> <div>DURATION - 26.306 s</div>			<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 6</div>	
<div>/ 11:09:15.026 pm // 11:09:41.332 pm /</div>				
<div>User Login</div>				


#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup(io.cucumber.java.Scenario) org.openqa.selenium.WebDriverException: unknown error: net::ERR_CONNECTION_REFUSED (Session info: chrome=129.0.6668.70) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [38789f1e06b699474e2f90c7a3520cc0, get {url=http://localhost/opencart/upload/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 129.0.6668.70, chrome: {chromedriverVersion: 129.0.6668.70 (df87d5cf12b1..., userDataDir: C:\Users\hpl\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53482}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53482/devtoo..., se:cdpVersion: 129.0.6668.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 38789f1e06b699474e2f90c7a3520cc0 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)	FAILED	25.942 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:301) at Hooks.Hooks.setup(Hooks.java:47) </pre>		
1	When - When User clicks on My Account dropdown	SKIPPED	0.000 s
2	Then - Then User clicks on Login link	SKIPPED	0.000 s
3	When - When User enters valid email address "Divya@txcct.com"	SKIPPED	0.000 s
4	And - And User enters valid password "1234"	SKIPPED	0.005 s
5	And - And User clicks on Login button	SKIPPED	0.002 s
6	Then - Then User should Login successfully	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.closure(io.cucumber.java.Scenario)	PASSED	0.312 s
	Login with valid credentials		
			

(S)- Login with invalid credentials

<div>FAILED</div> <div>DURATION - 6.352 s</div>			<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 6</div>	
/ 11:09:41.364 pm // 11:09:47.716 pm /				
User Login				


#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup(io.cucumber.java.Scenario)	FAILED	6.057 s
	<pre> org.openqa.selenium.WebDriverException: unknown error: net::ERR_CONNECTION_REFUSED (Session info: chrome=129.0.6668.70) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [de537c3bafa231d167fd5e952a75764e, get {url=http://localhost/opencart/upload/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 129.0.6668.70, chrome: {chromedriverVersion: 129.0.6668.70 (df87d5cf12b1..., userDataDir: C:\Users\hnp\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: </pre>		

#	Step / Hook Details	Status	Duration
	<p>localhost:53512}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53512/devtoo..., se:cdpVersion: 129.0.6668.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: de537c3bafa231d167fd5e952a75764e</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:301) at Hooks.Hooks.setup(Hooks.java:47)</p>		
1	When - When User clicks on My Account dropdown	SKIPPED	0.000 s
2	Then - Then User clicks on Login link	SKIPPED	0.000 s
3	When - When User enters email address divya@txcct.com	SKIPPED	0.000 s
4	And - And User enters password 123ad	SKIPPED	0.000 s
5	And - And User clicks on Login button	SKIPPED	0.001 s
6	Then - Then User should not login successfully	SKIPPED	0.002 s
	AFTER - Hooks.Hooks.closure(io.cucumber.java.Scenario)	PASSED	0.287 s
	Login with invalid credentials		
			



(S)- Login with invalid credentials

<div>FAILED</div> <div>DURATION - 6.548 s</div>		<table border="1"><thead><tr><th>Step</th><th>Value</th></tr></thead><tbody><tr><td>1</td><td>0.01</td></tr><tr><td>2</td><td>0.00</td></tr><tr><td>3</td><td>0.00</td></tr><tr><td>4</td><td>0.00</td></tr><tr><td>5</td><td>0.00</td></tr><tr><td>6</td><td>0.00</td></tr></tbody></table>	Step	Value	1	0.01	2	0.00	3	0.00	4	0.00	5	0.00	6	0.00	<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 6</div>	
Step	Value																	
1	0.01																	
2	0.00																	
3	0.00																	
4	0.00																	
5	0.00																	
6	0.00																	
/ 11:09:47.728 pm // 11:09:54.276 pm /																		
User Login																		


#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup(io.cucumber.java.Scenario) org.openqa.selenium.WebDriverException: unknown error: net::ERR_CONNECTION_REFUSED (Session info: chrome=129.0.6668.70) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [08c917296f059e2504699f5f6864d1ad, get {url=http://localhost/opencart/upload/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 129.0.6668.70, chrome: {chromedriverVersion: 129.0.6668.70 (df87d5cf12b1..., userDataDir: C:\Users\hpl\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53538}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53538/devtoo..., se.cdpVersion: 129.0.6668.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 08c917296f059e2504699f5f6864d1ad at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:301) at Hooks.Hooks.setup(Hooks.java:47)	FAILED	6.247 s
1	When - When User clicks on My Account dropdown	SKIPPED	0.001 s
2	Then - Then User clicks on Login link	SKIPPED	0.000 s
3	When - When User enters email address ravi@txcct.com	SKIPPED	0.000 s
4	And - And User enters password 1234	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
5	And - And User clicks on Login button	SKIPPED	0.000 s
6	Then - Then User should not login successfully	SKIPPED	0.001 s
	AFTER - Hooks.Hooks.closure(io.cucumber.java.Scenario)	PASSED	0.294 s
	Login with invalid credentials		
			



(S)- Login with invalid credentials

<div>FAILED</div> <div>DURATION - 6.648 s</div>			<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 6</div>	
/ 11:09:54.287 pm // 11:10:00.935 pm /				
User Login				



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup(io.cucumber.java.Scenario)	FAILED	6.299 s
	org.openqa.selenium.WebDriverException: unknown error: net::ERR_CONNECTION_REFUSED (Session info: chrome=129.0.6668.70) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ec0239d4821a7d90745d2dcade87f4f1, get {url=http://localhost/opencart/upload/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 129.0.6668.70, chrome: {chromedriverVersion: 129.0.6668.70 (df87d5cf12b1..., userDataDir: C:\Users\hpl\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53563}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53563/devtoo..., se:cdpVersion: 129.0.6668.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ec0239d4821a7d90745d2dcade87f4f1 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:301) at Hooks.Hooks.setup(Hooks.java:47)		
1	When - When User clicks on My Account dropdown	SKIPPED	0.000 s
2	Then - Then User clicks on Login link	SKIPPED	0.000 s
3	When - When User enters email address valar@txcct.com	SKIPPED	0.000 s
4	And - And User enters password 123ec	SKIPPED	0.000 s
5	And - And User clicks on Login button	SKIPPED	0.000 s
6	Then - Then User should not login successfully	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.closure(io.cucumber.java.Scenario)	PASSED	0.343 s
	Login with invalid credentials		
			


(F)- User Register

FAILED	DURATION - 6.658 s	Scenarios		Steps	
/ 11:10:00.950 pm // 11:10:07.608 pm /		Total - 1		Total - 10	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 10	



(S)- Register with valid credentials

<div>FAILED</div> <div>DURATION - 6.657 s</div>			<div>Steps</div> <div>Total - 10</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 10</div>	
/ 11:10:00.951 pm // 11:10:07.608 pm /				
User Register				



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup(io.cucumber.java.Scenario) org.openqa.selenium.WebDriverException: unknown error: net::ERR_CONNECTION_REFUSED (Session info: chrome=129.0.6668.70) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b39f936ecf30a1a01780daf16c598586, get {url=http://localhost/opencart/upload/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 129.0.6668.70, chrome: {chromedriverVersion: 129.0.6668.70 (df87d5cf12b1..., userDataDir: C:\Users\hpl\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53600}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53600/devtoo..., se.cdpVersion: 129.0.6668.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b39f936ecf30a1a01780daf16c598586 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:301) at Hooks.Hooks.setup(Hooks.java:47)	FAILED	6.294 s
1	When - When User clicks on My Account dropdown menu	SKIPPED	0.000 s
2	Then - Then User clicks on Register link	SKIPPED	0.000 s
3	And - And User enters First name as "Rani"	SKIPPED	0.000 s
4	And - And User enters Last name as "T"	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
5	And - And User enters valid email as	SKIPPED	0.000 s
6	And - And User enters valid password as "rsder@1234"	SKIPPED	0.002 s
7	Then - Then User clicks on subscribe button	SKIPPED	0.001 s
8	Then - Then User clicks on privacy policy	SKIPPED	0.000 s
9	When - When User on continue button	SKIPPED	0.000 s
10	Then - Then User should successfully register	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.closure(io.cucumber.java.Scenario)	PASSED	0.355 s
	Register with valid credentials		
			


(F)- User Search

FAILED	DURATION - 19.591 s	Scenarios		Steps	
/ 11:10:07.618 pm // 11:10:27.209 pm /		Total - 3	3	Total - 15	15
		Pass - 0		Pass - 0	
		Fail - 3		Fail - 0	
		Skip - 0		Skip - 15	



(S)- Search with valid product name

<div>FAILED</div> <div>DURATION - 6.534 s</div>			Steps	<div></div>
/ 11:10:07.618 pm // 11:10:14.152 pm /				
User Search				


#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup(io.cucumber.java.Scenario)	FAILED	6.210 s

#	Step / Hook Details	Status	Duration
	<p>org.openqa.selenium.WebDriverException: unknown error: net::ERR_CONNECTION_REFUSED (Session info: chrome=129.0.6668.70) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [dc22397159570b8c680d3e877cb43d9d, get {url=http://localhost/opencart/upload/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 129.0.6668.70, chrome: {chromedriverVersion: 129.0.6668.70 (df87d5cf12b1..., userDataDir: C:\Users\hvp\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53626}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53626/devtoo..., se:cdpVersion: 129.0.6668.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: dc22397159570b8c680d3e877cb43d9d</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:301) at Hooks.Hooks.setup(Hooks.java:47)</p>		
1	When - When User enters valid product name as iMac	SKIPPED	0.000 s
2	And - And User clicks on search icon	SKIPPED	0.000 s
3	Then - Then User should navigates to search page	SKIPPED	0.000 s
4	And - And User clicks on Add to cart icon	SKIPPED	0.000 s
5	Then - Then User should see Product iMac added successfully to cart	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.closure(io.cucumber.java.Scenario)	PASSED	0.320 s
	Search with valid product name		
			



(S)- Search with valid product name

<div>FAILED</div> <div>DURATION - 6.379 s</div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 5</div>	
/ 11:10:14.159 pm // 11:10:20.538 pm /				
User Search				


#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup(io.cucumber.java.Scenario) org.openqa.selenium.WebDriverException: unknown error: net::ERR_CONNECTION_REFUSED (Session info: chrome=129.0.6668.70) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4d43aff2b16ea55999995eb960e17d67, get {url=http://localhost/opencart/upload/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 129.0.6668.70, chrome: {chromedriverVersion: 129.0.6668.70 (df87d5cf12b1..., userDataDir: C:\Users\hpl\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53650}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53650/devtoo..., se.cdpVersion: 129.0.6668.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 4d43aff2b16ea55999995eb960e17d67 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:301) at Hooks.Hooks.setup(Hooks.java:47)	FAILED	6.057 s
1	When - When User enters valid product name as HTC Touch HD	SKIPPED	0.000 s
2	And - And User clicks on search icon	SKIPPED	0.000 s
3	Then - Then User should navigates to search page	SKIPPED	0.001 s
4	And - And User clicks on Add to cart icon	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
5	Then - Then User should see Product HTC Touch HD added successfully to cart	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.closure(io.cucumber.java.Scenario)	PASSED	0.315 s
	Search with valid product name		
			



(S)- Search with valid product name

<div>FAILED</div> <div>DURATION - 6.655 s</div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 5</div>	
/ 11:10:20.554 pm // 11:10:27.209 pm /				
User Search				



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup(io.cucumber.java.Scenario)	FAILED	6.318 s
	org.openqa.selenium.WebDriverException: unknown error: net::ERR_CONNECTION_REFUSED (Session info: chrome=129.0.6668.70) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7b85962e2d5330a34a3c343f0e324f81, get {url=http://localhost/opencart/upload/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 129.0.6668.70, chrome: {chromedriverVersion: 129.0.6668.70 (df87d5cf12b1..., userDataDir: C:\Users\hvp\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53679}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53679/devtoo..., se:cdpVersion: 129.0.6668.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7b85962e2d5330a34a3c343f0e324f81 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:301) at Hooks.Hooks.setup(Hooks.java:47)		
1	When - When User enters valid product name as iPhone	SKIPPED	0.003 s
2	And - And User clicks on search icon	SKIPPED	0.001 s
3	Then - Then User should navigates to search page	SKIPPED	0.001 s
4	And - And User clicks on Add to cart icon	SKIPPED	0.000 s
5	Then - Then User should see Product iPhone added successfully to cart	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.closure(io.cucumber.java.Scenario)	PASSED	0.332 s
	Search with valid product name		
			


(F)- User Checkout

FAILED	DURATION - 6.396 s	Scenarios		Steps	
/ 11:10:27.215 pm // 11:10:33.611 pm /		Total - 1		Total - 12	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 12	


(S)- Successfull checkout process

<div>FAILED</div> <div>DURATION - 6.396 s</div>		<div>Steps</div> <div>Total - 12</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 12</div>	
<div>/ 11:10:27.215 pm // 11:10:33.611 pm /</div>			
<div>User Checkout</div>			


#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup(io.cucumber.java.Scenario) org.openqa.selenium.WebDriverException: unknown error: net::ERR_CONNECTION_REFUSED (Session info: chrome=129.0.6668.70) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [fd40136597e074d11f50d45461f5ba23, get {url=http://localhost/opencart/upload/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 129.0.6668.70, chrome: {chromedriverVersion: 129.0.6668.70 (df87d5cf12b1..., userDataDir: C:\Users\hpl\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53713}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53713/devtoo..., se.cdpVersion: 129.0.6668.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: fd40136597e074d11f50d45461f5ba23 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:301) at Hooks.Hooks.setup(Hooks.java:47)	FAILED	6.085 s
1	When - When User search product name as "iMac"	SKIPPED	0.000 s
2	And - And User clicks on search link	SKIPPED	0.000 s
3	And - And User clicks on Add to cart link	SKIPPED	0.006 s
4	When - When User clicks on shopping cart link	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
5	Then - Then User navigates to shopping cart page	SKIPPED	0.000 s
6	And - And User clicks on checkout button	SKIPPED	0.000 s
7	Then - Then User navigates to checkout page	SKIPPED	0.000 s
8	And - And User provides the valid shipping information	SKIPPED	0.000 s
9	And - And User selects on Shipping Method	SKIPPED	0.000 s
10	And - And User selects on Payment Method	SKIPPED	0.000 s
11	Then - Then User clicks on confirm order	SKIPPED	0.000 s
12	And - And User should successfully placed the order	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.closure(io.cucumber.java.Scenario)	PASSED	0.302 s
	Successfull checkout process		
			


(Step) AFTER - Hooks.Hooks.closure(io.cucumber.java.Scenario)
<u>(S) Login with valid credentials</u>
<u>(F) User Login</u>




(Step) AFTER - Hooks.Hooks.closure(io.cucumber.java.Scenario)
<u>(S) Login with invalid credentials</u>
<u>(F) User Login</u>




(Step) AFTER - Hooks.Hooks.closure(io.cucumber.java.Scenario)
<u>(S) Login with invalid credentials</u>
<u>(F) User Login</u>




(Step) AFTER - Hooks.Hooks.closure(io.cucumber.java.Scenario)
<u>(S) Login with invalid credentials</u>
<u>(F) User Login</u>




(Step) AFTER - Hooks.Hooks.closure(io.cucumber.java.Scenario)
<u>(S) Register with valid credentials</u>
<u>(F) User Register</u>




(Step) AFTER - Hooks.Hooks.closure(io.cucumber.java.Scenario)
<u>(S) Search with valid product name</u>
<u>(F) User Search</u>



(Step) AFTER - Hooks.Hooks.closure(io.cucumber.java.Scenario)
<u>(S) Search with valid product name</u>
<u>(F) User Search</u>



(Step) AFTER - Hooks.Hooks.closure(io.cucumber.java.Scenario)
<u>(S) Search with valid product name</u>
<u>(F) User Search</u>



(Step) AFTER - Hooks.Hooks.closure(io.
cucumber.java.Scenario)

(S) Successfull checkout process

(F) User Checkout



This site can't be reached

localhost refused to connect.

Try:

- Checking the connection
- Checking the proxy and the firewall

ERR_CONNECTION_REFUSED

Reload

Details