

# Create webpage using ng-app, ng-bind-ng-init directive in AngularJS

## LAB-8

NAME:MAJJIGA JASWANTH


REGNO:20BCD7171

Create webpage using ng-app:

Code:

```
<html ng-app="">
<head>
<script
src="https://ajax.googleapis.com/ajax/libs/angularjs/1.6.9/angular.min.js"></script>
</head>
<body>
<div>
2+9={{2+9}}
<p>My Name is {{ "Jaswanth" }}</p>
</div>
</body>
</html>
```

Output:




Create webpage using ng-bind:

Code:

```
<html ng-app="" ng-init="Name='Jaswanth'">
<head>
<script src="https://ajax.googleapis.com/ajax/libs/angularjs/1.6.9/angular.min.js"></script>
</head>
<body>
<div>
<p>The Name is <span ng-bind="Name"></span></p>
</div>
</body>
</html>
```

Output:




The Name is jaswanth

Create webpage using ng-init:

Code:

```
<html ng-app="" ng-init="A=9;B=2">
<head>
<script src="https://ajax.googleapis.com/ajax/libs/angularjs/1.6.9/angular.min.js"></script>
</head>
<body>
<div>
A+B={{A+B}}
</div>
</body>
</html>
```

Output:



A+B=11