# COP-6726 DATABASE SYSTEM IMPLEMENTATION Project-2.1 Report

#### **GROUP MEMBER NAMES:**

K Jaswanth Reddy - (UFID: 22719671) M Dheeraj Kumar - (UFID: 82690922)

#### **RUNNING THE CODE:**

- -> Source code is in the folder "a2test". It contains all the tbl and respective bin files for 7 tables.
- -> Unit Testing is done and are presented in gTest.cc
- -> To run main.cc, from project root execute command "make main" and then execute "./main" and follow the on-screen instructions.
- -> Google test framework has been added in the directory "googletest". This framework is needed to run gtest unit test cases.
- -> To run test.cc, from project root execute command "make test.out" and then execute "./test.out" and choose the desired options.
- -> Test Driver gives a menu on the console for performing testing to the code as:
  - 1. sort performs the sorting operation and outputs the records to output pipe.
  - 2. sort + Display performs the operations: sorting -> Dumping -> Displaying
  - 3. sort + write Performs an additional operation to the above as writing to .bigq file.

#### **Steps to run the Tests(test.cc):**

make test.out ./test.out

#### Steps to run gTests(gTest.cc):

make gTest.out ./gTest.out

## **Function Description:**

- TwoPassMultiwayMergeSort()
  - Pthread function called by the constructor of BigQ class.
  - It performs the basic operations like 'input pipe', 'output pipe', 'order maker'
  - The process is basically performed using two phases: split phase and merge phase.
- 2. OpenFile(): Opens/ Creates a temporary file to manage records for the class. It returns the integer value as output 1 for success and 0 for failure.
- 3. CloseFile(): Closes the temporary file, returns 1 on success and 0 on failure.
- 4. Create(): This function first checks the type os the file and starts creating the file.
- 5. noMorePages(): Return a boolen variable to return True/ False if there are no more pages
- 6. isFull(): Return a boolean variable to check if the block is full
- 7. isEmpty(): Return a boolean variable to check if the block is empty
- 8. loadPage(): Load the block with the respective page
- 9. getFrontRecord(): Obtain the front record from the Block
- 10.popFrontRecord(): Remove the front record from the Block
- 11.compare4Sort(): compare4Sort
- 12.sortRecords(): Perform the sorts using the sort function.
- 13. readFromPipe(): Function call to read the records from the Input File
- 14.safeHeapPush(): Perform the record push into the Heap Structure
- 15.nextPopBlock(): Perform the record pop from the block
- 16. mergeBlocks(): Function call to merge the blocks with the conditions to check if there is enough space for merging
- 17.writeToPipe(): Function to write the contents of the input file to the pipe

#### **RESULTS:**

TPCH Data Size = 1GB

Creation of the bin files from the respective tables chosen.

## Output1.txt

```
nationkey: [6], n.name: [FRANCE], n regionkey: [3], n.comment: [refully final requests. regular, ironi]
nationkey: [19], n.name: [ROMANIA], n regionkey: [3], n.comment: [largests are about the furious multipliers. express dependencies mag above the nationkey: [21], n.name: [RUSTA], n regionkey: [3], n.comment: [requests against the platelets use never according to the quickly regular pain]
nationkey: [22], n.name: [RUSTA], n regionkey: [3], n.comment: [requests against the platelets use never according to the quickly regular pain]
n nationkey: [23], n.name: [RUSTA], n regionkey: [4], n.comment: [ic deposits are bilthely special requests. accounts are. carefull]
n nationkey: [21], n.name: [SEOPT], n regionkey: [4], n.comment: [ic deposits are bilthely unusual theodolites. final dugouts are quickly across the furiously n nationkey: [21], n.name: [1RWA], n regionkey: [4], n.comment: [inc deposits are bilthely unusual theodolites. final dugouts are quickly across the furiously n nationkey: [21], n.name: [1RWA], n regionkey: [4], n.comment: [inc deposits boost atop the development of the plate on nationkey: [21], n.name: [1RWA], n regionkey: [4], n.comment: [inc deposits boost atop the development of the plate of the slyly final dependencies.]

Noved to first Page in Database File
producer: inserted 1509 recs into the pipe
consumer: removed 1500 recs from the pipe
consumer: removed 1500 recs from the pipe
consumer: genoved 2500 recs from t
```

#### **GTEST RESULTS:**

Unit Test cases are performed against the Bigq process, and all the test cases are passed. Code to the test cases is present in 'gTest.cc' file.

### **Bash Shell:**

The bash shell script is used to perform the automated test cases from tc1.txt, tc2.txt, tc3.txt and tc4.txt. Below are the outputs tested out manually to depict that the unit tests are working fine.

```
select test option:

1. sort * signlay
2. sort * signlay
3. sort * signlay
3. sort * signlay
3. sort * signlay
4. sort * write
2. select doffile to use:
1. nation
3. cuttoer
4. part
5. parton
7. Lineiten
1. specify runlength:
5. parton
7. Lineiten
7. Lineiten
1. specify sort ordering (when done press ctrl-D):
(n. regionoley)

producer: opened DOFFILE nation.bin
n. nationley: [0], n. name: [MONTON], n. regioneky; [0], n. comment: [ven packages wake quickly, reppl
n. nationley: [3], n. name: [MONTON], n. regioneky; [0], n. comment: [ven packages wake quickly, reppl
n. nationley: [3], n. name: [MONTON], n. regioneky; [0], n. comment: [ven packages wake quickly, reppl
n. nationley: [3], n. name: [MONTON], n. regioneky; [1], n. comment: [ven packages wake quickly, reppl
n. nationley: [3], n. name: [MONTON], n. regioneky; [1], n. comment: [ven packages wake quickly, reppl
n. nationley: [3], n. name: [MONTON], n. regioneky; [1], n. comment: [ven packages wake quickly, reppl
n. nationley: [3], n. name: [MONTON], n. regioneky; [1], n. comment: [ven packages wake quickly, reppl
n. nationley: [3], n. name: [MONTON], n. regioneky; [1], n. comment: [ven packages wake quickly, repolar packages was fruit only not packages water
n. nationley: [3], n. name: [MONTON], n. regioneky; [1], n. comment: [ven packages wake repolar packages was easier water and the package was fruit of the regular about the irout charges, stlyl special ]
n. nationley: [3], n. name: [MONTON], n. regioneky; [1], n. comment: [ven packages water fruit packages was fruit fruit account]
n. nationley: [3], n. name: [MONTON], n. regioneky; [3], n. comment: [ven packages water fruit packages was fruit fruit account.
n. nationley: [3], n. name: [MONTON], n. regioneky; [3], n. comment: [ven packages water fruit packages water fruit packages glovely silent packages special packages are about the irout charge package are do
```

```
** PROPERTY NEWS SAME THE INFORMATION BELOW IS COMPECT ***

** Application:

** Control of the dir:

** Select test option:

** 1. select test option:

** 2. sert * display

** 2. sert * display

** 2. sert * write

** 3. sert * display

** 2. sert * display

** 3. sert * display

** 3. sert * display

** 5. sert * display

** 6. sert

** 6. sert

** 6. sert

** 7. Limit ten

** 1. mattion

** 1. sert offering (when done press ctrl-b):

(n_regionkey) AND (n_mane)

** 7. Limit ten

** 1. mattioner:

** 1
```

## **CONCLUSION:**

We have successfully implemented sorting of a file.