

Comprehensive Technical Audit & Performance Report

1. Executive Summary


This document serves as a technical health audit for the Krishna Engineering College (KEC) web application. While the application benefits from modern visual fidelity—using tools like `Framer Motion` and `Lenis` smooth scrolling—the underlying foundation contains deep technical debt, severe state-handling logic bugs, and massive unoptimized javascript payloads.

Our goal is to outline the specific issues causing these performance bottlenecks and provide immediate technical solutions to stabilize the platform.

2. Performance Summary & Metrics

We have captured the baseline performance and architecture metrics of the application. The primary bottleneck is the initial time-to-interactive wait.

(Reference graphic of the latest performance benchmark):



Key Performance Issue: Monolithic Payloads (Chunk Errors)

Currently, all 30+ pages of the application are loaded **at the exact same time** on the very first visit. This forces incoming students (especially those on weak mobile networks) to download over `1.2 MB` of pure JavaScript code before the website even finishes rendering.

- **The Solution:** We must implement **Code Splitting (React.lazy)** around the Vite router. This means if a user is purely visiting the Homepage, they only download 150KB of code, dynamically fetching the Admission forms and Department info *only* when they click those specific links.

3. Critical Bugs & Structural Failures Detected

1. Critical React State Violation (App Crash Risk)

- **Location:** `Super40ExamQuestions.jsx`
- **The Bug:** During the countdown timer loop, a massive auxiliary function (`handleAutoSubmit`) is being forcibly executed *inside* a state updater parameter. This violates React's golden rule that state-updater functions must be pure.
- **The Impact:** Highly likely to trigger React's infamous *"Cannot update a component while rendering a different component"* crash, bringing the test to an abrupt and deadly halt for the student mid-exam.
- **The Solution:** Refactor the timer to act predictably using local un-tied variables, or hoist the submission logic cleanly into an asynchronous `useEffect` dependency array decoupled from the ticking ticker.

2. Missing Form Fields (Data Collection Failure)

- **Location:** `Super40Form.jsx`
- **The Bug:** The underlying logical state explicitly requires and initializes a `grade` field variable intended for tracking the student's qualification. However, the UI input field mapping to `name="grade"` has completely been excluded/deleted from the visible frontend.
- **The Impact:** When applicants click submit, their exact grade will eternally be pushed to the database as empty or undefined.
- **The Solution:** We need to reinstate a drop-down (`<select>`) or a numeric input field seamlessly into the JSX UI directly before the submit button.

3. Invalid HTML Wrapping (Accessibility Break)

- **Location:** `Navbar.jsx`
- **The Bug:** The primary application hooks (like the "Apply Now" button) are wrapping an anchor tag (`<Link>`) directly inside a `<button>` DOM element.
- **The Impact:** This completely breaks standard HTML5 validation. More importantly, it destroys Screen Reader accessibility for disabled students and creates unstable mobile tap-bubbling behaviors.
- **The Solution:** Convert the outermost `<motion.button>` wrapper into a safely evaluated `<motion.div>` or `<motion.span>` while letting the anchor tag natively handle the click redirection.

4. Hash Jumps Destroying Smooth Scroll

- **Location:** `Topbar.jsx` & `Footer.jsx`
- **The Bug:** Social Media and placeholder links (Twitter, YouTube) point to an empty anchor (`href="#"`).
- **The Impact:** Because the site relies heavily on `Lenis` smooth-scroll tracking, hitting one of these empty anchor strings instantly jars the browser, snapping the user unexpectedly to the topmost pixel and ruining the UX.
- **The Solution:** We will intercept these clicks globally using JavaScript's `e.preventDefault()` , or point them to a safe non-breaking `javascript:void(0)` redirect until the official social media URLs are established.

5. Widespread Pipeline Errors (>60 Errors)

- **Location:** Entire Codebase (Specifically unused `framer-motion` imports)

- **The Bug:** A static code analysis evaluates over 60 isolated ESLint errors indicating "Variable defined but never used" scattered across almost every file.
 - **The Impact:** While these do not crash the browser locally, any modern professional hosting environment (Vercel, AWS Amplify) relies on strict CI/CD pipelines which will immediately interpret these 60 errors as fatal, causing future production deployments to permanently reject and fail.
 - **The Solution:** Run a system-wide un-used variable sweep, aggressively tree-shaking the unused plugins out of the respective imports to restore a 100% clean deployment bill-of-health.
-

4. Proposed Fix Timeline

1. **Phase 1 (Immediate Stabilization):** Fix the Critical `Super40Exam` crash conditions, insert the missing Grade form logic, and fix the mobile/accessibility HTML structures in the Navbar. *(Est. 1 - 2 Days)*
2. **Phase 2 (Performance & Deployment Cleanups):** Sweep the 60+ strict deployment errors and rebuild `App.jsx` eagerly-loaded imports to use Lazy Load rendering paths, vastly accelerating initial website TTFB (Time-To-First-Byte) metrics. *(Est. 2 Days)*