Single Page Portfolio Website

ABSTRACT

This project represents a foundational step in the study of web development, demonstrating the practical application of core web technologies. The objective of the project was to design and develop a Single-Page Personal Portfolio Website to serve as a digital resume and showcase emerging technical skills.

Developed as an introductory project, the website utilizes HTML5 for semantic structuring and CSS3 for styling and visual layout. The design features a single-page architecture, allowing users to access sections such as the “About Me,” “Skills,” and “Contact” areas through smooth scrolling, eliminating the need for multi-page navigation.

Key learning outcomes demonstrated in this project include the implementation of a responsive layout to ensure readability on different screen sizes, the use of Flexbox/Grid for positioning elements, and the organization of clean, maintainable code. This portfolio serves not only as a platform to display future work but also as a tangible milestone in bridging the gap between theoretical knowledge and practical web development.

OBJECTIVE

The primary objective of this project is to design and develop a responsive Single-page Personal Portfolio Website. As an introductory project in web development, this undertaking serves a dual purpose: it acts as a practical exercise to reinforce technical learning, and it results in a functional product for professional use. The fundamental goal is to translate theoretical knowledge of HTML5, CSS3, and JS into a functional product for professional use. They understand how to use semantic HTML tags to create a well-organized document structure that is easy for browsers and search engines to understand. To gain proficiency in CSS styling, specifically focusing on layout techniques, color theory, typography, and the box model to create an aesthetically pleasing interface.

In the modern web landscape, websites must work on all devices. A key objective is to ensure the portfolio is “mobile-responsive”. "To learn how to use Media Queries to adjust font sizes, margins, and layout structures based on the user’s screen width (from mobile phone to desktop monitors). To practice using modern layout systems like flexbox or CSS Grid to ensure elements align correctly without overlapping or breaking on smaller screens.

Moving beyond traditional paper resume, this project aims to create a centralized digital hub for my professional profile. To provide a single, shareable URL that allows teachers, peers, and potential recruiters to access my information 24/7 from anywhere in the world. The website itself serves as a “live” example of my skills. By having a portfolio website, I am not just listening to “Web Development” as a skill; I am demonstrating it actively to the visitor.

Beyond writing code, this project aims to build the discipline required for software development. To learn the importance of writing clean, commented, and indented code, making it easier to update the portfolio in the future as i learn new skills. To develop the ability to troubleshoot and resolve common issues, such as broken links, image rendering errors, and layout misalignment.

INTRODUCTION

In the rapidly evolving digital landscape, a static paper resume is no longer sufficient to demonstrate technical competency. For students and emerging professionals in the field of Web Development, a personal portfolio website serves as a dynamic proof of skills, creativity, and coding proficiency. This project, titled “Single Page Personal Portfolio,” represents my first significant step into the world of web development, bridging the gap between theoretical study and practical application.

The project is designed as a Single-Page Website, a modern web design approach where all content including the “About Me,” “Skills,” “Projects,” and “Contact” sections exist within a single HTML document. Unlike traditional multi-page websites that require use to wait for new pagers to load, this single page architecture provides a seamless, fluid user experience. Users can navigate through the content simply by scrolling or clicking navigation links that smoothly glide to the relevant section.

This portfolio was developed using fundamental web technologies, primarily HTML5 for structure, CSS3 for styling, and JS for basic functioning. The design focusses on responsiveness, ensuring that the portfolio is accessible and visually appealing across a wide range of devices, from desktop monitors to mobile phones.

By building this project, I aimed to not only create a centralized hub for my professional identity but also to master the core building blocks of the web. This report details the development process, the challenges faced, and the technical knowledge acquired during the creation of this responsive personal portfolio.

METHODOLOGY

The development of the Single Page Portfolio Website was carried out following a structured approach, divided into two main categories: the Tools & Technologies utilized and the Step-by-Step Implementation process

TOOLS & TECHNOLOGIES USED

HTML5(Hyper Text Markup Language): Used as a backbone of the website to structure content (heading, paragraphs, images).

CSS3(Cascading Style Sheets): Used for the virtual presentation. This includes coloring, typography, spacing, and layout management (using Flexbox/Grid). Media Queries were used to make the site responsive.

Code Editor (Visual Studio Code): The primary Integrated Development Environment (IDE) used for writing code and debugging code, chosen for its syntax highlighting and live-server extensions.

Web Browser (Google Chrome / Microsoft Edge): Used for rendering the website and testing the responsiveness using built-in Developer Tools.

Git: Used for version control to track changes during the development process.

STEP-BY-STEP IMPLEMENTATION

The project was executed in five distinct phases, moving from initial desing to final testing.

Planning and Wireframing

Before writing the code, the layout was planned on paper.

Requirement Analysis: Decided in the necessary section: Home, About ME, Skills, Projects, and Contact.

Structure Design: Determined a linear “Single Page” Layout where clicking a navigation link scrolls the user to that specific section ID rather than loading a new page.

Environment Step

The project directory was established to ensure organized file management

- Created a root folder Portfolio_Project
- Created the main file index.html
- Created a CSS folder containing style.css
- Create an images folder to store profile pictures and icons

Structure Development (HTML)

The skeleton of the website was built using semantic HTML5 tags.

Header: Created a navigation bar (<nav>) containing an unordered list (<ul>) of links. Each link was assigned an anchor tag pointing to a section ID.

Sections: Created distinct <section> blocks for each part of the portfolio, ensuring each had a unique ID for navigation purposes.

Footer: Added a footer section for copyright information and social media links.

Styling and Layout (CSS)

Once the structure was in place, CSS was applied to enhance the visual appeal.

Global Reset: Applied to a CSS reset to remove the default browser margin and padding.

Flexbox Layout: Used CSS flexbox to align the navigation bar items horizontally and to center content within the “Home” and “About” sections.

Styling Components: Applied background colors, custom fonts, and button styles to match the planned theme.

Responsive Design: implemented @media queries. For smaller screens (mobiles), the layout was adjusted to ensure read

CODE

The HTML code for the nav-bar without css

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
    <link rel="stylesheet" href="style.css">
</head>
<body>
    <section id="header">
        <header>
            <nav class="navbar">
                <img src="/logos/unnamed.jpg" alt="logo" id="logo">
                <ul class="nav-item">
                    <li><a href="#" class="a">Home</a></li>
                    <li><a href="#" class="a">About</a></li>
                    <li><a href="#" class="a">Skills</a></li>
                    <li><a href="#" class="a">Contact</a></li>
                </ul>
            </nav>
```

```
        </header>
    </section>
</body>
</html>
```

The output of the following code looks like



The navbar with the css

```
*{
    margin: 0;
    padding:0;
}
.a{
    text-decoration: none;
    color: rgb(255, 255, 255);
```

```
    text-align: center;
    margin: 5px;
}
.navbar{
    display:flex;
    justify-content:space-between;
    align-items: center;
    background: linear-gradient(135deg,#232526, #414345);
    height: 50px;
}
.nav-item{
    margin: 10px;
    display: flex;
    justify-content: right;

}
#logo{
    height: 50px;
    width: 50px;
    border-radius: 50%;
    margin-left: 5px;
}
ul li{
    list-style: none;
```

```
    font-size: 20px;
    border: 2px solid white;
    margin: 5px;
    padding: 5px;
    border-radius: 10px;
}
ul li:hover{
    background-color: white;
    color: black;
}
.a:hover{
    color: black;
    font-weight: bold;
    box-shadow: inset 0 0 5px white;
    transition: 0.1s;
}
#logo:hover{
    transform: rotate(360deg);
    transition: 0.5s;
}
```



The home section of the portfolio website

HTML

```
<section class="s1">
        <hr style="color: white;">
        <div class="typing-container">
            <h1 class="typing-text">Hey Folks , I am Jatin</h1>
        </div>
        <div class="carousel-container">


    <div class="slide fade">
        <img src="https://picsum.photos/1200/400?random=1" alt="Image 1">
        <div class="caption">Welcome to My World</div>
    </div>
```

```
    <div class="slide fade">
        <img src="https://picsum.photos/1200/400?random=2" alt="Image 2">
        <div class="caption">Web Development Skills</div>
    </div>

    <div class="slide fade">
        <img src="https://picsum.photos/1200/400?random=3" alt="Image 3">
        <div class="caption">Creative Designs</div>
    </div>

    <a class="prev" onclick="changeSlide(-1)">&#10094;</a>
    <a class="next" onclick="changeSlide(1)">&#10095;</a>

</div>
        </section>
```

CSS

```
.typing-text {
    font-family: monospace;
    overflow: hidden;
    white-space: nowrap;
    border-right: 3px solid white;
    width: 0;
```

```
    animation:
        typing 3s steps(22) forwards,
        blink 0.75s step-end infinite;
}


@keyframes typing {
    from { width: 0 }
    to { width: 100% }
}


@keyframes blink {
    from, to { border-color: transparent }
    50% { border-color: white; }
}
.carousel-container {

    position: relative;
    margin: auto;
    margin-top: 20px;
    overflow: hidden;
    border-radius: 10px;
    box-shadow: 0 4px 10px rgba(0,0,0,0.5);
```

```
}

.slide {
    display: none;
}


.slide img {
    width: 100%;
    height: auto;
    display: block;
}


.caption {
    position: absolute;
    bottom: 20px;
    width: 100%;
    text-align: center;
    color: white;
    font-size: 5.5rem;
    font-weight: bold;
    text-shadow: 2px 2px 4px #000000;
}
```

```
.prev, .next {
    cursor: pointer;
    position: absolute;
    top: 50%;
    width: auto;
    padding: 16px;
    margin-top: -22px;
    color: white;
    font-weight: bold;
    font-size: 18px;
    transition: 0.6s ease;
    border-radius: 0 3px 3px 0;
    user-select: none;
    background-color: rgba(0,0,0,0.3);
}


.next {
    right: 0;
    border-radius: 3px 0 0 3px;
}
```

```
.prev:hover, .next:hover {
    background-color: rgba(0,0,0,0.8);
}



.fade {
    animation-name: fade;
    animation-duration: 1.5s;
}

@keyframes fade {
    from {opacity: .4}
    to {opacity: 1}
}
```

Java Script

```
    let slideIndex = 0;
    showSlides(slideIndex);
    function changeSlide(n) {
        showSlides(slideIndex += n);
    }

    function showSlides(n) {
```

```
    let slides = document.getElementsByClassName("slide");



    if (n >= slides.length) { slideIndex = 0 }



    if (n < 0) { slideIndex = slides.length - 1 }

    for (let i = 0; i < slides.length; i++) {
        slides[i].style.display = "none";
    }
    slides[slideIndex].style.display = "block";
}
```

About ME section

HTML

```
<section id ="about">

    <div class="container">

        <div class="about-image">
            <img src="logos/pro.jpg" alt="Profile Picture">
        </div>

        <div class="about-content">
            <h2 class="section-title">About Me</h2>
            <h3 class="role">Freelance Web Developer (PHP & Laravel)</h3>

            <p>
                Hello! I am a passionate developer focused on building clean, efficient, and scalable web applications.
                With a strong foundation in <strong>PHP and Laravel</strong>, I am currently expanding my stack into
                <strong>Node.js and Web3 technology</strong>.
            </p>

            <p>
                When I'm not coding task managers or cafe websites, you might find me exploring
                blockchain protocols or managing my own Minecraft server.
```

```
            </p>

            <div class="skills-row">
                <span>Laravel</span>
                <span>PHP</span>
                <span>MySQL</span>
                <span>React</span>
            </div>

            <a href="#contact" class="btn-hire">Hire Me</a>
        </div>

    </div>

            </section>
```

CSS

```
#about {
    background-color: #1a1a1a;
    color: #e0e0e0;
    padding: 80px 20px;
    font-family: Arial, sans-serif;
}
```

```
.container {
    max-width: 1100px;
    margin: 0 auto;
    display: flex;
    align-items: center;
    gap: 50px;
}


.about-image img {
    width: 100%;
    max-width: 400px;
    border-radius: 15px;
    box-shadow: 10px 10px 0px #00bcd4;
    transition: transform 0.3s ease;
}

.about-image img:hover {
    transform: translateY(-5px);
}


.about-content {
    flex: 1;
```

```
}

.section-title {
    font-size: 3rem;
    color: #00bcd4;
    margin-bottom: 10px;
}

.role {
    font-size: 1.5rem;
    margin-bottom: 20px;
    color: #fff;
}

.about-content p {
    font-size: 1.1rem;
    line-height: 1.6;
    margin-bottom: 15px;
    color: #aaa;
}


.skills-row {
    margin: 20px 0;
```

```
    display: flex;
    gap: 10px;
    flex-wrap: wrap;
}

.skills-row span {
    background: #333;
    padding: 8px 15px;
    border-radius: 5px;
    font-size: 0.9rem;
    border: 1px solid #00bcd4;
}


.btn-hire {
    display: inline-block;
    padding: 12px 30px;
    background-color: #00bcd4;
    color: #000;
    text-decoration: none;
    font-weight: bold;
    border-radius: 5px;
    transition: background 0.3s;
}
```

```
.btn-hire:hover {
    background-color: #fff;
}



@media (max-width: 768px) {
    .container {
        flex-direction: column;
        text-align: center;
    }

    .skills-row {
        justify-content: center;
    }
}
```



Skills

HTML

```
<section id ="skills">
            <h1 style="text-align: left; font-size: 4.5rem;">PROJECTS</h1>
  <div class="project-card">
    <div class="project-image">
      <img src="/logos/music.webp" alt="Music App">
    </div>
    <div class="project-info">
      <h3>Music player</h3>
      <p>
          A browser-based music player created to learn the fundamentals of JavaScript and the HTML5 Audio API. Includes playlist navigation, song duration calculation, and dynamic play/pause controls
      </p>
```

```
            <a href="#" class="view-btn">View Project &rarr;</a>
        </div>
    </div>

    <div class="project-card">
        <div class="project-image">
            <img src="https://picsum.photos/400/300?random=2" alt="Cafe Website">
        </div>
        <div class="project-info">
            <h3>Cafe Landing Page</h3>
            <p>
                A modern, responsive website for a local coffee shop.
                Built using <strong>HTML5, CSS3, and JavaScript</strong> with a focus on SEO and
                fast loading times. Includes a dynamic menu and contact form.
            </p>
            <a href="#" class="view-btn">View Project &rarr;</a>
        </div>
    </div>

    <div class="project-card">
        <div class="project-image">
            <img src="https://picsum.photos/400/300?random=3" alt="Minecraft Server Portal">
        </div>
```

```
        <div class="project-info">
            <h3>Hospital Management</h3>
            <p>
                A comprehensive web application designed to streamline hospital operations. Built with PHP and MySQL, it features a robust backend for managing patient records, doctor schedules, and appointment bookings. Includes a secure admin dashboard for staff to handle admissions and discharge summaries
            </p>
            <a href="#" class="view-btn">View Project &rarr;</a>
        </div>
    </div>
        </section>
```

CSS

```
.project-list {
    max-width: 1000px;
    margin: 50px auto;
    padding: 0 20px;
}



.project-card {
    display: flex;
    background-color: #1a1a1a;
    border-radius: 12px;
    overflow: hidden;
```

```
    margin-bottom: 40px;
    box-shadow: 0 5px 15px rgba(0,0,0,0.3);
    transition: transform 0.3s ease;
}


.project-card:hover {
    transform: translateY(-5px);
}


.project-image {
    flex: 0 0 40%;
}

.project-image img {
    width: 100%;
    height: 100%;
    object-fit: cover;
    display: block;
}


.project-info {
```

```
    padding: 30px;
    display: flex;
    flex-direction: column;
    justify-content: center;
}

.project-info h3 {
    margin-top: 0;
    margin-bottom: 15px;
    color: #00bcd4;
    font-size: 1.8rem;
}

.project-info p {
    color: #ccc;
    line-height: 1.6;
    margin-bottom: 20px;
}


.view-btn {
    text-decoration: none;
    color: white;
    font-weight: bold;
```

```
    align-self: flex-start;
    border-bottom: 2px solid #00bcd4;
    padding-bottom: 2px;
    transition: color 0.3s;
}

.view-btn:hover {
    color: #00bcd4;
}


@media (max-width: 768px) {
    .project-card {
        flex-direction: column;
    }

    .project-image {
        flex: 0 0 auto;
        height: 200px;
    }
}
```



Contact

HTML

```
<section class="contact-section" id ="contact">
    <div class="contact-container">
        <h2>Get In Touch</h2>
        <p>Have a project in mind? Let's talk.</p>

        <form action="#" method="POST" class="contact-form">

            <div class="form-group">
                <input type="text" id ="name" required placeholder=" ">
                <label for="name">Your Name</label>
            </div>
```

```
            <div class="form-group">
                <input type="email" id ="email" required placeholder=" ">
                <label for="email">Your Email</label>
            </div>

            <div class="form-group">
                <textarea id ="message" rows="5" required placeholder=" "></textarea>
                <label for="message">Your Message</label>
            </div>

            <button type="submit" class="btn-submit">Send Message</button>

        </form>
        <div class="social-links">
    <p>Or connect with me on:</p>
    <a href="https://github.com/Jatin06panchal-web" target="_blank"
class="github-icon" title="My GitHub">
        <svg viewBox="0 0 24 24" width="30" height="30" fill="currentColor">
            <path d="M12 0C5.37 0 0 5.37 0 12c0 5.31 3.435 9.795 8.205
11.385.6.105.825-.255.825-.57 0-.285-.015-1.05-.015-2.055-3.33.72-4.035-1.605-
4.035-1.605-.54-1.38-1.335-1.755-1.335-1.755-1.087-.735.09-.72.09-.72 1.2.075
1.83 1.23 1.83 1.23 1.065 1.815 2.805 1.29 3.495.99.105-.78.42-1.305.765-1.605-
2.67-.3-5.46-1.335-5.46-5.925 0-1.305.465-2.385 1.23-3.225-.12-.3-.54-1.53.12-
3.225 0 0 1.005-.315 3.3 1.23.96-.27 1.98-.405 3-.405 1.02 0 2.04.135 3 .405 2.28-
1.545 3.285-1.23 3.285-1.23.66 1.695.24 2.925.12 3.225.765.84 1.23 1.905 1.23
3.225 0 4.605-2.805 5.625-5.475 5.925.435.375.81 1.095.81 2.22 0 1.605-.015
```

```
2.895-.015 3.285 0 .315.225.69.825.57A12.02 12.02 0 0024 12c0-6.63-5.37-12-12-12z"/>
        </svg>
    </a>
</div>


    </div>
</section>
```

CSS

```
.social-links {
    margin-top: 30px;
    border-top: 1px solid #333;
    padding-top: 20px;
}

.social-links p {
    font-size: 0.9rem;
    color: #888;
    margin-bottom: 10px;
}

.github-icon {
    color: #ccc;
    transition: color 0.3s, transform 0.3s;
```

```
    display: inline-block;
}

.github-icon:hover {
    color: #00bcd4;
    transform: scale(1.1);
}

.contact-section {
    background-color: #1a1a1a;
    padding: 80px 20px;
    display: flex;
    justify-content: center;
}

.contact-container {
    width: 100%;
    max-width: 600px;
    text-align: center;
    color: white;
}

.contact-container h2 {
    font-size: 2.5rem;
```

```
    margin-bottom: 10px;
    color: #00bcd4;
}

.contact-container p {
    color: #ccc;
    margin-bottom: 40px;
}


.form-group {
    position: relative;
    margin-bottom: 30px;
}


.form-group input,
.form-group textarea {
    width: 100%;
    padding: 15px 10px;
    background: transparent;
    border: none;
    border-bottom: 2px solid #555;
    color: white;
```

```
    font-size: 1rem;
    outline: none;
    transition: border-color 0.3s;
    border-radius: 0;
}


.form-group input:focus,
.form-group textarea:focus {
    border-bottom-color: #00bcd4;
}


.form-group label {
    position: absolute;
    top: 15px;
    left: 10px;
    color: #888;
    pointer-events: none;
    transition: 0.3s ease all;
}


.form-group input:focus ~ label,
```

```
.form-group input:not(:placeholder-shown) ~ label,
.form-group textarea:focus ~ label,
.form-group textarea:not(:placeholder-shown) ~ label {
    top: -20px;
    left: 0;
    font-size: 0.85rem;
    color: #00bcd4;
}



.btn-submit {
    padding: 12px 40px;
    background-color: #00bcd4;
    color: black;
    border: none;
    border-radius: 5px;
    font-size: 1rem;
    font-weight: bold;
    cursor: pointer;
    transition: transform 0.2s, background 0.3s;
}

.btn-submit:hover {
    background-color: white;
```

```
    transform: translateY(-3px);
}
```

Java Script

```
const contactForm = document.querySelector('.contact-form');



    contactForm.addEventListener('submit', function(event) {
event.preventDefault();

        const name = document.getElementById('name').value;
        const button = document.querySelector('.btn-submit');



        const originalText = button.innerText;
        button.innerText = "Sending...";
        button.style.backgroundColor = "#555";



        setTimeout(() => {

            button.innerText = "Message Sent!";
            button.style.backgroundColor = "#28a745";
```

```
        contactForm.reset();



        alert(`Thanks ${name}! I have received your message and will get back to you shortly.`);



        setTimeout(() => {
            button.innerText = originalText;
            button.style.backgroundColor = "#00bcd4";
        }, 3000);


    }, 1500);
});
```



CONCLUSION

The "Single Page Personal Portfolio Website" project was successfully designed and developed, meeting all the primary objectives set at the beginning of the study. This project served as a crucial bridge between theoretical learning and practical application, allowing for the effective implementation of HTML5 and CSS3 in a real-world scenario.

Through the development process, a static curriculum vitae was transformed into a dynamic, responsive digital identity. The adoption of the Single-Page Application (SPA) architecture proved to be an efficient design choice, offering users a seamless experience with smooth navigation and reduced load times.