

JDBC EXAMPLE :

26 March 2025 15:14

```
package jdbc;

import java.sql.Connection;
import java.sql.DriverManager;
import java.sql.PreparedStatement;
import java.sql.SQLException;

public class Update {

    public static void main(String[] args) {

        String url = "jdbc:mysql://localhost:3306/pi";
        String userName = "root";
        String password = "ajstyles";
        Connection connection = null;
        PreparedStatement ps = null;

        try {

            // 1. driver load :

            Class.forName("com.mysql.cj.jdbc.Driver");

            // 2. Connection establish :

            connection = DriverManager.getConnection(url, userName, password);
            System.out.println(connection);

            // 3. Statement :

            String query = "insert into branch values(?, ?)";

            String delete = "delete from branch where id = ?";

            String update = "update branch set name = ? where id = ?";

            ps = connection.prepareStatement(update);

            ps.setString(1, "gandhi"); // ?
            ps.setInt(2, 8); // ?

            // 4. execute :

            int i = ps.executeUpdate(); // 0

            if (i > 0) {
                System.out.println("data successfully added");
            } else {
                System.out.println("something went wrong ");
            }

        }

    }

}
```

```

    } catch (Exception e) {
        e.printStackTrace();
    } finally {

        try {
            connection.close();
            ps.close();
        } catch (SQLException e) {
            e.printStackTrace();
        }

    }

}
}

```

```
package jdbc;
```

```

import java.sql.Connection;
import java.sql.DriverManager;
import java.sql.PreparedStatement;
import java.sql.ResultSet;
import java.sql.SQLException;

```

```
public class SqlDemo {
```

```
    public static void main(String[] args) {
```

```

        String url = "jdbc:mysql://localhost:3306/pi";
        String userName = "root";
        String password = "ajstyles";
        Connection connection = null;
        PreparedStatement ps = null;
        ResultSet rs = null;
    
```

```
        try {
```

```
            // 1. driver load :
```

```
            Class.forName("com.mysql.cj.jdbc.Driver");
```

```
            // 2. Connection establish :
```

```

            connection = DriverManager.getConnection(url, userName, password);
            System.out.println(connection);
    
```

```
            // 3. Statement :
```

```

            String query = "select * from branch";
            ps = connection.prepareStatement(query);
    
```

```
            // 4. execute :
```

```

rs = ps.executeQuery();

// 5. process

while (rs.next()) {

    int id = rs.getInt(1);
    String name = rs.getString(2);

    System.out.println(id + " : "+name);
}

} catch (Exception e) {
    e.printStackTrace();
} finally {

    try {
        connection.close();
        ps.close();
        rs.close();
    } catch (SQLException e) {
        e.printStackTrace();
    }

}

}
}

```