DoesNotExist at /generator/primaryresume/dfmoyNe9ZLDINPXYGmIAdLbxr0ZEkROqlWoOTIDwMOZAZ5uhnsLCS4faJMaAQwGE

Resume matching query does not exist.

Request Method: GET

Request URL: https://api.markmycv.com/generator/primary-resume/dfmoyNe9ZLDINPXYGmIAdLbxr0ZEkROqIWoOTIDwMOZAZ5uhnsLCS4faJMaAQwGE

Django Version: 3.0.2

Exception Type: DoesNotExist

Exception Value: Resume matching query does not exist.

Exception Location: /home/predator/markmycv/markmycvfinalenv/lib/python3.7/site-packages/django/db/models/query.py in get, line 417

Python Executable: /home/predator/markmycv/markmycvfinalenv/bin/python3

Python Version: 3.7.5

Python Path: ['/home/predator/markmycv/markmycvfinal',
'/home/predator/markmycv/markmycvfinalenv/bin',
'/home/predator/markmycv/markmycvfinalenv/lib/python37.zip',
'/home/predator/markmycv/markmycvfinalenv/lib/python3.7',

'/home/predator/markmycv/markmycvfinalenv/lib/python3.7',
'/usr/lib/python3.7',
'/home/predator/markmycv/markmycvfinalenv/lib/python3.7/site-packages']

Server time: Thu, 16 Jan 2020 03:55:06 +0000

Traceback Switch to copy-and-paste view

 $/ \texttt{home/predator/markmycv/markmycvfinalenv/lib/python3.7/site-packages/django/core/handlers/exception.py} ~\textbf{in} \texttt{ inner-packages/django/core/handlers/exception.py} ~\textbf{in} \texttt{ inner-p$

response = get_response(request)

▶ Local vars

/home/predator/markmycv/markmycvfinalenv/lib/python3.7/site-packages/django/core/handlers/base.py in get response

response = self.process_exception_by_middleware(e, request)

► Local vars

/home/predator/markmycv/markmycvfinalenv/lib/python3.7/site-packages/django/core/handlers/base.py in get response

response = wrapped_callback(request, *callback_args, **callback_kwargs)

► Local vars

 $/ \texttt{home/predator/markmycv/markmycvfinal/generator/views.py} \ \textbf{in} \ \texttt{primaryResume}$

8. resume = Resume.objects.get(hashcode = hashcode)

▶ Local vars

/home/predator/markmycv/markmycvfinalenv/lib/python3.7/site-packages/django/db/models/manager.py in manager method

return getattr(self.get_queryset(), name)(*args, **kwargs)

► Local vars

/home/predator/markmycv/markmycvfinalenv/lib/python 3.7/site-packages/django/db/models/query.py in getallow for the property of the prope

417. self.model._meta.object_name

► Local vars

Request information

USER AnonymousUser

GET No GET data

POST No POST data

FILES No FILES data

COOKIES No cookie data

MFTA

Variable	Value
HTTP_ACCEPT	$\label{lem:condition} $$ \text{'text/html,application/xml;q=0.9,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.9'} $$$
HTTP_ACCEPT_ENCODING	'gzip'
HTTP_CDN_LOOP	'cloudflare'
HTTP_CF_CONNECTING_IP	'34.233.133.134'
HTTP_CF_IPCOUNTRY	'US'
HTTP_CF_RAY	'555d26e4bb07cf5c-IAD'
HTTP_CF_VISITOR	'{"scheme":"https"}'
HTTP_CONNECTION	'close'
HTTP_HOST	'api.markmycv.com'
HTTP_SEC_FETCH_MODE	'navigate'
HTTP_SEC_FETCH_SITE	'none'
HTTP_SEC_FETCH_USER	'?1'
HTTP_UPGRADE_INSECURE_REQUESTS	'1'
HTTP_USER_AGENT	('Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) ' 'HeadlessChrome/79.0.3945.0 Safari/537.36')
HTTP_X_FORWARDED_FOR	'34.233.133.134, 162.158.79.219'
HTTP_X_FORWARDED_PROTO	'https'
HTTP_X_REAL_IP	'162.158.79.219'
PATH_INFO	'/generator/primary-resume/dfmoyNe9ZLDINPXYGmIAdLbxr0ZEkROqIWoOTIDwMOZAZ5uhnsLCS4faJMaAQwGE'
QUERY_STRING	
RAW_URI	'/generator/primary-resume/dfmoyNe9ZLDINPXYGmIAdLbxr0ZEkROqIWoOTIDwMOZAZ5uhnsLCS4faJMaAQwGE'
REMOTE_ADDR	· ·
REQUEST_METHOD	'GET'
SCRIPT_NAME	· ·
SERVER_NAME	'api.markmycv.com'
SERVER_PORT	'443'

```
SERVER_PROTOCOL
                                   'HTTP/1.0'
SERVER_SOFTWARE
                                   'qunicorn/20.0.4'
gunicorn.socket
                                   <socket.socket fd=9, family=AddressFamily.AF_UNIX, type=SocketKind.SOCK_STREAM, proto=0,
laddr=/home/predator/markmycv/markmycvfinal/markmycv.sock>
wsgi.errors
                                   <gunicorn.http.wsgi.WSGIErrorsWrapper object at 0x7f4426919c90>
wsgi.file_wrapper
wsgi.input
                                   <gunicorn.http.body.Body object at 0x7f44267f9350>
wsgi.input terminated
                                   True
wsgi.multiprocess
                                  True
wsgi.multithread
                                  False
wsgi.run_once
                                   False
wsgi.url_scheme
                                   'https
wsgi.version
                                   (1, 0)
```

Settings

```
Using settings module markmycv.settings
Setting
ABSOLUTE_URL_OVERRIDES
ADMINS
                                        []
                                        ['api.markmycv.com', 'localhost']
ALLOWED HOSTS
APPEND_SLASH
                                        True
AUTHENTICATION_BACKENDS
                                        ['django.contrib.auth.backends.ModelBackend']
AUTH PASSWORD VALIDATORS
AUTH_USER_MODEL
                                        'auth.User'
BASE DIR
                                        '/home/predator/markmycv/markmycvfinal'
CACHES
                                        {'default': {'BACKEND': 'django.core.cache.backends.locmem.LocMemCache'}}
CACHE MIDDLEWARE ALIAS
                                        'default'
CACHE_MIDDLEWARE_KEY_PREFIX
CACHE_MIDDLEWARE_SECONDS
                                        600
CORS ORIGIN ALLOW ALL
                                        True
CSRF COOKIE AGE
                                       31449600
CSRF_COOKIE_DOMAIN
                                        None
CSRF_COOKIE_HTTPONLY
                                        False
CSRF_COOKIE_NAME
                                        'csrftoken'
CSRF_COOKIE_PATH
                                        'Lax'
CSRF_COOKIE_SAMESITE
CSRF_COOKIE_SECURE
                                        False
CSRF_FAILURE_VIEW
                                        'django.views.csrf.csrf_failure'
                                        'HTTP_X_CSRFTOKEN'
CSRF HEADER NAME
CSRF_TRUSTED_ORIGINS
CSRF_USE_SESSIONS
                                        False
DATABASES
                                        {'default': {'ATOMIC REQUESTS': False,
                                                        'AUTOCOMMIT': True,
'CONN_MAX_AGE': 0,
                                                        'EMGINE': 'django.db.backends.sqlite3',
'HOST': '',
'NAME': '/home/predator/markmycv/markmycvfinal/db.sqlite3',
                                                        'OPTIONS': {},
'PASSWORD': '*******************
'PORT': '',
                                                        'TEST': {'CHARSET': None,
                                                                  'COLLATION': None,
                                                                  'MIRROR': None,
'NAME': None),
                                                        'TIME_ZONE': None,
'USER': ''}}
DATABASE ROUTERS
                                        []
                                        2621440
DATA_UPLOAD_MAX_MEMORY_SIZE
DATA_UPLOAD_MAX_NUMBER_FIELDS
                                        1000
DATETIME_FORMAT
                                        'N j, Y, P'
DATETIME INPUT FORMATS
                                        ['%Y-%m-%d %H:%M:%S'
                                         '%Y-%m-%d %H:%M:%S.%f',
                                         '8Y-8m-8d %H:%M',
'8Y-8m-8d',
'8M/8d/8Y %H:%M:%S',
'8m/8d/8Y %H:%M:%S.%f',
'8m/8d/8Y %H:%M',
'8m/8d/8Y %H:%M',
'8m/8d/8y %H:%M:%S',
'8m/8d/8y %H:%M:%S.%f',
'8m/8d/8y %H:%M',
'8m/8d/8y %H:%M',
'8m/8d/8y %H:%M',
DATE FORMAT
                                         'N j, Y'
                                        ['%Y-%m-%d',
'%m/%d/%Y',
DATE_INPUT_FORMATS
                                         '%m/%d/%y',
                                         '%b %d, %Y',
                                          '%d %b, %Y',
                                          '%B %d %Y',
                                         '%B %d, %Y',
                                          '%d %B %Y',
                                         '%d %B, %Y']
DEBUG
                                        True
DEBUG PROPAGATE EXCEPTIONS
                                        False
DECIMAL_SEPARATOR
                                        1.1
DEFAULT CHARSET
                                        'utf-8'
DEFAULT_EXCEPTION_REPORTER_FILTER 'django.views.debug.SafeExceptionReporterFilter'
DEFAULT_FILE_STORAGE
                                        'django.core.files.storage.FileSystemStorage'
DEFAULT_FROM_EMAIL
                                        'webmaster@localhost'
DEFAULT_INDEX_TABLESPACE
                                        . .
DEFAULT_TABLESPACE
DISALLOWED_USER_AGENTS
EMAIL BACKEND
                                        'django.core.mail.backends.smtp.EmailBackend'
                                        'localhost'
EMAIL HOST
EMAIL HOST PASSWORD
                                        . .
EMAIL_HOST_USER
EMAIL_PORT
                                        25
EMAIL SSL CERTFILE
                                        None
```

```
EMAIL_SSL_KEYFILE
EMAIL_SUBJECT_PREFIX
                                                       '[Django] '
EMAIL_TIMEOUT
                                                       None
EMAIL_USE_LOCALTIME
EMAIL_USE_SSL
                                                       False
EMAIL USE TLS
                                                       False
FILE_CHARSET
                                                        'utf-8'
FILE_UPLOAD_DIRECTORY_PERMISSIONS None
                                      ['django.core.files.uploadhandler.MemoryFileUploadHandler', 'django.core.files.uploadhandler.TemporaryFileUploadHandler']
FILE UPLOAD HANDLERS
FILE_UPLOAD_MAX_MEMORY_SIZE 2621440
FILE_UPLOAD_PERMISSIONS
                                                      420
                                                     None
FILE_UPLOAD_TEMP_DIR
FIRST_DAY_OF_WEEK
FIXTURE DIRS
                                                       []
                                                    None
FORCE SCRIPT NAME
                                                   None
FORMAT_MODULE_PATH
FORM_RENDERER
                                                       'django.forms.renderers.DjangoTemplates'
IGNORABLE 404 URLS
                                                       []
INSTALLED_APPS
                                                       ['django.contrib.admin',
                                                          'django.contrib.auth',
                                                          'django.contrib.contenttypes',
                                                          'django.contrib.sessions',
                                                         'django.contrib.messages',
'django.contrib.staticfiles',
                                                          'corsheaders',
                                                         'api',
                                                         'authentication',
'generator']
INTERNAL IPS
                                                        []
                                                       [('af', 'Afrikaans'),
  ('ar', 'Arabic'),
  ('ast', 'Asturian'),
  ('az', 'Azerbaijani'),
LANGUAGES
                                                          ('bg', 'Bulgarian'),
('be', 'Belarusian'),
('bn', 'Bengali'),
                                                          ('br', 'Breton'),
                                                          ('bs', 'Bosnian'),
                                                          ('ca', 'Catalan')
                                                          ('cs', 'Czech'),
                                                          ('cy', 'Welsh'),
('da', 'Danish'),
                                                          ('da', 'Danish'),
('de', 'German'),
('dsb', 'Lower Sorbian'),
('el', 'Greek'),
('en', 'English'),
                                                         ('en', 'English'),
('en-au', 'Australian English'),
('en-gb', 'British English'),
('eo', 'Esperanto'),
('es', 'Spanish'),
('es-ar', 'Argentinian Spanish'),
('es-co', 'Colombian Spanish'),
('es-mx', 'Mexican Spanish'),
('es-mx', 'Mexican Spanish'),
('es-ni', 'Nicaraquan Spanish'),
('es-ve', 'Venezuelan Spanish'),
('et', 'Estonian'),
('et', 'Estonian'),
('fai', 'Persian'),
('fi', 'Finnish'),
                                                          ('fi', 'Finnish'),
                                                          ('fr', 'French'),
                                                          ('fy', 'Frisian'), ('ga', 'Irish'),
                                                          ('gd', 'Scottish Gaelic'), ('gl', 'Galician'),
                                                          ('he', 'Hebrew'),
('hi', 'Hindi'),
                                                          ('hr', 'Croatian'),
('hsb', 'Upper Sorbian'),
('hu', 'Hungarian'),
                                                          ('hy', 'Armenian'),
                                                          ('ia', 'Interlingua'),
                                                          ('id', 'Indonesian'),
                                                          ('io', 'Ido'),
                                                          ('is', 'Icelandic'),
('it', 'Italian'),
('ja', 'Japanese'),
('ka', 'Georgian'),
                                                          ('kab', 'Kabyle'),
('kk', 'Kazakh'),
                                                          ('km', 'Khmer'),
('kn', 'Kannada'),
                                                          ('lb', 'Luxembourgish'),
                                                          ('lt', 'Lithuanian'),
                                                          ('lv', 'Latvian'),
                                                          ('mk', 'Macedonian'),
                                                          ('ml', 'Malayalam'),
                                                          ('mn', 'Mongolian'),
                                                          ('mr', 'Marathi'),
('my', 'Burmese'),
                                                          ('nb', 'Norwegian Bokmål'),
                                                          ('ne', 'Nepali'),
('nl', 'Dutch'),
                                                          ('nn', 'Norwegian Nynorsk'), ('os', 'Ossetic'),
                                                          ('pa', 'Punjabi'),
                                                          ('pl', 'Polish'),
                                                          ('pt', 'Portuguese'),
('pt-br', 'Brazilian Portuguese'),
                                                          ('ro', 'Romanian'),
('ru', 'Russian'),
                                                          ('sk', 'Slovak'),
('sl', 'Slovenian'),
                                                          ('sq', 'Albanian'),
('sr', 'Serbian'),
                                                          ('sr-latn', 'Serbian Latin'),
                                                          ('sv', 'Swedish'),
('sw', 'Swahili'),
                                                          ('ta', 'Tamil'),
                                                          ('ta', 'Tamil'),
('te', 'Telugu'),
('th', 'Thai'),
```

```
('tr',
                                          'Turkish'),
                                   ('tt', 'Tatar'),
('udm', 'Udmurt'),
                                   ('uk', 'Ukrainian'),
('ur', 'Urdu'),
                                   ('uz', 'Uzbek'),
('vi', 'Vietnamese'),
                                   ('zh-hans', 'Simplified Chinese'),
('zh-hant', 'Traditional Chinese')]
LANGUAGES_BIDI
                                 ['he', 'ar', 'fa', 'ur']
LANGUAGE_CODE
                                 'en-us'
LANGUAGE COOKIE AGE
                                None
LANGUAGE_COOKIE_DOMAIN
                                 None
LANGUAGE_COOKIE_HTTPONLY
                                 False
LANGUAGE_COOKIE_NAME
                                 'django_language'
LANGUAGE_COOKIE_PATH
LANGUAGE_COOKIE_SAMESITE
                                 None
LANGUAGE_COOKIE_SECURE
                                 False
LOCALE PATHS
LOGGING
LOGGING_CONFIG
                                 'logging.config.dictConfig'
LOGIN_REDIRECT_URL
                                 '/accounts/profile/'
                                 '/accounts/login/'
LOGIN_URL
LOGOUT_REDIRECT_URL
                                 None
MANAGERS
MEDIA_ROOT
                                  '/home/predator/markmycv/markmycvfinal/media'
MEDIA_URL
                                  '/media/
MESSAGE_STORAGE
                                  \verb|'django.contrib.messages.storage.fallback.FallbackStorage|
                                  ['django.middleware.security.SecurityMiddleware',
'django.contrib.sessions.middleware.SessionMiddleware',
MIDDLEWARE
                                   'corsheaders.middleware.CorsMiddleware',
                                   'django.middleware.common.CommonMiddleware',
'django.middleware.csrf.CsrfViewMiddleware',
                                   'django.contrib.auth.middleware.AuthenticationMiddleware',
                                   'django.contrib.messages.middleware.MessageMiddleware'
                                   'django.middleware.clickjacking.XFrameOptionsMiddleware']
MIGRATION MODULES
MONTH_DAY_FORMAT
NUMBER GROUPING
                                 0
                                 *************
PASSWORD HASHERS
PASSWORD_RESET_TIMEOUT_DAYS
                                  1*********
PREPEND WWW
                                 False
REST FRAMEWORK
                                 {'DEFAULT AUTHENTICATION CLASSES': ('rest framework simplejwt.authentication.JWTAuthentication',)}
ROOT_URLCONF
                                 'markmycv.urls'
SECRET KEY
SECURE_BROWSER_XSS_FILTER
                                 False
SECURE_CONTENT_TYPE_NOSNIFF
                                 True
SECURE_HSTS_INCLUDE_SUBDOMAINS False
SECURE HSTS PRELOAD
SECURE_HSTS_SECONDS
SECURE_PROXY_SSL_HEADER
                                 None
SECURE_REDIRECT_EXEMPT
SECURE REFERRER POLICY
SECURE_SSL_HOST
                                 None
SECURE_SSL_REDIRECT
                                 False
SERVER_EMAIL
                                 'root@localhost'
SESSION_CACHE_ALIAS
                                 'default'
SESSION_COOKIE_AGE
                                 1209600
SESSION_COOKIE_DOMAIN
                                 None
SESSION_COOKIE_HTTPONLY
SESSION COOKIE NAME
                                  'sessionid'
                                 1/1
SESSION COOKIE PATH
SESSION_COOKIE_SAMESITE
                                 'Lax'
SESSION_COOKIE_SECURE
                                 False
SESSION ENGINE
                                  'diango.contrib.sessions.backends.db'
SESSION_EXPIRE_AT_BROWSER_CLOSE False
SESSION FILE PATH
SESSION SAVE EVERY REQUEST
                                 False
SESSION_SERIALIZER
                                  'django.contrib.sessions.serializers.JSONSerializer'
SETTINGS MODULE
                                 'markmycv.settings'
SHORT_DATETIME_FORMAT
                                 'm/d/Y P'
SHORT DATE FORMAT
                                  'm/d/Y'
SIGNING BACKEND
                                  'django.core.signing.TimestampSigner'
SILENCED_SYSTEM_CHECKS
                                  SIMPLE_JWT
                                   'ALGORITHM': 'HS256',
'AUDIENCE': None,
                                   'BLACKLIST_AFTER_ROTATION': True,
'ISSUER': None,
                                   STATICFILES DIRS
                                  ['/home/predator/markmycv/markmycvfinal/resume/stylesheets']\\
STATICFILES_FINDERS
                                  ['django.contrib.static files.finders.File System Finder',\\
                                   'django.contrib.staticfiles.finders.AppDirectoriesFinder']
STATICFILES STORAGE
                                  'django.contrib.staticfiles.storage.StaticFilesStorage'
STATIC_ROOT
                                  '/home/predator/markmycv/markmycvfinal/static'
STATIC URL
                                  '/css/'
                                  [{'APP DIRS': True,
TEMPLATES
```

You're seeing this error because you have DEBUG = True in your Django settings file. Change that to False, and Django will display a standard page generated by the handler for this status code