DoesNotExist at /generator/primaryresume/7YBvJ9BQUUDbUqdBbBxlyUzkBpaVvID6PIn6Uho3mo1DakNvd63QelcQCbjvtzBw

Resume matching query does not exist.

Request Method: GET

Request URL: https://api.markmycv.com/generator/primary-resume/7YBvJ9BQUUDbUqdBbBxlyUzkBpaVvID6PIn6Uho3mo1DakNvd63QelcQCbjvtzBw

Django Version: 3.0.2 Exception Type: DoesNotExist

Exception Value: Resume matching query does not exist.

Exception Location: /home/predator/markmycv/markmycvfinalenv/lib/python3.7/site-packages/django/db/models/query.py in get, line 417

Python Executable: /home/predator/markmycv/markmycvfinalenv/bin/python3

Python Version: 3.7.5

'/home/predator/markmycv/markmycvfinalenv/lib/python3.7/site-packages']

Server time: Thu, 16 Jan 2020 10:52:45 +0000

Traceback Switch to copy-and-paste view

/home/predator/markmycv/markmycvfinalenv/lib/python3.7/site-packages/django/core/handlers/exception.py in inner

response = get response(request)

▶ Local vars

 $/ \texttt{home/predator/markmycv/markmycvfinalenv/lib/python3.7/site-packages/django/core/handlers/base.py} \textbf{in}_\texttt{get_response}$

response = self.process_exception_by_middleware(e, request)

► Local vars

 $/ \texttt{home/predator/markmycv/markmycvfinalenv/lib/python3.7/site-packages/django/core/handlers/base.py} \ \textbf{in} _ \texttt{get_response} \\ + \texttt{get_response} \\ + \texttt{get_respon$

response = wrapped callback(request, *callback args, **callback kwargs) 113.

▶ Local vars

/home/predator/markmycv/markmycvfinal/generator/views.py **in** primaryResume

resume = Resume.objects.get(hashcode = hashcode)

▶ Local vars

 $/home/predator/markmycv/markmycvfinalenv/lib/python3.7/site-packages/django/db/models/manager_py \\ \textbf{in} \\ manager_method$

return getattr(self.get queryset(), name)(*args, **kwargs)

▶ Local vars

/home/predator/markmycv/markmycvfinalenv/lib/python 3.7/site-packages/django/db/models/query.py ~~in~get/predator/markmycv/markmycvfinalenv/lib/python 3.7/site-packages/django/db/models/query.py ~~in~get/predator/markmycv/markmycvfinalenv/lib/python 3.7/site-packages/django/db/models/query.py ~~in~get/predator/markmycv/markmycv/markmycvfinalenv/lib/python 3.7/site-packages/django/db/models/query.py ~~in~get/predator/markmycv/mark

Value

self.model._meta.object_name

▶ Local vars

Request information

USER AnonymousUser

GET No GET data

POST No POST data

FILES No FILES data

COOKIES No cookie data

Variable

MFTΔ

Variable	Value
HTTP_ACCEPT	$\label{lem:condition} $$ \text{'text/html,application/xml;q=0.9,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.9'} $$$
HTTP_ACCEPT_ENCODING	'gzip'
HTTP_CDN_LOOP	'cloudflare'
HTTP_CF_CONNECTING_IP	'34.203.212.122'
HTTP_CF_IPCOUNTRY	'US'
HTTP_CF_RAY	'555f8aad39f2cf38-IAD'
HTTP_CF_VISITOR	'{"scheme":"https"}'
HTTP_CONNECTION	'close'
HTTP_HOST	'api.markmycv.com'
HTTP_SEC_FETCH_MODE	'navigate'
HTTP_SEC_FETCH_SITE	'none'
HTTP_SEC_FETCH_USER	'?1'
HTTP_UPGRADE_INSECURE_REQUESTS	'1'
HTTP_USER_AGENT	('Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) ' 'HeadlessChrome/79.0.3945.0 Safari/537.36')
HTTP_X_FORWARDED_FOR	'34.203.212.122, 162.158.79.219'
HTTP_X_FORWARDED_PROTO	'https'
HTTP_X_REAL_IP	'162.158.79.219'
PATH_INFO	'/generator/primary-resume/7YBvJ9BQUUDbUqdBbBxlyUzkBpaVvlD6PIn6Uho3molDakNvd63QeIcQCbjvtzBw'
QUERY_STRING	· ·
RAW_URI	'/generator/primary-resume/7YBvJ9BQUUDbUqdBbBxlyUzkBpaVvlD6PIn6Uho3molDakNvd63QeIcQCbjvtzBw'
REMOTE_ADDR	· ·
REQUEST METHOD	'GET'

```
SCRIPT_NAME
SERVER NAME
                               'api.markmycv.com'
SERVER_PORT
                               14431
SERVER_PROTOCOL
                              'HTTP/1.0'
SERVER SOFTWARE
                              'gunicorn/20.0.4'
gunicorn.socket
                              <socket.socket fd=9, family=AddressFamily.AF_UNIX, type=SocketKind.SOCK_STREAM, proto=0,</pre>
                              laddr=/home/predator/markmycv/markmycvfinal/markmycv.sock>
wsgi.errors
                              <gunicorn.http.wsgi.WSGIErrorsWrapper object at 0x7ff1fc4c9310>
wsgi.file wrapper
wsgi.input
                              <gunicorn.http.body.Body object at 0x7ff1fc4c9250>
wsgi.input_terminated
wsgi.multiprocess
                              True
wsgi.multithread
                              False
wsgi.run_once
                              False
wsgi.url_scheme
                               'https'
wsgi.version
```

Settings

Using settings module markmycv.settings

```
Value
ABSOLUTE_URL_OVERRIDES
ADMINS
                                  []
ALLOWED_HOSTS
                                   ['api.markmycv.com', 'localhost']
APPEND_SLASH
                                   True
AUTHENTICATION BACKENDS
                                  ['django.contrib.auth.backends.ModelBackend']
AUTH_PASSWORD_VALIDATORS
AUTH_USER_MODEL
BASE DIR
                                   '/home/predator/markmycv/markmycvfinal'
CACHES
                                   {'default': {'BACKEND': 'django.core.cache.backends.locmem.LocMemCache'}}
CACHE MIDDLEWARE ALIAS
                                   'default'
                                 ************
CACHE_MIDDLEWARE_KEY_PREFIX
CACHE_MIDDLEWARE_SECONDS
                                   600
CORS_ORIGIN_ALLOW_ALL
                                   True
CSRF_COOKIE_AGE
                                   31449600
CSRF COOKIE DOMAIN
                                   None
CSRF_COOKIE_HTTPONLY
                                  False
CSRF_COOKIE_NAME
                                   'csrftoken'
CSRF COOKIE PATH
                                   1/1
CSRF_COOKIE_SAMESITE
                                   'Lax'
CSRF_COOKIE_SECURE
                                   False
CSRF_FAILURE_VIEW
                                   'django.views.csrf.csrf_failure'
CSRF HEADER NAME
                                   'HTTP_X_CSRFTOKEN'
CSRF_TRUSTED_ORIGINS
                                   []
CSRF_USE_SESSIONS
                                   False
DATABASES
                                   {'default': {'ATOMIC REQUESTS': False,
                                                  'AUTOCOMMIT': True,
'CONN MAX AGE': 0,
'ENGINE': 'django.db.backends.sqlite3',
'HOST': '',
'NAME': '/home/predator/markmycv/markmycvfinal/db.sqlite3',
                                                  'MIRROR': None,
                                                           'NAME': None},
                                                  'TIME_ZONE': None,
DATABASE ROUTERS
                                   []
DATA_UPLOAD_MAX_MEMORY_SIZE
                                   2621440
DATA UPLOAD MAX NUMBER FIELDS
                                   1000
DATETIME FORMAT
                                   'N j, Y, P'
DATETIME_INPUT_FORMATS
                                   ['%Y-%m-%d %H:%M:%S'
                                     '%Y-%m-%d %H:%M:%S.%f',
                                    '%Y-%m-%d %H:%M',
                                     '%Y-%m-%d',
                                     '%m/%d/%Y %H:%M:%S',
'%m/%d/%Y %H:%M:%S.%f',
                                     '%m/%d/%Y %H:%M',
                                    '&m/%d/%Y',
'%m/%d/%Y %H:%M:%S',
'%m/%d/%Y %H:%M'%S.%f',
'%m/%d/%Y %H:%M',
'%m/%d/%Y']
DATE FORMAT
                                    'N j, Y'
DATE INPUT FORMATS
                                    ['%Y-%m-%d',
                                     '%m/%d/%Y',
                                     '%m/%d/%y',
'%b %d %Y',
'%b %d, %Y',
                                     '%d %b %Y',
'%d %b, %Y',
'%B %d %Y',
                                     '%B %d, %Y',
                                     '%d %B %Y'.
                                    '%d %B, %Y']
DEBUG
                                   True
DEBUG_PROPAGATE_EXCEPTIONS
                                   False
DECIMAL SEPARATOR
                                    ١.'
DEFAULT_CHARSET
                                   'utf-8'
DEFAULT EXCEPTION REPORTER FILTER 'django.views.debug.SafeExceptionReporterFilter'
DEFAULT_FILE_STORAGE 'django.core.files.storage.FileSystemStorage'
DEFAULT_FROM_EMAIL
                                   'webmaster@localhost'
DEFAULT_INDEX_TABLESPACE
DEFAULT_TABLESPACE
                                 []
DISALLOWED_USER_AGENTS
```

```
EMAIL BACKEND
                                                                   'django.core.mail.backends.smtp.EmailBackend'
                                                                  'localhost'
EMAIL_HOST
EMAIL_HOST_PASSWORD
                                                                  1********
                                                                  . .
EMAIL HOST USER
EMAIL PORT
                                                                  25
EMAIL SSL CERTFILE
                                                                 None
EMAIL SSL KEYFILE
EMAIL_SUBJECT_PREFIX
                                                                  '[Django] '
EMAIL_TIMEOUT
                                                                  None
EMAIL_USE_LOCALTIME
                                                                  False
EMAIL USE SSL
                                                                  False
EMAIL USE TLS
                                                                  False
FILE CHARSET
                                                                   'utf-8'
FILE_UPLOAD_DIRECTORY_PERMISSIONS None
FILE_UPLOAD_HANDLERS ['django.core.files.uploadhandler.MemoryFileUploadHandler', 'django.core.files.uploadhandler.TemporaryFileUploadHandler']
FILE_UPLOAD_MAX_MEMORY_SIZE 2621440
FILE_UPLOAD_PERMISSIONS 420
FILE UPLOAD TEMP DIR
                                                                None
FIRST_DAY_OF_WEEK
FIXTURE DIRS
                                                                  []
FORCE SCRIPT NAME
                                                                  None
FORMAT_MODULE_PATH
                                                                  None
FORM RENDERER
                                                                   'django.forms.renderers.DjangoTemplates'
IGNORABLE 404 URLS
                                                                    []
INSTALLED APPS
                                                                   ['django.contrib.admin',
                                                                      'django.contrib.auth',
                                                                      \verb|'django.contrib.contenttypes'|,
                                                                      'django.contrib.sessions',
                                                                      'django.contrib.messages',
                                                                      'django.contrib.staticfiles',
                                                                      'corsheaders',
                                                                      'api',
'authentication',
                                                                      'generator']
                                                                    []
INTERNAL IPS
                                                                   ('af', 'Afrikaans'),
  ('ar', 'Arabic'),
  ('ast', 'Asturian'),
  ('az', 'Azerbaijani'),
  ('bg', 'Bulgarian'),
LANGUAGES
                                                                      ('be', 'Belarusian'),
('bn', 'Bengali'),
('br', 'Breton'),
                                                                      ('bs', 'Bosnian'),
                                                                      ('ca', 'Catalan'),
('cs', 'Czech'),
                                                                      ('cs', 'Czech'),
('cy', 'Welsh'),
('da', 'Danish'),
('de', 'German'),
('dsb', 'Lower Sorbian'),
('el', 'Greek'),
('en', 'English'),
                                                                      ('en-au', 'Australian English'),
('en-gb', 'British English'),
                                                                     ('en-au', 'Australian English'),
('en-gb', 'British English'),
('eo', 'Esperanto'),
('es', 'Spanish'),
('es-ar', 'Argentinian Spanish'),
('es-ar', 'Mexican Spanish'),
('es-mx', 'Mexican Spanish'),
('es-mx', 'Mexican Spanish'),
('es-mi', 'Nicaraguan Spanish'),
('et', 'Estonian'),
('et', 'Estonian'),
('et', 'Estonian'),
('fi', 'Fresian'),
('fi', 'Frisian'),
('ga', 'Irish'),
('gd', 'Scottish Gaelic'),
('gl', 'Galician'),
('he', 'Hebrew'),
('hi', 'Hindi'),
('hr', 'Croatian'),
('hsb', 'Upper Sorbian'),
('hu', 'Armenian'),
('id', 'Interlingua'),
('id', 'Interlingua'),
('id', 'Interlingua'),
                                                                      ('ia', 'Interlingua'),
('ia', 'Interlingua'),
('id', 'Indonesian'),
('io', 'Ido'),
('is', 'Icelandic'),
('it', 'Italian'),
('it', 'Italian'),
                                                                      ('it', 'Italian'),
('ja', 'Japanese'),
('ka', 'Georgian'),
('kab', 'Kabyle'),
('kk', 'Kazakh'),
                                                                      ('kk', 'Kazakh'),
('km', 'Khmer'),
('kn', 'Kannada'),
('ko', 'Korean'),
('lb', 'Luxembourgish'),
('lt', 'Lithuanian'),
('lv', 'Latvian'),
('mk', 'Macedonian'),
('ml', 'Mongolian'),
                                                                      ('mn', 'Mongolian'), ('mr', 'Marathi'),
                                                                      ('my', 'Burmese'),
                                                                      ('nb', 'Norwegian Bokmâl'),
('ne', 'Nepali'),
('nl', 'Dutch'),
                                                                      ('nn', 'Norwegian Nynorsk'),
                                                                      ('os', 'Ossetic'),
                                                                      ('pa', 'Punjabi'),
('pl', 'Polish'),
('pt', 'Portuguese'),
                                                                      ('pt-br', 'Brazilian Portuguese'),
```

```
('ro', 'Romanian'),
                                      ('ru', 'Russian'),
                                      ('sk', 'Slovak'),
                                      ('sl', 'Slovenian'),
                                      ('sq', 'Albanian'),
('sr', 'Serbian'),
                                      ('sr-latn', 'Serbian Latin'),
                                      ('sv', 'Swedish'),
('sw', 'Swahili'),
                                      ('ta', 'Tamil'),
('te', 'Telugu'),
('th', 'Thai'),
                                      ('tr', 'Turkish'),
                                      ('tt', 'Tatar'),
                                     ('udm', 'Udmurt'),
('uk', 'Ukrainian'),
('ur', 'Urdu'),
                                     ('ur', 'Urdu'),
('uz', 'Uzbek'),
('vi', 'Vietnamese'),
('zh-hans', 'Simplified Chinese'),
('zh-hant', 'Traditional Chinese')]
                                    ['he', 'ar', 'fa', 'ur']
LANGUAGES BIDI
LANGUAGE_CODE
                                    'en-115'
LANGUAGE_COOKIE_AGE
LANGUAGE COOKIE DOMAIN
                                   None
LANGUAGE COOKIE HTTPONLY
                                   False
LANGUAGE COOKIE NAME
                                    'django_language'
                                   1/1
LANGUAGE COOKIE PATH
LANGUAGE COOKIE SAMESITE
                                   None
LANGUAGE COOKIE SECURE
                                   False
LOCALE_PATHS
                                    []
LOGGING
                                   {}
LOGGING CONFIG
                                   'logging.config.dictConfig'
                                   '/accounts/profile/
LOGIN_REDIRECT_URL
LOGIN URL
                                   '/accounts/login/'
LOGOUT REDIRECT URL
                                   None
MANAGERS
                                    []
MEDIA ROOT
                                    '/home/predator/markmycv/markmycvfinal/media'
MEDIA URL
                                    '/media/'
MESSAGE STORAGE
                                    'django.contrib.messages.storage.fallback.FallbackStorage'
MIDDLEWARE
                                    ['django.middleware.security.SecurityMiddleware'
                                     'django.contrib.sessions.middleware.SessionMiddleware', 'corsheaders.middleware.CorsMiddleware',
                                     'django.middleware.common.CommonMiddleware',
'django.middleware.csrf.CsrfViewMiddleware',
                                     'django.contrib.auth.middleware.AuthenticationMiddleware',
                                     'django.contrib.messages.middleware.MessageMiddleware', 'django.middleware.clickjacking.XFrameOptionsMiddleware']
MIGRATION MODULES
MONTH DAY FORMAT
                                    'F j'
NUMBER GROUPING
                                   0
                                    ***************
PASSWORD_HASHERS
                                   ****************
PASSWORD RESET TIMEOUT DAYS
PREPEND WWW
                                   False
REST_FRAMEWORK
                                    {'DEFAULT_AUTHENTICATION_CLASSES': ('rest_framework_simplejwt.authentication.JWTAuthentication',)}
ROOT URLCONE
                                   'markmycv.urls'
SECRET KEY
SECURE BROWSER XSS FILTER
                                   False
SECURE_CONTENT_TYPE_NOSNIFF
SECURE_HSTS_INCLUDE_SUBDOMAINS False
SECURE HSTS PRELOAD
                                   False
SECURE_HSTS_SECONDS
SECURE PROXY SSL HEADER
SECURE REDIRECT EXEMPT
                                   []
SECURE_REFERRER_POLICY
                                   None
SECURE SSL HOST
                                   None
SECURE_SSL_REDIRECT
                                   False
SERVER_EMAIL
                                    'root@localhost'
                                   'default'
SESSION CACHE ALIAS
SESSION COOKIE AGE
                                   1209600
SESSION COOKIE DOMAIN
                                   None
SESSION COOKIE HTTPONLY
                                   True
SESSION COOKIE NAME
                                    'sessionid'
SESSION COOKIE PATH
                                   1/1
SESSION_COOKIE_SAMESITE
                                    'Lax'
SESSION COOKIE SECURE
                                   False
SESSION_ENGINE
                                    'django.contrib.sessions.backends.db'
SESSION_EXPIRE_AT_BROWSER_CLOSE False
SESSION FILE PATH
                                   None
SESSION SAVE EVERY REQUEST
                                  False
SESSION SERIALIZER
                                    'django.contrib.sessions.serializers.JSONSerializer'
SETTINGS_MODULE
                                    'markmycv.settings'
SHORT DATETIME FORMAT
                                   'm/d/Y P'
SHORT DATE FORMAT
                                    'm/d/Y'
SIGNING_BACKEND
                                    'django.core.signing.TimestampSigner'
SILENCED SYSTEM CHECKS
                                    []
                                    SIMPLE JWT
                                     'AUDIENCE': None,
                                     'BLACKLIST AFTER ROTATION': True,
'ISSUER': None,
'JTI_CLAIM': 'jti',
```

```
STATICFILES DIRS
                             ['/home/predator/markmycv/markmycvfinal/resume/stylesheets']
                            ['django.contrib.staticfiles.finders.FileSystemFinder',
    'django.contrib.staticfiles.finders.AppDirectoriesFinder']
STATICFILES FINDERS
                             'django.contrib.staticfiles.storage.StaticFilesStorage'
STATICFILES STORAGE
STATIC_ROOT
                             '/home/predator/markmycv/markmycvfinal/static'
STATIC URL
                             '/css/'
                             TEMPLATES
                               'DIRS': ['/home/predator/markmycv/markmycvfinal/resume/templates'],
                               'django.contrib.auth.context_processors.auth',
                                                             'django.contrib.messages.context_processors.messages']}}]
TEST NON SERIALIZED APPS
TEST RUNNER
                             'django.test.runner.DiscoverRunner'
                            ٠,٠
THOUSAND_SEPARATOR
TIME_FORMAT
                            'P'
                         ['%H:%M:%S', '%H:%M:%S.%f', '%H:%M']
TIME INPUT FORMATS
TIME_ZONE
                            'UTC'
USE I18N
                             True
USE L10N
                            True
USE THOUSAND SEPARATOR
                           False
USE TZ
                            True
USE_X_FORWARDED_HOST
                            False
USE X FORWARDED PORT
                           False
WKHTMLTOPDF_CMD
                            '/usr/bin/wkhtmltopdf'
                           'markmycv.wsgi.application'
WSGI_APPLICATION
X FRAME OPTIONS
                            'DENY'
YEAR_MONTH_FORMAT
                            'F Y'
```

You're seeing this error because you have DEBUG = True in your Django settings file. Change that to False, and Django will display a standard page generated by the handler for this status code.