DoesNotExist at /generator/primaryresume/W2EimoeC9Hfwuo7RY2SjeHmm9gxyHue8StoSrCifa5DBITdd0HbEaRlgDfH1RpS2

Resume matching query does not exist.

Request Method: GET Request URL: https://api.markmycv.com/generator/primary-resume/W2EimoeC9Hfwuo7RY2SjeHmm9gxyHue8StoSrCifa5DBITdd0HbEaRlgDfH1RpS2 Django Version: 3.0.2 Exception Type: DoesNotExist Exception Value: Resume matching query does not exist. Exception Location: /home/predator/markmycv/markmycvfinalenv/lib/python3.7/site-packages/django/db/models/query.py in get, line 417 Python Executable: /home/predator/markmycv/markmycvfinalenv/bin/python3 Python Version: 3.7.5 '/usr/lib/python3.7',
'/home/predator/markmycv/markmycvfinalenv/lib/python3.7/site-packages'] Server time: Thu, 16 Jan 2020 10:41:36 +0000 Traceback Switch to copy-and-paste view

/home/predator/markmycv/markmycvfinalenv/lib/python 3.7/site-packages/django/core/handlers/exception.py in inner and inner all of the contractions of the contraction of the contracti

response = get response(request) ▶ Local vars $/ \texttt{home/predator/markmycv/markmycvfinalenv/lib/python3.7/site-packages/django/core/handlers/base.py} \ \textbf{in} _ \texttt{get_response} \\ + \texttt{get_response} \\ + \texttt{get_respon$ response = self.process_exception_by_middleware(e, request) ▶ Local vars $/home/predator/markmycv/markmycvfinalenv/lib/python 3.7/site-packages/django/core/handlers/base.py \\ \textbf{in} _get_response \\ \\ \textbf{in} _get_response \\ \textbf{in}$ response = wrapped_callback(request, *callback_args, **callback_kwargs)

/home/predator/markmycv/markmycvfinal/generator/views.py in primaryResume

resume = Resume.objects.get(hashcode = hashcode) 8. ▶ Local vars

 $/ \texttt{home/predator/markmycv/markmycvfinalenv/lib/python3.7/site-packages/django/db/models/manager.py} \textbf{in} \texttt{ manager_method of the manager.py} \textbf{in} \texttt{ manager.pwfinalenv/lib/python3.7/site-packages/django/db/models/manager.py} \textbf{in} \texttt{ manager.pwfinalenv/lib/python3.7/site-packages/django/db/models/manager.py} \textbf{in} \texttt{ manager.pwfinalenv/lib/python3.7/site-packages/django/db/models/manager.py} \textbf{in} \texttt{ manager.pwfinalenv/lib/python3.7/site-packages/django/db/models/manager.py} \textbf{in} \texttt{ manager.pwfinalenv/lib/python3.7/site-packages/django/db/models/manager.pwfinalenv/lib/python3.7/site-packages/dia-packages/dia-packages/dia-packages/dia-packages/dia-packages/dia-packages/dia-packages/dia-packages/dia-packages/dia-packages/dia-packages/dia-packages/dia-$

82. return getattr(self.get_queryset(), name)(*args, **kwargs)

▶ Local vars

/home/predator/markmycv/markmycvfinalenv/lib/python 3.7/site-packages/django/db/models/query.py ~~in~get/packages/django/db/models/query.py ~~in~get/pac

self.model._meta.object_name

▶ Local vars

Request information

USER AnonymousUser **GET** No GET data **POST** No POST data **FILES** No FILES data COOKIES No cookie data

META

| Variable | Value |
|--------------------------------|---|
| HTTP_ACCEPT | "text/html, application/xhtml+xml, application/xml; q=0.9, image/webp, image/apng, */*; q=0.8, application/signed-exchange; v=b3; q=0.9" |
| HTTP_ACCEPT_ENCODING | 'gzip' |
| HTTP_CDN_LOOP | 'cloudflare' |
| HTTP_CF_CONNECTING_IP | '34.203.212.122' |
| HTTP_CF_IPCOUNTRY | 'US' |
| HTTP_CF_RAY | '555f7a56ffa9ella-IAD' |
| HTTP_CF_VISITOR | '{"scheme":"https"}' |
| HTTP_CONNECTION | 'close' |
| HTTP_HOST | 'api.markmycv.com' |
| HTTP_SEC_FETCH_MODE | 'navigate' |
| HTTP_SEC_FETCH_SITE | 'none' |
| HTTP_SEC_FETCH_USER | '?1' |
| HTTP_UPGRADE_INSECURE_REQUESTS | '1' |
| HTTP_USER_AGENT | ('Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) ' 'HeadlessChrome/79.0.3945.0 Safari/537.36') |
| HTTP_X_FORWARDED_FOR | '34.203.212.122, 172.69.63.227' |
| HTTP_X_FORWARDED_PROTO | 'https' |
| HTTP_X_REAL_IP | '172.69.63.227' |
| PATH_INFO | '/generator/primary-resume/W2EimoeC9Hfwuo7RY2SjeHmm9gxyHue8StoSrCifa5DBlTdd0HbEaRIgDfH1RpS2' |
| QUERY_STRING | · Or and restriction of the control |
| RAW_URI | '/generator/primary-resume/W2EimoeC9Hfwuo7RY2SjeHmm9gxyHue8StoSrCifa5DBlTdd0HbEaRIgDfH1RpS2' |
| REMOTE_ADDR | · · · |

```
REQUEST METHOD
                                'GET
SCRIPT_NAME
SERVER_NAME
                               'api.markmycv.com'
                               '443'
SERVER PORT
SERVER_PROTOCOL
                               'HTTP/1.0'
SERVER SOFTWARE
                               'gunicorn/20.0.4'
                               <socket.socket fd=9, family=AddressFamily.AF_UNIX, type=SocketKind.SOCK_STREAM, proto=0,</pre>
gunicorn.socket
                               laddr=/home/predator/markmycv/markmycvfinal/markmycv.sock>
                               <gunicorn.http.wsgi.WSGIErrorsWrapper object at 0x7ff1fc465d10>
wsgi.errors
wsgi.file wrapper
wsgi.input
                               <gunicorn.http.body.Body object at 0x7ff1fc465b90>
wsgi.input terminated
wsgi.multiprocess
                              True
wsgi.multithread
                              False
wsgi.run once
                               False
wsgi.url_scheme
                               'https'
wsgi.version
                               (1, 0)
```

Settings

Using settings module markmycv.settings

```
ABSOLUTE URL OVERRIDES
ADMINS
                                         []
ALLOWED HOSTS
                                         ['api.markmycv.com', 'localhost']
APPEND SLASH
                                         True
                                      ['django.contrib.auth.backends.ModelBackend']
AUTHENTICATION_BACKENDS
AUTH_PASSWORD_VALIDATORS
                                         'auth.User'
AUTH_USER_MODEL
BASE DIR
                                         '/home/predator/markmycv/markmycvfinal'
CACHES
                                         {'default': {'BACKEND': 'django.core.cache.backends.locmem.LocMemCache'}}
CACHE_MIDDLEWARE_ALIAS
                                         'default'
CACHE_MIDDLEWARE_KEY_PREFIX
CACHE_MIDDLEWARE_SECONDS
                                         600
CORS ORIGIN ALLOW ALL
                                         True
CSRF COOKIE AGE
                                         31449600
CSRF_COOKIE_DOMAIN
CSRF_COOKIE_HTTPONLY
                                         False
CSRF COOKIE NAME
                                         'csrftoken'
CSRF COOKIE PATH
CSRF_COOKIE_SAMESITE
                                         'Lax
CSRF_COOKIE_SECURE
                                         False
CSRF_FAILURE_VIEW
                                         'django.views.csrf.csrf failure'
CSRF_HEADER_NAME
                                         'HTTP_X_CSRFTOKEN'
CSRF TRUSTED ORIGINS
                                         []
CSRF USE SESSIONS
                                         False
DATABASES
                                         {'default': {'ATOMIC REQUESTS': False,
                                                          'ATTOMIC REQUESTS: raise,
'AUTOCOMMIT': True,
'CONN MAX_AGE': 0,
'ENGINE': 'django.db.backends.sqlite3',
'HOST': '',
'NAME': '/home/predator/markmycv/markmycvfinal/db.sqlite3',
                                                          'NAME': '/home/predator/markmycv/ma
'OPTIONS': {},
'PASSWORD': '***************,
'PORT': '',
'TEST': {'CHARSET': None,
                                                                      'COLLATION': None,
                                                                     'MIRROR': None,
'NAME': None},
                                                          'TIME_ZONE': None,
'USER': ''}}
DATABASE ROUTERS
DATA UPLOAD MAX MEMORY SIZE
                                         2621440
DATA_UPLOAD_MAX_NUMBER_FIELDS
                                         1000
DATETIME FORMAT
                                          'N j, Y, P'
                                          ['%Y-%m-%d %H:%M:%S',
'%Y-%m-%d %H:%M:%S.%f',
'%Y-%m-%d %H:%M',
'%Y-%m-%d',
'%m/%d/%Y %H:%M:%S',
DATETIME_INPUT_FORMATS
                                           '%m/%d/%Y %H:%M:%S.%f',
                                           '%m/%d/%Y %H:%M',
                                           '%m/%d/%Y',
                                          *m/*d/*1',
'%m/%d/%y %H:%M:%S',
'%m/%d/%y %H:%M:%S.%f',
'%m/%d/%y %H:%M',
'%m/%d/%y %H:%M',
                                          'N j, Y'
DATE FORMAT
                                          ['%Y-%m-%d',
'%m/%d/%Y',
DATE_INPUT_FORMATS
                                           '%m/%d/%y',
                                           '%b %d %Y'
                                           '%b %d, %Y',
                                           '%d %b %Y',
'%d %b, %Y',
'%B %d %Y',
                                           '%B %d, %Y',
                                           '%d %B %Y'.
                                           '%d %B, %Y']
                                         True
DEBUG PROPAGATE EXCEPTIONS
                                         False
DECIMAL_SEPARATOR
                                         1.1
DEFAULT_CHARSET
DEFAULT_EXCEPTION_REPORTER_FILTER 'django.views.debug.SafeExceptionReporterFilter'
DEFAULT FILE STORAGE
                                         'django.core.files.storage.FileSystemStorage'
DEFAULT_FROM EMAIL
                                         'webmaster@localhost'
DEFAULT_INDEX_TABLESPACE
```

```
DEFAULT TABLESPACE
DISALLOWED_USER_AGENTS
EMAIL_BACKEND
                                                               'django.core.mail.backends.smtp.EmailBackend'
                                                            'localhost'
EMAIL_HOST
EMAIL_HOST_PASSWORD
                                                               . .
EMAIL HOST USER
                                                              25
EMAIL_PORT
EMAIL SSL CERTFILE
                                                           None
EMAIL_SSL_KEYFILE
EMAIL_SUBJECT_PREFIX
                                                               '[Django] '
EMAIL TIMEOUT
                                                            None
EMAIL USE LOCALTIME
                                                              False
EMAIL USE SSL
                                                               False
EMAIL USE TLS
                                                               False
FILE_CHARSET
FILE_UPLOAD_DIRECTORY_PERMISSIONS None
                                           ['django.core.files.uploadhandler.MemoryFileUploadHandler',
FILE UPLOAD HANDLERS
                                                                 'django.core.files.uploadhandler.TemporaryFileUploadHandler']
                                                        2621440
420
FILE UPLOAD MAX MEMORY SIZE
FILE UPLOAD PERMISSIONS
FILE_UPLOAD_TEMP_DIR
                                                           None
FIRST_DAY_OF_WEEK
                                                               0
FIXTURE_DIRS
                                                               []
FORCE SCRIPT NAME
                                                              None
FORMAT_MODULE_PATH
                                                              None
FORM_RENDERER
                                                                'django.forms.renderers.DjangoTemplates'
IGNORABLE 404 URLS
INSTALLED APPS
                                                                ['django.contrib.admin',
                                                                   'django.contrib.auth',
                                                                  'django.contrib.contenttypes',
                                                                  'django.contrib.sessions'
                                                                  'django.contrib.messages'
                                                                   'django.contrib.staticfiles',
                                                                  'corsheaders',
                                                                  'api',
'authentication',
                                                                  'generator']
INTERNAL IPS
                                                               []
[('af', 'Afrikaans'),
('ar', 'Arabic'),
('ast', 'Asturian'),
('az', 'Azerbaijani'),
('bg', 'Bulgarian'),
('be', 'Belarusian'),
('br', 'Breton'),
('br', 'Breton'),
('bs', 'Bosnian'),
('ca', 'Catalan'),
('cs', 'Czech'),
('cy', 'Welsh'),
('da', 'Danish'),
('de', 'German'),
('de', 'Gerek'),
('el', 'Greek'),
('en', 'English'),
('en-au', 'Australian Engl
                                                                []
LANGUAGES
                                                                  ('en-au', 'Australian English'),
('en-gb', 'British English'),
('eo', 'Esperanto'),
('es', 'Spanish'),
                                                                   ('es-ar', 'Argentinian Spanish'), ('es-co', 'Colombian Spanish'),
                                                                   ('es-mx', 'Mexican Spanish'),
('es-ni', 'Nicaraguan Spanish'),
('es-ve', 'Venezuelan Spanish'),
                                                                 ('es-ni', 'Nicaraguan Spani
('es-ve', 'Venezuelan Spani
('et', 'Estonian'),
('eu', 'Basque'),
('fa', 'Persian'),
('ff', 'Finnish'),
('ff', 'Frisian'),
('ga', 'Irish'),
('gd', 'Scottish Gaelic'),
('gl', 'Galician'),
('he', 'Hebrew'),
('hi', 'Hindi'),
('hr', 'Croatian'),
('hsb', 'Upper Sorbian'),
('hu', 'Hungarian'),
('ia', 'Interlingua'),
('ia', 'Indonesian'),
('io', 'Ido'),
('is', 'Icelandic'),
('it', 'Italian'),
('ja', 'Japanese'),
('kab', 'Kabyle'),
('kk', 'Kazakh'),
('km', 'Khmer'),
('kn', 'Kannada'),
('ko', 'Korean'),
('lb', 'Luxemburgish')
                                                                  ('kn', 'Kannada'),
('ko', 'Korean'),
('lb', 'Luxembourgish'),
('lt', 'Lithuanian'),
('lv', 'Latvian'),
                                                                   ('mk', 'Macedonian'), ('ml', 'Malayalam'),
                                                                   ('mn', 'Mongolian'),
                                                                   ('mr', 'Marathi'),
('my', 'Burmese'),
('nb', 'Norwegian Bokmål'),
                                                                  ('ne', 'Nepali'),
('ne', 'Nepali'),
('nl', 'Dutch'),
('nn', 'Norwegian Nynorsk'),
('os', 'Ossetic'),
```

```
('pa', 'Punjabi'),
('pl', 'Polish'),
('pt', 'Portuguese'),
                                        ('pt-br', 'Brazilian Portuguese'),
                                        ('ro', 'Romanian'),
('ru', 'Russian'),
                                        ('ru', 'Russian'),
('sk', 'Slovak'),
('sl', 'Slovenian'),
('sq', 'Albanian'),
('sr', 'Serbian'),
                                         ('sr-latn', 'Serbian Latin'),
                                        ('sr-lath', 'Serbi
('sv', 'Swedish'),
('sw', 'Swahili'),
                                        ('sw', 'Swahili'),
('ta', 'Tamil'),
('te', 'Telugu'),
('th', 'Thai'),
('tr', 'Turkish'),
('tt', 'Tatar'),
('udm', 'Udmurt'),
('uk', 'Ukrainian'),
('ur', 'Uzbek'),
('vi', 'Vietnamese')
('zh-hans', 'Simplif
                                        ('zh-hans', 'Simplified Chinese'),
('zh-hant', 'Traditional Chinese')]
                                       ['he', 'ar', 'fa', 'ur']
LANGUAGES BIDI
LANGUAGE CODE
                                       'en-us'
LANGUAGE COOKIE AGE
                                      None
LANGUAGE_COOKIE_DOMAIN
                                      None
LANGUAGE COOKIE HTTPONLY
                                      False
LANGUAGE COOKIE NAME
                                      'django_language'
LANGUAGE COOKIE PATH
                                      1/1
LANGUAGE COOKIE SAMESITE
                                      None
LANGUAGE_COOKIE_SECURE
                                      False
LOCALE PATHS
                                      []
LOGGING
LOGGING CONFIG
                                      'logging.config.dictConfig'
                                      '/accounts/profile/'
LOGIN_REDIRECT_URL
LOGIN URL
                                      '/accounts/login/'
LOGOUT REDIRECT URL
                                      None
MANAGERS
MEDIA ROOT
                                       '/home/predator/markmycv/markmycvfinal/media'
MEDIA URL
                                       '/media/'
MESSAGE_STORAGE
                                       'django.contrib.messages.storage.fallback.FallbackStorage'
MIDDLEWARE
                                       ['django.middleware.security.SecurityMiddleware',
                                         'django.contrib.sessions.middleware.SessionMiddleware',
                                        'corsheaders.middleware.CorsMiddleware',
                                        'django.middleware.common.CommonMiddleware',
'django.middleware.csrf.CsrfViewMiddleware',
                                        'django.contrib.auth.middleware.AuthenticationMiddleware',
                                        'django.contrib.messages.middleware.MessageMiddleware', 'django.middleware.clickjacking.XFrameOptionsMiddleware']
MIGRATION MODULES
MONTH DAY FORMAT
                                      'Fj'
NUMBER GROUPING
                                      0
                                      1******
PASSWORD_HASHERS
PASSWORD_RESET_TIMEOUT_DAYS
PREPEND WWW
                                      False
REST FRAMEWORK
                                      {'DEFAULT AUTHENTICATION CLASSES': ('rest framework simplejwt.authentication.JWTAuthentication',)}
ROOT URLCONF
                                      'markmycv.urls'
SECRET KEY
SECURE BROWSER XSS_FILTER
                                      False
SECURE_CONTENT_TYPE_NOSNIFF
                                      True
SECURE HSTS INCLUDE SUBDOMAINS False
SECURE_HSTS_PRELOAD
                                      False
SECURE_HSTS_SECONDS
SECURE_PROXY_SSL_HEADER
                                      None
SECURE_REDIRECT_EXEMPT
                                      []
SECURE REFERRER POLICY
                                      None
SECURE SSL HOST
                                      None
SECURE SSL REDIRECT
                                     False
SERVER_EMAIL
                                      'root@localhost'
SESSION_CACHE_ALIAS
SESSION COOKIE AGE
                                      1209600
SESSION COOKIE DOMAIN
                                      None
SESSION COOKIE HTTPONLY
                                      True
SESSION_COOKIE_NAME
                                      'sessionid'
SESSION COOKIE PATH
SESSION_COOKIE_SAMESITE
                                      'Lax'
SESSION COOKIE SECURE
                                      False
SESSION ENGINE
                                      'django.contrib.sessions.backends.db'
SESSION_EXPIRE_AT_BROWSER_CLOSE False
SESSION FILE PATH
SESSION_SAVE_EVERY_REQUEST
SESSION SERIALIZER
                                      'django.contrib.sessions.serializers.JSONSerializer'
SETTINGS MODULE
                                      'markmycv.settings'
SHORT DATETIME FORMAT
                                       'm/d/Y P'
                                       'm/d/Y'
SHORT DATE FORMAT
SIGNING_BACKEND
                                       'django.core.signing.TimestampSigner'
SILENCED SYSTEM CHECKS
                                       SIMPLE JWT
                                        'AUDIENCE': None,
```

```
'BLACKLIST_AFTER_ROTATION': True,
                                        'ISSUER': None,
                                        'JTI_CLAIM': 'jti',
                                        'USER ID_CLAIM': 'user_id',
'USER_ID_FIELD': 'id',
'VERIFYING_KEY': '*************************
STATICFILES_DIRS
                                       \hbox{\tt ['/home/predator/markmycv/markmycvfinal/resume/stylesheets']}
STATICFILES_FINDERS
                                      ['django.contrib.staticfiles.finders.FileSystemFinder',
                                        'django.contrib.staticfiles.finders.AppDirectoriesFinder']
STATICFILES STORAGE
                                       'django.contrib.staticfiles.storage.StaticFilesStorage'
STATIC ROOT
                                       '/home/predator/markmycv/markmycvfinal/static'
STATIC_URL
                                       '/css/'
TEMPLATES
                                       [{'APP DIRS': True,
                                         'BACKEND': 'django.template.backends.django.DjangoTemplates',

'DIRS': ['/home/predator/markmycv/markmycvfinal/resume/templates'],

'OPTIONS': {'context_processors': ['django.template.context_processors.debug',

'django.template.context_processors.request',
                                                                                 'django.contrib.auth.context_processors.auth',
                                                                                  'django.contrib.messages.context_processors.messages']}}]
TEST_NON_SERIALIZED_APPS
TEST RUNNER
                                       'django.test.runner.DiscoverRunner'
THOUSAND SEPARATOR
                                      1.1
TIME_FORMAT
                                      'P'
TIME_INPUT_FORMATS
                                      ['%H:%M:%S', '%H:%M:%S.%f', '%H:%M']
TIME ZONE
                                      'UTC'
USE I18N
                                      True
USE_L10N
                                      True
USE_THOUSAND_SEPARATOR
                                      False
USE TZ
                                      True
USE_X_FORWARDED_HOST
                                      False
USE X FORWARDED PORT
                                      False
WKHTMLTOPDF CMD
                                      '/usr/bin/wkhtmltopdf'
WSGI APPLICATION
                                      'markmycv.wsgi.application'
                                      'DENY'
X_FRAME_OPTIONS
YEAR_MONTH_FORMAT
                                      'F Y'
```

You're seeing this error because you have DEBUG = True in your Django settings file. Change that to False, and Django will display a standard page generated by the handler for this status code.