DoesNotExist at /generator/primary-resume/9mk3coVzKXqOQBnizUEY1t04drFKhEVmwj19PyYdIV0xaClJ2FNEfLK7eL8CLBLJ

Resume matching query does not exist.

Traceback Switch to copy-and-paste view

 $/home/predator/markmycv/markmycvfinalenv/lib/python 3.7/site-packages/django/core/handlers/exception.py \\ \textbf{in} inner-packages/django/core/handlers/exception.py \\$

► Local vars

/home/predator/markmycv/markmycvfinalenv/lib/python3.7/site-packages/django/core/handlers/base.py in _get_response

115. response = self.process_exception_by_middleware(e, request) ...

► Local vars

 $/ \texttt{home/predator/markmycv/markmycvfinalenv/lib/python3.7/site-packages/django/core/handlers/base.py} ~\textbf{in} _ \texttt{get_response} \\$

113. response = wrapped_callback(request, *callback_args, **callback_kwargs)

Local vals

/home/predator/markmycv/markmycvfinal/generator/views.py **in** primaryResume

resume = Resume.objects.get(hashcode = hashcode)

response = get_response(request)

▶ Local vars

/home/predator/markmycv/markmycvfinalenv/lib/python3.7/site-packages/django/db/models/manager.py in manager_method

82. return getattr(self.get_queryset(), name)(*args, **kwargs)

► Local vars

8.

 $/ \texttt{home/predator/markmycv/markmycvfinalenv/lib/python3.7/site-packages/django/db/models/query.py} ~\textbf{in}~ \texttt{get and the packages/django/db/models/query.py} ~\textbf{in}~ \texttt{get and the packages/db/models/query.py} ~\textbf{in}~ \texttt{get and the packages/db/models/query.p$

417. self.model._meta.object_name

► Local vars

Request information

USER AnonymousUser
GET No GET data
POST No POST data
FILES No FILES data
COOKIES No cookie data

META

Variable	Value
HTTP_ACCEPT	$\label{lem:condition} $$ \text{'text/html,application/xml;} = 0.9, image/webp, image/apng, */*; $
HTTP_ACCEPT_ENCODING	'gzip'
HTTP_CDN_LOOP	'cloudflare'
HTTP_CF_CONNECTING_IP	'54.167.77.253'
HTTP_CF_IPCOUNTRY	'US'
HTTP_CF_RAY	'554a26147bd5e0f2-IAD'
HTTP_CF_VISITOR	'{"scheme":"https"}'
HTTP_CONNECTION	'close'
HTTP_HOST	'api.markmycv.com'
HTTP_SEC_FETCH_MODE	'navigate'
HTTP_SEC_FETCH_SITE	'none'
HTTP_SEC_FETCH_USER	'?1'
HTTP_UPGRADE_INSECURE_REQUESTS	'1'
HTTP_USER_AGENT	('Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) ' 'HeadlessChrome/79.0.3945.0 Safari/537.36')
HTTP_X_FORWARDED_FOR	'54.167.77.253, 172.69.62.74'
HTTP_X_FORWARDED_PROTO	'https'
HTTP_X_REAL_IP	'172.69.62.74'
PATH_INFO	'/generator/primary-resume/9mk3coVzKXqOQBnizUEY1t04drFKhEVmwj19PyYdlV0xaClJ2FNEfLK7eL8CLBLJ'
QUERY_STRING	· ·
RAW_URI	'/generator/primary-resume/9mk3coVzKXqOQBnizUEY1t04drFKhEVmwj19PyYd1V0xaC1J2FNEfLK7eL8CLBLJ'
REMOTE_ADDR	· ·

```
REQUEST METHOD
                               'GET
SCRIPT_NAME
SERVER_NAME
                               'api.markmycv.com'
                               '443'
SERVER PORT
SERVER_PROTOCOL
                              'HTTP/1.0'
SERVER SOFTWARE
                               'gunicorn/20.0.4'
                               <socket.socket fd=9, family=AddressFamily.AF_UNIX, type=SocketKind.SOCK_STREAM, proto=0,</pre>
gunicorn.socket
                              laddr=/home/predator/markmycv/markmycvfinal/markmycv.sock>
wsgi.errors
                               <gunicorn.http.wsgi.WSGIErrorsWrapper object at 0x7fac8c78add0>
wsgi.file wrapper
wsgi.input
                              <gunicorn.http.body.Body object at 0x7fac8c78a4d0>
wsgi.input terminated
wsgi.multiprocess
                              True
wsgi.multithread
                              False
                               False
wsgi.run once
wsgi.url_scheme
                               'https'
wsgi.version
                               (1, 0)
```

Settings

```
Using settings module markmycv.settings
ABSOLUTE URL OVERRIDES
ADMINS
                                   []
ALLOWED_HOSTS
                                    ['api.markmycv.com', 'pdfgento.herokuapp.com']
APPEND SLASH
                                   True
                               ['django.contrib.auth.backends.ModelBackend']
AUTHENTICATION_BACKENDS
                                   ****************
AUTH PASSWORD VALIDATORS
                                   'auth.User'
AUTH USER MODEL
BASE DIR
                                   '/home/predator/markmycv/markmycvfinal'
CACHES
                                   {'default': {'BACKEND': 'django.core.cache.backends.locmem.LocMemCache'}}
CACHE_MIDDLEWARE_ALIAS
                                   'default'
CACHE_MIDDLEWARE_KEY_PREFIX
                                 *************
                              600
['ht
CACHE_MIDDLEWARE_SECONDS
CORS_ORIGIN_WHITELIST
                                   ['https://markmycv.com', 'https://www.markmycv.com', 'http://localhost:8080']
                                  31449600
CSRF COOKIE AGE
CSRF COOKIE DOMAIN
                                  None
CSRF COOKIE HTTPONLY
                                   False
CSRF COOKIE NAME
                                    'csrftoken'
CSRF_COOKIE_PATH
                                   1/1
                                   'Lax'
CSRF_COOKIE_SAMESITE
CSRF_COOKIE_SECURE
                                   False
CSRF FAILURE VIEW
                                   'django.views.csrf.csrf failure'
CSRF HEADER NAME
                                   'HTTP_X_CSRFTOKEN'
CSRF_TRUSTED_ORIGINS
                                    []
CSRF_USE_SESSIONS
                                    False
DATABASES
                                    {'default': {'ATOMIC REQUESTS': False,
                                                  'AUTOCOMMIT': True,
                                                  'CONN MAX AGE': 0,
                                                  'ENGINE': 'django.db.backends.sqlite3',
'HOST': '',
'NAME': '/home/predator/markmycv/markmycvfinal/db.sqlite3',
                                                  'PORT': '',
                                                  'TEST': {'CHARSET': None,
                                                            'COLLATION': None,
                                                           'MIRROR': None,
                                                           'NAME': None},
                                                  'TIME_ZONE': None,
'USER': ''}}
DATABASE_ROUTERS
DATA UPLOAD MAX MEMORY SIZE
                                    2621440
DATA_UPLOAD_MAX_NUMBER_FIELDS
                                    1000
DATETIME FORMAT
                                    'N j, Y, P'
                                    ['%Y-%m-%d %H:%M:%S',
DATETIME INPUT FORMATS
                                     '%Y-%m-%d %H:%M:%S.%f',
                                     '%Y-%m-%d %H:%M',
                                     '%m/%d/%Y %H:%M:%S',
                                     '%m/%d/%Y %H:%M:%S.%f',
'%m/%d/%Y %H:%M',
                                     %m/%d/%Y',
'%m/%d/%Y',
'%m/%d/%Y %H:%M:%S',
'%m/%d/%Y %H:%M:%S.%f',
                                     '%m/%d/%y %H:%M',
'%m/%d/%y']
DATE FORMAT
                                    'N j, Y'
DATE_INPUT_FORMATS
                                    ['%Y-%m-%d',
                                     '%m/%d/%Y',
                                     '%m/%d/%y'
'%b %d %Y'
                                     '%b %d, %Y',
                                     '%d %b %Y',
'%d %b, %Y',
'%B %d %Y',
                                     '%B %d, %Y',
                                     '%d %B %Y',
                                     '%d %B, %Y']
DEBUG
                                    True
DEBUG_PROPAGATE_EXCEPTIONS
                                    False
DECIMAL SEPARATOR
                                    1.1
DEFAULT_CHARSET
                                    'utf-8'
DEFAULT_EXCEPTION_REPORTER_FILTER 'django.views.debug.SafeExceptionReporterFilter'
DEFAULT_FILE_STORAGE
                                   'django.core.files.storage.FileSystemStorage'
DEFAULT FROM EMAIL
                                    'webmaster@localhost'
DEFAULT_INDEX_TABLESPACE
```

```
DEFAULT TABLESPACE
DISALLOWED_USER_AGENTS
EMAIL_BACKEND
                                                                  'django.core.mail.backends.smtp.EmailBackend'
                                                             'localhost'
EMAIL_HOST
EMAIL_HOST_PASSWORD
                                                                 . .
EMAIL HOST USER
                                                                25
EMAIL_PORT
EMAIL_SSL_CERTFILE
                                                             None
EMAIL_SSL_KEYFILE
EMAIL_SUBJECT_PREFIX
                                                                 '[Django] '
EMAIL TIMEOUT
                                                             None
                                                                False
EMAIL USE LOCALTIME
EMAIL USE SSL
                                                                 False
EMAIL USE TLS
                                                                 False
FILE_CHARSET
                                                                 'utf-8'
FILE_UPLOAD_DIRECTORY_PERMISSIONS None
                                               ['django.core.files.uploadhandler.MemoryFileUploadHandler',
FILE UPLOAD HANDLERS
                                                                   'django.core.files.uploadhandler.TemporaryFileUploadHandler']
                                                         2621440
420
FILE_UPLOAD_MAX_MEMORY_SIZE
FILE UPLOAD PERMISSIONS
FILE_UPLOAD_TEMP_DIR
                                                             None
FIRST DAY OF WEEK
FIXTURE_DIRS
                                                                 []
FORCE_SCRIPT_NAME
FORMAT_MODULE_PATH
                                                                None
FORM_RENDERER
                                                                 'django.forms.renderers.DjangoTemplates'
IGNORABLE 404 URLS
                                                                 []
INSTALLED APPS
                                                                  ['django.contrib.admin',
                                                                     'django.contrib.auth',
                                                                    'django.contrib.contenttypes',
                                                                    'django.contrib.sessions'
                                                                     'django.contrib.messages'
                                                                    'django.contrib.staticfiles',
                                                                    'corsheaders',
'api',
                                                                    'authentication',
                                                                    'generator']
INTERNAL IPS
                                                                  []
                                                                  [('af', 'Afrikaans'),
('ar', 'Arabic'),
('ast', 'Asturian'),
('az', 'Azerbaijani'),
('bg', 'Bulgarian'),
LANGUAGES
                                                                    ('bg', 'Bulgarlan'),
('be', 'Belarusian'),
('bn', 'Bengali'),
('br', 'Breton'),
('bs', 'Bosnian'),
('ca', 'Catalan'),
('cs', 'Czech'),
                                                                    ('cs', 'Czech'),
('cy', 'Welsh'),
('da', 'Danish'),
('de', 'German'),
('dsb', 'Lower Sorbian'),
('el', 'Greek'),
('en', 'English'),
                                                                    ('en-au', 'Australian English'),
('en-gb', 'British English'),
('eo', 'Esperanto'),
('es', 'Spanish'),
('es-ar', 'Argentinian Spanish'),
('es-co', 'Colombian Spanish'),
                                                                   ('es-ar', 'Argentinian Spanish'),
('es-co', 'Colombian Spanish'),
('es-mx', 'Mexican Spanish'),
('es-mx', 'Nicaraguan Spanish'),
('es-ni', 'Nicaraguan Spanish'),
('es-ve', 'Venezuelan Spanish'),
('eu', 'Estonian'),
('fu', 'Estonian'),
('fi', 'Finnish'),
('fr', 'French'),
('fg', 'Frisian'),
('gd', 'Irish'),
('gd', 'Scottish Gaelic'),
('gl', 'Galician'),
('he', 'Hebrew'),
('hi', 'Hindi'),
('hr', 'Croatian'),
('ha', 'Upper Sorbian'),
('hu', 'Hungarian'),
('hu', 'Armenian'),
('id', 'Indonesian'),
('id', 'Indonesian'),
('io', 'Ido'),
('is', 'Icelandic'),
('it', 'Italian'),
('ja', 'Japanese'),
('ka', 'Georgian').
                                                                    ('it', 'Italian'),
('ja', 'Japanese'),
('ka', 'Georgian'),
('kab', 'Kabyle'),
('kk', 'Kazakh'),
('km', 'Khmer'),
('kn', 'Kannada'),
                                                                    ('ko', 'Korean'),
('lb', 'Luxembourgish'),
('lt', 'Lithuanian'),
                                                                    ('lv', 'Latvian'),
('mk', 'Macedonian'),
('ml', 'Malayalam'),
                                                                     ('mn', 'Mongolian'),
('mr', 'Marathi'),
('my', 'Burmese'),
                                                                     ('nb', 'Norwegian Bokmâl'), ('ne', 'Nepali'), ('ne', 'Dutch'),
                                                                    ('nn', 'Norwegian Nynorsk'), ('os', 'Ossetic'),
```

```
('pa', 'Punjabi'),
('pl', 'Polish'),
('pt', 'Portuguese'),
                                     ('pt-br', 'Brazilian Portuguese'),
                                     ('ro', 'Romanian'),
('ru', 'Russian'),
                                     ('sk', 'Slovak'),
                                     ('st', 'Slovenian'),
('sq', 'Albanian'),
('sr', 'Serbian'),
                                      ('sr-latn', 'Serbian Latin'),
                                     ('sv', 'Swedish'), ('sw', 'Swahili'),
                                     ('ta', 'Tamil'),
('te', 'Telugu'),
                                     ('te', 'Telugu'),
('th', 'Thai'),
('tr', 'Turkish'),
('tt', 'Tatar'),
('udm', 'Udmurt'),
('uk', 'Ukrainian')
('ur', 'Urdu'),
                                     ('uz', 'Uzbek'),
('vi', 'Vietnamese'),
                                     ('zh-hans', 'Simplified Chinese'),
('zh-hant', 'Traditional Chinese')]
                                    ['he', 'ar', 'fa', 'ur']
LANGUAGES BIDI
LANGUAGE_CODE
                                    'en-us'
LANGUAGE COOKIE AGE
                                   None
LANGUAGE_COOKIE_DOMAIN
                                   None
LANGUAGE COOKIE HTTPONLY
LANGUAGE COOKIE NAME
                                   'django_language'
LANGUAGE_COOKIE_PATH
                                   1/1
LANGUAGE_COOKIE_SAMESITE
                                   None
LANGUAGE_COOKIE_SECURE
                                   False
LOCALE PATHS
                                   []
LOGGING
LOGGING_CONFIG
                                    'logging.config.dictConfig'
LOGIN_REDIRECT_URL
                                   '/accounts/profile/'
LOGIN URL
                                   '/accounts/login/'
LOGOUT REDIRECT URL
                                    None
MANAGERS
MEDIA_ROOT
                                    '/home/predator/markmycv/markmycvfinal/media'
MEDIA_URL
                                    '/media/'
MESSAGE_STORAGE
                                    'django.contrib.messages.storage.fallback.FallbackStorage'
MIDDLEWARE
                                    ['django.middleware.security.SecurityMiddleware',
                                      'django.contrib.sessions.middleware.SessionMiddleware',
                                     'corsheaders.middleware.CorsMiddleware',
                                     'django.middleware.common.CommonMiddleware',
                                     'django.middleware.csrf.CsrfViewMiddleware',
                                     'django.contrib.auth.middleware.AuthenticationMiddleware',
                                     'django.contrib.messages.middleware.MessageMiddleware'
                                     'django.middleware.clickjacking.XFrameOptionsMiddleware']
MIGRATION MODULES
                                    {}
MONTH_DAY_FORMAT
                                    'F j'
NUMBER GROUPING
                                    0
                                   !****************
PASSWORD HASHERS
PASSWORD RESET TIMEOUT DAYS
                                   *****************
PREPEND WWW
                                   False
REST FRAMEWORK
                                    {'DEFAULT_AUTHENTICATION_CLASSES': ('rest_framework_simplejwt.authentication.JWTAuthentication',)}
ROOT URLCONF
                                    'markmycv.urls'
SECRET KEY
SECURE BROWSER XSS FILTER
                                   False
SECURE_CONTENT_TYPE_NOSNIFF
                                   True
SECURE_HSTS_INCLUDE_SUBDOMAINS False
SECURE_HSTS_PRELOAD
                                   False
SECURE HSTS SECONDS
SECURE PROXY SSL HEADER
                                   None
SECURE_REDIRECT_EXEMPT
SECURE REFERRER POLICY
                                   None
SECURE SSL HOST
                                   None
SECURE SSL REDIRECT
                                   False
SERVER EMAIL
                                   'root@localhost'
SESSION_CACHE_ALIAS
                                    'default'
SESSION COOKIE AGE
                                   1209600
SESSION_COOKIE_DOMAIN
                                   None
SESSION COOKIE HTTPONLY
SESSION COOKIE NAME
                                    'sessionid'
SESSION_COOKIE_PATH
                                   1/1
SESSION_COOKIE_SAMESITE
                                    'Lax'
SESSION_COOKIE_SECURE
                                   False
SESSION ENGINE
                                    'django.contrib.sessions.backends.db'
SESSION_EXPIRE_AT_BROWSER_CLOSE False
SESSION_FILE_PATH
SESSION SAVE EVERY REQUEST
                                   False
SESSION SERIALIZER
                                   'django.contrib.sessions.serializers.JSONSerializer'
SETTINGS MODULE
                                    'markmycv.settings'
SHORT DATETIME FORMAT
                                    'm/d/Y P'
SHORT_DATE_FORMAT
                                   'm/d/Y'
SIGNING_BACKEND
                                    'django.core.signing.TimestampSigner'
SILENCED SYSTEM CHECKS
                                    SIMPLE JWT
```

```
'BLACKLIST_AFTER_ROTATION': True,
                                'ISSUER': None,
                                'JTI_CLAIM': 'jti',
                               'USER_ID_CLAIM': 'user_id',
'USER_ID_FIELD': 'id',
'VERIFYING_KEY': '*************************
STATICFILES_DIRS
                              ['/home/predator/markmycv/markmycvfinal/resume/stylesheets']
STATICFILES_FINDERS
                              ['django.contrib.staticfiles.finders.FileSystemFinder',
                               'django.contrib.staticfiles.finders.AppDirectoriesFinder']
STATICFILES STORAGE
                              'django.contrib.staticfiles.storage.StaticFilesStorage'
STATIC ROOT
                               '/home/predator/markmycv/markmycvfinal/static'
STATIC_URL
                               '/css/'
TEMPLATES
                               [{'APP DIRS': True,
                                'django.contrib.auth.context_processors.auth',
                                                                 'django.contrib.messages.context_processors.messages']}}]
TEST_NON_SERIALIZED_APPS
TEST_RUNNER
                               'django.test.runner.DiscoverRunner'
THOUSAND_SEPARATOR
                              1,1
TIME_FORMAT
                              'P'
                          ['%H:%M:%S', '%H:%M:%S.%f', '%H:%M']
TIME INPUT FORMATS
TIME ZONE
                              'UTC'
USE I18N
                              True
USE L10N
                              True
USE_THOUSAND_SEPARATOR
                              False
USE TZ
                              True
USE_X_FORWARDED_HOST
                              False
USE_X_FORWARDED_PORT
                              False
WKHTMLTOPDF_CMD
                              '/usr/bin/wkhtmltopdf'
WSGI APPLICATION
                              'markmycv.wsgi.application'
                              'DENY'
X FRAME OPTIONS
YEAR_MONTH_FORMAT
                              'F Y'
```

You're seeing this error because you have DEBUG = True in your Django settings file. Change that to False, and Django will display a standard page generated by the handler for this status code.