DoesNotExist at /generator/primaryresume/mwakTZdUXj3aNEPNSbpZw5f4xziCmx9AwbCX9dGD3ZmSkzexQOYdw7SETBXU8xxS

Resume matching query does not exist.

Request Method: GET

Request URL: https://api.markmycv.com/generator/primary-resume/mwakTZdUXj3aNEPNSbpZw5f4xziCmx9AwbCX9dGD3ZmSkzexQOYdw7SETBXU8xxS

Django Version: 3.0.2

Exception Type: DoesNotExist

Exception Value: Resume matching query does not exist.

Exception Location: /home/predator/markmycv/markmycvfinalenv/lib/python3.7/site-packages/django/db/models/query.py in get, line 417

Python Executable: /home/predator/markmycv/markmycvfinalenv/bin/python3

Python Version: 3.7.5

'/usr/lib/python3.7',
'/home/predator/markmycv/markmycvfinalenv/lib/python3.7/site-packages']

Server time: Thu, 16 Jan 2020 07:54:21 +0000

Traceback Switch to copy-and-paste view

 $/ \texttt{home/predator/markmycv/markmycvfinalenv/lib/python3.7/site-packages/django/core/handlers/exception.py} \textbf{in} \texttt{ inner-packages/django/core/handlers/exception.py} \textbf{ in} \texttt{ inner-packages/$

response = get_response(request)

▶ Local vars

 $/home/predator/markmycv/markmycvfinalenv/lib/python 3.7/site-packages/django/core/handlers/base.py \\ \textbf{in} _ get_response \\ for the packages for the packages$

response = self.process_exception_by_middleware(e, request)

▶ Local vars

 $/home/predator/markmycv/markmycvfinalenv/lib/python 3.7/site-packages/django/core/handlers/base.py \\ \textbf{in} _ get_response \\ for the packages for the packages$

response = wrapped_callback(request, *callback_args, **callback_kwargs)

▶ Local vars

/home/predator/markmycv/markmycvfinal/generator/views.py in primaryResume

8. resume = Resume.objects.get(hashcode = hashcode)

/home/predator/markmycv/markmycvfinalenv/lib/python3.7/site-packages/django/db/models/manager.py **in** manager_method

return getattr(self.get_queryset(), name)(*args, **kwargs)

▶ Local vars

/home/predator/markmycv/markmycvfinalenv/lib/python 3.7/site-packages/django/db/models/query.py ~~in~get/site-packages/django/db/models/query.py ~~in~get/site-packages/django/db/mode

self.model._meta.object_name

► Local vars

Request information

USER AnonymousUser

GET No GET data

POST No POST data

FILES No FILES data

COOKIES No cookie data

META

Variable	Value
HTTP_ACCEPT	"text/html, application/xhtml+xml, application/xml; q=0.9, image/webp, image/apng, */*; q=0.8, application/signed-exchange; v=b3; q=0.9"
HTTP_ACCEPT_ENCODING	'gzip'
HTTP_CDN_LOOP	'cloudflare'
HTTP_CF_CONNECTING_IP	'3.83.16.139'
HTTP_CF_IPCOUNTRY	'us'
HTTP_CF_RAY	'555e85579f46f12e-IAD'
HTTP_CF_VISITOR	'{"scheme":"https"}'
HTTP_CONNECTION	'close'
HTTP_HOST	'api.markmycv.com'
HTTP_SEC_FETCH_MODE	'navigate'
HTTP_SEC_FETCH_SITE	'none'
HTTP_SEC_FETCH_USER	'?1'
HTTP_UPGRADE_INSECURE_REQUEST	s '1'
HTTP_USER_AGENT	('Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) ' 'HeadlessChrome/79.0.3945.0 Safari/537.36')
HTTP_X_FORWARDED_FOR	'3.83.16.139, 172.68.65.4'
HTTP_X_FORWARDED_PROTO	'https'
HTTP_X_REAL_IP	'172.68.65.4'
PATH_INFO	'/generator/primary-resume/mwakTZdUXj3aNEPNSbpZw5f4xziCmx9AwbCX9dGD3ZmSkzexQOYdw7SETBXU8xxS'
QUERY_STRING	· · ·
RAW_URI	'/generator/primary-resume/mwakTZdUXj3aNEPNSbpZw5f4xziCmx9AwbCX9dGD3ZmSkzexQOYdw7SETBXU8xxS'
REMOTE_ADDR	· · ·
REQUEST_METHOD	'GET'
SCRIPT_NAME	
SERVER_NAME	'api.markmycv.com'
SERVER PORT	'443'

```
SERVER_PROTOCOL
                                   'HTTP/1.0'
SERVER_SOFTWARE
                                   'qunicorn/20.0.4'
                                  <socket.socket fd=9, family=AddressFamily.AF_UNIX, type=SocketKind.SOCK_STREAM, proto=0,
laddr=/home/predator/markmycv/markmycvfinal/markmycv.sock>
gunicorn.socket
wsgi.errors
                                  <gunicorn.http.wsgi.WSGIErrorsWrapper object at 0x7f442643a8d0>
wsgi.file_wrapper
wsgi.input
                                  <gunicorn.http.body.Body object at 0x7f4426366690>
wsgi.input_terminated
                                  True
wsgi.multiprocess
                                  True
wsgi.multithread
                                  False
wsgi.run_once
                                  False
wsgi.url_scheme
                                   'https'
wsgi.version
                                   (1, 0)
```

Settings

Using settings module markmycv.settings

```
Setting
                                     Value
ABSOLUTE_URL_OVERRIDES
                                     {}
ADMINS
ALLOWED_HOSTS
                                    ['api.markmycv.com', 'localhost']
APPEND SLASH
                                    True
AUTHENTICATION BACKENDS
                                    ['django.contrib.auth.backends.ModelBackend']
AUTH_PASSWORD_VALIDATORS
                                    ****************
AUTH_USER_MODEL
                                    'auth.User'
                                     '/home/predator/markmycv/markmycvfinal'
BASE DIR
CACHES
                                    {'default': {'BACKEND': 'django.core.cache.backends.locmem.LocMemCache'}}
CACHE_MIDDLEWARE_ALIAS
                                     'default'
CACHE MIDDLEWARE KEY_PREFIX
                                    *************
CACHE MIDDLEWARE SECONDS
                                    600
CORS_ORIGIN_ALLOW_ALL
                                    True
CSRF_COOKIE_AGE
                                    31449600
CSRF_COOKIE_DOMAIN
                                    None
CSRF COOKIE HTTPONLY
                                    False
CSRF_COOKIE_NAME
                                    'csrftoken'
CSRF_COOKIE_PATH
                                    1/1
CSRF_COOKIE_SAMESITE
                                    'Lax'
CSRF_COOKIE_SECURE
                                    False
CSRF_FAILURE_VIEW
                                     'django.views.csrf.csrf_failure'
CSRF_HEADER_NAME
                                    'HTTP_X_CSRFTOKEN'
CSRF_TRUSTED_ORIGINS
                                     []
CSRF_USE_SESSIONS
                                    False
                                    DATABASES
                                                   'CONN_MAX_AGE': 0,
'ENGINE': 'django.db.backends.sqlite3',
'HOST': '',
'NAME': '/home/predator/markmycv/markmycvfinal/db.sqlite3',
                                                   'PORT': '',
'TEST': {'CHARSET': None,
                                                             'COLLATION': None,
                                                   'COLLATION': No
'MIRROR': None,
'NAME': None},
'TIME_ZONE': None,
'USER': ''}}
DATABASE_ROUTERS
                                     []
DATA_UPLOAD_MAX_MEMORY_SIZE
                                     2621440
DATA_UPLOAD_MAX_NUMBER_FIELDS
                                     1000
DATETIME_FORMAT
                                     'N j, Y, P'
DATETIME INPUT FORMATS
                                     ['%Y-%m-%d %H:%M:%S',
                                      '%Y-%m-%d %H:%M:%S.%f',
'%Y-%m-%d %H:%M',
                                      '81-8m-8d',
'8m/8d/8Y %H:%M:%S',
'8m/8d/%Y %H:%M:%S.%f',
'%m/%d/%Y %H:%M',
                                      '&m/%d/%Y',
'%m/%d/%Y',
'%m/%d/%Y %H:%M:%S',
'%m/%d/%y %H:%M:%S.%f',
'%m/%d/%y %H:%M',
'%m/%d/%y']
DATE FORMAT
                                     'N j, Y'
DATE_INPUT_FORMATS
                                     ['%Y-%m-%d',
                                      '%m/%d/%Y',
                                      '%m/%d/%v'
                                      '%b %d %Y'
                                      '%b %d, %Y',
                                      '%d %b, %Y',
'%B %d %Y',
'%B %d, %Y',
                                      '%d %B %Y',
                                      '%d %B, %Y']
DEBUG
                                     True
DEBUG PROPAGATE EXCEPTIONS
                                    False
DECIMAL SEPARATOR
                                     1.1
DEFAULT_CHARSET
                                    'utf-8'
DEFAULT_EXCEPTION_REPORTER_FILTER 'django.views.debug.SafeExceptionReporterFilter'
                            'django.core.files.storage.FileSystemStorage'
DEFAULT FILE STORAGE
DEFAULT_FROM_EMAIL
                                    'webmaster@localhost'
DEFAULT_INDEX_TABLESPACE
                                    . .
DEFAULT_TABLESPACE
DISALLOWED_USER_AGENTS
                                    ٢1
EMAIL BACKEND
                                    'django.core.mail.backends.smtp.EmailBackend'
EMAIL_HOST
                                    'localhost'
EMAIL_HOST_PASSWORD
                                    *****************
EMAIL HOST USER
                                     . .
EMAIL_PORT
                                    2.5
EMAIL_SSL_CERTFILE
                                     !*******
EMAIL_SSL_KEYFILE
```

```
EMAIL_SUBJECT_PREFIX
                                                                '[Django]
EMAIL_TIMEOUT
                                                                None
EMAIL_USE_LOCALTIME
                                                                False
EMAIL_USE_SSL
                                                                False
EMAIL_USE_TLS
FILE CHARSET
                                                                 'utf-8'
FILE_UPLOAD_DIRECTORY_PERMISSIONS None
FILE_UPLOAD_HANDLERS
                                                     ['django.core.files.uploadhandler.MemoryFileUploadHandler', 'django.core.files.uploadhandler.TemporaryFileUploadHandler']
FILE_UPLOAD_MAX_MEMORY_SIZE 2621440
FILE_UPLOAD_PERMISSIONS
                                                              420
FILE_UPLOAD_TEMP_DIR
                                                                None
FIRST_DAY_OF_WEEK
FIXTURE DIRS
                                                                [1
FORCE SCRIPT NAME
FORMAT_MODULE_PATH
FORM RENDERER
                                                                 'django.forms.renderers.DjangoTemplates'
IGNORABLE_404_URLS
                                                                 []
INSTALLED_APPS
                                                                 ['django.contrib.admin',
                                                                    'django.contrib.auth',
                                                                   'django.contrib.contenttypes',
                                                                   'django.contrib.sessions',
'django.contrib.messages',
                                                                   'django.contrib.staticfiles',
                                                                    'corsheaders',
                                                                   'api',
'authentication',
                                                                   'generator']
 INTERNAL_IPS
                                                                [('af', 'Afrikaans'),
('ar', 'Arabic'),
('ast', 'Asturian'),
('az', 'Azerbaijani'),
('bg', 'Bulgarian'),
('be', 'Belarusian'),
('bn', 'Bengali'),
 _
LANGUAGES
                                                                   ('br', 'Breton'),
('bs', 'Bosnian'),
                                                                   ('ca', 'Catalan'),
('cs', 'Czech'),
                                                                   ('cy', 'Welsh'),
('da', 'Danish'),
                                                                  ('da', 'Danish'),
('de', 'German'),
('dsb', 'Lower Sorbian'),
('el', 'Greek'),
('en', 'English'),
('en-au', 'Australian English'),
('en-gb', 'British English'),
('eo', 'Esperanto'),
('es', 'Spanish'),
('es-ar', 'Argentinian Spanish'),
('es-mi', 'Argentinian Spanish'),
('es-mi', 'Nicaraguan Spanish'),
('es-ve', 'Venezuelan Spanish'),
('et', 'Estonian'),
                                                                   ('es-ve', 'Venezuel
('et', 'Estonian'),
('eu', 'Basque'),
('fa', 'Persian'),
('fi', 'Finnish'),
                                                                   ('fr', 'French'),
('fy', 'Frisian'),
                                                                    ('ga', 'Irish'),
                                                                   ('gd', 'Scottish Gaelic'),
('gl', 'Galician'),
                                                                    ('he', 'Hebrew'),
                                                                    ('hi', 'Hindi'),
                                                                   ('hn', 'Hindi'),
('hr', 'Croatian'),
('hsb', 'Upper Sorbian'),
('hu', 'Hungarian'),
('hy', 'Armenian'),
                                                                   ('ia', 'Interlingua'), ('id', 'Indonesian'),
                                                                   ('io', 'Ido'),
('is', 'Icelandic'),
                                                                   ('it', 'Italian'),
('ja', 'Japanese'),
                                                                   ('ka', 'Georgian'),
('kab', 'Kabyle'),
('kk', 'Kazakh'),
                                                                    ('km', 'Khmer'),
('kn', 'Kannada'),
                                                                   ('ko', 'Korean'),
('lb', 'Luxembourgish'),
                                                                   ('lt', 'Lithuanian'), ('lv', 'Latvian'),
                                                                   ('mk', 'Macedonian'), ('ml', 'Malayalam'),
                                                                   ('mn', 'Mongolian'),
('mr', 'Marathi'),
                                                                   ('my', 'Burmese'),
('nb', 'Norwegian Bokmål'),
                                                                   ('ne', 'Nepali'),
('nl', 'Dutch'),
                                                                    ('nn', 'Norwegian Nynorsk'), ('os', 'Ossetic'),
                                                                   ('pa', 'Punjabi'), ('pl', 'Polish'),
                                                                    ('pt', 'Portuguese'),
                                                                   ('pt', 'Portuguese'),
('pt'-pr', 'Brazilian Portuguese'),
('ro', 'Romanian'),
('ru', 'Russian'),
('sk', 'Slovak'),
('sl', 'Slovenian'),
('sq', 'Albanian'),
                                                                    ('sr', 'Serbian'),
                                                                   ('sr-latn', 'Serbian Latin'),
('sv', 'Swedish'),
('sw', 'Swahili'),
                                                                    ('ta', 'Tamil'),
('te', 'Telugu'),
                                                                    ('th', 'Thai'),
                                                                   ('tr', 'Turkish'),
('tt', 'Tatar'),
```

```
('udm', 'Udmurt'),
('uk', 'Ukrainian'),
('ur', 'Urdu'),
('uz', 'Uzbek'),
('vi', 'Vietnamese')
                                   ('zh-hans', 'Simplified Chinese'),
('zh-hant', 'Traditional Chinese')]
LANGUAGES BIDI
                                 ['he', 'ar', 'fa', 'ur']
LANGUAGE_CODE
                                 'en-us'
LANGUAGE_COOKIE_AGE
LANGUAGE_COOKIE_DOMAIN
                                 None
LANGUAGE_COOKIE_HTTPONLY
                                 False
LANGUAGE_COOKIE_NAME
                                 'django_language'
LANGUAGE_COOKIE_PATH
                                 1/1
LANGUAGE COOKIE SAMESITE
                                 None
LANGUAGE_COOKIE_SECURE
                                 False
LOCALE_PATHS
                                 []
LOGGING
LOGGING CONFIG
                                 'logging.config.dictConfig'
LOGIN REDIRECT URL
                                 '/accounts/profile/'
LOGIN URL
                                 '/accounts/login/'
LOGOUT REDIRECT URL
MANAGERS
                                 []
                                 '/home/predator/markmycv/markmycvfinal/media'
MEDIA ROOT
MEDIA_URL
                                  '/media/'
MESSAGE STORAGE
                                  'django.contrib.messages.storage.fallback.FallbackStorage'
MIDDLEWARE
                                  ['diango.middleware.security.SecurityMiddleware'
                                   'django.contrib.sessions.middleware.SessionMiddleware',
                                   'corsheaders.middleware.CorsMiddleware',
                                   'django.middleware.common.CommonMiddleware'
                                   'diango.middleware.csrf.CsrfViewMiddleware'
                                   'django.contrib.auth.middleware.AuthenticationMiddleware',
                                   'django.contrib.messages.middleware.MessageMiddleware', 'django.middleware.clickjacking.XFrameOptionsMiddleware']
MIGRATION MODULES
                                  {}
                                  'F j'
MONTH DAY FORMAT
NUMBER_GROUPING
                                 Ω
                                 ****************
PASSWORD HASHERS
                                 *************
PASSWORD_RESET_TIMEOUT_DAYS
PREPEND WWW
                                 False
REST_FRAMEWORK
                                  {'DEFAULT_AUTHENTICATION_CLASSES': ('rest_framework_simplejwt.authentication.JWTAuthentication',)}
ROOT URLCONF
                                  'markmycv.urls'
SECRET KEY
SECURE BROWSER XSS FILTER
                                False
SECURE_CONTENT_TYPE_NOSNIFF
                                 True
SECURE_HSTS_INCLUDE_SUBDOMAINS False
SECURE_HSTS_PRELOAD
                                 False
SECURE_HSTS_SECONDS
SECURE_PROXY_SSL_HEADER
                                 None
SECURE_REDIRECT_EXEMPT
                                 ٢1
SECURE REFERRER POLICY
                                 None
SECURE SSL HOST
                                 None
SECURE_SSL_REDIRECT
                                 False
SERVER_EMAIL
                                 'root@localhost'
SESSION CACHE ALIAS
                                 'default'
SESSION_COOKIE_AGE
                                 1209600
SESSION_COOKIE_DOMAIN
                                 None
SESSION_COOKIE_HTTPONLY
                                 True
SESSION_COOKIE_NAME
                                 'sessionid'
SESSION COOKIE PATH
SESSION_COOKIE_SAMESITE
                                 'Lax'
SESSION_COOKIE_SECURE
SESSION_ENGINE
                                  'django.contrib.sessions.backends.db'
SESSION_EXPIRE_AT_BROWSER_CLOSE False
SESSION_FILE_PATH
SESSION_SAVE_EVERY_REQUEST
                                 False
SESSION SERIALIZER
                                  'django.contrib.sessions.serializers.JSONSerializer'
SETTINGS MODULE
                                  'markmycv.settings'
SHORT_DATETIME_FORMAT
                                 'm/d/Y P'
SHORT_DATE_FORMAT
                                  'm/d/Y'
SIGNING BACKEND
                                  'django.core.signing.TimestampSigner'
SILENCED_SYSTEM_CHECKS
                                  SIMPLE_JWT
                                   'BLACKLIST_AFTER_ROTATION': True,
                                   'USER ID_CLAIM': 'user_id',
'USER_ID_FIELD': 'id',
'VERIFYING_KEY': '*************************
STATICFILES DIRS
                                  ['/home/predator/markmycv/markmycvfinal/resume/stylesheets']
STATICFILES_FINDERS
                                  ['django.contrib.staticfiles.finders.FileSystemFinder',
                                   'django.contrib.staticfiles.finders.AppDirectoriesFinder']
STATICFILES_STORAGE
                                  'django.contrib.staticfiles.storage.StaticFilesStorage'
STATIC ROOT
                                  '/home/predator/markmycy/markmycyfinal/static'
STATIC URL
                                  '/css/'
                                 TEMPLATES
```

You're seeing this error because you have DEBUG = True in your Django settings file. Change that to False, and Django will display a standard page generated by the handler for this status code.