DoesNotExist at /generator/primaryresume/zoJG695R162oNo0Hzn8575IPRmoJqdI2VRHYvakxDNRxx8wHNvINc09ERwjPBBkv

Resume matching query does not exist.

Request Method: GET

Request URL: https://api.markmycv.com/generator/primary-resume/zoJG695R1620N00Hzn8575IPRmoJqdl2VRHYvakxDNRxx8wHNvINc09ERwjPBBkv

Django Version: 3.0.2 Exception Type: DoesNotExist

Exception Value: Resume matching query does not exist.

Exception Location: /home/predator/markmycv/markmycvfinalenv/lib/python3.7/site-packages/django/db/models/query.py in get, line 417

Python Executable: /home/predator/markmycv/markmycvfinalenv/bin/python3

Python Version: 3.7.5

Server time: Tue, 14 Jan 2020 08:32:36 +0000

Traceback Switch to copy-and-paste view

 $/ \texttt{home/predator/markmycv/markmycvfinalenv/lib/python3.7/site-packages/django/core/handlers/exception.py} ~\textbf{in}~ \texttt{inner}~ \texttt{inner}~ \texttt{in}~ \texttt{inner}~ \texttt{in}~ \texttt{inner}~ \texttt{in}~ \texttt{inner}~ \texttt{in}~ \texttt{i$

response = get_response(request)

▶ Local vars

 $/ \texttt{home/predator/markmycv/markmycvfinalenv/lib/python3.7/site-packages/django/core/handlers/base.py} \textbf{in}_\texttt{get_response}$

115. response = self.process exception by middleware(e, request)

▶ Local vars

 $/ \texttt{home/predator/markmycv/markmycvfinalenv/lib/python3.7/site-packages/django/core/handlers/base.py} \ \textbf{in} \ _\texttt{get_response} \ . \\$

response = wrapped_callback(request, *callback_args, **callback_kwargs) 113.

▶ Local vars

/home/predator/markmycv/markmycvfinal/generator/views.py in primaryResume

resume = Resume.objects.get(hashcode = hashcode)

▶ Local vars

return getattr(self.get_queryset(), name)(*args, **kwargs)

► Local vars

/home/predator/markmycv/markmycvfinalenv/lib/python 3.7/site-packages/django/db/models/query.py ~~in~get/packages/django/db/models/query.py ~~in~get/pac

self.model. meta.object name

▶ Local vars

Request information

USER AnonymousUser

GET No GET data

POST No POST data

FILES No FILES data

COOKIES No cookie data

META

Variable	Value
HTTP_ACCEPT	"text/html, application/xhtml+xml, application/xml; q=0.9, image/webp, image/apng, */*; q=0.8, application/signed-exchange; v=b3; q=0.9"
HTTP_ACCEPT_ENCODING	'gzip'
HTTP_CDN_LOOP	'cloudflare'
HTTP_CF_CONNECTING_IP	'3.84.93.81'
HTTP_CF_IPCOUNTRY	'US'
HTTP_CF_RAY	'554e42a17f4fe116-IAD'
HTTP_CF_VISITOR	'{"scheme":"https"}'
HTTP_CONNECTION	'close'
HTTP_HOST	'api.markmycv.com'
HTTP_SEC_FETCH_MODE	'navigate'
HTTP_SEC_FETCH_SITE	'none'
HTTP_SEC_FETCH_USER	'?1'
HTTP_UPGRADE_INSECURE_REQUESTS	'1'
HTTP_USER_AGENT	('Mozilla/5.0 (X11; Linux x86 $\underline{6}$ 4) AppleWebKit/537.36 (KHTML, like Gecko) ' 'HeadlessChrome/79.0.3945.0 $\overline{\text{Safari}}/537.36$ ')
HTTP_X_FORWARDED_FOR	'3.84.93.81, 173.245.54.95'
HTTP_X_FORWARDED_PROTO	'https'
HTTP_X_REAL_IP	'173.245.54.95'
PATH_INFO	'/generator/primary-resume/zoJG695R162oNoOHzn8575IPRmoJqdl2VRHYvakxDNRxx8wHNvlNc09ERwjPBBkv'
QUERY_STRING	· · · · · · · · · · · · · · · · · · ·
RAW_URI	'/generator/primary-resume/zoJG695R162oNo0Hzn8575IPRmoJqdl2VRHYvakxDNRxx8wHNvlNc09ERwjPBBkv'
REMOTE_ADDR	· ·
REQUEST METHOD	'GET'

```
SCRIPT_NAME
SERVER_NAME
                                  'api.markmycv.com'
SERVER PORT
                                  '443'
SERVER_PROTOCOL
                                  'HTTP/1.0'
SERVER_SOFTWARE
                                  'gunicorn/20.0.4'

<socket.socket fd=9, family=AddressFamily.AF_UNIX, type=SocketKind.SOCK_STREAM, proto=0,
laddr=/home/predator/markmycv/markmycvfinal/markmycv.sock>

gunicorn.socket
wsgi.errors
                                  <gunicorn.http.wsgi.WSGIErrorsWrapper object at 0x7fac8c7bfad0>
wsgi.file_wrapper
wsgi.input
                                 <gunicorn.http.body.Body object at 0x7fac8c7bfb90>
wsgi.input_terminated
                                 True
wsgi.multiprocess
wsgi.multithread
                                 False
wsgi.run_once
                                 False
                                  'https
wsgi.url scheme
wsgi.version
                                  (1, 0)
```

Settings

```
Using settings module markmycv.settings
Settina
                                   Value
ABSOLUTE URL OVERRIDES
                                   {}
ADMINS
                                  []
ALLOWED HOSTS
                                   ['api.markmycv.com', 'pdfgento.herokuapp.com']
APPEND_SLASH
                                  True
AUTHENTICATION BACKENDS
                                 ['django.contrib.auth.backends.ModelBackend']
AUTH PASSWORD VALIDATORS
AUTH_USER_MODEL
                                  'auth.User'
BASE DIR
                                  '/home/predator/markmycv/markmycvfinal'
CACHES
                                  {'default': {'BACKEND': 'django.core.cache.backends.locmem.LocMemCache'}}
CACHE_MIDDLEWARE_ALIAS
                                  'default'
CACHE MIDDLEWARE KEY PREFIX
                                 *************
CACHE_MIDDLEWARE_SECONDS
                                  600
CORS_ORIGIN_WHITELIST
                                  ['https://markmycv.com', 'https://www.markmycv.com', 'http://localhost:8080']
                                  31449600
CSRF COOKIE AGE
CSRF COOKIE DOMAIN
                                  None
CSRF COOKIE HTTPONLY
                                  False
CSRF COOKIE NAME
                                   'csrftoken'
CSRF_COOKIE_PATH
                                   1/1
                                  'Lax'
CSRF COOKIE SAMESITE
CSRF_COOKIE_SECURE
                                  False
CSRF FAILURE VIEW
                                   'django.views.csrf.csrf_failure'
                                   'HTTP_X_CSRFTOKEN'
CSRF_HEADER_NAME
CSRF_TRUSTED_ORIGINS
                                   []
CSRF USE SESSIONS
                                  False
DATABASES
                                   {'default': {'ATOMIC REQUESTS': False,
                                                 'AUTOCOMMIT': True,
                                                'CONN_MAX_AGE': 0,
                                                'ENGINE': 'django.db.backends.sqlite3',
'HOST': '',
'NAME': '/home/predator/markmycv/markmycvfinal/db.sqlite3',
                                                'PORT': '',
'TEST': {'CHARSET': None,
                                                         'COLLATION': None,
                                                         'MIRROR': None,
'NAME': None},
                                                'TIME_ZONE': None,
DATABASE_ROUTERS
                                   []
DATA UPLOAD MAX MEMORY SIZE
                                  2621440
DATA UPLOAD MAX NUMBER FIELDS
                                  1000
DATETIME FORMAT
                                   'N j, Y, P'
                                   ['%Y-%m-%d %H:%M:%S',
DATETIME_INPUT_FORMATS
                                    '%Y-%m-%d %H:%M:%S.%f',
                                    '%Y-%m-%d %H:%M'
                                    '%Y-%m-%d',
'%m/%d/%Y %H:%M:%S',
                                    '%m/%d/%Y %H:%M:%S.%f',
'%m/%d/%Y %H:%M',
                                    '%m/%d/%Y',
                                    DATE FORMAT
                                   'N j, Y'
DATE INPUT FORMATS
                                   ['%Y-%m-%d',
                                    '%m/%d/%Y',
                                    '%m/%d/%y'
                                    '%b %d %Y',
                                    '%b %d, %Y'
                                    '%d %b %Y',
                                    '%d %b, %Y',
                                    '%B %d %Y',
'%B %d, %Y',
'%d %B %Y',
                                    '%d %B, %Y']
DEBUG
                                   True
DEBUG_PROPAGATE_EXCEPTIONS
                                  False
DECIMAL_SEPARATOR
                                   1.1
DEFAULT CHARSET
                                   'utf-8'
DEFAULT_EXCEPTION_REPORTER_FILTER 'django.views.debug.SafeExceptionReporterFilter'
DEFAULT_FILE_STORAGE 'django.core.files.storage.FileSystemStorage'
DEFAULT_FROM_EMAIL
                                  'webmaster@localhost'
DEFAULT_INDEX_TABLESPACE
                                  . . .
DEFAULT TABLESPACE
DISALLOWED_USER_AGENTS
                                 []
```

```
EMAIL BACKEND
                                                              'django.core.mail.backends.smtp.EmailBackend
                                                              'localhost'
EMAIL_HOST
EMAIL_HOST_PASSWORD
                                                              1********
                                                              . .
EMAIL HOST USER
EMAIL PORT
                                                              25
EMAIL SSL CERTFILE
                                                             None
EMAIL SSL KEYFILE
EMAIL_SUBJECT_PREFIX
                                                             '[Django] '
EMAIL_TIMEOUT
                                                             None
EMAIL_USE_LOCALTIME
                                                             False
EMAIL USE SSL
                                                             False
EMAIL USE TLS
                                                              False
FILE CHARSET
                                                              'utf-8'
FILE_UPLOAD_DIRECTORY_PERMISSIONS None
FILE_UPLOAD_HANDLERS ['django.core.files.uploadhandler.MemoryFileUploadHandler', 'django.core.files.uploadhandler.TemporaryFileUploadHandler']
FILE_UPLOAD_MAX_MEMORY_SIZE 2621440
FILE UPLOAD PERMISSIONS
                                                              420
FILE UPLOAD TEMP DIR
                                                            None
FIRST_DAY_OF_WEEK
                                                            0
FIXTURE DIRS
                                                              []
FORCE_SCRIPT_NAME
                                                              None
FORMAT_MODULE_PATH
                                                              None
FORM RENDERER
                                                               'django.forms.renderers.DjangoTemplates'
IGNORABLE_404_URLS
                                                               []
INSTALLED APPS
                                                               ['django.contrib.admin',
                                                                 'django.contrib.auth',
                                                                 'django.contrib.contenttypes',
                                                                 'django.contrib.sessions',
                                                                 'django.contrib.messages',
                                                                 'django.contrib.staticfiles',
                                                                 'corsheaders',
                                                                 'api',
'authentication',
                                                                 'generator']
INTERNAL IPS
                                                               []
                                                              [[('af', 'Afrikaans'),
('ar', 'Arabic'),
('ast', 'Asturian'),
('az', 'Azerbaijani'),
('bg', 'Bulgarian'),
('be', 'Belarusian'),
('bn', 'Breton'),
('br', 'Breton'),
LANGUAGES
                                                                  ('bs', 'Bosnian'),
                                                                 ('bs', 'Bosnian'),
('ca', 'Catalan'),
('cs', 'Czech'),
('cy', 'Welsh'),
('da', 'Danish'),
                                                                 ('da', 'Dahlsh','
('de', 'German'),
('dsb', 'Lower Sorbian'),
('el', 'Greek'),
('en', 'English'),
                                                                 ('en-au', 'Australian English'),
('en-gb', 'British English'),
                                                                ('en-gb', 'British English'),
('eo', 'Esperanto'),
('es', 'Spanish'),
('es-ar', 'Argentinian Spanish'),
('es-co', 'Colombian Spanish'),
('es-mx', 'Mexican Spanish'),
('es-mi', 'Nicaraguan Spanish'),
('es-ve', 'Venezuelan Spanish'),
('et', 'Estonian'),
('eu', 'Basque'),
('fa', 'Persian'),
('fi', 'Finnish'),
('ff', 'Frisian'),
('fy', 'Frisian'),
('ga', 'Irish'),
                                                                 ('ga', 'Irish'),
('gd', 'Scottish Gaelic'),
('gl', 'Galician'),
                                                                  ('he', 'Hebrew'),
('hi', 'Hindi'),
('hr', 'Croatian'),
                                                                ('hr', 'Croatian'),
('hsb', 'Upper Sorbian'),
('hu', 'Hungarian'),
('hy', 'Armenian'),
('ia', 'Interlingua'),
('id', 'Indonesian'),
('io', 'Ido'),
('is', 'Icelandic'),
('it', 'Italian'),
('it', 'Italian'),
                                                                 ('it', 'Italian'),
('ja', 'Japanese'),
('ka', 'Georgian'),
('kab', 'Kabyle'),
('kk', 'Kazakh'),
('km', 'Khmer'),
                                                                 ('kn', 'Kannada'),
('kn', 'Korean'),
('ko', 'Korean'),
('lb', 'Luxembourgish'),
                                                                 ('lt', 'Lithuanian'),
('lv', 'Latvian'),
('mk', 'Macedonian'),
                                                                 ('ml', 'Malayalam'),
('mn', 'Mongolian'),
('mr', 'Marathi'),
                                                                 ('my', 'Burmese'),
('nb', 'Norwegian Bokmål'),
('ne', 'Nepali'),
                                                                  ('nl', 'Dutch'),
('nn', 'Norwegian Nynorsk'),
                                                                  ('os', 'Ossetic'),
                                                                  ('pa', 'Punjabi'), ('pl', 'Polish'),
                                                                  ('pt', 'Portuguese'),
                                                                 ('pt-br', 'Brazilian Portuguese'),
```

```
('ro', 'Romanian'),
                                      ('ru', 'Russian'),
                                      ('sk', 'Slovak'),
                                      ('sl', 'Slovenian'),
                                     ('sq', 'Albanian'), ('sr', 'Serbian'),
                                      ('sr-latn', 'Serbian Latin'),
                                      ('sv', 'Swedish'),
('sw', 'Swahili'),
                                      ('ta', 'Tamil'),
('te', 'Telugu'),
('th', 'Thai'),
                                      ('tr', 'Turkish'),
                                     ('tt', 'Tatar'),
('tt', 'Tatar'),
('udm', 'Udmurt'),
('uk', 'Ukrainian'),
('ur', 'Urdu'),
                                     ('ur', 'Urdu'),
('uz', 'Uzbek'),
('vi', 'Vietnamese'),
('zh-hans', 'Simplified Chinese'),
('zh-hant', 'Traditional Chinese')]
                                   ['he', 'ar', 'fa', 'ur']
LANGUAGES BIDI
LANGUAGE_CODE
                                   'en-us'
LANGUAGE_COOKIE_AGE
LANGUAGE COOKIE DOMAIN
                                   None
LANGUAGE COOKIE HTTPONLY
                                   False
LANGUAGE COOKIE NAME
                                    'django_language'
                                   1/1
LANGUAGE COOKIE PATH
LANGUAGE COOKIE SAMESITE
LANGUAGE COOKIE SECURE
                                   False
LOCALE_PATHS
                                    []
LOGGING
                                   {}
LOGGING_CONFIG
                                   'logging.config.dictConfig'
LOGIN_REDIRECT_URL
                                   '/accounts/profile/
LOGIN URL
                                   '/accounts/login/'
LOGOUT_REDIRECT_URL
                                   None
MANAGERS
                                    []
MEDIA ROOT
                                    '/home/predator/markmycv/markmycvfinal/media'
MEDIA URL
                                    '/media/'
                                    'django.contrib.messages.storage.fallback.FallbackStorage'
MESSAGE STORAGE
MIDDLEWARE
                                    ['django.middleware.security.SecurityMiddleware',
                                      'diango.contrib.sessions.middleware.SessionMiddleware',
                                     'corsheaders.middleware.CorsMiddleware',
                                     'django.middleware.common.CommonMiddleware',
'django.middleware.csrf.CsrfViewMiddleware',
                                     'django.contrib.auth.middleware.AuthenticationMiddleware',
                                     'django.contrib.messages.middleware.MessageMiddleware', 'django.middleware.clickjacking.XFrameOptionsMiddleware']
MIGRATION MODULES
                                    {}
MONTH_DAY_FORMAT
                                   'F j'
NUMBER GROUPING
                                   0
                                    1******
PASSWORD_HASHERS
PASSWORD_RESET_TIMEOUT_DAYS
                                   1**************
                                   False
PREPEND WWW
REST FRAMEWORK
                                     \{ \verb"'DEFAULT_AUTHENTICATION_CLASSES': ('rest_framework_simplejwt.authentication.JWTAuthentication',) \} \\
ROOT URLCONF
                                   'markmycv.urls'
SECRET_KEY
SECURE BROWSER XSS FILTER
SECURE CONTENT TYPE NOSNIFF
                                   True
SECURE_HSTS_INCLUDE_SUBDOMAINS False
SECURE HSTS PRELOAD
                                   False
SECURE HSTS SECONDS
SECURE_PROXY_SSL_HEADER
SECURE REDIRECT EXEMPT
                                   f 1
SECURE REFERRER POLICY
                                   None
SECURE_SSL_HOST
                                   None
                                   False
SECURE_SSL_REDIRECT
SERVER EMAIL
                                    'root@localhost'
SESSION CACHE ALIAS
                                   'default'
SESSION_COOKIE_AGE
                                   1209600
SESSION COOKIE DOMAIN
SESSION COOKIE HTTPONLY
                                   True
SESSION_COOKIE_NAME
                                   'sessionid'
SESSION COOKIE PATH
                                   'Lax'
SESSION COOKIE SAMESITE
SESSION_COOKIE_SECURE
                                   False
SESSION ENGINE
                                    'diango.contrib.sessions.backends.db'
SESSION EXPIRE AT BROWSER CLOSE False
SESSION FILE PATH
                                   None
SESSION_SAVE_EVERY_REQUEST
                                   False
SESSION SERIALIZER
                                    'django.contrib.sessions.serializers.JSONSerializer'
SETTINGS MODULE
                                   'markmycv.settings'
SHORT_DATETIME_FORMAT
                                   'm/d/Y P'
SHORT DATE FORMAT
                                    'm/d/Y'
SIGNING_BACKEND
                                    'django.core.signing.TimestampSigner'
SILENCED_SYSTEM_CHECKS
                                    []
                                    SIMPLE JWT
                                     'ALGORITHM': 'HS256',
'AUDIENCE': None,
                                     'BLACKLIST_AFTER_ROTATION': True,
                                     'ISSUER': None,
```

```
STATICFILES DIRS
                             ['/home/predator/markmycv/markmycvfinal/resume/stylesheets']
                           ['django.contrib.staticfiles.finders.FileSystemFinder',
'django.contrib.staticfiles.finders.AppDirectoriesFinder']
STATICFILES FINDERS
STATICFILES STORAGE
                             'django.contrib.staticfiles.storage.StaticFilesStorage'
STATIC_ROOT
                             \verb|'/home/predator/markmycv/markmycvfinal/static'|
STATIC URL
                             '/css/'
                             TEMPLATES
                              'django.contrib.auth.context_processors.auth',
                                                             'django.contrib.messages.context_processors.messages']}}]
TEST NON SERIALIZED APPS
TEST RUNNER
                             'django.test.runner.DiscoverRunner'
                            ٠,٠
THOUSAND_SEPARATOR
TIME_FORMAT
                            'P'
                        ['%H:%M:%S', '%H:%M:%S.%f', '%H:%M']
TIME INPUT FORMATS
TIME_ZONE
                            'UTC'
USE I18N
                            True
USE L10N
                            True
USE_THOUSAND_SEPARATOR
                           False
USE TZ
                            True
USE_X_FORWARDED_HOST
                            False
USE_X_FORWARDED_PORT
                            False
WKHTMLTOPDF CMD
                            '/usr/bin/wkhtmltopdf'
WSGI APPLICATION
                            'markmycv.wsgi.application'
                            'DENY'
X FRAME OPTIONS
                            'F Y'
YEAR_MONTH_FORMAT
```

You're seeing this error because you have DEBUG = True in your Django settings file. Change that to False, and Django will display a standard page generated by the handler for this status code.