



@ coding.artist

CODING ARTIST

1/8

- ✓ Quick Reference
- ✓ Easy to Learn
- ✓ Super Useful



HTML

CHEATSHEET

Quick • Simple • Complete

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <title>HTML Cheatsheet</title>
  </head>
  <body>
    <h1>Hello, World!</h1>
    <p>Let's build the web!</p>
  </body>
</html>
```

</>



Beginner
Friendly



Quick
Reference



Covers All
Essentials



Perfect for
Interviews

Likes

HTML

STRUCTURE & CORE ELEMENTS

DOCUMENT STRUCTURE

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport"
    content="width=device-width,
    initial-scale=1.0">
  <title>Page Title</title>
</head>
<body>
  <!-- Content goes here -->
</body>
</html>
```

CORE ELEMENTS

<html>	Root element of an HTML page.	<html>...</html>
<head>	Contains meta info, title, links, etc.	<head>...</head>
<title>	Sets the title shown in browser tab.	<title>My Page</title>
<meta>	Provides metadata about the page.	<meta charset="UTF-8">
<link>	Links external resources (CSS, icons).	<link rel="stylesheet" href="style.css">
<body>	Contains all visible content.	<body>...</body>

COMMON CORE ELEMENTS

<h1> Heading Main Title	<p> Paragraph This is a paragraph.	
 Line Break First Line Second Line	<hr> Horizontal Rule 	 Important Text Important
 Emphasized Text Emphasis	<a> Link Link	 Image 	 Unordered List Item	 Ordered List Item
 List Item Item	<div> Block Container ...	 Inline Container ...	<!-- --> Comment <!-- This is a comment -->	< > & HTML Entities < > &

HTML

TEXT, LINKS & LISTS

3/8

- ✓ Quick Reference
- ✓ Easy to Learn
- ✓ Super Useful

1. TEXT FORMATTING

ELEMENT	DESCRIPTION	EXAMPLE	OUTPUT
<code><h1></code> to <code><h6></code>	Headings	<code><h1>Hello</h1></code>	Hello
<code><p></code>	Paragraph	<code><p>This is a paragraph.</p></code>	This is a paragraph.
<code></code>	Bold text	<code>Bold Text</code>	Bold Text
<code></code>	Important text	<code>Important</code>	Important
<code><i></code>	Italic text	<code><i>Italic Text</i></code>	<i>Italic Text</i>
<code></code>	Emphasized text	<code>Emphasis</code>	<i>Emphasis</i>
<code><u></code>	Underlined text	<code><u>Underlined</u></code>	<u>Underlined</u>
<code><mark></code>	Highlighted text	<code><mark>Highlight</mark></code>	Highlight
<code><small></code>	Smaller text	<code><small>Small Text</small></code>	Small Text
<code></code>	Deleted text	<code>Deleted</code>	Deleted
<code><ins></code>	Inserted text	<code><ins>Inserted</ins></code>	<u>Inserted</u>
<code><sub></code>	Subscript text	<code>H<sub>2</sub>O</code>	H ₂ O
<code><sup></code>	Superscript text	<code>x<sup>2</sup></code>	x ²
<code><code></code>	Inline code	<code><code>console.log()</code></code>	console.log()
<code><pre></code>	Preformatted text	<code><pre>Line 1 Line 2 </pre></code>	Line 1 Line 2

2. LINKS

Basic Link

`<a href="https://example.com">Visit Website</a>`
[Visit Website](https://example.com)

Open in New Tab

`<a href="https://example.com" target="_blank">Open in New Tab</a>`
[Open in New Tab](https://example.com)

Email Link

`<a href="mailto:hello@example.com">Email Us</a>`
[Email Us](mailto:hello@example.com)

Link with Title (Tooltip)

`<a href="https://example.com" title="Go to Example Website">Example</a>`
[Example](https://example.com)

Anchor Link (Same Page)

`<a href="#section1">Go to Section 1</a>`
 Use an id on the target element:
`<h2 id="section1">Section 1</h2>`

3. LISTS

UNORDERED LIST

`
Item One
Item Two
Item Three
`

- Item One
- Item Two
- Item Three

ORDERED LIST

`
First Item
Second Item
Third Item
`

1. First Item
2. Second Item
3. Third Item

DESCRIPTION LIST

`<dl>
<dt>HTML</dt>
<dd>HyperText Markup Language</dd>
<dt>CSS</dt>
<dd>Cascading Style Sheets</dd>
</dl>`

HTML
HyperText Markup Language
CSS
Cascading Style Sheets

NESTED LIST EXAMPLE

`
Fruits

Apple
Banana

Vegetables
`

- Fruits
 - Apple
 - Banana
- Vegetables

HTML

IMAGES, MEDIA & EMBEDS

4/8

- ✓ Quick Reference
- ✓ Easy to Learn
- ✓ Super Useful

1. IMAGES

ELEMENT	SYNTAX	DESCRIPTION
<code></code>	<code></code>	Embeds an image in the document.
💡 alt text is important for accessibility and SEO.		

2. MEDIA

ELEMENT	SYNTAX	DESCRIPTION
<code><audio></code>	<code><audio controls></code> <code><source src="audio.mp3" type="audio/mpeg"></code> Your browser does not support the audio element. <code></audio></code>	Embeds audio with playback controls.
<code><video></code>	<code><video controls width="400"></code> <code><source src="video.mp4" type="video/mp4"></code> Your browser does not support the video element. <code></video></code>	Embeds video with playback controls.

3. EMBEDS & IFRAMES

ELEMENT	SYNTAX	DESCRIPTION
<code><iframe></code>	<code><iframe src="https://example.com" width="600" height="400" title="Example Website"></code> <code></iframe></code>	Embeds another HTML page inside the current page.
<code><embed></code>	<code><embed src="file.pdf" type="application/pdf" width="600" height="400"></code>	Embeds external content (PDF, plugins, etc.).
<code><object></code>	<code><object data="file.pdf" type="application/pdf" width="600" height="400"></code> Your browser does not support this file. <code></object></code>	Embeds external content with fallback text.

4. FIGURE & FIGCAPTION

ELEMENT	DESCRIPTION
<code><figure></code>	Groups media content (image, video, etc.).
<code><figcaption></code>	Provides a caption for the <code><figure></code> .



@ coding.artist

CODING ARTIST

HTML

TABLES & FORMS

5/8

- ✓ Quick Reference
- ✓ Easy to Learn
- ✓ Super Useful

1. TABLES

ELEMENT	SYNTAX	DESCRIPTION
<code><table></code>	<code><table> ... </table></code>	Defines a table.
<code><tr></code>	<code><tr> ... </tr></code>	Defines a table row.
<code><th></code>	<code><th> ... </th></code>	Defines a header cell (bold & centered by default).
<code><td></code>	<code><td> ... </td></code>	Defines a data cell.
<code><thead></code>	<code><thead> ... </thead></code>	Groups header content in a table.
<code><tbody></code>	<code><tbody> ... </tbody></code>	Groups body content in a table.
<code><tfoot></code>	<code><tfoot> ... </tfoot></code>	Groups footer content in a table.
<code><colgroup></code>	<code><colgroup> ... </colgroup></code>	Groups one or more columns.
<code><col></code>	<code><col></code>	Specifies column properties for each column within a <code><colgroup></code> .
<code><caption></code>	<code><caption> ... </caption></code>	Adds a caption to a table.
<code><border></code>	<code><table border="1"></code>	Adds a border to the table. (Inline styling, use CSS instead)

2. FORMS

ELEMENT	SYNTAX	DESCRIPTION
<code><form></code>	<code><form action="" method=""> ... </form></code>	Defines an HTML form.
<code><label></code>	<code><label for="id">Label Text</label></code>	Defines a label for an input element.
<code><input></code>	<code><input type="text" /></code>	Defines an input field. Types: text, password, email, number, date, checkbox, radio, file, submit, reset, button, etc.
<code><textarea></code>	<code><textarea rows="4" cols="50"></textarea></code>	Defines a multi-line text input control.
<code><select></code>	<code><select> ... </select></code>	Defines a drop-down list.
<code><option></code>	<code><option value="">Option Text</option></code>	Defines an option in a drop-down list.
<code><button></code>	<code><button type="button">Click</button></code>	Defines a clickable button.
<code><fieldset></code>	<code><fieldset> ... </fieldset></code>	Groups related form elements.
<code><legend></code>	<code><legend>Legend Text</legend></code>	Defines a caption for a <code><fieldset></code> .
<code><datalist></code>	<code><datalist id="list"></datalist></code>	Specifies a list of pre-defined options for an <code><input></code> element.
<code><output></code>	<code><output for="id">Result</output></code>	Displays the result of a calculation.

HTML

6/8
 ✓ Quick Reference
 ✓ Easy to Learn
 ✓ Super Useful

INPUT TYPES, ATTRIBUTES & VALIDATION

1. INPUT TYPES

TYPE	DESCRIPTION	USE CASE
text	Single-line text input.	Names, usernames, addresses.
password	Hidden text input.	Login forms.
email	Email address input with basic validation.	User registration, contact forms.
number	Numeric input with up/down controls.	Age, quantity, ratings.
tel	Telephone number input.	Phone numbers.
url	URL input.	Website links.
date	Date picker.	Birthdays, due dates.
time	Time picker.	Appointments, schedules.
datetime-local	Date and time picker.	Event scheduling.
month	Month and year picker.	Subscription expiries, billing cycles.
week	Week and year picker.	Weekly reports, scheduling.
checkbox	Allows multiple selections.	Terms & conditions, preferences.
radio	Allows a single selection from options.	Gender selection, payment method.
file	File upload control.	Upload documents, images, etc.
color	Color picker.	Choose colors (e.g., themes).
range	Slider to select a numeric value.	Volume, brightness, rating, etc.
submit	Submits the form.	Send form data.
reset	Resets all form fields.	Clear all inputs.
button	Clickable button (custom actions with JS).	Custom actions (e.g., open modal).

2. COMMON ATTRIBUTES

ATTRIBUTE	DESCRIPTION	EXAMPLE
id	Unique identifier for an element.	id="username"
name	Name of the input (sent with form data).	name="username"
placeholder	Hint text inside the input field.	placeholder="Enter email"
value	Predefined value.	value="John"
required	Makes the field mandatory.	required
readonly	Makes the field read-only.	readonly
disabled	Disables the input field.	disabled
min	Minimum value (for number, date, etc.).	min="18"
max	Maximum value (for number, date, etc.).	max="100"
step	Defines the increment step.	step="1"
pattern	Regular expression for validation.	pattern="[A-Za-z0-9]+"
maxlength	Maximum number of characters allowed.	maxlength="20"
autocomplete	Enables autocomplete suggestions.	autocomplete="email"
multiple	Allows multiple values (e.g., file, email).	multiple
checked	Pre-checks a checkbox or radio button.	checked

3. VALIDATION

ATTRIBUTE / FEATURE	DESCRIPTION
required	Ensures the field is not left empty.
type="email"	Ensures valid email format.
type="number"	Allows only numbers.
min & max	Sets the valid range for input.
minlength & maxlength	Sets the minimum/maximum characters allowed.
pattern	Validates input using a regular expression.
step	Restricts input to specific increments.
title	Shows a tooltip with extra info (on hover).
novalidate (on form)	Disables default browser validation.

 **Tip:** Use proper input types and attributes for better user experience and robust validation.

Suggested



@coding.artist

CODING ARTIST HTML

SEMANTIC HTML & ACCESSIBILITY

7/8
✓ Quick Reference
✓ Easy to Learn
✓ Super Useful

1. SEMANTIC HTML

Semantic elements clearly describe their meaning to both the browser and developers.

ELEMENT	DESCRIPTION	USE CASE
<header>	Represents introductory content or a set of navigation links.	Logo, site title, navigation menu.
<nav>	Defines a set of navigation links.	Main navigation menus, links.
<main>	Represents the dominant content of the <body>.	Main content area (unique per page).
<section>	Defines a thematic grouping of content.	Chapters, sections of a page.
<article>	Represents self-contained, independent content.	Blog posts, news articles, forum posts.
<aside>	Content tangentially related to the main content.	Sidebar, related links, ads.
<footer>	Represents a footer for its nearest sectioning content or section.	Copyright, contact info, footer links.
<figure>	Represents self-contained content, like illustrations or diagrams.	Images, charts, code snippets with caption.
<figcaption>	Provides a caption for a <figure> element.	Captions for images or figures.
<time>	Represents a specific time or date.	Published date, event time, deadlines.
<details>	Creates a disclosure widget for additional info.	FAQs, more info sections.
<summary>	Defines a visible heading for a <details> element.	Clickable summary text.

2. ACCESSIBILITY (A11Y) BEST PRACTICES

Make your web pages usable by everyone, including people using assistive technologies.

PRACTICE	DESCRIPTION	HOW TO IMPLEMENT
Use Semantic HTML	Helps screen readers understand the structure.	Use elements like <header>, <nav>, <main>, <article>, <footer> instead of <div>.
Add Alt Text to Images	Describes images for users who can't see them.	Use alt attribute:
Ensure Good Color Contrast	Improves readability for all users, including low-vision users.	Use sufficient contrast between text and background (WCAG 2.1 AA: 4.5:1).
Make It Keyboard Friendly	Allows users to navigate using only the keyboard.	Ensure all interactive elements are focusable. Use logical tab order.
Use ARIA When Needed	Provides extra context to assistive technologies.	Use ARIA roles & attributes when native HTML is not enough. Example: role="button", aria-label="Close"
Show Focus Clearly	Helps keyboard users know where they are.	Add visible focus styles using CSS: :focus { outline: 2px solid #0066ff; }
Provide Text Alternatives for Media	Makes audio/video content accessible.	Add <track> for captions or transcripts. Provide text alternatives.
Use Descriptive Link Text	Helps users understand link purpose.	Avoid "Click here". Use meaningful text like "Download Report".



Remember: Accessibility is not an option, it's a necessity.
Build inclusive websites for a better web for everyone.



CODING ARTIST

codingartistweb.com/shop



12



coding.artist



Christina Perri · a thous

Follow

If you're learning HTML, this Handwritten HTML Cheatsheet is a must-have! 📄💻 ...



Reply to yourself



HTML

META TAGS, SEO & HTML ENTITIES

8/8
✓ Quick Reference
✓ Easy to Learn
✓ Super Useful

1. META TAGS

META TAG	SYNTAX	DESCRIPTION	USE CASE
<title>	<title>Page Title</title>	Defines the title of the document.	Shows in browser tab & search results.
<meta name="description">	<meta name="description" content="Your description">	Provides a short summary of the page.	Used by search engines in results.
<meta name="keywords">	<meta name="keywords" content="html, css, tutorial">	Specifies keywords related to the page.	Helps search engines understand page content. (Less important now)
<meta name="author">	<meta name="author" content="Your Name">	Indicates the author of the document.	Credit for the content creator.
<meta name="viewport">	<meta name="viewport" content="width=device-width, initial-scale=1.0">	Controls layout on mobile devices.	Essential for responsive design.
<meta charset="UTF-8">	<meta charset="UTF-8">	Sets the character encoding of the document.	Prevents text encoding issues.
<meta name="robots">	<meta name="robots" content="index, follow">	Instructs search engines what to do with the page.	Control indexing and link following.
<link rel="canonical">	<link rel="canonical" href="URL">	Prevents duplicate content issues.	Specify the preferred URL.

2. SEO BEST PRACTICES

	Use Unique Title	Keep titles unique and under 60 characters.
	Write Meta Description	Keep descriptions under 160 characters and make them engaging.
	Use Heading Tags Properly	Use one <h1> per page and organize content with <h2> to <h6>.
	Optimize URLs	Use short, descriptive URLs with keywords.
	Optimize Images	Use meaningful file names and add alt text.
	Improve Page Speed	Optimize assets, use caching and minify code.
	Mobile Friendly	Use responsive design for all devices.
	Use HTTPS	Secure websites rank better in search.
	Submit Sitemap	Help search engines crawl your site easily.

3. HTML ENTITIES

ENTITY	SYMBOL	DESCRIPTION	CODE
&	&	Ampersand	&
<	<	Less than	<
>	>	Greater than	>
"	"	Double quote	"
'	'	Apostrophe	'
 	(space)	Non-breaking space	
©	©	Copyright	©
®	®	Registered	®
€	€	Euro	€
£	£	Pound	£
¥	¥	Yen	¥
¢	¢	Cent	¢
×	×	Multiplication	×
÷	÷	Division	÷
´	á	a with acute	´
é	é	e with acute	é
î	î	i with circumflex	î