

GroAurum

Business Scope Audit Report

Dry-fruit / Gurugram / Fatehpur Beri -> Grocery+FMCG / South Delhi

Generated 2026-08-16 | AUDIT ONLY | NO FILES MODIFIED

This report inspects the repository only. No code, database, seeds, UI, or business logic were changed. It lists where the old scope is hardcoded and what must change before the new business can be used.

0. Scope change

	Definition
OLD	Dry-fruit-only B2B. Launch market Gurugram. Ops Fatehpur Beri.
NEW	B2B wholesale grocery + FMCG. Initial area: South Delhi. Categories: Dry Fruits, Atta/Flour, Rice, Sugar, Spices, FMCG. Future categories should be data-driven (no code per category).

1. Old terminology - dry fruit

File	Line	Type	Change?	What it does
README.md	3	Docs	MUST	Product one-liner: dry-fruit wholesale
customer/catalogue-browser.ts	8-112	Logic/UI	MUST	Hardcoded dry_fruits filter + nut regex
customer/catalogue.tsx	125	UI	MUST	Subtitle: Search dry fruits
HomeSearchField / CatalogueSearchBar	16-17	UI	MUST	almonds, cashews, dates...
customer/services/mock/data.ts	81+	Demo	MUST	Dry-fruit mock catalogue
supabase/seed/sprint4_seed.sql	193-355	Seed	MUST	Almonds/Cashews; Anand Dry Fruits
phase3_dev_fixtures.sql	32	Fixture	P2	Shop Test Dry Fruits
admin *-fixtures.ts	many	Fixture	P2	City Dry Fruits shop name
scripts/generate_*.py + docs PDFs	var	Docs	Remain	Historical wording

2. Old terminology - Gurugram / Gurgaon / 122001

File	Line	Type	Change?	What it does
README.md	5	Docs	MUST	Launch market: Gurugram
sprint4_seed.sql	165-524	Seed	MUST	Area, warehouse, shops, company city
sprint6_customer_seed.sql	72,99-107	Seed	MUST	PIN rule 122001
CustomersListPage.tsx	46-48	Logic	MUST	Quick-create Gurugram/Haryana/122001
SalesmenListPage.tsx	67-69	Logic	MUST	Same hardcoded address
api-client/.../delivery.ts	349	Logic	MUST	Maps fallback address Gurugram
admin settings/delivery/salesmen/reports fixtures	var	Fixture	P2	Territory Gurugram / Okhla mix
packages/db-tests fixtures + tests	var	Test	P1	122001, Gurugram, HR-GURGAON
serviceability evaluate.test.ts	143-149	Test	P1	Admin area Gurugram
docs/architecture + PDF scripts	var	Docs	Remain	Launch-market narrative

3. Fatehpur Beri

Appears only in README, a TypeScript comment (packages/shared-types/src/operational-location.ts), and historical PDF scripts. NOT in live schema or seeds. Seed warehouse is 'Gurugram Warehouse 1'. No DB row to migrate. South Delhi: zero matches anywhere in the repository.

4. Related hardcoded assumptions

- PIN 122001 (Gurugram) in seeds, admin create, db-tests - MUST change.
- State Haryana on seed shops and admin create - MUST change.
- Selling units CARTON/KG only (Zod + Admin SKU form) - MUST for FMCG (BAG/PCS/TIN).
- Product types PACKED/BULK only in Zod/Admin form - recommended to add UNIT.
- Customer mock hubs: CP / Saket / Noida (already Delhi-ish; Noida is outside new scope).
- Salesman mock shops: Mumbai (Andheri/Bandra) - P2 if mock API used.
- Settings fixtures mix Okhla (South Delhi-adjacent) and Gurugram.

5. Product architecture

Current DB model:
Category (flat) -> Product -> SKU -> sku_prices + inventory_balances
Desired model:
Category -> Subcategory -> Brand -> Product -> SKU -> Pricing -> Inventory

Layer	Status	Notes
Category	Data-driven	categories table; Admin can create
Subcategory	MISSING	No parent_id - new families are siblings only
Brand	MISSING	No brands table - cannot model Aashirvaad / India Gate
Product	OK	category_id + name + product_type text
SKU / variant	Partial	grade/spec/unit are columns; units locked in app
Pricing	OK	Per-SKU trade price, not category-specific
Inventory	OK	Per SKU + warehouse
Images	OK	product_images + products.image_urls
Search/filters	Hardcoded	Customer chips + dry-fruit regex
Admin forms	Unit-locked	CARTON/KG and PACKED/BULK only
Customer live cat.	OK	Reads DB; mock path is dry-fruit-only

Verdict: You CAN add Atta / Rice / Sugar / Spices / FMCG as category rows with no migration. You CANNOT do real subcategory or brand trees. FMCG units are blocked by Zod + Admin form, not by Postgres (selling_unit is text).

6. Category audit

- Stored in DB: YES (public.categories). Unique name. No dry-fruit enum.
- Hardcoded in frontend: YES - CATALOGUE_FILTER_CHIPS all/packed/bulk/dry_fruits/spices.
- Zod category schema: name + displayOrder only - no dry-fruit validation.
- Category-specific UI: customer chips + isDryFruitsCategory / isSpicesCategory.
- Admin product category dropdown: live DB (good).

7. Location / service area

Schema is flexible: service_areas, serviceability_rules (PIN_CODE / ADMIN_AREA / POLYGON), operational_locations, shops.delivery_city / delivery_pin_code (6-digit check only). Evaluator is list-based, not Gurugram-specific.

Must change for South Delhi ops

- Seed area Gurugram Central; warehouse Sector 37 / 122001 / Haryana.
- sprint4 shops: city Gurugram, most PINs 122001.
- sprint6 rule pinCodes [122001] - live customer serviceability.
- Admin quick-create customer/salesman defaults.
- Delivery maps fallback 'Gurugram'.
- Tests using 122001 and HR-GURGAON.

Later (do not implement in this audit)

- New service_areas row e.g. South Delhi.
- PIN_CODE rule with 1100xx (Saket 110017, Okhla 110020, GK, etc.).
- Warehouse + shops in Delhi; company city; admin defaults; db-tests.
- Admin /service-areas route is still PlaceholderPage - Settings tab incomplete.

8. Seeds and fixtures

File	Needs update?
supabase/seed/sprint4_seed.sql	YES - primary (geo + catalogue + company)
supabase/seed/sprint6_customer_seed.sql	YES - PIN 122001 + comments
supabase/seed/sprint7_salesman_seed.sql	Indirect - inherits sprint4 shops
supabase/seed/sprint8_delivery_seed.sql	Indirect - same
supabase/fixtures/phase3_dev_fixtures.sql	Yes for consistency
packages/db-tests/src/fixtures.ts	Yes with seed change
admin *-fixtures.ts	Yes if mock admin still used
customer services/mock/data.ts	Yes - dry fruit + geo

9. Customer app + mock bleed

Dry-fruit: mock catalogue, filter chips, search copy. Gurugram: NOT in mock geo (Delhi/Noida). YES in live via seed PIN 122001. No Atta/Rice/Sugar/FMCG in mock or sprint4 seed.

Exact mock bleed

File	Issue
app/cart.tsx	createOrder/validateCartStock from mock - live confirm does NOT call place_customer_order
store/cart.ts	getLiveStock from mock/catalog
store/hooks.ts	computeTotals from mock/orders

store/location.ts	findNearestStore from mock/geo
app/location.tsx	Mock addresses - OK if mock adapter only
services/restock.ts	getOrders + seedMockDeliveredOrder (live branch uses fetchCustomerOrders)
services/home-summary.ts	Mock last-order fallback in mock mode
app/order/[id].tsx	Mock only when isMockAdapterMode() - correctly gated

Highest-risk bleed: cart confirm + cart stock remain mock even if adapter is supabase.

10. Admin / Salesman / Delivery

- Admin Products: form locked PACKED/BULK, CARTON/KG; categories from DB (good).
- Admin Categories page: data-driven create - ready for grocery rows.
- Admin Customers/Salesmen create: Gurugram/122001.
- Admin Service Areas route: PlaceholderPage. Settings mutations deferred.
- Reports: placeholders + Gurugram/Okhla fixture charts.
- Salesman PWA: no dry-fruit/Gurugram strings. Mock shops are Mumbai.
- Delivery PWA: no dry-fruit/Gurugram in app. Inherits seed shops. Shared maps fallback Gurugram.

11. Database

No migration required to start if you only insert new rows. Order/payment/delivery RPCs, RLS, and trusted workflow are not city- or category-specific. Do not rename tables.

Later (recommended, not now): categories.parent_id; brands + products.brand_id.

A. Critical changes (P0)

- Replace seed geography: area, PINs, warehouse, shops, company city -> South Delhi.
- Replace seed catalogue: Dry Fruits, Atta, Rice, Sugar, Spices, FMCG.
- Admin create defaults: stop Gurugram / 122001 / Haryana.
- Customer live serviceability: 122001 will mark South Delhi shops unserviceable.
- Customer mock + filter chips + search copy.
- Unlock selling units in Zod + Admin SKU form.
- Fix cart mock bleed so Confirm writes live orders.

B. Recommended / C. No change

Recommended

- Subcategory + brand tables when assortment grows.
- Real Service Areas page + Settings writes.
- Maps default South Delhi; db-tests off 122001; README; salesman mock geo.
- Historical PDFs can stay; regenerate status PDF later.

No change required

- Order / payment / delivery / sales RPCs and RLS.
- Pricing + inventory model; categories/products/skus/sku_prices shapes.
- Serviceability engine (PIN/area/polygon).
- Salesman/Delivery feature code (no dry-fruit logic).

D. Files requiring modification

File	Priority	Type	Reason
README.md	P0	Docs	Product + market one-liner
supabase/seed/sprint4_seed.sql	P0	Seed	Area, warehouse, shops, catalogue
supabase/seed/sprint6_customer_seed.sql	P0	Seed	PIN 122001
CustomersListPage.tsx	P0	Logic	Hardcoded Gurugram/122001
SalesmenListPage.tsx	P0	Logic	Same
customer/catalogue-browser.ts	P0	Logic/UI	Dry-fruit/spice filters
catalogue.tsx + search fields	P0	UI	Dry-fruit copy
customer/services/mock/data.ts	P0	Demo	Catalogue + geo
customer/app/cart.tsx + store/cart.ts	P0	Logic	Mock place-order / stock
packages/validation/.../crud.ts	P0	Validation	CARTON/KG + PACKED/BULK
ProductSkusTab.tsx	P0	UI	Unit dropdown
ProductFormModal.tsx	P1	UI	Type dropdown

api-client/.../delivery.ts	P1	Logic	Maps Gurugram
customer/utills/product-b2b.ts	P1	Logic	KG/carton labels, step 10
admin App.tsx + SettingsPage	P1	UI/Logic	Service Areas placeholder
packages/db-tests/**	P1	Test	122001 / Gurugram / HR-GURGAON
phase3_dev_fixtures + admin fixtures	P2	Fixture	City Dry Fruits / Gurugram
sales-pwa salesmanApi.ts	P2	Demo	Mumbai mock shops
operational-location.ts comment	P3	Docs	Fatehpur comment
scripts/generate_*.py + docs PDFs	P3	Docs	Historical wording

E / F. Database and seed changes

Database (none required to start)

- No DDL required to insert South Delhi area + grocery categories.
- Later: parent_id on categories; brands table. Do not implement in this audit.

Seeds required

- Service area South Delhi + PIN list 110017 / 110019 / 110020 / 110024 / 110048 / 110062 ...
- Warehouse in South Delhi; shops with Delhi PINs.
- Categories + sample SKUs per family; company city; sprint6 PIN rule.
- sprint7/8 inherit sprint4 shops/routes - reset together.

G / H / I. App file lists

Customer

- Home search, catalogue subtitle/chips, mock/data.ts, location presets.
- cart.tsx + store/cart.ts (live place_customer_order).
- product-b2b.ts unit labels. Order detail already gated.

Admin

- Customers/Salesmen create defaults; Product/SKU forms; Categories (add rows).
- Settings / Service Areas; delivery maps default; fixtures if mock admin.

Salesman / Delivery

- salesmanApi.ts mock shops; shared delivery.ts maps fallback; seeds only for routes.

J. Recommended implementation order

1. Data first: new seed area + PINs + warehouse + grocery categories/SKUs. Then db:reset.
2. Serviceability: sprint6 PIN rule + db-tests in the same change-set.
3. Admin defaults + SKU units so ops can enter Atta/Rice/FMCG.
4. Customer copy + filters driven by DB categories.
5. Align customer mock catalogue/geo (or disable mock for demos).
6. Fix cart mock bleed so Confirm writes live orders.
7. Settings / Service Areas UI so city expansion is data, not another seed edit.
8. Brand + subcategory migration only when assortment needs it.
9. README / status PDF last.

AUDIT COMPLETE - NO FILES MODIFIED

Repo: docs/GroAurum-Business-Scope-Audit.pdf | Desktop: groaurum-app.pdf | Regenerate: python scripts/generate_business_scope_audit_pdf.py