

GroAurum

Phase 1 Completion Summary

B2B domain model and service adapter boundaries

Generated: July 15, 2026

MVP checkpoint: 18ee50a

Phase 1 commit: eb05c74

Phase 1 introduces the target GroAurum B2B domain and service contracts while preserving the runnable consumer MVP. No UI redesign, no Supabase, no monorepo move.

1. Phase 1 Goal

Introduce the target B2B domain model and service adapter boundary while keeping the current Expo consumer MVP runnable until deliberate backend cutover.

2. What Was Added

- domain/ - B2B types in focused modules (service areas, shops, catalog, inventory, orders, payments, delivery, audit)
- domain/policies/ - testable order and payment transition policies
- services/contracts/ - 9 service interfaces for future Supabase/Edge implementations
- services/adapters/legacy-mvp/ - documents current mock port
- services/adapters/not-implemented.ts - B2B stub adapters
- services/index.ts - b2b.* boundary + legacyMvp re-exports
- docs/architecture/phase-1-domain.md - architecture documentation
- vitest + 14 domain policy tests

3. Domain Modules

Module	Key entities / concepts
enums.ts	ProductType, SellingUnit, lifecycle, roles, movement types
service-area.ts	ServiceArea + extensible ServiceabilityRule (PIN/ADMIN/POLYGON)
operational-location.ts	Ops base / warehouse (Fatehpur Beri)
shop.ts	Shop, contacts, invitations, auth links
staff.ts	StaffProfile, roles
catalog.ts	Category, Product, Sku, SkuPrice + config helpers
inventory.ts	Balance, Movement ledger, StockReservation
order.ts	Order states, snapshot OrderLine, events, assisted challenge
payment.ts	Payment states and events (separate from order)
delivery.ts	DeliveryRoute, RouteStop, DeliveryAttempt
audit.ts	Append-only AuditLog
policies/	canTransitionOrder, canTransitionPayment

4. Architecture Corrections Applied

Service areas:

- ServiceArea is the primary business entity (not PIN-code-only)
- ServiceabilityRule supports PIN_CODE, ADMIN_AREA, POLYGON configs
- Polygon/geofence not implemented in Phase 1 - model only

Catalogue extensibility:

- PACKED/BULK and CARTON/KG are domain values on Sku
- SKU carries MOQ, quantity step, net quantity, packs per carton, grade, spec
- UI/services reason from getSkuOrderConstraints() - no scattered conditionals

Inventory ledger (types only, no persistence):

- InventoryBalance: on-hand, reserved, available (derived)
- InventoryMovement: append-only ledger (RECEIPT, ORDER_DISPATCH, etc.)
- StockReservation: order-linked reservations

5. State Transition Policies

Order states:

DRAFT_ASSISTED -> AWAITING_CUSTOMER_CONFIRMATION -> CONFIRMED
 -> STOCK_RESERVED -> PROCESSING -> READY_FOR_DISPATCH
 -> ASSIGNED_TO_ROUTE -> OUT_FOR_DELIVERY -> DELIVERED
 (also DELIVERY_FAILED, CANCELLED)

Payment states (separate field):

UNPAID -> PAYMENT_PENDING -> PAID | FAILED | REFUNDED

Critical invariant: DELIVERED requires payment status PAID.
 Clients cannot set isTrustedServerAction - server-side only.

6. Service Contracts

- CatalogueService
- ServiceAreaService
- ShopService
- AuthenticationShopLinkingService
- OrderService (confirmCustomerOrder, reserveOrderStock, completeDelivery, etc.)
- AssistedOrderConfirmationService
- PaymentService
- InventoryService
- DeliveryRouteService

7. Adapter Boundary

```
services/
  contracts/      B2B interfaces
  adapters/
    legacy-mvp/   current mock port (documented)
    not-implemented.ts
  mock/          unchanged runnable consumer MVP
  index.ts       b2b.* + legacyMvp exports
```

Screens still import @/services/mock directly.
 types/index.ts remains legacy consumer types.
 New B2B types live in domain/.

8. Tests and Validation

Check	Result
npm run test	Pass - 14/14 tests
npx expo export --platform web	Pass - 14 static routes
npm run typecheck	Pre-existing ExternalLink.tsx error (not Phase 1)
Lint	Not configured

9. What Phase 1 Did NOT Do

- No monorepo move
- No Supabase provisioning or connection
- No UI redesign
- No removal of mock implementation
- No Sales PWA, Delivery PWA, or Admin Web
- No hard-coded launch products

10. Compatibility Compromises

- Dual type systems: legacy types/index.ts + new domain/
- Mock layer untouched - screens unchanged
- Adapter boundary structural only - not wired into UI yet
- Inventory types/contracts only - no persistence

11. Git History

18ee50a checkpoint: preserve original customer MVP
eb05c74 feat: add GroAurum B2B domain and service boundaries

12. Next Step (Phase 2 - not started)

After approval: monorepo scaffold (apps/customer), Supabase migrations, RLS stubs, generated DB types. Then Phase 3 replaces not-implemented adapters with Supabase-backed implementations.