

GroAurum

Phase 2 Completion Summary

Monorepo foundation + Supabase/PostgreSQL B2B schema

Generated: July 15, 2026

Phase 2 commit: fbcd7b7

*Phase 2 scaffolds the pnpm/Turborepo monorepo and initial database schema. Customer screens still use the legacy mock adapter.
Supabase cutover is Phase 3.*

1. Phase 2 Goal

Create the GroAurum monorepo foundation and initial Supabase/PostgreSQL schema, migrations, RLS foundation, and database type boundary while keeping the customer MVP runnable.

2. Foundation Cleanup

- Fixed ExternalLink.tsx with typed external href (http/https) - no ts-ignore
- Configured ESLint flat config in @groaurum/config
- Pre-move validation: typecheck, lint, test, Expo web export all passed

3. Monorepo Structure

```
groaurum/
  apps/customer/      Expo MVP (runnable, legacy mock)
  apps/sales-pwa/     scaffold only
  apps/delivery-pwa/  scaffold only
  apps/admin-web/     scaffold only
  packages/shared-types/ B2B domain + policies
  packages/api-client/  service contracts
  packages/validation/  schema tests
  packages/config/      ESLint + TSConfig
  supabase/migrations/ 14 SQL migrations
```

Tooling: pnpm workspaces + Turborepo (typecheck, lint, test, build)

4. Package Boundaries

Package	Role
@groaurum/shared-types	Domain entities, enums, SKU helpers, transition policies
@groaurum/api-client	Service contracts; DB types pending generation
@groaurum/validation	Migration invariant tests (no live Supabase required)
@groaurum/config	Shared ESLint and tsconfig.base.json
@groaurum/customer	Expo app + legacy services/mock

5. Supabase Migrations (14 files)

- 000 extensions + helpers (set_updated_at, normalize_mobile, prevent_modification)
- 001 enums and domain helpers
- 002 profiles (auth.users link)
- 003 service_areas, serviceability_rules, operational_locations
- 004 shops, contacts, invitations, auth links, salesman assignments
- 005 catalogue (categories, products, skus, sku_prices) - empty by default
- 006 inventory balances, movements, stock reservations
- 007 orders, snapshot order_lines, events, confirmation challenges
- 008 payments/events - zero credit model
- 009 delivery routes, stops, attempts
- 010 audit_logs append-only
- 011 business invariant triggers
- 012 RLS enable on business tables
- 013 role-scoped RLS policies

6. Schema Highlights

- ServiceArea is primary entity; PIN/ADMIN_AREA/POLYGON rules are extensible
- Empty catalogue is valid - no product seeds in migrations
- product_type and selling_unit as text for extensibility
- Order status separate from payment status
- Order lines preserve commercial snapshots at confirmation
- otp_hash only - no plaintext OTP storage
- Inventory movements and audit logs are append-only

7. Business Invariants (Database)

- DELIVERED requires payment status PAID (trigger)
- Confirmed order line snapshots immutable after confirmation
- sku_prices append-only (price history preserved)
- No CREDIT payment method - PAY_ONLINE_NOW and PAY_ON_DELIVERY only
- Trusted workflow writes require server session flag (not client-direct)

8. RLS Model

RLS enabled and forced on business tables. Policies scoped by CUSTOMER, SALESMAN, DELIVERY, and ADMIN roles. No permissive USING(true) on sensitive tables.

9. Generated DB Type Status

Database types are NOT committed in Phase 2. Supabase CLI was not available locally. After supabase start, run:

```
supabase gen types typescript --local >
  packages/api-client/src/database.generated.ts
```

10. Validation Results

Command	Result
pnpm typecheck	Pass (all workspaces)
pnpm lint	Pass
pnpm test	Pass - 14 domain + 9 schema tests
pnpm --filter @groaurum/customer build	Pass - Expo web export, 14 routes

11. What Phase 2 Did NOT Do

- No Supabase connection in customer screens
- No mock replacement (Phase 3)
- No Sales/Delivery/Admin feature UI
- No payment gateway or SMS/OTP delivery
- No hard-coded launch products
- No generated database types committed

12. Git History

18ee50a checkpoint: preserve original customer MVP
 eb05c74 feat: add GroAurum B2B domain and service boundaries
 fbcddb7 feat: scaffold monorepo and Supabase B2B schema

13. Run Customer App

```
pnpm install
pnpm dev:customer
```

14. Next Step (Phase 3 - not started)

Replace not-implemented adapters with Supabase-backed implementations. Gate customer flows on shop auth and service area. Still no UI redesign.