

GroAurum

Phase 2 Sprint 5 - Live Admin ERP

Supabase-backed view-models for every admin module

Generated: July 16, 2026

No UI redesign - repository architecture preserved

1. Sprint Goal

Replace remaining mock view-model sources with live Supabase-backed repositories so every Admin ERP page loads through React Query + repositories. CRUD works end-to-end when VITE_DATA_ADAPTER=supabase. No new modules and no UI redesign.

2. Modules Connected

Module	Live source
Dashboard	Aggregates: revenue, orders, customers, inventory, delivery, collections
Products	products + skus + images + prices + inventory + publish checklist
Categories	categories (+ product counts)
Pricing	sku_prices append-only history / scheduled / live
Inventory	balances + movements + reservations
Orders	orders + lines + events + payment/delivery mapping
Customers	shops + contacts + addresses + activation rail
Salesmen	profiles(SALESMAN) + assigned shops + order stats
Delivery	routes + stops; vehicle/collections stubbed where absent
Reports	live KPIs + placeholder sections / reports_snapshot merge
Settings	settings jsonb + warehouses + service areas

3. Architecture

```
VITE_DATA_ADAPTER=supabase
-> createGroAurumSupabaseClient
-> buildAdminLiveSources(client) # view-model EntitySources
-> LiveAdminApi mappers
-> createAdminRepositories + domain CRUD
-> React Query hooks / mutations
```

```
VITE_DATA_ADAPTER=mock
-> buildAdminMockSources (fixtures) for offline UI review
```

4. Remaining Mock Sources

- Fixture *-fixtures.ts files retained ONLY for mock adapter offline review
- Pages no longer import fixture data - helpers moved to nav/order-helpers/browse-helpers/publish/customer-helpers
- SIDEBAR_NAV is static navigation config (not business data)
- UI-only gaps stubbed in live mappers (see limitations)

5. Known Limitations

- No vehicles / visits / customer documents tables - stubbed as empty or ''
- Publish workflow derived from is_active + checklist (no draft enum in DB)
- Preferred payment defaults to COD (no shop preference column)
- Reports chart series remain placeholders; KPIs are live
- Some Settings sections (taxes, notification templates, slots) default when keys missing from settings table
- Delivery collections approximated from payments / route totals
- Admin must be authenticated as ADMIN for RLS writes
- Mutations wired on Product publish/archive and Settings company upsert; other quick actions still navigate / no-op pending form UX

6. Production Readiness

Area	Status
Read path (all modules)	Live via LiveAdminApi + repositories
React Query cache / invalidation	Ready
Domain CRUD services + Zod	Ready (Sprint 4)
RLS Admin / Salesman / Delivery / Customer / RO	Ready
Seed script	Sprint 4 seed available
Login / Auth UI	Mock auth still (Sprint 2)
Realtime postgres_changes	Interfaces only
View-model polish (labels/joins)	Good enough; iterate in ops

7. How to Run Live

```
pnpm db:reset
pnpm db:seed:sprint4
# apps/admin-web/.env.local:
VITE_DATA_ADAPTER=supabase
VITE_SUPABASE_URL=http://127.0.0.1:54421
VITE_SUPABASE_ANON_KEY=<local anon key>
pnpm dev:admin
```

8. Next Sprint Recommendations

- Sprint 6: Login screens + real Supabase Auth for admin (replace mock auto-sign-in)
- Wire remaining quick-action mutations with minimal forms (create product, schedule price, adjust inventory, create order)
- Add vehicles + salesman visits tables if ops requires those tabs live
- Materialize reports_snapshot job for heavy analytics
- Enable realtime INVALIDATE on orders / inventory / delivery_routes
- Customer + Sales/Delivery PWA live adapters reuse same domain repos

9. Intent

Sprint 5 completes the Live Admin ERP read path on the Sprint 3/4 repository architecture so operators can run the console against Supabase without redesigning modules.