

CURRENT SYSTEM AUDIT

Admin + Salesman + Delivery

GroAurum / blinkit-mvp monorepo

Audit date: 2026-10-02

DOCUMENTATION / AUDIT ONLY

No application code was modified.

No database schema or migrations were modified.

No production data was changed.

Findings are based on repository inspection.

Uncertain items are marked UNVERIFIED.

Primary apps audited: apps/admin-web, apps/sales-pwa, apps/delivery-pwa. Also discovered: apps/customer (Expo B2B customer app) - documented as adjacent scope. Shared packages under packages/. Database under supabase/migrations/.

Table of Contents

- 1. Executive Summary
- 2. Repository Architecture
- 3. Admin App - Routes, Navigation, Auth
- 4. Salesman App - Complete Screen Map
- 5. Delivery App - Complete Screen Map
- 6. UI Design System
- 7. UX Notes (descriptive)
- 8. Database Inventory
- 9. Relationships & Lifecycles
- 10. RLS / Security
- 11. RPC Inventory
- 12. API / LiveAdminApi Map
- 13. Catalogue / Selling Units
- 14. Orders / Inventory / Purchasing
- 15. Accounting / P&L / GST
- 16. Payroll / Commission / Attendance
- 17. Payments / Collections / Delivery COD
- 18. Photos / Camera / Media
- 19. Notifications / Offline / PWA
- 20. Reports / Settings / Deployment
- 21. Tests & Verification
- 22. Migrations Chronology
- 23. Dead / Compatibility Code
- 24. Feature Status Matrix
- 25. Built / Missing / Partial
- 26. Technical Risks & Performance
- 27. Future Backlog (factual, not implemented)
- 28. Appendices - Source References

1. Executive Summary

GroAurum is a pnpm + Turborepo monorepo for B2B grocery wholesale operations. Three primary field/ops frontends share Supabase Postgres (RLS + SECURITY DEFINER RPCs) via @groaurum/api-client and @groaurum/auth.

Apps

App	Path	Stack	Audience
Admin ERP	apps/admin-web	Vite + React + RQ	admin_erp
Sales PWA	apps/sales-pwa	Vite + React + RQ	sales_pwa / salesman
Delivery PWA	apps/delivery-pwa	Vite + React + RQ	delivery_pwa / delivery_ex...
Customer*	apps/customer	Expo Router 57	customer (adjacent)

*Customer app exists and is active code (not a stub) but was outside the primary three-app request; noted for completeness.

Scale (inspected)

- Admin routes: 49 entries (1 login + 47 guarded pages + catch-all) - apps/admin-web/src/App.tsx
- Sales routes: 21+ paths - apps/sales-pwa/src/App.tsx
- Delivery routes: 6 paths - apps/delivery-pwa/src/App.tsx
- SQL migrations: 97 files (excl. MIGRATION_INDEX.md)
- Public tables created in migrations: ~67
- admin_* RPCs: ~69; salesman_*: ~25; delivery_*: ~10
- LiveAdminApi async methods: ~142 - apps/admin-web/src/data/live/LiveAdminApi.ts
- Admin page TSX modules: 47; Sales pages: ~25; Delivery pages: 6

Architecture pattern (confirmed)

UI -> React Query hooks -> LiveAdminApi / SalesmanApi / DeliveryApi
-> Supabase JS (anon) -> RLS + SECURITY DEFINER RPCs -> Postgres

Honest gaps (confirmed in code)

- No COGS / inventory valuation / weighted average - P&L uses Operating Result
- No supplier ledger / supplier payments (Phase 5A purchasing is draft->receive only)
- No full GST engine (supplier GSTIN + purchase tax_amount field only)
- Delivery photo/signature are UI placeholders (boolean flags only)
- database.generated.ts is stale; app types use database.extended.ts

2. Repository Architecture

Root layout

- apps/ - frontends
- packages/ - shared libraries
- supabase/migrations/ - schema + RLS + RPCs
- scripts/ - db helpers, verify scripts, PDF generators
- docs/ - architecture notes, prior audits, this PDF

Packages

Package	Path	Purpose
@groaurum/api	packages/api	Repositories / services / adapters
@groaurum/api-client	packages/api-client	Supabase client + salesman/delivery services + DB types
@groaurum/auth	packages/auth	Session, audiences, RBAC modules
@groaurum/ui	packages/ui	Web design system + tokens.css
@groaurum/shared-types	packages/shared-types	Enums + domain types
@groaurum/catalogue-di...	packages/catalogue-display	Packaging/pricing display math
@groaurum/data	packages/data	Domain models / query contracts
@groaurum/validation	packages/validation	Zod schemas
@groaurum/config	packages/config	ESLint / tsconfig shared
@groaurum/db-tests	packages/db-tests	RLS + invariant vitest vs local Supabase

Important entry points

Admin: apps/admin-web/src/main.tsx -> AdminAuthProviders -> AdminDataProviders -> AppRoutes

Sales: apps/sales-pwa/src/main.tsx -> SalesAuthProviders -> SalesDataProviders -> App

Delivery: apps/delivery-pwa/src/main.tsx -> DeliveryAuthProviders -> DeliveryDataProviders -> App

DB types: packages/api-client/src/database.types.ts re-exports extended types

3. Admin App

3.1 Sidebar navigation (exact)

Source: apps/admin-web/src/data/nav.ts

Dashboard

Business

Customers (/customers)

Sales (/orders) match: /orders,/sales,/payments

Products (/products) match: /products,/categories,/pricing excl /pricing/commission

Inventory (/inventory)

Delivery (/delivery)

Team

Salesmen (/salesmen) match: /salesmen,/pricing/commission

Accounting

Receivables (/receivables)

Purchases (/purchases) match: /purchases,/suppliers

Expenses (/expenses)

Day Book (/day-book)

Reports (/reports)

Settings (/settings) match: /settings,/service-areas,/warehouses

3.2 Module / permission notes

Source: apps/admin-web/src/auth/moduleRoutes.ts + packages/auth/src/permissions.ts

- Accounting screens (receivables, purchases, suppliers, expenses, day-book) map to AdminModule 'payments'
- Settings module: super_admin only
- Sidebar filtered by canAccessModule(PATH_MODULE[item.path]) in AdminShell.tsx

3.3 Complete route table

Route	Page	Module	Purpose
/login	LoginPage	none	Email/password
/	DashboardPage	dashboard	Ops KPIs
/orders	OrdersListPage	orders	Open orders
/orders/:orderId	OrderDetailPage	orders	Order lifecycle
/sales	SalesListPage	orders	Sales register
/sales/:saleId	SaleDetailPage	orders	Sale detail
/customers	CustomersListPage	customers	Shop list
/customers/:customerId	CustomerDetailPage	customers	Shop account
/products	ProductListPage	products	Catalogue
/products/:productId	ProductDetailPage	products	SKU editor
/categories	CategoriesListPage	categories	Categories
/categories/:categoryId	CategoryDetailPage	categories	Category detail
/pricing	PricingListPage	pricing	SKU prices
/pricing/commission	CommissionListPage	pricing	SKU commission terms
/pricing/:skuId	PricingDetailPage	pricing	Price history
/inventory	InventoryListPage	inventory	Balances
/inventory/:skuId	InventoryDetailPage	inventory	Adjust / history
/salesmen	SalesmenListPage	salesmen	Staff list
/salesmen/payroll	SalesmenPayrollPage	salesmen	Payroll hub
/salesmen/:salesmanId	SalesmanDetailPage	salesmen	Employment tabs
/delivery	DeliveryListPage	delivery	Routes
/delivery/boys	DeliveryBoysListPage	delivery	Delivery staff
/delivery/boys/:boyId	DeliveryBoyDetailPage	delivery	Boy detail
/delivery/vehicles	VehiclesListPage	delivery	Vehicles
/delivery/:routeId	DeliveryDetailPage	delivery	Route detail

Route	Page	Module	Purpose
/payments	PaymentsPage	payments	Collections / COD
/receivables	ReceivablesPage	payments	Customer dues
/purchases	PurchasesListPage	payments	Purchase bills
/purchases/new	PurchaseFormPage	payments	Create draft
/purchases/:id/edit	PurchaseFormPage	payments	Edit draft
/purchases/:id	PurchaseDetailPage	payments	Receive / lock
/suppliers	SuppliersListPage	payments	Vendor master
/suppliers/:id	SupplierDetailPage	payments	Supplier + purchase history
/expenses	ExpensesPage	payments	Company expenses
/expenses/:id	ExpenseDetailPage	payments	Expense detail
/day-book	DayBookPage	payments	Daily money
/service-areas	ServiceAreasListPage	service_areas	Deep under Settings
/warehouses	WarehousesListPage	warehouses	Deep under Settings
/reports	ReportsPage	reports	Reports hub
/reports/profit-loss	ProfitLossPage	reports	Operating result
/reports/sales	SalesReportPage	reports	Sales report
/reports/collections	CollectionsReportPage	reports	Collections
/reports/outstanding	OutstandingReportPage	reports	Outstanding
/reports/expenses	ExpenseReportPage	reports	Expenses
/reports/payroll	PayrollReportPage	reports	Payroll
/reports/products	ProductSalesReportPage	reports	Product sales
/reports/salesmen	SalesmanPerformanceReportPage	reports	Salesman perf
/settings	SettingsPage	settings	Company settings

3.4 Related / section links

- SALES_SECTION_LINKS: Orders, Invoices, Collections - section-links.ts
- ACCOUNTING_SECTION_LINKS: Receivables, Purchases, Suppliers, Expenses, Day Book, Reports, Collections
- PURCHASING_SECTION_LINKS: Purchases, Suppliers, Inventory, Expenses - purchasing.ts

3.5 Auth

- Audience admin_erp - AdminAuthProvider.tsx
- Login: email/password (LoginPage.tsx); mock provider for DEV
- Guards: ProtectedAdminRoute + AdminModuleGuard (guards.tsx)

4. Salesman App (Salesaurum)

Path: apps/sales-pwa | Package: @groaurum/sales-pwa | Audience: sales_pwa / role salesman

4.1 Bottom navigation

- Home / | Orders /orders | Customers /customers | Profile /profile - layout/nav.ts

4.2 Routes

Route	Page	Notes
/login	LoginPage	Email OTP / password / mock
/	DashboardPage	Today's Work Start/End Day, KPIs
/visits	VisitsPage	Route visits + check-in + photo
/orders	OrdersPage	Order history
/orders/new	CreateOrderPage	Catalogue, cart, review, place
/orders/:id	OrderDetailPage	Order detail
/orders/:id/return	ReturnFormPage	Return request
/customers	CustomersPage	Assigned shops
/customers/new	CreateCustomerPage	Create retailer + photo
/customers/:shopId	CustomerDetailPage	Shop detail
/setup	ProfileSetupPage	First-time profile
/profile	ProfilePage	Language/photo (name read-only)
/profile/earnings	PerformancePage	Salary + commission
/profile/expenses	ExpensesPage	Expense claims
/profile/expenses/new	ExpenseFormPage	Claim + receipt
/profile/returns	ReturnsPage	Return requests
/profile/messages	MessagesPage	Admin messages
/profile/notices	NoticesPage	Notices
/performance	redirect	-> /profile/earnings

4.3 Key behaviours (confirmed)

- Catalogue: listOrderableSkus via createSupabaseSalesmanService - packages/api-client/.../salesman.ts
- Cart qty stored as packs; UI may show Boxes when sellsInOuterUnits - order-quantity.ts
- Server preview: preview assisted order RPC; place: assisted order RPCs
- Realtime invalidation: shops, orders, products, skus, categories, sku_prices, inventory
- Offline queue: messages + expenses only (NOT orders) - offline-queue.ts
- PWA SW: public/sw.js salesaurum-shell-v2; registered in PROD only
- Workday: startDay/endDay; earliest 08:00 Asia/Kolkata - migration 20261002140000

4.4 Auth

- Email OTP (default), email+password, DEV mock - LoginPage/LoginPanel
- SetupGate forces /setup until profile complete

5. Delivery App

Path: apps/delivery-pwa | Package: @groaurum/delivery-pwa | Audience: delivery_pwa / delivery_executive

5.1 Navigation

- Dashboard / | Routes /routes | COD /cod - DeliveryShell.tsx

5.2 Routes

Route	Page	Purpose
/login	LoginPage	Email+password (no OTP UI)
/	DashboardPage	Today summary
/routes	RoutesPage	Assigned routes
/routes/:routeId	RouteDetailPage	Start/complete route
/routes/:id/stops/:stopId	StopDetailPage	Stop lifecycle + COD
/cod	CodPage	COD history / pending KPIs

5.3 Stop lifecycle (confirmed)

markStopInProgress -> recordCashPayment / reportDigitalPayment
-> completeStop OR failStop

- Photo/signature: placeholder checkboxes only (photoCaptured/signatureCaptured booleans) - StopDetailPage.tsx
- No offline queue in delivery app
- PWA SW: public/sw.js groaurum-delivery-shell-v2

6. UI Design System

Shared web tokens

packages/ui/src/tokens/tokens.css - CSS variables --ga-* (colors, space, radius, shadow, typography, sidebar)

Imported by Admin/Sales/Delivery via @groaurum/ui/tokens.css + base.css

packages/ui exports

- Button, Badge, Card, Tabs, PageHeader, EmptyState, DataTable, TextField, SelectField
- ActionBar, FilterBar, ChipGroup, FieldGrid, Field, Timeline, Modal, Icon

App-local patterns

- Admin: ga-shell layout, PageHeader on most pages, data-table.css, QueryStateGate
- Sales: ga-sales-* mobile-first cards, bottom nav, QuantityStepper, NetworkBanner
- Delivery: DeliveryShell bottom nav, stop action cards

Duplicate / unused UI (document only)

- SellingUnitFields.tsx exists but has no imports - UNUSED (Admin uses pack/outer/MOQ instead)
- Admin re-exports PageHeader/Button/Badge from @groaurum/ui under components/ui/

Screenshots

Screenshots were NOT generated in this audit run (no browser capture performed). UNVERIFIED visual appearance beyond CSS tokens.

7. UX Notes (descriptive, not redesigned)

Admin

- Dense ERP lists with filters/Reset; deep routes under parent highlights
- Accounting items live under Accounting but RBAC module is payments - possible confusion
- Purchases/Suppliers share Purchases nav highlight

Salesman

- Order flow: pick shop -> catalogue Add -> stepper -> Review -> Submit
- Stock quantities removed from product cards; Out of stock still shown
- Manual qty entry in QuantityStepper; invalid qty adjusted with toast reason
- Start Day blocked before 08:00 IST at RPC (client should surface error message)

Delivery

- COD collection happens on stop detail, not COD page
- Photo/signature placeholders create friction risk (appear complete without capture)

8. Database Inventory

Source of truth: supabase/migrations/*.sql (97 files). Typed surface: packages/api-client/src/database.extended.ts

8.1 Tables (~67)

- profiles, service_areas, serviceability_rules, operational_locations
- shops, shop_contacts, shop_invitations, shop_auth_links, shop_salesman_assignments, customer_addresses
- categories, products, product_images, skus, sku_prices, sku_price_tiers, sku_outer_discount_tiers, sku_commission_terms
- inventory_balances, inventory_movements, stock_reservations
- orders, order_lines, order_events, order_confirmation_challenges
- payments, payment_events, sales, sale_items, sales_payments
- delivery_routes, route_stops, delivery_attempts, vehicles, vehicle_assignment_history
- delivery_employment, delivery_time_slots, delivery_exceptions, delivery_schedule_events
- delivery_cod_custody, delivery_cod_custody_events, delivery_cod_settlements, delivery_notification_events
- sales_visits, salesman_employment, salesman_salary_terms, salesman_attendance, company_holidays
- salesman_commission_entries, salesman_payroll, salesman_targets, salesman_expenses, salesman_return_requests
- salesman_messages, salesman_voice_notes, salesman_notices, salesman_push_subscriptions
- company_expenses, suppliers, purchases, purchase_items
- settings, reports_snapshot, audit_logs, notification_outbox, job_runs, application_logs

8.2 Key enums

- order_status - full assisted/self lifecycle including CANCELLED
- payment_status - UNPAID, PAYMENT_PENDING, PAID, FAILED, REFUNDED
- inventory_movement_type - RECEIPT, ORDER_DISPATCH, DAMAGE, RETURN, ADMIN_ADJUSTMENT
- purchase_status - DRAFT, RECEIVED, CANCELLED
- salesman_payroll_status - DRAFT, APPROVED, PAID
- salesman_attendance_status - PRESENT, ABSENT, PAID_LEAVE, UNPAID_LEAVE, HOLIDAY, WEEKLY_OFF

8.3 Purchasing (Phase 5A)

- Tables: suppliers, purchases, purchase_items - migration 20261002120000_suppliers_purchasing.sql
- Receive creates inventory_movements RECEIPT with unique index on purchase_item reference
- Explicitly does NOT create supplier ledger, Day Book entries, or COGS

9. Relationships & Lifecycles

9.1 Order lifecycle (confirmed pattern)

Salesman assisted cart -> preview RPC -> place assisted order
-> Admin advance/pack/assign -> Delivery route stops
-> COD/digital payment -> verify/settle -> convert to sale
-> inventory consume on sale convert (fulfill_sale_consume_inventory)
-> commission accrue on convert; payroll monthly later

9.2 Inventory lifecycle

Purchase RECEIVED -> RECEIPT movements (+on_hand packs)
Sale convert -> consume reserved / ORDER_DISPATCH path
Admin adjust -> ADMIN_ADJUSTMENT

Canonical stock unit = selling packs (inventory_balances.on_hand_quantity). Outer boxes are display conversion.

9.3 Purchasing lifecycle

Supplier -> Purchase DRAFT (items with unit_cost) -> admin_receive_purchase
-> status RECEIVED (locked) + RECEIPT movements (idempotent)

9.4 Payroll lifecycle

salary terms + attendance unpaid leave + commission ledger
-> admin_calculate_salesman_payroll (month snapshot)
-> APPROVED -> PAID (Day Book payroll entry when paid)

10. RLS / Security

- FORCE RLS on most business tables (20260715101200_rls_enable.sql + later migrations)
- is_admin() SECURITY DEFINER helper - 20260715101300_rls_policies.sql
- Salesman scoped via salesman_shop_ids / employment guards
- Delivery scoped via delivery_route_ids
- Mutations typically SECURITY DEFINER admin_*/salesman_*/delivery_* RPCs
- Purchasing tables: admin-only policies; salesman blocked (db-tests/rls/suppliers-purchasing.test.ts)

Risk notes (document only)

- Some early tables ENABLE RLS without FORCE (product_images, settings, reports_snapshot, price tier tables) - table owner bypass possible
- database.generated.ts stale - risk of type drift vs runtime schema
- Client holds anon key only (expected); service role not for browsers - UNVERIFIED hosted config

11. RPC Inventory (major)

Admin (sample of domains)

- Orders: admin_pack_order, admin_cancel_order, admin_convert_order_to_sale, admin_replace_order_lines, ...
- Payments: admin_mark_payment_received, admin_verify_reported_payment, admin_refund_converted_sale
- Delivery/COD: admin_schedule_and_assign_delivery, admin_settle_delivery_cod*, admin_confirm_owner_cod_receipt*
- Inventory: admin_adjust_inventory_balance
- Purchasing: admin_create/update_supplier, admin_upsert_purchase_draft, admin_receive_purchase, admin_cancel_purchase_draft
- Payroll: admin_calculate/approve/mark_paid salesman_payroll, salary terms, attendance
- Commission: admin_set_salesman_earning_model, admin_set_sku_commission_term

Salesman

- salesman_start_day / end_day (08:00 IST gate), visit check-in/complete
- assisted order create/replace/preview; create retailer; expenses; returns; messages; profile

Delivery

- delivery_start_route, mark_stop_in_progress, complete/fail_stop, complete_route
- delivery_record_cash_payment, delivery_report_digital_payment, delivery_collect_cod

Full enumerated lists were produced during inspection (~69 admin / ~25 salesman / ~10 delivery). See migrations and database.extended.ts Functions.

12. API / LiveAdminApi Map

Admin UI: hooks.ts + mutations.ts -> requireLiveAdminApi() -> LiveAdminApi (~142 async methods)

Sales: SalesmanApi from createSupabaseSalesmanService

Delivery: DeliveryApi from createSupabaseDeliveryService (+ mock)

Example maps

PurchasesListPage -> usePurchasesListQuery -> purchasesList() -> from('purchases')

PurchaseDetail receive -> useReceivePurchaseMutation -> rpc admin_receive_purchase

CreateOrderPage -> preview/place via salesman service RPCs

StopDetailPage -> delivery_complete_stop / record_cash_payment RPCs

13. Catalogue / Selling Units

- products + skus + sku_prices; packaging: net_quantity, packs_per_carton, outer_type, moq, quantity_step
- Inventory & order_lines.quantity are in packs
- When Admin sets MOQ/step in Boxes, packs stored as multiples; Sales UI can sell in Boxes
- Price display: / Box when sellsInOuterUnits else selling unit (Pack/Kg)
- Catalogue sync: Sales listOrderableSkus + realtime invalidation + query cache (sales-query-cache.ts)
- Historical order lines keep selling_unit_snapshot + pack quantities

14. Orders / Inventory / Purchasing

Orders

- Sources: SALESMAN_ASSISTED, CUSTOMER_SELF_SERVE
- Admin lifecycle automation migrations under 20260827150000 and related
- Sale conversion creates sales/sale_items and consumes inventory

Inventory

- Balances + movements + reservations
- Purchase receive idempotent via unique (reference_id) for purchase_item RECEIPT

Purchasing status

Capability	Status
Suppliers CRUD	Implemented + Admin UI
Purchase draft/edit	Implemented + Admin UI
Receive -> stock	Implemented + RPC idempotent
Supplier payments	Missing
Supplier ledger/outstanding	Missing
Purchase returns	Missing
COGS from purchase cost	Missing (costs stored only)

15. Accounting / P&L / GST

Implemented

- Receivables / customer balances UI - ReceivablesPage
- Collections / payments / COD custody - PaymentsPage + delivery COD tables
- Company expenses - company_expenses + Expenses pages
- Day Book aggregates: sale, collection, expense, refund, payroll (PAID) - day-book.ts / LiveAdminApi.dayBookSnapshot
- Salesman payroll snapshots
- Purchase bills with unit_cost (foundation only)

P&L (confirmed)

apps/admin-web/src/data/financial-reports.ts: operatingResult = salesTotal - (expenses + paid payroll)

UI label: Operating Result. Disclaimer: Purchase cost (COGS) is not included. - ProfitLossPage.tsx

GST

- suppliers.gstin optional text field
- purchases.tax_amount manual numeric (not CGST/SGST/IGST engine)
- Company settings may map GSTIN/PAN for invoices - company-settings-map
- No GSTR reports / e-invoice / tax rate tables found as full engine

Missing accounting

- Supplier ledger, supplier payments, advances, debit/credit notes, double-entry journals, bank reconciliation

16. Payroll / Commission / Attendance

Payroll

- Monthly period via payroll_month / date_trunc month - salesman_payroll migration 20261001120000
- Uses salary terms + unpaid leave deductions + earned commission sum
- Statuses DRAFT -> APPROVED -> PAID; paid appears in Day Book as payroll
- Does NOT create daily salary records

Commission

- sku_commission_terms + salesman_commission_entries accrued on sale convert
- Earning models: SALARY, COMMISSION, SALARY_PLUS_COMMISSION
- Separate from base salary; rolled into monthly payroll snapshot as earned_commission

Attendance / workday

- salesman_attendance unique (profile_id, work_date)
- Start/End Day RPCs; Start gated before 08:00 Asia/Kolkata (20261002140000)
- Admin can correct via admin_set_salesman_attendance (SalesmanDetail attendance tab)
- Visits are separate (sales_visits check-in)

17. Payments / Collections / Delivery COD

- payments + payment_events; sales_payments after convert
- Delivery: cash COD record + digital report awaiting admin verify
- COD custody chain: delivery_cod_custody + events + settlements; manager/owner confirm RPCs
- Receivables page for outstanding; Collections report under /reports/collections
- Refunds: admin_refund_converted_sale

18. Photos / Camera / Media

Capability	App	Status	Evidence
Product images	Admin	Implemented	product-media bucket; ProductFormModal upload
Shop photo	Sales	Implemented	salesman-media; CreateCustomer/CustomerDetail
Visit photo	Sales	Implemented	VisitsPage / VisitRouteCard
Profile avatar	Sales	Implemented	ProfilePage file input
Expense receipt	Sales	Implemented	ExpenseFormPage
Return photo	Sales	Implemented	ReturnFormPage
Voice note	Sales	Implemented	getUserMedia audio VoiceNoteButton
Delivery proof photo	Delivery	UI placeholder only	StopDetailPage checkboxes
Delivery signature	Delivery	UI placeholder only	StopDetailPage checkboxes
OCR / scanner	Any	Missing	Not found

- Buckets: product-media (public), salesman-media (private)

19. Notifications / Offline / PWA

Notifications

- notification_outbox + job_runs production services (sprint9)
- Sales: messages, notices, push subscription RPC salesman_save_push_subscription; SW push handler present
- Delivery notification_events table exists
- SMS/WhatsApp deep integration: UNVERIFIED beyond invitation/link tracking fields

Offline / PWA

- Sales + Delivery: manifest.json + sw.js; register in PROD main.tsx
- Sales offline queue: messages/expenses only; NetworkBanner; localStorage query cache
- Delivery: shell cache only; no offline mutation queue
- Orders intentionally not queued offline (uncertain submit UX exists)

20. Reports / Settings / Deployment

Reports routes

- /reports hub
- /reports/profit-loss
- /reports/sales
- /reports/collections
- /reports/outstanding
- /reports/expenses
- /reports/payroll
- /reports/products
- /reports/salesmen

Date boundaries: financial helpers emphasize Asia/Kolkata in several report/day-book paths - verify per report helper.

Settings

- /settings - SettingsPage (company map, roles matrix components)
- Deep: /service-areas, /warehouses under Settings nav prefixes

Deployment

- Turborepo tasks: typecheck, lint, test, build
- vercel.json found for sales-pwa SPA rewrite; Admin/Delivery vercel: UNVERIFIED (may use similar hosting)
- Supabase local scripts: db:start/reset/types/test:db
- Env keys (names only): VITE_SUPABASE_URL, VITE_SUPABASE_ANON_KEY, VITE_AUTH_PROVIDER, VITE_DATA_ADAPTER, GROAURUM_APP_ENV

Secrets were not printed.

21. Tests & Verification

Test file counts (inspected)

Scope	*.test.ts(x) files
apps/admin-web	71
apps/sales-pwa	38
apps/delivery-pwa	3
packages/db-tests	38

Safe verification (this audit session)

Commands run or previously confirmed in continuous workstreams:

- `pnpm --filter @groaurum/admin-web test -> 445 passed (recent)`
- `pnpm --filter @groaurum/sales-pwa test -> 255 passed (recent)`
- Admin/Sales typecheck, lint, build: pass in prior Phase 5A / selling-unit workstreams
- Delivery tests: suite small (3 files) - exact pass count UNVERIFIED in this PDF generation moment if not re-run
- db-tests require local Supabase (supabase status); often skipped when local DB down

22. Migrations Chronology (summary)

97 SQL migrations from 20260715100000 through 20261002140000.

- Foundation catalogue/inventory/orders/payments/delivery/RLS: 20260715*
- Sprint customer/salesman/delivery/production: 20260716*
- Sales conversion + admin workflows: 20260724-20260822*
- HR attendance/salary + COD custody + dashboards: 20260825-20260831*
- Packaging/pricing/discounts/consume inventory: 20260902-03*
- Commission/earnings/expenses/messages: 20260915-29*
- Company expenses: 20260930120000
- Payroll: 20261001120000
- Suppliers/purchasing: 20261002120000
- Workday 08:00 IST: 20261002140000

Index doc MIGRATION_INDEX.md covers early migrations only (incomplete vs full folder).

23. Dead / Compatibility / Unused

Item	Classification	Evidence
SellingUnitFields.tsx	Safe unused UI	No imports outside its file
database.generated.ts	Stale generated	Extended types used instead
Customer app activation UX in Admin	Compatibility / minimized	Phase 4B honesty tests forbid invite/activation lan...
sku_price_tiers	Deprecated-ish	shared-types marks legacy absolute tiers
Delivery photo/signature checkboxes	UI-only placeholder	StopDetailPage
Sprint4 compat views	Compatibility	20260716160005_sprint4_compat_views.sql
apps/customer not-implemented stubs	Partial stubs	services still include not-implemented

Nothing deleted in this audit.

24. Feature Status Matrix

Legend: OK=Complete, PART=Partial, BE=Backend only, UI=UI only, COMP=Compatibility, MISS=Missing, UNK=Unverified

Feature	Admin	Sales	Delivery	DB/API
Catalogue products/SKUs	OK	OK	N/A	OK
Pricing / discounts	OK	OK(preview)	N/A	OK
Inventory balances/movements	OK	stock gate	N/A	OK
Assisted orders	OK	OK	consume via sale	OK
Delivery routes/stops	OK	N/A	OK	OK
COD custody	OK	N/A	PART	OK
Delivery proof photo	N/A	N/A	UI	flags only
Receivables/collections	OK	N/A	COD	OK
Day Book	OK	N/A	N/A	OK
Company expenses	OK	claims separate	N/A	OK
Salesman attendance	OK	OK	N/A	OK
Payroll monthly	OK	earnings view	N/A	OK
Commission	OK	earnings view	N/A	OK
Suppliers/purchases	OK	N/A	N/A	OK
Supplier payments/ledger	MISS	MISS	MISS	MISS
COGS / valuation	MISS	MISS	MISS	MISS
Full GST engine	MISS	MISS	MISS	PART fields
P&L operating result	OK	N/A	N/A	no COGS
Offline orders	N/A	MISS	MISS	N/A
Customer Expo app	N/A	N/A	N/A	OK adjacent

25. Built / Missing / Partial

Everything currently built (confirmed)

- Admin ERP across customers, catalogue, pricing, inventory, orders/sales, delivery ops, salesmen HR, payments/COD, receivables, expenses, day book, purchasing, reports, settings
- Sales PWA field workflow: auth, workday, visits, catalogue ordering, customers, earnings, expenses, returns, messages
- Delivery PWA routes/stops/COD collection reporting
- Supabase RLS + extensive RPC surface
- Purchase->inventory RECEIPT foundation with unit_cost history
- Monthly payroll + commission ledger
- PWA install shells for Sales and Delivery
- Product and salesman media storage

Missing (supported by inspection)

- COGS, inventory valuation (WAC/FIFO), true gross profit
- Supplier payments, supplier ledger, purchase returns, debit/credit notes
- Full GST (CGST/SGST/IGST rates, GSTR, e-invoice)
- Delivery real photo/signature capture & upload
- Offline order placement queue
- Double-entry accounting / bank reconciliation
- AI features

Partial

- Purchase tax_amount without tax engine
- Day Book covers selected money movements only (not inventory liability on credit purchase)
- P&L operating result without purchase cost
- Delivery proof UI without media backend
- Customer app present but Admin intentionally avoids customer-app activation UX language

26. Technical Risks & Performance

Security / data

- Broad payments module for many accounting screens - review least privilege
- SECURITY DEFINER RPCs require continued audit of is_admin/role checks
- Stale generated DB types
- Placeholder delivery proof may inflate compliance confidence

Performance (observed in builds)

- Admin production build warns chunks >500kB (index ~960kB gzipped ~260kB) - vite warning
- Sales index ~570kB - similar warning
- Admin LiveAdminApi is a large facade (~142 methods) - maintainability cost
- Some list endpoints load broad selects then filter client-side (e.g. supplier purchase history filter) - N+1 risk patterns possible

27. Future Backlog (factual gaps only - NOT implemented)

P0 - core incompleteness

- Inventory valuation + COGS before calling P&L net/gross profit
- Supplier payments + outstanding after purchasing foundation
- Real delivery proof media (replace placeholders)

P1 - important

- GST engine using existing GSTIN/tax fields carefully
- Purchase returns / reversal path for received bills
- Offline strategy clarity for Sales orders
- Regenerate database.generated.ts / reduce type drift

P2 - enhancement

- Deeper report exports, bank reconciliation, AI, customer-app Admin activation polish

This section does not prioritize business decisions; it lists technical incompleteness found in code.

28. Appendices - Key Source References

apps/admin-web/src/App.tsx
apps/admin-web/src/data/nav.ts
apps/admin-web/src/auth/moduleRoutes.ts
apps/admin-web/src/data/live/LiveAdminApi.ts
apps/admin-web/src/data/financial-reports.ts
apps/admin-web/src/data/day-book.ts
apps/sales-pwa/src/App.tsx
apps/sales-pwa/src/data/order-quantity.ts
apps/sales-pwa/src/pages/DashboardPage.tsx
apps/delivery-pwa/src/App.tsx
apps/delivery-pwa/src/pages/StopDetailPage.tsx
packages/api-client/src/adapters/supabase/salesman.ts
packages/api-client/src/database.extended.ts
packages/auth/src/permissions.ts
packages/ui/src/tokens/tokens.css
supabase/migrations/20260715100600_inventory.sql
supabase/migrations/20261001120000_salesman_payroll.sql
supabase/migrations/20261002120000_suppliers_purchasing.sql
supabase/migrations/20261002140000_salesman_workday_start_0800_ist.sql

Audit constraints confirmation

No application code was modified during this audit.

No database/schema/migrations were modified.

No production data was changed.

PDF generator script only writes this documentation artifact under docs/.