```
  .   ___           _             __ _ _
 /\\ / ___'_ __ _ _(_)_ __  __ _  \ \ \ \
( ( )\___ | '_ | '_| | '_ \/ _` |  \ \ \ \
 \\/  ___)| |_)| | | | | || (_| |   ) ) ) )
  '  |____| .__|_| |_|_| |_\__, |  / / / /
 =========|_|==============|___/=/_/_/_/
```

   :: Spring Boot ::   (v3.4.0)

2024-11-30T15:16:04.063-03:00 INFO 912 --- [api] [restartedMain] med.voll.api.ApiApplication
: Starting ApiApplication using Java 21 with PID 912 (C:\GitHubjavabin7777777\PROJETOS-ORACLE-ONE-ALURA\api\api\target\classes started by Jupiter in C:\GitHubjavabin7777777\PROJETOS-ORACLE-ONE-ALURA\api\api)
2024-11-30T15:16:04.083-03:00 INFO 912 --- [api] [restartedMain] med.voll.api.ApiApplication
: No active profile set, falling back to 1 default profile: "default"
2024-11-30T15:16:05.152-03:00 INFO 912 --- [api] [restartedMain] .e.DevToolsPropertyDefaultsPostProcessor
: Devtools property defaults active! Set 'spring.devtools.add-properties' to 'false' to disable
2024-11-30T15:16:05.154-03:00 INFO 912 --- [api] [restartedMain] .e.DevToolsPropertyDefaultsPostProcessor
: For additional web related logging consider setting the 'logging.level.web' property to 'DEBUG'
2024-11-30T15:16:15.703-03:00 INFO 912 --- [api] [restartedMain] .s.d.r.c.RepositoryConfigurationDelegate
: Bootstrapping Spring Data JPA repositories in DEFAULT mode.
2024-11-30T15:16:16.110-03:00 INFO 912 --- [api] [restartedMain] .s.d.r.c.RepositoryConfigurationDelegate
: Finished Spring Data repository scanning in 335 ms. Found 1 JPA repository interface.

```
2024-11-30T15:16:23.704-03:00  INFO 912 --- [api] [
restartedMain] o.s.b.w.embedded.tomcat.TomcatWebServer
: Tomcat initialized with port 8080 (http)
2024-11-30T15:16:23.884-03:00  INFO 912 --- [api] [
restartedMain] o.apache.catalina.core.StandardService
: Starting service [Tomcat]
2024-11-30T15:16:23.895-03:00  INFO 912 --- [api] [
restartedMain] o.apache.catalina.core.StandardEngine
: Starting Servlet engine: [Apache Tomcat/10.1.33]
2024-11-30T15:16:24.377-03:00  INFO 912 --- [api] [
restartedMain] o.a.c.c.C.[Tomcat].[localhost].[/]
: Initializing Spring embedded WebApplicationContext
2024-11-30T15:16:24.398-03:00  INFO 912 --- [api] [
restartedMain] w.s.c.ServletWebServerApplicationContext
: Root WebApplicationContext: initialization completed
in 19235 ms
2024-11-30T15:16:26.394-03:00  INFO 912 --- [api] [
restartedMain] com.zaxxer.hikari.HikariDataSource
: HikariPool-1 - Starting...
2024-11-30T15:16:28.971-03:00  INFO 912 --- [api] [
restartedMain] com.zaxxer.hikari.pool.HikariPool
: HikariPool-1 - Added connection
org.postgresql.jdbc.PgConnection@5a9a591f
2024-11-30T15:16:29.008-03:00  INFO 912 --- [api] [
restartedMain] com.zaxxer.hikari.HikariDataSource
: HikariPool-1 - Start completed.
2024-11-30T15:16:29.217-03:00  INFO 912 --- [api] [
restartedMain] org.flywaydb.core.FlywayExecutor
: Database:
jdbc:postgresql://localhost:5432/clinica_medica
(PostgreSQL 17.0)
2024-11-30T15:16:30.503-03:00  INFO 912 --- [api] [
restartedMain] o.f.core.internal.command.DbValidate
: Successfully validated 0 migrations (execution time
00:00.506s)
2024-11-30T15:16:30.503-03:00  WARN 912 --- [api] [
restartedMain] o.f.core.internal.command.DbValidate
```

: No migrations found. Are your locations set up correctly?
2024-11-30T15:16:30.750-03:00 INFO 912 --- [api] [restartedMain] o.f.core.internal.command.DbMigrate
: Current version of schema "public": << Empty Schema >>
2024-11-30T15:16:32.052-03:00 INFO 912 --- [api] [restartedMain] o.f.core.internal.command.DbMigrate
: Schema "public" is up to date. No migration necessary.
2024-11-30T15:16:33.766-03:00 INFO 912 --- [api] [restartedMain] o.hibernate.jpa.internal.util.LogHelper
: HHH000204: Processing PersistenceUnitInfo [name: default]
2024-11-30T15:16:35.007-03:00 INFO 912 --- [api] [restartedMain] org.hibernate.Version
: HHH000412: Hibernate ORM core version 6.6.2.Final
2024-11-30T15:16:35.685-03:00 INFO 912 --- [api] [restartedMain] o.h.c.internal.RegionFactoryInitiator
: HHH000026: Second-level cache disabled
2024-11-30T15:16:36.335-03:00 DEBUG 912 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration boolean -> org.hibernate.type.BasicTypeReference@6c46f46b
2024-11-30T15:16:36.347-03:00 DEBUG 912 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration boolean -> org.hibernate.type.BasicTypeReference@6c46f46b
2024-11-30T15:16:36.348-03:00 DEBUG 912 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Boolean -> org.hibernate.type.BasicTypeReference@6c46f46b
2024-11-30T15:16:36.351-03:00 DEBUG 912 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration numeric_boolean -> org.hibernate.type.BasicTypeReference@b8115a3
2024-11-30T15:16:36.353-03:00 DEBUG 912 --- [api] [

restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.NumericBooleanConverter ->
org.hibernate.type.BasicTypeReference@b8115a3
2024-11-30T15:16:36.355-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration true_false ->
org.hibernate.type.BasicTypeReference@204a7632
2024-11-30T15:16:36.355-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.TrueFalseConverter ->
org.hibernate.type.BasicTypeReference@204a7632
2024-11-30T15:16:36.356-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration yes_no ->
org.hibernate.type.BasicTypeReference@2522f42a
2024-11-30T15:16:36.356-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.YesNoConverter ->
org.hibernate.type.BasicTypeReference@2522f42a
2024-11-30T15:16:36.357-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration byte ->
org.hibernate.type.BasicTypeReference@7e1ca949
2024-11-30T15:16:36.361-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration byte ->
org.hibernate.type.BasicTypeReference@7e1ca949
2024-11-30T15:16:36.364-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Byte ->
org.hibernate.type.BasicTypeReference@7e1ca949
2024-11-30T15:16:36.365-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration binary ->

org.hibernate.type.BasicTypeReference@7db38724
2024-11-30T15:16:36.367-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration byte[] ->
org.hibernate.type.BasicTypeReference@7db38724
2024-11-30T15:16:36.367-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration [B ->
org.hibernate.type.BasicTypeReference@7db38724
2024-11-30T15:16:36.368-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration binary_wrapper ->
org.hibernate.type.BasicTypeReference@ebb8546
2024-11-30T15:16:36.368-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration wrapper-binary ->
org.hibernate.type.BasicTypeReference@ebb8546
2024-11-30T15:16:36.368-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration image ->
org.hibernate.type.BasicTypeReference@3c8aa31f
2024-11-30T15:16:36.369-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration blob ->
org.hibernate.type.BasicTypeReference@27470326
2024-11-30T15:16:36.370-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.sql.Blob ->
org.hibernate.type.BasicTypeReference@27470326
2024-11-30T15:16:36.371-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration materialized_blob ->
org.hibernate.type.BasicTypeReference@46ac2a4d
2024-11-30T15:16:36.379-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration materialized_blob_wrapper ->
org.hibernate.type.BasicTypeReference@14ef066b

2024-11-30T15:16:36.382-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration short ->
org.hibernate.type.BasicTypeReference@7d94ddb2
2024-11-30T15:16:36.389-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration short ->
org.hibernate.type.BasicTypeReference@7d94ddb2
2024-11-30T15:16:36.390-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Short ->
org.hibernate.type.BasicTypeReference@7d94ddb2
2024-11-30T15:16:36.390-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration integer ->
org.hibernate.type.BasicTypeReference@62d5bf15
2024-11-30T15:16:36.391-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration int ->
org.hibernate.type.BasicTypeReference@62d5bf15
2024-11-30T15:16:36.391-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Integer ->
org.hibernate.type.BasicTypeReference@62d5bf15
2024-11-30T15:16:36.391-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration long ->
org.hibernate.type.BasicTypeReference@450c0f40
2024-11-30T15:16:36.391-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration long ->
org.hibernate.type.BasicTypeReference@450c0f40
2024-11-30T15:16:36.392-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Long ->
org.hibernate.type.BasicTypeReference@450c0f40
2024-11-30T15:16:36.408-03:00 DEBUG 912 --- [api] [

restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration float ->
org.hibernate.type.BasicTypeReference@293c85d4
2024-11-30T15:16:36.409-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration float ->
org.hibernate.type.BasicTypeReference@293c85d4
2024-11-30T15:16:36.409-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Float ->
org.hibernate.type.BasicTypeReference@293c85d4
2024-11-30T15:16:36.410-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration double ->
org.hibernate.type.BasicTypeReference@729ea40c
2024-11-30T15:16:36.410-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration double ->
org.hibernate.type.BasicTypeReference@729ea40c
2024-11-30T15:16:36.411-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Double ->
org.hibernate.type.BasicTypeReference@729ea40c
2024-11-30T15:16:36.412-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration big_integer ->
org.hibernate.type.BasicTypeReference@3d7c905d
2024-11-30T15:16:36.414-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.math.BigInteger ->
org.hibernate.type.BasicTypeReference@3d7c905d
2024-11-30T15:16:36.414-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration big_decimal ->
org.hibernate.type.BasicTypeReference@182ffebd
2024-11-30T15:16:36.414-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry

: Adding type registration java.math.BigDecimal ->
org.hibernate.type.BasicTypeReference@182ffebd
2024-11-30T15:16:36.415-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration character ->
org.hibernate.type.BasicTypeReference@5570da49
2024-11-30T15:16:36.418-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration char ->
org.hibernate.type.BasicTypeReference@5570da49
2024-11-30T15:16:36.431-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Character ->
org.hibernate.type.BasicTypeReference@5570da49
2024-11-30T15:16:36.432-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration character_nchar ->
org.hibernate.type.BasicTypeReference@5249ba2f
2024-11-30T15:16:36.432-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration string ->
org.hibernate.type.BasicTypeReference@bee3643
2024-11-30T15:16:36.432-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.String ->
org.hibernate.type.BasicTypeReference@bee3643
2024-11-30T15:16:36.432-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration nstring ->
org.hibernate.type.BasicTypeReference@6cd3fb95
2024-11-30T15:16:36.433-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration characters ->
org.hibernate.type.BasicTypeReference@3f22d6d4
2024-11-30T15:16:36.433-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration char[] ->

org.hibernate.type.BasicTypeReference@3f22d6d4
2024-11-30T15:16:36.433-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration [C ->
org.hibernate.type.BasicTypeReference@3f22d6d4
2024-11-30T15:16:36.434-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration wrapper-characters ->
org.hibernate.type.BasicTypeReference@20a59bdd
2024-11-30T15:16:36.434-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration text ->
org.hibernate.type.BasicTypeReference@5a83fda4
2024-11-30T15:16:36.434-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration ntext ->
org.hibernate.type.BasicTypeReference@29ffba32
2024-11-30T15:16:36.434-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration clob ->
org.hibernate.type.BasicTypeReference@c24daf
2024-11-30T15:16:36.435-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.sql.Clob ->
org.hibernate.type.BasicTypeReference@c24daf
2024-11-30T15:16:36.435-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration nclob ->
org.hibernate.type.BasicTypeReference@c354519
2024-11-30T15:16:36.435-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.sql.NClob ->
org.hibernate.type.BasicTypeReference@c354519
2024-11-30T15:16:36.435-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration materialized_clob ->
org.hibernate.type.BasicTypeReference@499ee7e6

2024-11-30T15:16:36.436-03:00 DEBUG 912 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration materialized_clob_char_array -> org.hibernate.type.BasicTypeReference@1de4eacd
2024-11-30T15:16:36.436-03:00 DEBUG 912 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration materialized_clob_character_array -> org.hibernate.type.BasicTypeReference@f5973eb
2024-11-30T15:16:36.436-03:00 DEBUG 912 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration materialized_nclob -> org.hibernate.type.BasicTypeReference@2962e294
2024-11-30T15:16:36.436-03:00 DEBUG 912 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration materialized_nclob_character_array -> org.hibernate.type.BasicTypeReference@177d9189
2024-11-30T15:16:36.437-03:00 DEBUG 912 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration materialized_nclob_char_array -> org.hibernate.type.BasicTypeReference@2df5b329
2024-11-30T15:16:36.499-03:00 DEBUG 912 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration Duration -> org.hibernate.type.BasicTypeReference@69f74b57
2024-11-30T15:16:36.503-03:00 DEBUG 912 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration java.time.Duration -> org.hibernate.type.BasicTypeReference@69f74b57
2024-11-30T15:16:36.505-03:00 DEBUG 912 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration LocalDateTime -> org.hibernate.type.BasicTypeReference@57bf72bf
2024-11-30T15:16:36.505-03:00 DEBUG 912 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry

: Adding type registration java.time.LocalDateTime ->
org.hibernate.type.BasicTypeReference@57bf72bf
2024-11-30T15:16:36.506-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration LocalDate ->
org.hibernate.type.BasicTypeReference@2c355018
2024-11-30T15:16:36.506-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.LocalDate ->
org.hibernate.type.BasicTypeReference@2c355018
2024-11-30T15:16:36.508-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration LocalTime ->
org.hibernate.type.BasicTypeReference@2c59c24c
2024-11-30T15:16:36.509-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.LocalTime ->
org.hibernate.type.BasicTypeReference@2c59c24c
2024-11-30T15:16:36.511-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetDateTime ->
org.hibernate.type.BasicTypeReference@7f279963
2024-11-30T15:16:36.511-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.OffsetDateTime ->
org.hibernate.type.BasicTypeReference@7f279963
2024-11-30T15:16:36.511-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetDateTimeWithTimezone
-> org.hibernate.type.BasicTypeReference@53a126b2
2024-11-30T15:16:36.511-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
OffsetDateTimeWithoutTimezone ->
org.hibernate.type.BasicTypeReference@5592094e
2024-11-30T15:16:36.512-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry

: Adding type registration OffsetTime ->
org.hibernate.type.BasicTypeReference@373bfa12
2024-11-30T15:16:36.512-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.OffsetTime ->
org.hibernate.type.BasicTypeReference@373bfa12
2024-11-30T15:16:36.512-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetTimeUtc ->
org.hibernate.type.BasicTypeReference@74149117
2024-11-30T15:16:36.512-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetTimeWithTimezone ->
org.hibernate.type.BasicTypeReference@2edaad91
2024-11-30T15:16:36.513-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetTimeWithoutTimezone ->
org.hibernate.type.BasicTypeReference@6b47197d
2024-11-30T15:16:36.514-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration ZonedDateTime ->
org.hibernate.type.BasicTypeReference@344856d
2024-11-30T15:16:36.514-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.ZonedDateTime ->
org.hibernate.type.BasicTypeReference@344856d
2024-11-30T15:16:36.515-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration ZonedDateTimeWithTimezone ->
org.hibernate.type.BasicTypeReference@5388303b
2024-11-30T15:16:36.516-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration ZonedDateTimeWithoutTimezone
-> org.hibernate.type.BasicTypeReference@2845a9fe
2024-11-30T15:16:36.547-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration date ->

org.hibernate.type.BasicTypeReference@7b1ad17a
2024-11-30T15:16:36.548-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.sql.Date ->
org.hibernate.type.BasicTypeReference@7b1ad17a
2024-11-30T15:16:36.549-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration time ->
org.hibernate.type.BasicTypeReference@5c524c99
2024-11-30T15:16:36.549-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.sql.Time ->
org.hibernate.type.BasicTypeReference@5c524c99
2024-11-30T15:16:36.550-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration timestamp ->
org.hibernate.type.BasicTypeReference@4e49b6c0
2024-11-30T15:16:36.550-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.sql.Timestamp ->
org.hibernate.type.BasicTypeReference@4e49b6c0
2024-11-30T15:16:36.550-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.util.Date ->
org.hibernate.type.BasicTypeReference@4e49b6c0
2024-11-30T15:16:36.551-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration calendar ->
org.hibernate.type.BasicTypeReference@4b46fcae
2024-11-30T15:16:36.551-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.util.Calendar ->
org.hibernate.type.BasicTypeReference@4b46fcae
2024-11-30T15:16:36.551-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.util.GregorianCalendar
-> org.hibernate.type.BasicTypeReference@4b46fcae

2024-11-30T15:16:36.551-03:00 DEBUG 912 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration calendar_date -> org.hibernate.type.BasicTypeReference@66fa75bd
2024-11-30T15:16:36.552-03:00 DEBUG 912 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration calendar_time -> org.hibernate.type.BasicTypeReference@2882db7f
2024-11-30T15:16:36.552-03:00 DEBUG 912 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration instant -> org.hibernate.type.BasicTypeReference@2bfe8719
2024-11-30T15:16:36.552-03:00 DEBUG 912 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration java.time.Instant -> org.hibernate.type.BasicTypeReference@2bfe8719
2024-11-30T15:16:36.552-03:00 DEBUG 912 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration uuid -> org.hibernate.type.BasicTypeReference@57a1ad44
2024-11-30T15:16:36.553-03:00 DEBUG 912 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration java.util.UUID -> org.hibernate.type.BasicTypeReference@57a1ad44
2024-11-30T15:16:36.553-03:00 DEBUG 912 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration pg-uuid -> org.hibernate.type.BasicTypeReference@57a1ad44
2024-11-30T15:16:36.553-03:00 DEBUG 912 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration uuid-binary -> org.hibernate.type.BasicTypeReference@62c37d90
2024-11-30T15:16:36.553-03:00 DEBUG 912 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration uuid-char -> org.hibernate.type.BasicTypeReference@5c241b94
2024-11-30T15:16:36.554-03:00 DEBUG 912 --- [api] [

restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration class ->
org.hibernate.type.BasicTypeReference@33d9946
2024-11-30T15:16:36.554-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Class ->
org.hibernate.type.BasicTypeReference@33d9946
2024-11-30T15:16:36.585-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration currency ->
org.hibernate.type.BasicTypeReference@592ccfe8
2024-11-30T15:16:36.591-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration Currency ->
org.hibernate.type.BasicTypeReference@592ccfe8
2024-11-30T15:16:36.592-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.util.Currency ->
org.hibernate.type.BasicTypeReference@592ccfe8
2024-11-30T15:16:36.593-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration locale ->
org.hibernate.type.BasicTypeReference@20fa16a0
2024-11-30T15:16:36.594-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.util.Locale ->
org.hibernate.type.BasicTypeReference@20fa16a0
2024-11-30T15:16:36.595-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration serializable ->
org.hibernate.type.BasicTypeReference@5c7e4190
2024-11-30T15:16:36.595-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.io.Serializable ->
org.hibernate.type.BasicTypeReference@5c7e4190
2024-11-30T15:16:36.595-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry

: Adding type registration timezone -> org.hibernate.type.BasicTypeReference@33e604f0
2024-11-30T15:16:36.596-03:00 DEBUG 912 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.util.TimeZone -> org.hibernate.type.BasicTypeReference@33e604f0
2024-11-30T15:16:36.596-03:00 DEBUG 912 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration ZoneOffset -> org.hibernate.type.BasicTypeReference@c8aceeb
2024-11-30T15:16:36.596-03:00 DEBUG 912 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.ZoneOffset -> org.hibernate.type.BasicTypeReference@c8aceeb
2024-11-30T15:16:36.597-03:00 DEBUG 912 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration url -> org.hibernate.type.BasicTypeReference@7cb586cc
2024-11-30T15:16:36.597-03:00 DEBUG 912 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.net.URL -> org.hibernate.type.BasicTypeReference@7cb586cc
2024-11-30T15:16:36.597-03:00 DEBUG 912 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration vector -> org.hibernate.type.BasicTypeReference@52e92a0b
2024-11-30T15:16:36.597-03:00 DEBUG 912 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration float_vector -> org.hibernate.type.BasicTypeReference@51ab7522
2024-11-30T15:16:36.597-03:00 DEBUG 912 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration double_vector -> org.hibernate.type.BasicTypeReference@b8c146a
2024-11-30T15:16:36.598-03:00 DEBUG 912 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration byte_vector ->

org.hibernate.type.BasicTypeReference@5b5f6031
2024-11-30T15:16:36.598-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration row_version ->
org.hibernate.type.BasicTypeReference@407db023
2024-11-30T15:16:36.766-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration object ->
org.hibernate.type.JavaObjectType@2b678f91
2024-11-30T15:16:36.780-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Object ->
org.hibernate.type.JavaObjectType@2b678f91
2024-11-30T15:16:36.800-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration null ->
org.hibernate.type.NullType@7ec6e4a5
2024-11-30T15:16:36.808-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm_date ->
org.hibernate.type.BasicTypeReference@1d8e1b9c
2024-11-30T15:16:36.816-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm_time ->
org.hibernate.type.BasicTypeReference@100a7f05
2024-11-30T15:16:36.823-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm_timestamp ->
org.hibernate.type.BasicTypeReference@1610ece9
2024-11-30T15:16:36.955-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm_calendar ->
org.hibernate.type.BasicTypeReference@5fbac142
2024-11-30T15:16:36.967-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm_calendar_date ->
org.hibernate.type.BasicTypeReference@328563d2

```
2024-11-30T15:16:36.978-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm_calendar_time ->
org.hibernate.type.BasicTypeReference@7134c0d0
2024-11-30T15:16:36.986-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm_binary ->
org.hibernate.type.BasicTypeReference@60d21dbb
2024-11-30T15:16:36.997-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm_serializable ->
org.hibernate.type.BasicTypeReference@69eb6032
2024-11-30T15:16:41.631-03:00  INFO 912 --- [api] [
restartedMain] o.s.o.j.p.SpringPersistenceUnitInfo
: No LoadTimeWeaver setup: ignoring JPA class
transformer
2024-11-30T15:16:43.395-03:00  INFO 912 --- [api] [
restartedMain] org.hibernate.orm.connections.pooling
: HHH10001005: Database info:
        Database JDBC URL [Connecting through
datasource 'HikariDataSource (HikariPool-1)']
        Database driver: undefined/unknown
        Database version: 17.0
        Autocommit mode: undefined/unknown
        Isolation level: undefined/unknown
        Minimum pool size: undefined/unknown
        Maximum pool size: undefined/unknown
2024-11-30T15:16:43.461-03:00 DEBUG 912 --- [api] [
restartedMain] o.h.t.d.sql.spi.DdlTypeRegistry
: addDescriptor(2003,
org.hibernate.type.descriptor.sql.internal.ArrayDdlType
Impl@62c858ba) replaced previous
registration(org.hibernate.type.descriptor.sql.internal
.ArrayDdlTypeImpl@c4cc4c8)
2024-11-30T15:16:43.467-03:00 DEBUG 912 --- [api] [
restartedMain] o.h.t.d.sql.spi.DdlTypeRegistry
: addDescriptor(6,
```

```
org.hibernate.type.descriptor.sql.internal.CapacityDepe
ndentDdlType@115eec59) replaced previous
registration(org.hibernate.type.descriptor.sql.internal
.DdlTypeImpl@330e384a)
2024-11-30T15:16:43.481-03:00 DEBUG 912 --- [api] [
restartedMain] o.h.t.d.jdbc.spi.JdbcTypeRegistry
: addDescriptor(2004, BlobTypeDescriptor(BLOB_BINDING))
replaced previous
registration(BlobTypeDescriptor(DEFAULT))
2024-11-30T15:16:43.482-03:00 DEBUG 912 --- [api] [
restartedMain] o.h.t.d.jdbc.spi.JdbcTypeRegistry
: addDescriptor(2005, ClobTypeDescriptor(CLOB_BINDING))
replaced previous
registration(ClobTypeDescriptor(DEFAULT))
2024-11-30T15:16:43.577-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration JAVA_OBJECT ->
org.hibernate.type.JavaObjectType@2f34e117
2024-11-30T15:16:43.581-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Object ->
org.hibernate.type.JavaObjectType@2f34e117
2024-11-30T15:16:43.582-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Type registration key [java.lang.Object] overrode
previous entry :
`org.hibernate.type.JavaObjectType@2b678f91`
2024-11-30T15:16:43.650-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.DurationType ->
basicType@1(java.time.Duration,3015)
2024-11-30T15:16:43.651-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration Duration ->
basicType@1(java.time.Duration,3015)
2024-11-30T15:16:43.651-03:00 DEBUG 912 --- [api] [
```

restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.Duration ->
basicType@1(java.time.Duration,3015)
2024-11-30T15:16:43.675-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.OffsetDateTimeType ->
basicType@2(java.time.OffsetDateTime,3003)
2024-11-30T15:16:43.688-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetDateTime ->
basicType@2(java.time.OffsetDateTime,3003)
2024-11-30T15:16:43.703-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.OffsetDateTime ->
basicType@2(java.time.OffsetDateTime,3003)
2024-11-30T15:16:43.709-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.ZonedDateTimeType ->
basicType@3(java.time.ZonedDateTime,3003)
2024-11-30T15:16:43.711-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration ZonedDateTime ->
basicType@3(java.time.ZonedDateTime,3003)
2024-11-30T15:16:43.718-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.ZonedDateTime ->
basicType@3(java.time.ZonedDateTime,3003)
2024-11-30T15:16:43.731-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.OffsetTimeType ->
basicType@4(java.time.OffsetTime,3007)
2024-11-30T15:16:43.732-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetTime ->

```
basicType@4(java.time.OffsetTime,3007)
2024-11-30T15:16:43.733-03:00 DEBUG 912 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.OffsetTime ->
basicType@4(java.time.OffsetTime,3007)
2024-11-30T15:16:43.743-03:00 DEBUG 912 --- [api] [
restartedMain] o.h.type.spi.TypeConfiguration$Scope
: Scoping TypeConfiguration
[org.hibernate.type.spi.TypeConfiguration@4d9049f] to
MetadataBuildingContext
[org.hibernate.boot.internal.MetadataBuildingContextRoo
tImpl@6260481c]
2024-11-30T15:16:50.846-03:00  INFO 912 --- [api] [
restartedMain] o.h.e.t.j.p.i.JtaPlatformInitiator
: HHH000489: No JTA platform available (set
'hibernate.transaction.jta.platform' to enable JTA
platform integration)
2024-11-30T15:16:50.856-03:00 DEBUG 912 --- [api] [
restartedMain] o.h.type.spi.TypeConfiguration$Scope
: Scoping TypeConfiguration
[org.hibernate.type.spi.TypeConfiguration@4d9049f] to
SessionFactoryImplementor
[org.hibernate.internal.SessionFactoryImpl@f02f12]
2024-11-30T15:16:52.223-03:00 TRACE 912 --- [api] [
restartedMain] o.h.type.spi.TypeConfiguration$Scope
: Handling #sessionFactoryCreated from
[org.hibernate.internal.SessionFactoryImpl@f02f12] for
TypeConfiguration
2024-11-30T15:16:52.226-03:00  INFO 912 --- [api] [
restartedMain] j.LocalContainerEntityManagerFactoryBean
: Initialized JPA EntityManagerFactory for persistence
unit 'default'
2024-11-30T15:16:55.421-03:00  WARN 912 --- [api] [
restartedMain] JpaBaseConfiguration$JpaWebConfiguration
: spring.jpa.open-in-view is enabled by default.
Therefore, database queries may be performed during
view rendering. Explicitly configure
```

spring.jpa.open-in-view to disable this warning
2024-11-30T15:17:01.530-03:00 INFO 912 --- [api] [
restartedMain] o.s.b.d.a.OptionalLiveReloadServer
: LiveReload server is running on port 35729
2024-11-30T15:17:02.518-03:00 INFO 912 --- [api] [
restartedMain] o.s.b.w.embedded.tomcat.TomcatWebServer
: Tomcat started on port 8080 (http) with context path
'/'
2024-11-30T15:17:02.592-03:00 INFO 912 --- [api] [
restartedMain] med.voll.api.ApiApplication
: Started ApiApplication in 65.688 seconds (process
running for 73.921)
2024-11-30T15:17:23.219-03:00 INFO 912 --- [api]
[nio-8080-exec-1] o.a.c.c.C.[Tomcat].[localhost].[/]
    : Initializing Spring DispatcherServlet
'dispatcherServlet'
2024-11-30T15:17:23.226-03:00 INFO 912 --- [api]
[nio-8080-exec-1] o.s.web.servlet.DispatcherServlet
    : Initializing Servlet 'dispatcherServlet'
2024-11-30T15:17:23.233-03:00 INFO 912 --- [api]
[nio-8080-exec-1] o.s.web.servlet.DispatcherServlet
    : Completed initialization in 6 ms

Medicos[nome=Rodrigo Novalgina,
email=rodrigo.ferreira@voll.med, crm=123456,
especialidade=ORTOPEDIA,
endereco=Endereco[logradouro=rua 41, bairro=Bairro do
Vinho, cep=12345678, cidade=Brasilia, uf=DF, numero=1,
complemento=complemento]]

med.voll.api.model.DB.MedicoDB@4c25664e
2024-11-30T15:17:25.027-03:00 DEBUG 912 --- [api]
[nio-8080-exec-1] org.hibernate.SQL
    : insert into medicos
(crm,email,bairro,cep,cidade,complemento,logradouro,num
ero,uf,especialidade,nome) values
(?,?,?,?,?,?,?,?,?,?,?)

```
Hibernate: insert into medicos
(crm,email,bairro,cep,cidade,complemento,logradouro,num
ero,uf,especialidade,nome) values
(?,?,?,?,?,?,?,?,?,?,?)

Medicos[nome=Rodrigo Novalgina,
email=rodrigo.ferreira@voll.med, crm=123456,
especialidade=ORTOPEDIA,
endereco=Endereco[logradouro=rua 41, bairro=Bairro do
Vinho, cep=12345678, cidade=Brasilia, uf=DF, numero=1,
complemento=]]

med.voll.api.model.DB.MedicoDB@64722bc2
2024-11-30T15:19:42.931-03:00 DEBUG 912 --- [api]
[nio-8080-exec-3] org.hibernate.SQL
    : insert into medicos
(crm,email,bairro,cep,cidade,complemento,logradouro,num
ero,uf,especialidade,nome) values
(?,?,?,?,?,?,?,?,?,?,?)
Hibernate: insert into medicos
(crm,email,bairro,cep,cidade,complemento,logradouro,num
ero,uf,especialidade,nome) values
(?,?,?,?,?,?,?,?,?,?,?)
2024-11-30T15:19:43.261-03:00  WARN 912 --- [api]
[nio-8080-exec-3]
o.h.engine.jdbc.spi.SqlExceptionHelper   : SQL Error:
0, SQLState: 23505
2024-11-30T15:19:43.262-03:00 ERROR 912 --- [api]
[nio-8080-exec-3]
o.h.engine.jdbc.spi.SqlExceptionHelper   : ERRO:
duplicar valor da chave viola a restrição de unicidade
"ukrxsweypth0bpyhxpvfd9sfgh3"
  Detalhe: Chave (crm)=(123456) já existe.
2024-11-30T15:19:43.391-03:00 ERROR 912 --- [api]
[nio-8080-exec-3] o.a.c.c.C.[.[.[/].[dispatcherServlet]
    : Servlet.service() for servlet [dispatcherServlet]
in context with path [] threw exception [Request
```

processing failed:
org.springframework.dao.DataIntegrityViolationException
: could not execute statement [ERRO: duplicar valor da
chave viola a restrição de unicidade
"ukrxsweypth0bpyhxpvfd9sfgh3"
  Detalhe: Chave (crm)=(123456) já existe.] [insert
into medicos
(crm,email,bairro,cep,cidade,complemento,logradouro,num
ero,uf,especialidade,nome) values
(?,?,?,?,?,?,?,?,?,?,?)]; SQL [insert into medicos
(crm,email,bairro,cep,cidade,complemento,logradouro,num
ero,uf,especialidade,nome) values
(?,?,?,?,?,?,?,?,?,?,?)]; constraint [null]] with root
cause

org.postgresql.util.PSQLException: ERRO: duplicar valor
da chave viola a restrição de unicidade
"ukrxsweypth0bpyhxpvfd9sfgh3"
  Detalhe: Chave (crm)=(123456) já existe.
        at
org.postgresql.core.v3.QueryExecutorImpl.receiveErrorRe
sponse(QueryExecutorImpl.java:2733)
~[postgresql-42.7.4.jar:42.7.4]
        at
org.postgresql.core.v3.QueryExecutorImpl.processResults
(QueryExecutorImpl.java:2420)
~[postgresql-42.7.4.jar:42.7.4]
        at
org.postgresql.core.v3.QueryExecutorImpl.execute(QueryE
xecutorImpl.java:372) ~[postgresql-42.7.4.jar:42.7.4]
        at
org.postgresql.jdbc.PgStatement.executeInternal(PgState
ment.java:517) ~[postgresql-42.7.4.jar:42.7.4]
        at
org.postgresql.jdbc.PgStatement.execute(PgStatement.jav
a:434) ~[postgresql-42.7.4.jar:42.7.4]
        at

```
org.postgresql.jdbc.PgPreparedStatement.executeWithFlag
s(PgPreparedStatement.java:194)
~[postgresql-42.7.4.jar:42.7.4]
        at
org.postgresql.jdbc.PgPreparedStatement.executeUpdate(P
gPreparedStatement.java:155)
~[postgresql-42.7.4.jar:42.7.4]
        at
com.zaxxer.hikari.pool.ProxyPreparedStatement.executeUp
date(ProxyPreparedStatement.java:61)
~[HikariCP-5.1.0.jar:na]
        at
com.zaxxer.hikari.pool.HikariProxyPreparedStatement.exe
cuteUpdate(HikariProxyPreparedStatement.java)
~[HikariCP-5.1.0.jar:na]
        at
org.hibernate.engine.jdbc.internal.ResultSetReturnImpl.
executeUpdate(ResultSetReturnImpl.java:194)
~[hibernate-core-6.6.2.Final.jar:6.6.2.Final]
        at
org.hibernate.id.insert.GetGeneratedKeysDelegate.perfor
mMutation(GetGeneratedKeysDelegate.java:116)
~[hibernate-core-6.6.2.Final.jar:6.6.2.Final]
        at
org.hibernate.engine.jdbc.mutation.internal.MutationExe
cutorSingleNonBatched.performNonBatchedOperations(Mutat
ionExecutorSingleNonBatched.java:47)
~[hibernate-core-6.6.2.Final.jar:6.6.2.Final]
        at
org.hibernate.engine.jdbc.mutation.internal.AbstractMut
ationExecutor.execute(AbstractMutationExecutor.java:55)
~[hibernate-core-6.6.2.Final.jar:6.6.2.Final]
        at
org.hibernate.persister.entity.mutation.InsertCoordinat
orStandard.doStaticInserts(InsertCoordinatorStandard.ja
va:194) ~[hibernate-core-6.6.2.Final.jar:6.6.2.Final]
        at
```

```
org.hibernate.persister.entity.mutation.InsertCoordinat
orStandard.coordinateInsert(InsertCoordinatorStandard.j
ava:132) ~[hibernate-core-6.6.2.Final.jar:6.6.2.Final]
        at
org.hibernate.persister.entity.mutation.InsertCoordinat
orStandard.insert(InsertCoordinatorStandard.java:95)
~[hibernate-core-6.6.2.Final.jar:6.6.2.Final]
        at
org.hibernate.action.internal.EntityIdentityInsertActio
n.execute(EntityIdentityInsertAction.java:85)
~[hibernate-core-6.6.2.Final.jar:6.6.2.Final]
        at
org.hibernate.engine.spi.ActionQueue.execute(ActionQueu
e.java:682)
~[hibernate-core-6.6.2.Final.jar:6.6.2.Final]
        at
org.hibernate.engine.spi.ActionQueue.addResolvedEntityI
nsertAction(ActionQueue.java:293)
~[hibernate-core-6.6.2.Final.jar:6.6.2.Final]
        at
org.hibernate.engine.spi.ActionQueue.addInsertAction(Ac
tionQueue.java:274)
~[hibernate-core-6.6.2.Final.jar:6.6.2.Final]
        at
org.hibernate.engine.spi.ActionQueue.addAction(ActionQu
eue.java:324)
~[hibernate-core-6.6.2.Final.jar:6.6.2.Final]
        at
org.hibernate.event.internal.AbstractSaveEventListener.
addInsertAction(AbstractSaveEventListener.java:393)
~[hibernate-core-6.6.2.Final.jar:6.6.2.Final]
        at
org.hibernate.event.internal.AbstractSaveEventListener.
performSaveOrReplicate(AbstractSaveEventListener.java:3
07) ~[hibernate-core-6.6.2.Final.jar:6.6.2.Final]
        at
org.hibernate.event.internal.AbstractSaveEventListener.
```

performSave(AbstractSaveEventListener.java:223)
~[hibernate-core-6.6.2.Final.jar:6.6.2.Final]
        at
org.hibernate.event.internal.AbstractSaveEventListener.
saveWithGeneratedId(AbstractSaveEventListener.java:136)
~[hibernate-core-6.6.2.Final.jar:6.6.2.Final]
        at
org.hibernate.event.internal.DefaultPersistEventListene
r.entityIsTransient(DefaultPersistEventListener.java:17
7) ~[hibernate-core-6.6.2.Final.jar:6.6.2.Final]
        at
org.hibernate.event.internal.DefaultPersistEventListene
r.persist(DefaultPersistEventListener.java:95)
~[hibernate-core-6.6.2.Final.jar:6.6.2.Final]
        at
org.hibernate.event.internal.DefaultPersistEventListene
r.onPersist(DefaultPersistEventListener.java:79)
~[hibernate-core-6.6.2.Final.jar:6.6.2.Final]
        at
org.hibernate.event.internal.DefaultPersistEventListene
r.onPersist(DefaultPersistEventListener.java:55)
~[hibernate-core-6.6.2.Final.jar:6.6.2.Final]
        at
org.hibernate.event.service.internal.EventListenerGroup
Impl.fireEventOnEachListener(EventListenerGroupImpl.jav
a:127) ~[hibernate-core-6.6.2.Final.jar:6.6.2.Final]
        at
org.hibernate.internal.SessionImpl.firePersist(SessionI
mpl.java:761)
~[hibernate-core-6.6.2.Final.jar:6.6.2.Final]
        at
org.hibernate.internal.SessionImpl.persist(SessionImpl.
java:745) ~[hibernate-core-6.6.2.Final.jar:6.6.2.Final]
        at
java.base/jdk.internal.reflect.DirectMethodHandleAccess
or.invoke(DirectMethodHandleAccessor.java:103) ~[na:na]
        at

```
java.base/java.lang.reflect.Method.invoke(Method.java:5
80) ~[na:na]
        at
org.springframework.orm.jpa.ExtendedEntityManagerCreato
r$ExtendedEntityManagerInvocationHandler.invoke(Extende
dEntityManagerCreator.java:364)
~[spring-orm-6.2.0.jar:6.2.0]
        at
jdk.proxy4/jdk.proxy4.$Proxy129.persist(Unknown Source)
~[na:na]
        at
java.base/jdk.internal.reflect.DirectMethodHandleAccess
or.invoke(DirectMethodHandleAccessor.java:103) ~[na:na]
        at
java.base/java.lang.reflect.Method.invoke(Method.java:5
80) ~[na:na]
        at
org.springframework.orm.jpa.SharedEntityManagerCreator$
SharedEntityManagerInvocationHandler.invoke(SharedEntit
yManagerCreator.java:320) ~[spring-orm-6.2.0.jar:6.2.0]
        at
jdk.proxy4/jdk.proxy4.$Proxy129.persist(Unknown Source)
~[na:na]
        at
org.springframework.data.jpa.repository.support.SimpleJ
paRepository.save(SimpleJpaRepository.java:623)
~[spring-data-jpa-3.4.0.jar:3.4.0]
        at
java.base/jdk.internal.reflect.DirectMethodHandleAccess
or.invoke(DirectMethodHandleAccessor.java:103) ~[na:na]
        at
java.base/java.lang.reflect.Method.invoke(Method.java:5
80) ~[na:na]
        at
org.springframework.aop.support.AopUtils.invokeJoinpoin
tUsingReflection(AopUtils.java:359)
~[spring-aop-6.2.0.jar:6.2.0]
```

```
        at
org.springframework.data.repository.core.support.Reposi
toryMethodInvoker$RepositoryFragmentMethodInvoker.lambd
a$new$0(RepositoryMethodInvoker.java:277)
~[spring-data-commons-3.4.0.jar:3.4.0]
        at
org.springframework.data.repository.core.support.Reposi
toryMethodInvoker.doInvoke(RepositoryMethodInvoker.java
:170) ~[spring-data-commons-3.4.0.jar:3.4.0]
        at
org.springframework.data.repository.core.support.Reposi
toryMethodInvoker.invoke(RepositoryMethodInvoker.java:1
58) ~[spring-data-commons-3.4.0.jar:3.4.0]
        at
org.springframework.data.repository.core.support.Reposi
toryComposition$RepositoryFragments.invoke(RepositoryCo
mposition.java:515)
~[spring-data-commons-3.4.0.jar:3.4.0]
        at
org.springframework.data.repository.core.support.Reposi
toryComposition.invoke(RepositoryComposition.java:284)
~[spring-data-commons-3.4.0.jar:3.4.0]
        at
org.springframework.data.repository.core.support.Reposi
toryFactorySupport$ImplementationMethodExecutionInterce
ptor.invoke(RepositoryFactorySupport.java:752)
~[spring-data-commons-3.4.0.jar:3.4.0]
        at
org.springframework.aop.framework.ReflectiveMethodInvoc
ation.proceed(ReflectiveMethodInvocation.java:184)
~[spring-aop-6.2.0.jar:6.2.0]
        at
org.springframework.data.repository.core.support.QueryE
xecutorMethodInterceptor.doInvoke(QueryExecutorMethodIn
terceptor.java:174)
~[spring-data-commons-3.4.0.jar:3.4.0]
        at
```

```
org.springframework.data.repository.core.support.QueryE
xecutorMethodInterceptor.invoke(QueryExecutorMethodInte
rceptor.java:149)
~[spring-data-commons-3.4.0.jar:3.4.0]
        at
org.springframework.aop.framework.ReflectiveMethodInvoc
ation.proceed(ReflectiveMethodInvocation.java:184)
~[spring-aop-6.2.0.jar:6.2.0]
        at
org.springframework.data.projection.DefaultMethodInvoki
ngMethodInterceptor.invoke(DefaultMethodInvokingMethodI
nterceptor.java:69)
~[spring-data-commons-3.4.0.jar:3.4.0]
        at
org.springframework.aop.framework.ReflectiveMethodInvoc
ation.proceed(ReflectiveMethodInvocation.java:184)
~[spring-aop-6.2.0.jar:6.2.0]
        at
org.springframework.transaction.interceptor.Transaction
AspectSupport.invokeWithinTransaction(TransactionAspect
Support.java:380) ~[spring-tx-6.2.0.jar:6.2.0]
        at
org.springframework.transaction.interceptor.Transaction
Interceptor.invoke(TransactionInterceptor.java:119)
~[spring-tx-6.2.0.jar:6.2.0]
        at
org.springframework.aop.framework.ReflectiveMethodInvoc
ation.proceed(ReflectiveMethodInvocation.java:184)
~[spring-aop-6.2.0.jar:6.2.0]
        at
org.springframework.dao.support.PersistenceExceptionTra
nslationInterceptor.invoke(PersistenceExceptionTranslat
ionInterceptor.java:138) ~[spring-tx-6.2.0.jar:6.2.0]
        at
org.springframework.aop.framework.ReflectiveMethodInvoc
ation.proceed(ReflectiveMethodInvocation.java:184)
~[spring-aop-6.2.0.jar:6.2.0]
```

```
        at
org.springframework.data.jpa.repository.support.CrudMet
hodMetadataPostProcessor$CrudMethodMetadataPopulatingMe
thodInterceptor.invoke(CrudMethodMetadataPostProcessor.
java:165) ~[spring-data-jpa-3.4.0.jar:3.4.0]
        at
org.springframework.aop.framework.ReflectiveMethodInvoc
ation.proceed(ReflectiveMethodInvocation.java:184)
~[spring-aop-6.2.0.jar:6.2.0]
        at
org.springframework.aop.framework.JdkDynamicAopProxy.in
voke(JdkDynamicAopProxy.java:223)
~[spring-aop-6.2.0.jar:6.2.0]
        at jdk.proxy4/jdk.proxy4.$Proxy132.save(Unknown
Source) ~[na:na]
        at
med.voll.api.controller.MedicoController.InserirDados(M
edicoController.java:29) ~[classes/:na]
        at
java.base/jdk.internal.reflect.DirectMethodHandleAccess
or.invoke(DirectMethodHandleAccessor.java:103) ~[na:na]
        at
java.base/java.lang.reflect.Method.invoke(Method.java:5
80) ~[na:na]
        at
org.springframework.web.method.support.InvocableHandler
Method.doInvoke(InvocableHandlerMethod.java:255)
~[spring-web-6.2.0.jar:6.2.0]
        at
org.springframework.web.method.support.InvocableHandler
Method.invokeForRequest(InvocableHandlerMethod.java:188
) ~[spring-web-6.2.0.jar:6.2.0]
        at
org.springframework.web.servlet.mvc.method.annotation.S
ervletInvocableHandlerMethod.invokeAndHandle(ServletInv
ocableHandlerMethod.java:118)
~[spring-webmvc-6.2.0.jar:6.2.0]
```

at
org.springframework.web.servlet.mvc.method.annotation.R
equestMappingHandlerAdapter.invokeHandlerMethod(Request
MappingHandlerAdapter.java:986)
~[spring-webmvc-6.2.0.jar:6.2.0]
        at
org.springframework.web.servlet.mvc.method.annotation.R
equestMappingHandlerAdapter.handleInternal(RequestMappi
ngHandlerAdapter.java:891)
~[spring-webmvc-6.2.0.jar:6.2.0]
        at
org.springframework.web.servlet.mvc.method.AbstractHand
lerMethodAdapter.handle(AbstractHandlerMethodAdapter.ja
va:87) ~[spring-webmvc-6.2.0.jar:6.2.0]
        at
org.springframework.web.servlet.DispatcherServlet.doDis
patch(DispatcherServlet.java:1088)
~[spring-webmvc-6.2.0.jar:6.2.0]
        at
org.springframework.web.servlet.DispatcherServlet.doSer
vice(DispatcherServlet.java:978)
~[spring-webmvc-6.2.0.jar:6.2.0]
        at
org.springframework.web.servlet.FrameworkServlet.proces
sRequest(FrameworkServlet.java:1014)
~[spring-webmvc-6.2.0.jar:6.2.0]
        at
org.springframework.web.servlet.FrameworkServlet.doPost
(FrameworkServlet.java:914)
~[spring-webmvc-6.2.0.jar:6.2.0]
        at
jakarta.servlet.http.HttpServlet.service(HttpServlet.ja
va:590) ~[tomcat-embed-core-10.1.33.jar:6.0]
        at
org.springframework.web.servlet.FrameworkServlet.servic
e(FrameworkServlet.java:885)
~[spring-webmvc-6.2.0.jar:6.2.0]

```
        at
jakarta.servlet.http.HttpServlet.service(HttpServlet.ja
va:658) ~[tomcat-embed-core-10.1.33.jar:6.0]
        at
org.apache.catalina.core.ApplicationFilterChain.interna
lDoFilter(ApplicationFilterChain.java:195)
~[tomcat-embed-core-10.1.33.jar:10.1.33]
        at
org.apache.catalina.core.ApplicationFilterChain.doFilte
r(ApplicationFilterChain.java:140)
~[tomcat-embed-core-10.1.33.jar:10.1.33]
        at
org.apache.tomcat.websocket.server.WsFilter.doFilter(Ws
Filter.java:51)
~[tomcat-embed-websocket-10.1.33.jar:10.1.33]
        at
org.apache.catalina.core.ApplicationFilterChain.interna
lDoFilter(ApplicationFilterChain.java:164)
~[tomcat-embed-core-10.1.33.jar:10.1.33]
        at
org.apache.catalina.core.ApplicationFilterChain.doFilte
r(ApplicationFilterChain.java:140)
~[tomcat-embed-core-10.1.33.jar:10.1.33]
        at
org.springframework.web.filter.RequestContextFilter.doF
ilterInternal(RequestContextFilter.java:100)
~[spring-web-6.2.0.jar:6.2.0]
        at
org.springframework.web.filter.OncePerRequestFilter.doF
ilter(OncePerRequestFilter.java:116)
~[spring-web-6.2.0.jar:6.2.0]
        at
org.apache.catalina.core.ApplicationFilterChain.interna
lDoFilter(ApplicationFilterChain.java:164)
~[tomcat-embed-core-10.1.33.jar:10.1.33]
        at
org.apache.catalina.core.ApplicationFilterChain.doFilte
```

```
r(ApplicationFilterChain.java:140)
~[tomcat-embed-core-10.1.33.jar:10.1.33]
        at
org.springframework.web.filter.FormContentFilter.doFilt
erInternal(FormContentFilter.java:93)
~[spring-web-6.2.0.jar:6.2.0]
        at
org.springframework.web.filter.OncePerRequestFilter.doF
ilter(OncePerRequestFilter.java:116)
~[spring-web-6.2.0.jar:6.2.0]
        at
org.apache.catalina.core.ApplicationFilterChain.interna
lDoFilter(ApplicationFilterChain.java:164)
~[tomcat-embed-core-10.1.33.jar:10.1.33]
        at
org.apache.catalina.core.ApplicationFilterChain.doFilte
r(ApplicationFilterChain.java:140)
~[tomcat-embed-core-10.1.33.jar:10.1.33]
        at
org.springframework.web.filter.CharacterEncodingFilter.
doFilterInternal(CharacterEncodingFilter.java:201)
~[spring-web-6.2.0.jar:6.2.0]
        at
org.springframework.web.filter.OncePerRequestFilter.doF
ilter(OncePerRequestFilter.java:116)
~[spring-web-6.2.0.jar:6.2.0]
        at
org.apache.catalina.core.ApplicationFilterChain.interna
lDoFilter(ApplicationFilterChain.java:164)
~[tomcat-embed-core-10.1.33.jar:10.1.33]
        at
org.apache.catalina.core.ApplicationFilterChain.doFilte
r(ApplicationFilterChain.java:140)
~[tomcat-embed-core-10.1.33.jar:10.1.33]
        at
org.apache.catalina.core.StandardWrapperValve.invoke(St
andardWrapperValve.java:167)
```

~[tomcat-embed-core-10.1.33.jar:10.1.33]
        at
org.apache.catalina.core.StandardContextValve.invoke(St
andardContextValve.java:90)
~[tomcat-embed-core-10.1.33.jar:10.1.33]
        at
org.apache.catalina.authenticator.AuthenticatorBase.inv
oke(AuthenticatorBase.java:483)
~[tomcat-embed-core-10.1.33.jar:10.1.33]
        at
org.apache.catalina.core.StandardHostValve.invoke(Stand
ardHostValve.java:115)
~[tomcat-embed-core-10.1.33.jar:10.1.33]
        at
org.apache.catalina.valves.ErrorReportValve.invoke(Erro
rReportValve.java:93)
~[tomcat-embed-core-10.1.33.jar:10.1.33]
        at
org.apache.catalina.core.StandardEngineValve.invoke(Sta
ndardEngineValve.java:74)
~[tomcat-embed-core-10.1.33.jar:10.1.33]
        at
org.apache.catalina.connector.CoyoteAdapter.service(Coy
oteAdapter.java:344)
~[tomcat-embed-core-10.1.33.jar:10.1.33]
        at
org.apache.coyote.http11.Http11Processor.service(Http11
Processor.java:397)
~[tomcat-embed-core-10.1.33.jar:10.1.33]
        at
org.apache.coyote.AbstractProcessorLight.process(Abstra
ctProcessorLight.java:63)
~[tomcat-embed-core-10.1.33.jar:10.1.33]
        at
org.apache.coyote.AbstractProtocol$ConnectionHandler.pr
ocess(AbstractProtocol.java:905)
~[tomcat-embed-core-10.1.33.jar:10.1.33]

at
org.apache.tomcat.util.net.NioEndpoint$SocketProcessor.
doRun(NioEndpoint.java:1741)
~[tomcat-embed-core-10.1.33.jar:10.1.33]
        at
org.apache.tomcat.util.net.SocketProcessorBase.run(Sock
etProcessorBase.java:52)
~[tomcat-embed-core-10.1.33.jar:10.1.33]
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor.runWo
rker(ThreadPoolExecutor.java:1190)
~[tomcat-embed-core-10.1.33.jar:10.1.33]
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor$Worke
r.run(ThreadPoolExecutor.java:659)
~[tomcat-embed-core-10.1.33.jar:10.1.33]
        at
org.apache.tomcat.util.threads.TaskThread$WrappingRunna
ble.run(TaskThread.java:63)
~[tomcat-embed-core-10.1.33.jar:10.1.33]
        at
java.base/java.lang.Thread.run(Thread.java:1583)
~[na:na]

Medicos[nome=Rodrigo Novalgina,
email=rodrigo.ferreira@voll.med, crm=123446,
especialidade=ORTOPEDIA,
endereco=Endereco[logradouro=rua 41, bairro=Bairro do
Vinho, cep=12345678, cidade=Brasilia, uf=DF, numero=1,
complemento=]]

med.voll.api.model.DB.MedicoDB@6a19579c
2024-11-30T15:24:46.374-03:00 DEBUG 912 --- [api]
[nio-8080-exec-4] org.hibernate.SQL
    : insert into medicos
(crm,email,bairro,cep,cidade,complemento,logradouro,num

ero,uf,especialidade,nome) values
(?,?,?,?,?,?,?,?,?,?,?)
Hibernate: insert into medicos
(crm,email,bairro,cep,cidade,complemento,logradouro,num
ero,uf,especialidade,nome) values
(?,?,?,?,?,?,?,?,?,?,?)
2024-11-30T15:24:46.381-03:00 WARN 912 --- [api]
[nio-8080-exec-4]
o.h.engine.jdbc.spi.SqlExceptionHelper   : SQL Error:
0, SQLState: 23505
2024-11-30T15:24:46.382-03:00 ERROR 912 --- [api]
[nio-8080-exec-4]
o.h.engine.jdbc.spi.SqlExceptionHelper   : ERRO:
duplicar valor da chave viola a restrição de unicidade
"ukmq3aidcf9gmeapwamgnnsuw2k"
  Detalhe: Chave (nome)=(Rodrigo Novalgina) já existe.
2024-11-30T15:24:46.401-03:00 ERROR 912 --- [api]
[nio-8080-exec-4] o.a.c.c.C.[.[.[/].[dispatcherServlet]
   : Servlet.service() for servlet [dispatcherServlet]
in context with path [] threw exception [Request
processing failed:
org.springframework.dao.DataIntegrityViolationException
: could not execute statement [ERRO: duplicar valor da
chave viola a restrição de unicidade
"ukmq3aidcf9gmeapwamgnnsuw2k"
  Detalhe: Chave (nome)=(Rodrigo Novalgina) já existe.]
[insert into medicos
(crm,email,bairro,cep,cidade,complemento,logradouro,num
ero,uf,especialidade,nome) values
(?,?,?,?,?,?,?,?,?,?,?)]; SQL [insert into medicos
(crm,email,bairro,cep,cidade,complemento,logradouro,num
ero,uf,especialidade,nome) values
(?,?,?,?,?,?,?,?,?,?,?)]; constraint [null]] with root
cause

org.postgresql.util.PSQLException: ERRO: duplicar valor
da chave viola a restrição de unicidade

"ukmq3aidcf9gmeapwamgnnsuw2k"
  Detalhe: Chave (nome)=(Rodrigo Novalgina) já existe.
        at
org.postgresql.core.v3.QueryExecutorImpl.receiveErrorRe
sponse(QueryExecutorImpl.java:2733)
~[postgresql-42.7.4.jar:42.7.4]
        at
org.postgresql.core.v3.QueryExecutorImpl.processResults
(QueryExecutorImpl.java:2420)
~[postgresql-42.7.4.jar:42.7.4]
        at
org.postgresql.core.v3.QueryExecutorImpl.execute(QueryE
xecutorImpl.java:372) ~[postgresql-42.7.4.jar:42.7.4]
        at
org.postgresql.jdbc.PgStatement.executeInternal(PgState
ment.java:517) ~[postgresql-42.7.4.jar:42.7.4]
        at
org.postgresql.jdbc.PgStatement.execute(PgStatement.jav
a:434) ~[postgresql-42.7.4.jar:42.7.4]
        at
org.postgresql.jdbc.PgPreparedStatement.executeWithFlag
s(PgPreparedStatement.java:194)
~[postgresql-42.7.4.jar:42.7.4]
        at
org.postgresql.jdbc.PgPreparedStatement.executeUpdate(P
gPreparedStatement.java:155)
~[postgresql-42.7.4.jar:42.7.4]
        at
com.zaxxer.hikari.pool.ProxyPreparedStatement.executeUp
date(ProxyPreparedStatement.java:61)
~[HikariCP-5.1.0.jar:na]
        at
com.zaxxer.hikari.pool.HikariProxyPreparedStatement.exe
cuteUpdate(HikariProxyPreparedStatement.java)
~[HikariCP-5.1.0.jar:na]
        at
org.hibernate.engine.jdbc.internal.ResultSetReturnImpl.

executeUpdate(ResultSetReturnImpl.java:194)
~[hibernate-core-6.6.2.Final.jar:6.6.2.Final]
        at
org.hibernate.id.insert.GetGeneratedKeysDelegate.perfor
mMutation(GetGeneratedKeysDelegate.java:116)
~[hibernate-core-6.6.2.Final.jar:6.6.2.Final]
        at
org.hibernate.engine.jdbc.mutation.internal.MutationExe
cutorSingleNonBatched.performNonBatchedOperations(Mutat
ionExecutorSingleNonBatched.java:47)
~[hibernate-core-6.6.2.Final.jar:6.6.2.Final]
        at
org.hibernate.engine.jdbc.mutation.internal.AbstractMut
ationExecutor.execute(AbstractMutationExecutor.java:55)
~[hibernate-core-6.6.2.Final.jar:6.6.2.Final]
        at
org.hibernate.persister.entity.mutation.InsertCoordinat
orStandard.doStaticInserts(InsertCoordinatorStandard.ja
va:194) ~[hibernate-core-6.6.2.Final.jar:6.6.2.Final]
        at
org.hibernate.persister.entity.mutation.InsertCoordinat
orStandard.coordinateInsert(InsertCoordinatorStandard.j
ava:132) ~[hibernate-core-6.6.2.Final.jar:6.6.2.Final]
        at
org.hibernate.persister.entity.mutation.InsertCoordinat
orStandard.insert(InsertCoordinatorStandard.java:95)
~[hibernate-core-6.6.2.Final.jar:6.6.2.Final]
        at
org.hibernate.action.internal.EntityIdentityInsertActio
n.execute(EntityIdentityInsertAction.java:85)
~[hibernate-core-6.6.2.Final.jar:6.6.2.Final]
        at
org.hibernate.engine.spi.ActionQueue.execute(ActionQueu
e.java:682)
~[hibernate-core-6.6.2.Final.jar:6.6.2.Final]
        at
org.hibernate.engine.spi.ActionQueue.addResolvedEntityI

```
nsertAction(ActionQueue.java:293)
~[hibernate-core-6.6.2.Final.jar:6.6.2.Final]
        at
org.hibernate.engine.spi.ActionQueue.addInsertAction(Ac
tionQueue.java:274)
~[hibernate-core-6.6.2.Final.jar:6.6.2.Final]
        at
org.hibernate.engine.spi.ActionQueue.addAction(ActionQu
eue.java:324)
~[hibernate-core-6.6.2.Final.jar:6.6.2.Final]
        at
org.hibernate.event.internal.AbstractSaveEventListener.
addInsertAction(AbstractSaveEventListener.java:393)
~[hibernate-core-6.6.2.Final.jar:6.6.2.Final]
        at
org.hibernate.event.internal.AbstractSaveEventListener.
performSaveOrReplicate(AbstractSaveEventListener.java:3
07) ~[hibernate-core-6.6.2.Final.jar:6.6.2.Final]
        at
org.hibernate.event.internal.AbstractSaveEventListener.
performSave(AbstractSaveEventListener.java:223)
~[hibernate-core-6.6.2.Final.jar:6.6.2.Final]
        at
org.hibernate.event.internal.AbstractSaveEventListener.
saveWithGeneratedId(AbstractSaveEventListener.java:136)
~[hibernate-core-6.6.2.Final.jar:6.6.2.Final]
        at
org.hibernate.event.internal.DefaultPersistEventListene
r.entityIsTransient(DefaultPersistEventListener.java:17
7) ~[hibernate-core-6.6.2.Final.jar:6.6.2.Final]
        at
org.hibernate.event.internal.DefaultPersistEventListene
r.persist(DefaultPersistEventListener.java:95)
~[hibernate-core-6.6.2.Final.jar:6.6.2.Final]
        at
org.hibernate.event.internal.DefaultPersistEventListene
r.onPersist(DefaultPersistEventListener.java:79)
```

~[hibernate-core-6.6.2.Final.jar:6.6.2.Final]
        at
org.hibernate.event.internal.DefaultPersistEventListene
r.onPersist(DefaultPersistEventListener.java:55)
~[hibernate-core-6.6.2.Final.jar:6.6.2.Final]
        at
org.hibernate.event.service.internal.EventListenerGroup
Impl.fireEventOnEachListener(EventListenerGroupImpl.jav
a:127) ~[hibernate-core-6.6.2.Final.jar:6.6.2.Final]
        at
org.hibernate.internal.SessionImpl.firePersist(SessionI
mpl.java:761)
~[hibernate-core-6.6.2.Final.jar:6.6.2.Final]
        at
org.hibernate.internal.SessionImpl.persist(SessionImpl.
java:745) ~[hibernate-core-6.6.2.Final.jar:6.6.2.Final]
        at
java.base/jdk.internal.reflect.DirectMethodHandleAccess
or.invoke(DirectMethodHandleAccessor.java:103) ~[na:na]
        at
java.base/java.lang.reflect.Method.invoke(Method.java:5
80) ~[na:na]
        at
org.springframework.orm.jpa.ExtendedEntityManagerCreato
r$ExtendedEntityManagerInvocationHandler.invoke(Extende
dEntityManagerCreator.java:364)
~[spring-orm-6.2.0.jar:6.2.0]
        at
jdk.proxy4/jdk.proxy4.$Proxy129.persist(Unknown Source)
~[na:na]
        at
java.base/jdk.internal.reflect.DirectMethodHandleAccess
or.invoke(DirectMethodHandleAccessor.java:103) ~[na:na]
        at
java.base/java.lang.reflect.Method.invoke(Method.java:5
80) ~[na:na]
        at

```
org.springframework.orm.jpa.SharedEntityManagerCreator$
SharedEntityManagerInvocationHandler.invoke(SharedEntit
yManagerCreator.java:320) ~[spring-orm-6.2.0.jar:6.2.0]
        at
jdk.proxy4/jdk.proxy4.$Proxy129.persist(Unknown Source)
~[na:na]
        at
org.springframework.data.jpa.repository.support.SimpleJ
paRepository.save(SimpleJpaRepository.java:623)
~[spring-data-jpa-3.4.0.jar:3.4.0]
        at
java.base/jdk.internal.reflect.DirectMethodHandleAccess
or.invoke(DirectMethodHandleAccessor.java:103) ~[na:na]
        at
java.base/java.lang.reflect.Method.invoke(Method.java:5
80) ~[na:na]
        at
org.springframework.aop.support.AopUtils.invokeJoinpoin
tUsingReflection(AopUtils.java:359)
~[spring-aop-6.2.0.jar:6.2.0]
        at
org.springframework.data.repository.core.support.Reposi
toryMethodInvoker$RepositoryFragmentMethodInvoker.lambd
a$new$0(RepositoryMethodInvoker.java:277)
~[spring-data-commons-3.4.0.jar:3.4.0]
        at
org.springframework.data.repository.core.support.Reposi
toryMethodInvoker.doInvoke(RepositoryMethodInvoker.java
:170) ~[spring-data-commons-3.4.0.jar:3.4.0]
        at
org.springframework.data.repository.core.support.Reposi
toryMethodInvoker.invoke(RepositoryMethodInvoker.java:1
58) ~[spring-data-commons-3.4.0.jar:3.4.0]
        at
org.springframework.data.repository.core.support.Reposi
toryComposition$RepositoryFragments.invoke(RepositoryCo
mposition.java:515)
```

```
~[spring-data-commons-3.4.0.jar:3.4.0]
        at
org.springframework.data.repository.core.support.Reposi
toryComposition.invoke(RepositoryComposition.java:284)
~[spring-data-commons-3.4.0.jar:3.4.0]
        at
org.springframework.data.repository.core.support.Reposi
toryFactorySupport$ImplementationMethodExecutionInterce
ptor.invoke(RepositoryFactorySupport.java:752)
~[spring-data-commons-3.4.0.jar:3.4.0]
        at
org.springframework.aop.framework.ReflectiveMethodInvoc
ation.proceed(ReflectiveMethodInvocation.java:184)
~[spring-aop-6.2.0.jar:6.2.0]
        at
org.springframework.data.repository.core.support.QueryE
xecutorMethodInterceptor.doInvoke(QueryExecutorMethodIn
terceptor.java:174)
~[spring-data-commons-3.4.0.jar:3.4.0]
        at
org.springframework.data.repository.core.support.QueryE
xecutorMethodInterceptor.invoke(QueryExecutorMethodInte
rceptor.java:149)
~[spring-data-commons-3.4.0.jar:3.4.0]
        at
org.springframework.aop.framework.ReflectiveMethodInvoc
ation.proceed(ReflectiveMethodInvocation.java:184)
~[spring-aop-6.2.0.jar:6.2.0]
        at
org.springframework.data.projection.DefaultMethodInvoki
ngMethodInterceptor.invoke(DefaultMethodInvokingMethodI
nterceptor.java:69)
~[spring-data-commons-3.4.0.jar:3.4.0]
        at
org.springframework.aop.framework.ReflectiveMethodInvoc
ation.proceed(ReflectiveMethodInvocation.java:184)
~[spring-aop-6.2.0.jar:6.2.0]
```

```
        at
org.springframework.transaction.interceptor.Transaction
AspectSupport.invokeWithinTransaction(TransactionAspect
Support.java:380) ~[spring-tx-6.2.0.jar:6.2.0]
        at
org.springframework.transaction.interceptor.Transaction
Interceptor.invoke(TransactionInterceptor.java:119)
~[spring-tx-6.2.0.jar:6.2.0]
        at
org.springframework.aop.framework.ReflectiveMethodInvoc
ation.proceed(ReflectiveMethodInvocation.java:184)
~[spring-aop-6.2.0.jar:6.2.0]
        at
org.springframework.dao.support.PersistenceExceptionTra
nslationInterceptor.invoke(PersistenceExceptionTranslat
ionInterceptor.java:138) ~[spring-tx-6.2.0.jar:6.2.0]
        at
org.springframework.aop.framework.ReflectiveMethodInvoc
ation.proceed(ReflectiveMethodInvocation.java:184)
~[spring-aop-6.2.0.jar:6.2.0]
        at
org.springframework.data.jpa.repository.support.CrudMet
hodMetadataPostProcessor$CrudMethodMetadataPopulatingMe
thodInterceptor.invoke(CrudMethodMetadataPostProcessor.
java:165) ~[spring-data-jpa-3.4.0.jar:3.4.0]
        at
org.springframework.aop.framework.ReflectiveMethodInvoc
ation.proceed(ReflectiveMethodInvocation.java:184)
~[spring-aop-6.2.0.jar:6.2.0]
        at
org.springframework.aop.framework.JdkDynamicAopProxy.in
voke(JdkDynamicAopProxy.java:223)
~[spring-aop-6.2.0.jar:6.2.0]
        at jdk.proxy4/jdk.proxy4.$Proxy132.save(Unknown
Source) ~[na:na]
        at
med.voll.api.controller.MedicoController.InserirDados(M
```

edicoController.java:29) ~[classes/:na]
        at
java.base/jdk.internal.reflect.DirectMethodHandleAccess
or.invoke(DirectMethodHandleAccessor.java:103) ~[na:na]
        at
java.base/java.lang.reflect.Method.invoke(Method.java:5
80) ~[na:na]
        at
org.springframework.web.method.support.InvocableHandler
Method.doInvoke(InvocableHandlerMethod.java:255)
~[spring-web-6.2.0.jar:6.2.0]
        at
org.springframework.web.method.support.InvocableHandler
Method.invokeForRequest(InvocableHandlerMethod.java:188
) ~[spring-web-6.2.0.jar:6.2.0]
        at
org.springframework.web.servlet.mvc.method.annotation.S
ervletInvocableHandlerMethod.invokeAndHandle(ServletInv
ocableHandlerMethod.java:118)
~[spring-webmvc-6.2.0.jar:6.2.0]
        at
org.springframework.web.servlet.mvc.method.annotation.R
equestMappingHandlerAdapter.invokeHandlerMethod(Request
MappingHandlerAdapter.java:986)
~[spring-webmvc-6.2.0.jar:6.2.0]
        at
org.springframework.web.servlet.mvc.method.annotation.R
equestMappingHandlerAdapter.handleInternal(RequestMappi
ngHandlerAdapter.java:891)
~[spring-webmvc-6.2.0.jar:6.2.0]
        at
org.springframework.web.servlet.mvc.method.AbstractHand
lerMethodAdapter.handle(AbstractHandlerMethodAdapter.ja
va:87) ~[spring-webmvc-6.2.0.jar:6.2.0]
        at
org.springframework.web.servlet.DispatcherServlet.doDis
patch(DispatcherServlet.java:1088)

```
        ~[spring-webmvc-6.2.0.jar:6.2.0]
        at
org.springframework.web.servlet.DispatcherServlet.doSer
vice(DispatcherServlet.java:978)
~[spring-webmvc-6.2.0.jar:6.2.0]
        at
org.springframework.web.servlet.FrameworkServlet.proces
sRequest(FrameworkServlet.java:1014)
~[spring-webmvc-6.2.0.jar:6.2.0]
        at
org.springframework.web.servlet.FrameworkServlet.doPost
(FrameworkServlet.java:914)
~[spring-webmvc-6.2.0.jar:6.2.0]
        at
jakarta.servlet.http.HttpServlet.service(HttpServlet.ja
va:590) ~[tomcat-embed-core-10.1.33.jar:6.0]
        at
org.springframework.web.servlet.FrameworkServlet.servic
e(FrameworkServlet.java:885)
~[spring-webmvc-6.2.0.jar:6.2.0]
        at
jakarta.servlet.http.HttpServlet.service(HttpServlet.ja
va:658) ~[tomcat-embed-core-10.1.33.jar:6.0]
        at
org.apache.catalina.core.ApplicationFilterChain.interna
lDoFilter(ApplicationFilterChain.java:195)
~[tomcat-embed-core-10.1.33.jar:10.1.33]
        at
org.apache.catalina.core.ApplicationFilterChain.doFilte
r(ApplicationFilterChain.java:140)
~[tomcat-embed-core-10.1.33.jar:10.1.33]
        at
org.apache.tomcat.websocket.server.WsFilter.doFilter(Ws
Filter.java:51)
~[tomcat-embed-websocket-10.1.33.jar:10.1.33]
        at
org.apache.catalina.core.ApplicationFilterChain.interna
```

lDoFilter(ApplicationFilterChain.java:164)
~[tomcat-embed-core-10.1.33.jar:10.1.33]
        at
org.apache.catalina.core.ApplicationFilterChain.doFilte
r(ApplicationFilterChain.java:140)
~[tomcat-embed-core-10.1.33.jar:10.1.33]
        at
org.springframework.web.filter.RequestContextFilter.doF
ilterInternal(RequestContextFilter.java:100)
~[spring-web-6.2.0.jar:6.2.0]
        at
org.springframework.web.filter.OncePerRequestFilter.doF
ilter(OncePerRequestFilter.java:116)
~[spring-web-6.2.0.jar:6.2.0]
        at
org.apache.catalina.core.ApplicationFilterChain.interna
lDoFilter(ApplicationFilterChain.java:164)
~[tomcat-embed-core-10.1.33.jar:10.1.33]
        at
org.apache.catalina.core.ApplicationFilterChain.doFilte
r(ApplicationFilterChain.java:140)
~[tomcat-embed-core-10.1.33.jar:10.1.33]
        at
org.springframework.web.filter.FormContentFilter.doFilt
erInternal(FormContentFilter.java:93)
~[spring-web-6.2.0.jar:6.2.0]
        at
org.springframework.web.filter.OncePerRequestFilter.doF
ilter(OncePerRequestFilter.java:116)
~[spring-web-6.2.0.jar:6.2.0]
        at
org.apache.catalina.core.ApplicationFilterChain.interna
lDoFilter(ApplicationFilterChain.java:164)
~[tomcat-embed-core-10.1.33.jar:10.1.33]
        at
org.apache.catalina.core.ApplicationFilterChain.doFilte
r(ApplicationFilterChain.java:140)

~[tomcat-embed-core-10.1.33.jar:10.1.33]
        at
org.springframework.web.filter.CharacterEncodingFilter.
doFilterInternal(CharacterEncodingFilter.java:201)
~[spring-web-6.2.0.jar:6.2.0]
        at
org.springframework.web.filter.OncePerRequestFilter.doF
ilter(OncePerRequestFilter.java:116)
~[spring-web-6.2.0.jar:6.2.0]
        at
org.apache.catalina.core.ApplicationFilterChain.interna
lDoFilter(ApplicationFilterChain.java:164)
~[tomcat-embed-core-10.1.33.jar:10.1.33]
        at
org.apache.catalina.core.ApplicationFilterChain.doFilte
r(ApplicationFilterChain.java:140)
~[tomcat-embed-core-10.1.33.jar:10.1.33]
        at
org.apache.catalina.core.StandardWrapperValve.invoke(St
andardWrapperValve.java:167)
~[tomcat-embed-core-10.1.33.jar:10.1.33]
        at
org.apache.catalina.core.StandardContextValve.invoke(St
andardContextValve.java:90)
~[tomcat-embed-core-10.1.33.jar:10.1.33]
        at
org.apache.catalina.authenticator.AuthenticatorBase.inv
oke(AuthenticatorBase.java:483)
~[tomcat-embed-core-10.1.33.jar:10.1.33]
        at
org.apache.catalina.core.StandardHostValve.invoke(Stand
ardHostValve.java:115)
~[tomcat-embed-core-10.1.33.jar:10.1.33]
        at
org.apache.catalina.valves.ErrorReportValve.invoke(Erro
rReportValve.java:93)
~[tomcat-embed-core-10.1.33.jar:10.1.33]

at
org.apache.catalina.core.StandardEngineValve.invoke(Sta
ndardEngineValve.java:74)
~[tomcat-embed-core-10.1.33.jar:10.1.33]
        at
org.apache.catalina.connector.CoyoteAdapter.service(Coy
oteAdapter.java:344)
~[tomcat-embed-core-10.1.33.jar:10.1.33]
        at
org.apache.coyote.http11.Http11Processor.service(Http11
Processor.java:397)
~[tomcat-embed-core-10.1.33.jar:10.1.33]
        at
org.apache.coyote.AbstractProcessorLight.process(Abstra
ctProcessorLight.java:63)
~[tomcat-embed-core-10.1.33.jar:10.1.33]
        at
org.apache.coyote.AbstractProtocol$ConnectionHandler.pr
ocess(AbstractProtocol.java:905)
~[tomcat-embed-core-10.1.33.jar:10.1.33]
        at
org.apache.tomcat.util.net.NioEndpoint$SocketProcessor.
doRun(NioEndpoint.java:1741)
~[tomcat-embed-core-10.1.33.jar:10.1.33]
        at
org.apache.tomcat.util.net.SocketProcessorBase.run(Sock
etProcessorBase.java:52)
~[tomcat-embed-core-10.1.33.jar:10.1.33]
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor.runWo
rker(ThreadPoolExecutor.java:1190)
~[tomcat-embed-core-10.1.33.jar:10.1.33]
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor$Worke
r.run(ThreadPoolExecutor.java:659)
~[tomcat-embed-core-10.1.33.jar:10.1.33]
        at

```
org.apache.tomcat.util.threads.TaskThread$WrappingRunna
ble.run(TaskThread.java:63)
~[tomcat-embed-core-10.1.33.jar:10.1.33]
        at
java.base/java.lang.Thread.run(Thread.java:1583)
~[na:na]
```