

```
2024-12-03T21:34:19.821-03:00 INFO 3020 --- [api] [
restartedMain] med.voll.api.ApiApplication
: Starting ApiApplication using Java 21 with PID 3020
(C:\GitHubjavabin7777777\PROJETOS-ORACLE-ONE-ALURA\api\
api\target\classes started by Jupiter in
C:\GitHubjavabin7777777\PROJETOS-ORACLE-ONE-ALURA\api\api)
2024-12-03T21:34:19.935-03:00 INFO 3020 --- [api] [
restartedMain] med.voll.api.ApiApplication
: No active profile set, falling back to 1 default
profile: "default"
2024-12-03T21:34:21.093-03:00 INFO 3020 --- [api] [
restartedMain] .e.DevToolsPropertyDefaultsPostProcessor
: Devtools property defaults active! Set
'spring.devtools.add-properties' to 'false' to disable
2024-12-03T21:34:21.098-03:00 INFO 3020 --- [api] [
restartedMain] .e.DevToolsPropertyDefaultsPostProcessor
: For additional web related logging consider setting
the 'logging.level.web' property to 'DEBUG'
2024-12-03T21:34:37.270-03:00 INFO 3020 --- [api] [
restartedMain] .s.d.r.c.RepositoryConfigurationDelegate
: Bootstrapping Spring Data JPA repositories in DEFAULT
mode.
2024-12-03T21:34:38.533-03:00 INFO 3020 --- [api] [
restartedMain] .s.d.r.c.RepositoryConfigurationDelegate
: Finished Spring Data repository scanning in 903 ms.
Found 1 JPA repository interface.
```

2024-12-03T21:34:54.379-03:00 INFO 3020 --- [api] [ restartedMain] o.s.b.w.embedded.tomcat.TomcatWebServer : Tomcat initialized with port 8080 (http)

2024-12-03T21:34:55.020-03:00 INFO 3020 --- [api] [ restartedMain] o.apache.catalina.core.StandardService : Starting service [Tomcat]

2024-12-03T21:34:55.023-03:00 INFO 3020 --- [api] [ restartedMain] o.apache.catalina.core.StandardEngine : Starting Servlet engine: [Apache Tomcat/10.1.33]

2024-12-03T21:34:56.241-03:00 INFO 3020 --- [api] [ restartedMain] o.a.c.c.C.[Tomcat].[localhost].[/] : Initializing Spring embedded WebApplicationContext

2024-12-03T21:34:56.257-03:00 INFO 3020 --- [api] [ restartedMain] w.s.c.ServletWebServerApplicationContext : Root WebApplicationContext: initialization completed in 35133 ms

2024-12-03T21:35:01.111-03:00 INFO 3020 --- [api] [ restartedMain] com.zaxxer.hikari.HikariDataSource : HikariPool-1 - Starting...

2024-12-03T21:35:06.854-03:00 INFO 3020 --- [api] [ restartedMain] com.zaxxer.hikari.pool.HikariPool : HikariPool-1 - Added connection  
org.postgresql.jdbc.PgConnection@19919dd8

2024-12-03T21:35:06.868-03:00 INFO 3020 --- [api] [ restartedMain] com.zaxxer.hikari.HikariDataSource : HikariPool-1 - Start completed.

2024-12-03T21:35:07.651-03:00 INFO 3020 --- [api] [ restartedMain] org.flywaydb.core.FlywayExecutor : Database:  
jdbc:postgresql://localhost:5432/clinica\_medica (PostgreSQL 17.0)

2024-12-03T21:35:11.343-03:00 INFO 3020 --- [api] [ restartedMain] o.f.core.internal.command.DbValidate : Successfully validated 0 migrations (execution time 00:01.075s)

2024-12-03T21:35:11.344-03:00 WARN 3020 --- [api] [ restartedMain] o.f.core.internal.command.DbValidate

: No migrations found. Are your locations set up correctly?

2024-12-03T21:35:11.596-03:00 INFO 3020 --- [api] [ restartedMain] o.f.core.internal.command.DbMigrate  
: Current version of schema "public": << Empty Schema  
>>

2024-12-03T21:35:11.697-03:00 INFO 3020 --- [api] [ restartedMain] o.f.core.internal.command.DbMigrate  
: Schema "public" is up to date. No migration  
necessary.

2024-12-03T21:35:13.978-03:00 INFO 3020 --- [api] [ restartedMain] o.hibernate.jpa.internal.util.LogHelper  
: HHH000204: Processing PersistenceUnitInfo [name:  
default]

2024-12-03T21:35:15.188-03:00 INFO 3020 --- [api] [ restartedMain] org.hibernate.Version  
: HHH000412: Hibernate ORM core version 6.6.2.Final

2024-12-03T21:35:15.648-03:00 INFO 3020 --- [api] [ restartedMain] o.h.c.internal.RegionFactoryInitiator  
: HHH000026: Second-level cache disabled

2024-12-03T21:35:17.283-03:00 DEBUG 3020 --- [api] [ restartedMain] org.hibernate.type.BasicTypeRegistry  
: Adding type registration boolean ->  
org.hibernate.type.BasicTypeReference@c24daf

2024-12-03T21:35:17.283-03:00 DEBUG 3020 --- [api] [ restartedMain] org.hibernate.type.BasicTypeRegistry  
: Adding type registration boolean ->  
org.hibernate.type.BasicTypeReference@c24daf

2024-12-03T21:35:17.284-03:00 DEBUG 3020 --- [api] [ restartedMain] org.hibernate.type.BasicTypeRegistry  
: Adding type registration java.lang.Boolean ->  
org.hibernate.type.BasicTypeReference@c24daf

2024-12-03T21:35:17.287-03:00 DEBUG 3020 --- [api] [ restartedMain] org.hibernate.type.BasicTypeRegistry  
: Adding type registration numeric\_boolean ->  
org.hibernate.type.BasicTypeReference@c354519

2024-12-03T21:35:17.290-03:00 DEBUG 3020 --- [api] [

```
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.NumericBooleanConverter ->
org.hibernate.type.BasicTypeReference@c354519
2024-12-03T21:35:17.297-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration true_false ->
org.hibernate.type.BasicTypeReference@499ee7e6
2024-12-03T21:35:17.300-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.TrueFalseConverter ->
org.hibernate.type.BasicTypeReference@499ee7e6
2024-12-03T21:35:17.300-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration yes_no ->
org.hibernate.type.BasicTypeReference@1de4eacd
2024-12-03T21:35:17.300-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.YesNoConverter ->
org.hibernate.type.BasicTypeReference@1de4eacd
2024-12-03T21:35:17.301-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration byte ->
org.hibernate.type.BasicTypeReference@f5973eb
2024-12-03T21:35:17.305-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration byte ->
org.hibernate.type.BasicTypeReference@f5973eb
2024-12-03T21:35:17.306-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Byte ->
org.hibernate.type.BasicTypeReference@f5973eb
2024-12-03T21:35:17.306-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration binary ->
```

org.hibernate.type.BasicTypeReference@2962e294  
2024-12-03T21:35:17.306-03:00 DEBUG 3020 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration byte[] ->  
org.hibernate.type.BasicTypeReference@2962e294  
2024-12-03T21:35:17.307-03:00 DEBUG 3020 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration [B ->  
org.hibernate.type.BasicTypeReference@2962e294  
2024-12-03T21:35:17.315-03:00 DEBUG 3020 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration binary\_wrapper ->  
org.hibernate.type.BasicTypeReference@177d9189  
2024-12-03T21:35:17.315-03:00 DEBUG 3020 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration wrapper-binary ->  
org.hibernate.type.BasicTypeReference@177d9189  
2024-12-03T21:35:17.656-03:00 DEBUG 3020 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration image ->  
org.hibernate.type.BasicTypeReference@2df5b329  
2024-12-03T21:35:17.657-03:00 DEBUG 3020 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration blob ->  
org.hibernate.type.BasicTypeReference@69f74b57  
2024-12-03T21:35:17.663-03:00 DEBUG 3020 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration java.sql.Blob ->  
org.hibernate.type.BasicTypeReference@69f74b57  
2024-12-03T21:35:17.664-03:00 DEBUG 3020 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration materialized\_blob ->  
org.hibernate.type.BasicTypeReference@57bf72bf  
2024-12-03T21:35:17.665-03:00 DEBUG 3020 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration materialized\_blob\_wrapper ->  
org.hibernate.type.BasicTypeReference@2c355018

2024-12-03T21:35:17.665-03:00 DEBUG 3020 --- [api] [ restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration short ->  
org.hibernate.type.BasicTypeReference@2c59c24c  
2024-12-03T21:35:17.665-03:00 DEBUG 3020 --- [api] [ restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration short ->  
org.hibernate.type.BasicTypeReference@2c59c24c  
2024-12-03T21:35:17.665-03:00 DEBUG 3020 --- [api] [ restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration java.lang.Short ->  
org.hibernate.type.BasicTypeReference@2c59c24c  
2024-12-03T21:35:17.666-03:00 DEBUG 3020 --- [api] [ restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration integer ->  
org.hibernate.type.BasicTypeReference@7f279963  
2024-12-03T21:35:17.666-03:00 DEBUG 3020 --- [api] [ restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration int ->  
org.hibernate.type.BasicTypeReference@7f279963  
2024-12-03T21:35:17.666-03:00 DEBUG 3020 --- [api] [ restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration java.lang.Integer ->  
org.hibernate.type.BasicTypeReference@7f279963  
2024-12-03T21:35:17.667-03:00 DEBUG 3020 --- [api] [ restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration long ->  
org.hibernate.type.BasicTypeReference@53a126b2  
2024-12-03T21:35:17.667-03:00 DEBUG 3020 --- [api] [ restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration long ->  
org.hibernate.type.BasicTypeReference@53a126b2  
2024-12-03T21:35:17.667-03:00 DEBUG 3020 --- [api] [ restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration java.lang.Long ->  
org.hibernate.type.BasicTypeReference@53a126b2  
2024-12-03T21:35:17.668-03:00 DEBUG 3020 --- [api] [

```
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration float ->
org.hibernate.type.BasicTypeReference@5592094e
2024-12-03T21:35:17.668-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration float ->
org.hibernate.type.BasicTypeReference@5592094e
2024-12-03T21:35:17.669-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Float ->
org.hibernate.type.BasicTypeReference@5592094e
2024-12-03T21:35:17.669-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration double ->
org.hibernate.type.BasicTypeReference@373bfa12
2024-12-03T21:35:17.669-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration double ->
org.hibernate.type.BasicTypeReference@373bfa12
2024-12-03T21:35:17.670-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Double ->
org.hibernate.type.BasicTypeReference@373bfa12
2024-12-03T21:35:17.671-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration big_integer ->
org.hibernate.type.BasicTypeReference@74149117
2024-12-03T21:35:17.690-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.math.BigInteger ->
org.hibernate.type.BasicTypeReference@74149117
2024-12-03T21:35:17.691-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration big_decimal ->
org.hibernate.type.BasicTypeReference@2edaad91
2024-12-03T21:35:17.695-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
```

```
: Adding type registration java.math.BigDecimal ->
org.hibernate.type.BasicTypeReference@2edaad91
2024-12-03T21:35:17.696-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration character ->
org.hibernate.type.BasicTypeReference@6b47197d
2024-12-03T21:35:17.702-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration char ->
org.hibernate.type.BasicTypeReference@6b47197d
2024-12-03T21:35:17.702-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Character ->
org.hibernate.type.BasicTypeReference@6b47197d
2024-12-03T21:35:17.703-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration character_nchar ->
org.hibernate.type.BasicTypeReference@344856d
2024-12-03T21:35:17.703-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration string ->
org.hibernate.type.BasicTypeReference@5388303b
2024-12-03T21:35:17.703-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.String ->
org.hibernate.type.BasicTypeReference@5388303b
2024-12-03T21:35:17.703-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration nstring ->
org.hibernate.type.BasicTypeReference@2845a9fe
2024-12-03T21:35:17.704-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration characters ->
org.hibernate.type.BasicTypeReference@7b1ad17a
2024-12-03T21:35:17.706-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration char[] ->
```



org.hibernate.type.BasicTypeReference@7b1ad17a  
2024-12-03T21:35:17.707-03:00 DEBUG 3020 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration [C ->  
org.hibernate.type.BasicTypeReference@7b1ad17a  
2024-12-03T21:35:17.707-03:00 DEBUG 3020 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration wrapper-characters ->  
org.hibernate.type.BasicTypeReference@5c524c99  
2024-12-03T21:35:17.708-03:00 DEBUG 3020 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration text ->  
org.hibernate.type.BasicTypeReference@4e49b6c0  
2024-12-03T21:35:17.712-03:00 DEBUG 3020 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration ntext ->  
org.hibernate.type.BasicTypeReference@4b46fcae  
2024-12-03T21:35:17.713-03:00 DEBUG 3020 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration clob ->  
org.hibernate.type.BasicTypeReference@66fa75bd  
2024-12-03T21:35:17.713-03:00 DEBUG 3020 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration java.sql.Clob ->  
org.hibernate.type.BasicTypeReference@66fa75bd  
2024-12-03T21:35:17.713-03:00 DEBUG 3020 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration nclob ->  
org.hibernate.type.BasicTypeReference@2882db7f  
2024-12-03T21:35:17.713-03:00 DEBUG 3020 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration java.sql.NClob ->  
org.hibernate.type.BasicTypeReference@2882db7f  
2024-12-03T21:35:17.714-03:00 DEBUG 3020 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration materialized\_clob ->  
org.hibernate.type.BasicTypeReference@2bfe8719

```
2024-12-03T21:35:17.822-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration materialized_clob_char_array
-> org.hibernate.type.BasicTypeReference@57a1ad44
2024-12-03T21:35:17.822-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
materialized_clob_character_array ->
org.hibernate.type.BasicTypeReference@62c37d90
2024-12-03T21:35:17.823-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration materialized_nclob ->
org.hibernate.type.BasicTypeReference@5c241b94
2024-12-03T21:35:17.823-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
materialized_nclob_character_array ->
org.hibernate.type.BasicTypeReference@33d9946
2024-12-03T21:35:17.824-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
materialized_nclob_char_array ->
org.hibernate.type.BasicTypeReference@592ccfe8
2024-12-03T21:35:17.827-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration Duration ->
org.hibernate.type.BasicTypeReference@20fa16a0
2024-12-03T21:35:17.829-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.Duration ->
org.hibernate.type.BasicTypeReference@20fa16a0
2024-12-03T21:35:17.830-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration LocalDateTime ->
org.hibernate.type.BasicTypeReference@5c7e4190
2024-12-03T21:35:17.830-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
```

```
: Adding type registration java.time.LocalDateTime ->
org.hibernate.type.BasicTypeReference@5c7e4190
2024-12-03T21:35:17.831-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration LocalDate ->
org.hibernate.type.BasicTypeReference@33e604f0
2024-12-03T21:35:17.832-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.LocalDate ->
org.hibernate.type.BasicTypeReference@33e604f0
2024-12-03T21:35:17.832-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration LocalTime ->
org.hibernate.type.BasicTypeReference@c8aceeb
2024-12-03T21:35:17.833-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.LocalTime ->
org.hibernate.type.BasicTypeReference@c8aceeb
2024-12-03T21:35:17.833-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetDateTime ->
org.hibernate.type.BasicTypeReference@7cb586cc
2024-12-03T21:35:17.833-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.OffsetDateTime ->
org.hibernate.type.BasicTypeReference@7cb586cc
2024-12-03T21:35:17.834-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetDateTimeWithTimezone
-> org.hibernate.type.BasicTypeReference@52e92a0b
2024-12-03T21:35:17.834-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
OffsetDateTimeWithoutTimezone ->
org.hibernate.type.BasicTypeReference@51ab7522
2024-12-03T21:35:17.834-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
```

```
: Adding type registration OffsetTime ->
org.hibernate.type.BasicTypeReference@b8c146a
2024-12-03T21:35:17.835-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.OffsetTime ->
org.hibernate.type.BasicTypeReference@b8c146a
2024-12-03T21:35:17.835-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetTimeUtc ->
org.hibernate.type.BasicTypeReference@5b5f6031
2024-12-03T21:35:17.843-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetTimeWithTimezone ->
org.hibernate.type.BasicTypeReference@407db023
2024-12-03T21:35:17.844-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetTimeWithoutTimezone ->
org.hibernate.type.BasicTypeReference@4a75df6b
2024-12-03T21:35:17.846-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration ZonedDateTime ->
org.hibernate.type.BasicTypeReference@21b1bd0b
2024-12-03T21:35:17.848-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.ZonedDateTime ->
org.hibernate.type.BasicTypeReference@21b1bd0b
2024-12-03T21:35:17.849-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration ZonedDateTimeWithTimezone ->
org.hibernate.type.BasicTypeReference@1cf1fe4
2024-12-03T21:35:17.850-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration ZonedDateTimeWithoutTimezone
-> org.hibernate.type.BasicTypeReference@2c9e5b56
2024-12-03T21:35:17.850-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration date ->
```

org.hibernate.type.BasicTypeReference@48f45729  
2024-12-03T21:35:17.850-03:00 DEBUG 3020 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration java.sql.Date ->  
org.hibernate.type.BasicTypeReference@48f45729  
2024-12-03T21:35:17.851-03:00 DEBUG 3020 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration time ->  
org.hibernate.type.BasicTypeReference@6481f2d9  
2024-12-03T21:35:17.851-03:00 DEBUG 3020 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration java.sql.Time ->  
org.hibernate.type.BasicTypeReference@6481f2d9  
2024-12-03T21:35:17.852-03:00 DEBUG 3020 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration timestamp ->  
org.hibernate.type.BasicTypeReference@1d48e192  
2024-12-03T21:35:17.853-03:00 DEBUG 3020 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration java.sql.Timestamp ->  
org.hibernate.type.BasicTypeReference@1d48e192  
2024-12-03T21:35:17.853-03:00 DEBUG 3020 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration java.util.Date ->  
org.hibernate.type.BasicTypeReference@1d48e192  
2024-12-03T21:35:17.854-03:00 DEBUG 3020 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration calendar ->  
org.hibernate.type.BasicTypeReference@43d24d86  
2024-12-03T21:35:17.854-03:00 DEBUG 3020 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration java.util.Calendar ->  
org.hibernate.type.BasicTypeReference@43d24d86  
2024-12-03T21:35:17.855-03:00 DEBUG 3020 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration java.util.GregorianCalendar ->  
org.hibernate.type.BasicTypeReference@43d24d86

2024-12-03T21:35:17.855-03:00 DEBUG 3020 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration calendar\_date -> org.hibernate.type.BasicTypeReference@29f507ca  
2024-12-03T21:35:17.855-03:00 DEBUG 3020 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration calendar\_time -> org.hibernate.type.BasicTypeReference@42093f17  
2024-12-03T21:35:17.857-03:00 DEBUG 3020 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration instant -> org.hibernate.type.BasicTypeReference@181702b5  
2024-12-03T21:35:17.864-03:00 DEBUG 3020 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration java.time.Instant -> org.hibernate.type.BasicTypeReference@181702b5  
2024-12-03T21:35:17.864-03:00 DEBUG 3020 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration uuid -> org.hibernate.type.BasicTypeReference@49f8c24c  
2024-12-03T21:35:17.871-03:00 DEBUG 3020 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration java.util.UUID -> org.hibernate.type.BasicTypeReference@49f8c24c  
2024-12-03T21:35:17.871-03:00 DEBUG 3020 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration pg-uuid -> org.hibernate.type.BasicTypeReference@49f8c24c  
2024-12-03T21:35:17.872-03:00 DEBUG 3020 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration uuid-binary -> org.hibernate.type.BasicTypeReference@483257ee  
2024-12-03T21:35:17.872-03:00 DEBUG 3020 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration uuid-char -> org.hibernate.type.BasicTypeReference@43c82878  
2024-12-03T21:35:17.873-03:00 DEBUG 3020 --- [api] [

```
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration class ->
org.hibernate.type.BasicTypeReference@636a881e
2024-12-03T21:35:17.873-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Class ->
org.hibernate.type.BasicTypeReference@636a881e
2024-12-03T21:35:17.889-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration currency ->
org.hibernate.type.BasicTypeReference@6c0fdc9d
2024-12-03T21:35:17.890-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration Currency ->
org.hibernate.type.BasicTypeReference@6c0fdc9d
2024-12-03T21:35:17.892-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.util.Currency ->
org.hibernate.type.BasicTypeReference@6c0fdc9d
2024-12-03T21:35:17.894-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration locale ->
org.hibernate.type.BasicTypeReference@36587bd5
2024-12-03T21:35:17.894-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.util.Locale ->
org.hibernate.type.BasicTypeReference@36587bd5
2024-12-03T21:35:17.895-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration serializable ->
org.hibernate.type.BasicTypeReference@34d10e8e
2024-12-03T21:35:17.895-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.io.Serializable ->
org.hibernate.type.BasicTypeReference@34d10e8e
2024-12-03T21:35:17.895-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
```

```
: Adding type registration timezone ->
org.hibernate.type.BasicTypeReference@34c4a72
2024-12-03T21:35:17.895-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.util.TimeZone ->
org.hibernate.type.BasicTypeReference@34c4a72
2024-12-03T21:35:17.895-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration ZoneOffset ->
org.hibernate.type.BasicTypeReference@11b595b2
2024-12-03T21:35:17.896-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.ZoneOffset ->
org.hibernate.type.BasicTypeReference@11b595b2
2024-12-03T21:35:17.896-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration url ->
org.hibernate.type.BasicTypeReference@6446c282
2024-12-03T21:35:17.896-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.net.URL ->
org.hibernate.type.BasicTypeReference@6446c282
2024-12-03T21:35:17.897-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration vector ->
org.hibernate.type.BasicTypeReference@58df15fa
2024-12-03T21:35:17.897-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration float_vector ->
org.hibernate.type.BasicTypeReference@39a1db49
2024-12-03T21:35:17.904-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration double_vector ->
org.hibernate.type.BasicTypeReference@404c1ca
2024-12-03T21:35:17.905-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration byte_vector ->
```



org.hibernate.type.BasicTypeReference@5604511a  
2024-12-03T21:35:17.906-03:00 DEBUG 3020 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration row\_version ->  
org.hibernate.type.BasicTypeReference@76d4fee5  
2024-12-03T21:35:18.136-03:00 DEBUG 3020 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration object ->  
org.hibernate.type.JavaObjectType@19e60500  
2024-12-03T21:35:18.157-03:00 DEBUG 3020 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration java.lang.Object ->  
org.hibernate.type.JavaObjectType@19e60500  
2024-12-03T21:35:18.186-03:00 DEBUG 3020 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration null ->  
org.hibernate.type.NullType@75e324b7  
2024-12-03T21:35:18.200-03:00 DEBUG 3020 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration imm\_date ->  
org.hibernate.type.BasicTypeReference@2d47eb15  
2024-12-03T21:35:18.201-03:00 DEBUG 3020 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration imm\_time ->  
org.hibernate.type.BasicTypeReference@7f19d3ed  
2024-12-03T21:35:18.205-03:00 DEBUG 3020 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration imm\_timestamp ->  
org.hibernate.type.BasicTypeReference@62ddb7f9  
2024-12-03T21:35:18.206-03:00 DEBUG 3020 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration imm\_calendar ->  
org.hibernate.type.BasicTypeReference@ef7f909  
2024-12-03T21:35:18.207-03:00 DEBUG 3020 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration imm\_calendar\_date ->  
org.hibernate.type.BasicTypeReference@1cfaa481

```
2024-12-03T21:35:18.234-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm_calendar_time ->
org.hibernate.type.BasicTypeReference@2dcd9a48
2024-12-03T21:35:18.236-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm_binary ->
org.hibernate.type.BasicTypeReference@22e4deff
2024-12-03T21:35:18.237-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm_serializable ->
org.hibernate.type.BasicTypeReference@136a441b
2024-12-03T21:35:22.158-03:00 INFO 3020 --- [api] [
restartedMain] o.s.o.j.p.SpringPersistenceUnitInfo
: No LoadTimeWeaver setup: ignoring JPA class
transformer
2024-12-03T21:35:24.036-03:00 INFO 3020 --- [api] [
restartedMain] org.hibernate.orm.connections.pooling
: HHH10001005: Database info:
    Database JDBC URL [Connecting through
datasource 'HikariDataSource (HikariPool-1)']
    Database driver: undefined/unknown
    Database version: 17.0
    Autocommit mode: undefined/unknown
    Isolation level: undefined/unknown
    Minimum pool size: undefined/unknown
    Maximum pool size: undefined/unknown
2024-12-03T21:35:24.175-03:00 DEBUG 3020 --- [api] [
restartedMain] o.h.t.d.sql.spi.DdlTypeRegistry
: addDescriptor(2003,
org.hibernate.type.descriptor.sql.internal.ArrayDdlType
Impl@3572bb54) replaced previous
registration(org.hibernate.type.descriptor.sql.internal
.ArrayDdlTypeImpl@1c6dbc68)
2024-12-03T21:35:24.199-03:00 DEBUG 3020 --- [api] [
restartedMain] o.h.t.d.sql.spi.DdlTypeRegistry
: addDescriptor(6,
```

```
org.hibernate.type.descriptor.sql.internal.CapacityDepe
ndentDdlType@4859bedb) replaced previous
registration(org.hibernate.type.descriptor.sql.internal
.DdlTypeImpl@67219d89)
2024-12-03T21:35:24.218-03:00 DEBUG 3020 --- [api] [
restartedMain] o.h.t.d.jdbc.spi.JdbcTypeRegistry
: addDescriptor(2004, BlobTypeDescriptor(BLOB_BINDING))
replaced previous
registration(BlobTypeDescriptor(DEFAULT))
2024-12-03T21:35:24.219-03:00 DEBUG 3020 --- [api] [
restartedMain] o.h.t.d.jdbc.spi.JdbcTypeRegistry
: addDescriptor(2005, ClobTypeDescriptor(CLOB_BINDING))
replaced previous
registration(ClobTypeDescriptor(DEFAULT))
2024-12-03T21:35:24.409-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration JAVA_OBJECT ->
org.hibernate.type.JavaObjectType@3ea6169c
2024-12-03T21:35:24.410-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Object ->
org.hibernate.type.JavaObjectType@3ea6169c
2024-12-03T21:35:24.422-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Type registration key [java.lang.Object] overrode
previous entry :
`org.hibernate.type.JavaObjectType@19e60500`
2024-12-03T21:35:24.476-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.DurationType ->
basicType@1(java.time.Duration,3015)
2024-12-03T21:35:24.490-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration Duration ->
basicType@1(java.time.Duration,3015)
2024-12-03T21:35:24.494-03:00 DEBUG 3020 --- [api] [
```

```
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.Duration ->
basicType@1(java.time.Duration,3015)
2024-12-03T21:35:24.553-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.OffsetDateTimeType ->
basicType@2(java.time.OffsetDateTime,3003)
2024-12-03T21:35:24.554-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetDateTime ->
basicType@2(java.time.OffsetDateTime,3003)
2024-12-03T21:35:24.573-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.OffsetDateTime ->
basicType@2(java.time.OffsetDateTime,3003)
2024-12-03T21:35:24.576-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.ZonedDateTimeType ->
basicType@3(java.time.ZonedDateTime,3003)
2024-12-03T21:35:24.590-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration ZonedDateTime ->
basicType@3(java.time.ZonedDateTime,3003)
2024-12-03T21:35:24.591-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.ZonedDateTime ->
basicType@3(java.time.ZonedDateTime,3003)
2024-12-03T21:35:24.602-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.OffsetTimeType ->
basicType@4(java.time.OffsetTime,3007)
2024-12-03T21:35:24.603-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetTime ->
```

```
basicType@4(java.time.OffsetTime,3007)
2024-12-03T21:35:24.603-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.OffsetTime ->
basicType@4(java.time.OffsetTime,3007)
2024-12-03T21:35:24.676-03:00 DEBUG 3020 --- [api] [
restartedMain] o.h.type.spi.TypeConfiguration$Scope
: Scoping TypeConfiguration
[org.hibernate.type.spi.TypeConfiguration@43d6056e] to
MetadataBuildingContext
[org.hibernate.boot.internal.MetadataBuildingContextRootImpl@720594ab]
2024-12-03T21:35:39.758-03:00 INFO 3020 --- [api] [
restartedMain] o.h.e.t.j.p.i.JtaPlatformInitiator
: HHH000489: No JTA platform available (set
'hibernate.transaction.jta.platform' to enable JTA
platform integration)
2024-12-03T21:35:39.762-03:00 DEBUG 3020 --- [api] [
restartedMain] o.h.type.spi.TypeConfiguration$Scope
: Scoping TypeConfiguration
[org.hibernate.type.spi.TypeConfiguration@43d6056e] to
SessionFactoryImplementor
[org.hibernate.internal.SessionFactoryImpl@150eccb]
2024-12-03T21:35:43.300-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.SQL
:
    alter table if exists medicos
        add column ativado boolean
Hibernate:
    alter table if exists medicos
        add column ativado boolean
2024-12-03T21:35:43.615-03:00 DEBUG 3020 --- [api] [
restartedMain] org.hibernate.SQL
:
    alter table if exists medicos
        add column telefone varchar(255)
Hibernate:
```

```
    alter table if exists medicos
        add column telefone varchar(255)
2024-12-03T21:35:43.794-03:00 TRACE 3020 --- [api] [
restartedMain] o.h.type.spi.TypeConfiguration$Scope
: Handling #sessionFactoryCreated from
[org.hibernate.internal.SessionFactoryImpl@150eccb] for
TypeConfiguration
2024-12-03T21:35:43.795-03:00 INFO 3020 --- [api] [
restartedMain] j.LocalContainerEntityManagerFactoryBean
: Initialized JPA EntityManagerFactory for persistence
unit 'default'
2024-12-03T21:35:50.531-03:00 WARN 3020 --- [api] [
restartedMain] JpaBaseConfiguration$JpaWebConfiguration
: spring.jpa.open-in-view is enabled by default.
Therefore, database queries may be performed during
view rendering. Explicitly configure
spring.jpa.open-in-view to disable this warning
2024-12-03T21:35:57.538-03:00 INFO 3020 --- [api] [
restartedMain] o.s.b.d.a.OptionalLiveReloadServer
: LiveReload server is running on port 35729
2024-12-03T21:35:58.855-03:00 INFO 3020 --- [api] [
restartedMain] o.s.b.w.embedded.tomcat.TomcatWebServer
: Tomcat started on port 8080 (http) with context path
 '/'
2024-12-03T21:35:59.323-03:00 INFO 3020 --- [api] [
restartedMain] med.voll.api.ApiApplication
: Started ApiApplication in 110.4 seconds (process
running for 125.916)
2024-12-03T22:25:28.443-03:00 WARN 3020 --- [api] [1-1
housekeeper] com.zaxxer.hikari.pool.HikariPool
: HikariPool-1 - Thread starvation or clock leap detected
(housekeeper delta=45s786ms470µs500ns).
```