```
(v3.4.0)
 :: Spring Boot ::
                               INFO 8156 --- [api] [
2024-11-29T23:46:21.277-03:00
restartedMain] med.voll.api.ApiApplication
: Starting ApiApplication using Java 21 with PID 8156
(C:\GitHubjavabin777777\PROJETOS-ORACLE-ONE-ALURA\api\
api\target\classes started by Jupiter in
C:\GitHubjavabin777777\PROJETOS-ORACLE-ONE-ALURA\api\a
pi)
2024-11-29T23:46:21.305-03:00
                               INFO 8156 --- [api] [
restartedMain] med.voll.api.ApiApplication
: No active profile set, falling back to 1 default
profile: "default"
2024-11-29T23:46:22.971-03:00
                               INFO 8156 --- [api] [
restartedMain] .e.DevToolsPropertyDefaultsPostProcessor
: Devtools property defaults active! Set
'spring.devtools.add-properties' to 'false' to disable
2024-11-29T23:46:22.972-03:00
                               INFO 8156 --- [api] [
restartedMain] .e.DevToolsPropertyDefaultsPostProcessor
: For additional web related logging consider setting
the 'logging.level.web' property to 'DEBUG'
2024-11-29T23:46:54.708-03:00
                               INFO 8156 --- [api] [
restartedMain] .s.d.r.c.RepositoryConfigurationDelegate
: Bootstrapping Spring Data JPA repositories in DEFAULT
mode.
2024-11-29T23:46:56.695-03:00
                               INFO 8156 --- [api] [
restartedMain] .s.d.r.c.RepositoryConfigurationDelegate
: Finished Spring Data repository scanning in 1681 ms.
Found 1 JPA repository interface.
```

```
2024-11-29T23:47:37.919-03:00 INFO 8156 --- [api] [
restartedMain] o.s.b.w.embedded.tomcat.TomcatWebServer
: Tomcat initialized with port 8080 (http)
2024-11-29T23:47:38.639-03:00
                               INFO 8156 --- [api] [
restartedMain] o.apache.catalina.core.StandardService
: Starting service [Tomcat]
2024-11-29T23:47:38.644-03:00
                               INFO 8156 --- [api] [
restartedMain] o.apache.catalina.core.StandardEngine
: Starting Servlet engine: [Apache Tomcat/10.1.33]
2024-11-29T23:47:39.741-03:00
                               INFO 8156 --- [api] [
restartedMain] o.a.c.c.C.[Tomcat].[localhost].[/]
: Initializing Spring embedded WebApplicationContext
2024-11-29T23:47:39.761-03:00
                               INFO 8156 --- [api] [
restartedMain] w.s.c.ServletWebServerApplicationContext
: Root WebApplicationContext: initialization completed
in 76779 ms
2024-11-29T23:47:47.495-03:00 INFO 8156 --- [api] [
restartedMain] com.zaxxer.hikari.HikariDataSource
: HikariPool-1 - Starting...
                               INFO 8156 --- [api] [
2024-11-29T23:47:52.653-03:00
restartedMain] com.zaxxer.hikari.pool.HikariPool
: HikariPool-1 - Added connection
org.postgresql.jdbc.PgConnection@8198b15
2024-11-29T23:47:52.686-03:00 INFO 8156 --- [api] [
restartedMain] com.zaxxer.hikari.HikariDataSource
: HikariPool-1 - Start completed.
2024-11-29T23:47:53.353-03:00
                               INFO 8156 --- [api] [
restartedMain] org.flywaydb.core.FlywayExecutor
: Database:
jdbc:postgresql://localhost:5432/clinica medica
(PostgreSQL 17.0)
2024-11-29T23:47:56.536-03:00 INFO 8156 --- [api] [
restartedMain] o.f.core.internal.command.DbValidate
: Successfully validated 0 migrations (execution time
00:00.923s)
2024-11-29T23:47:56.537-03:00 WARN 8156 --- [api] [
restartedMain] o.f.core.internal.command.DbValidate
```

```
: No migrations found. Are your locations set up
correctly?
2024-11-29T23:47:56.689-03:00 INFO 8156 --- [api] [
restartedMainl o.f.core.internal.command.DbMigrate
: Current version of schema "public": << Empty Schema
>>
2024-11-29T23:47:56.750-03:00 INFO 8156 --- [api] [
restartedMain] o.f.core.internal.command.DbMigrate
: Schema "public" is up to date. No migration
necessary.
2024-11-29T23:47:57.605-03:00 INFO 8156 --- [api] [
restartedMain] o.hibernate.jpa.internal.util.LogHelper
: HHH000204: Processing PersistenceUnitInfo [name:
defaultl
2024-11-29T23:47:58.853-03:00 INFO 8156 --- [api] [
restartedMain | org.hibernate.Version
: HHH000412: Hibernate ORM core version 6.6.2.Final
2024-11-29T23:47:59.277-03:00
                               INFO 8156 --- [api] [
restartedMain] o.h.c.internal.RegionFactoryInitiator
: HHH000026: Second-level cache disabled
2024-11-29T23:48:00.904-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration boolean ->
org.hibernate.type.BasicTypeReference@27470326
2024-11-29T23:48:00.909-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration boolean ->
org.hibernate.type.BasicTypeReference@27470326
2024-11-29T23:48:00.912-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Boolean ->
org.hibernate.type.BasicTypeReference@27470326
2024-11-29T23:48:00.913-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration numeric boolean ->
org.hibernate.type.BasicTypeReference@46ac2a4d
2024-11-29T23:48:00.915-03:00 DEBUG 8156 --- [api] [
```

```
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.NumericBooleanConverter ->
org.hibernate.type.BasicTypeReference@46ac2a4d
2024-11-29T23:48:00.917-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration true false ->
org.hibernate.type.BasicTypeReference@14ef066b
2024-11-29T23:48:00.918-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.TrueFalseConverter ->
org.hibernate.type.BasicTypeReference@14ef066b
2024-11-29T23:48:00.918-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration yes no ->
org.hibernate.type.BasicTypeReference@7d94ddb2
2024-11-29T23:48:00.919-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.YesNoConverter ->
org.hibernate.type.BasicTypeReference@7d94ddb2
2024-11-29T23:48:00.921-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration byte ->
org.hibernate.type.BasicTypeReference@62d5bf15
2024-11-29T23:48:00.936-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration byte ->
org.hibernate.type.BasicTypeReference@62d5bf15
2024-11-29T23:48:00.940-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Byte ->
org.hibernate.type.BasicTypeReference@62d5bf15
2024-11-29T23:48:00.940-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration binary ->
```

```
org.hibernate.type.BasicTypeReference@450c0f40
2024-11-29T23:48:00.941-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration byte[] ->
org.hibernate.type.BasicTypeReference@450c0f40
2024-11-29T23:48:00.941-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration [B ->
org.hibernate.type.BasicTypeReference@450c0f40
2024-11-29T23:48:00.941-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration binary wrapper ->
org.hibernate.type.BasicTypeReference@293c85d4
2024-11-29T23:48:00.942-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration wrapper-binary ->
org.hibernate.type.BasicTypeReference@293c85d4
2024-11-29T23:48:00.944-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration image ->
org.hibernate.type.BasicTypeReference@729ea40c
2024-11-29T23:48:00.944-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration blob ->
org.hibernate.type.BasicTypeReference@3d7c905d
2024-11-29T23:48:00.945-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.sql.Blob ->
org.hibernate.type.BasicTypeReference@3d7c905d
2024-11-29T23:48:00.948-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration materialized blob ->
org.hibernate.type.BasicTypeReference@182ffebd
2024-11-29T23:48:00.952-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration materialized_blob_wrapper ->
org.hibernate.type.BasicTypeReference@5570da49
```

```
2024-11-29T23:48:00.954-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration short ->
org.hibernate.type.BasicTypeReference@5249ba2f
2024-11-29T23:48:00.955-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration short ->
org.hibernate.type.BasicTypeReference@5249ba2f
2024-11-29T23:48:00.956-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Short ->
org.hibernate.type.BasicTypeReference@5249ba2f
2024-11-29T23:48:00.956-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration integer ->
org.hibernate.type.BasicTypeReference@bee3643
2024-11-29T23:48:00.957-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration int ->
org.hibernate.type.BasicTypeReference@bee3643
2024-11-29T23:48:00.957-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Integer ->
org.hibernate.type.BasicTypeReference@bee3643
2024-11-29T23:48:00.957-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration long ->
org.hibernate.type.BasicTypeReference@6cd3fb95
2024-11-29T23:48:00.957-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration long ->
org.hibernate.type.BasicTypeReference@6cd3fb95
2024-11-29T23:48:00.958-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Long ->
org.hibernate.type.BasicTypeReference@6cd3fb95
2024-11-29T23:48:00.958-03:00 DEBUG 8156 --- [api] [
```

```
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration float ->
org.hibernate.type.BasicTypeReference@3f22d6d4
2024-11-29T23:48:00.961-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration float ->
org.hibernate.type.BasicTypeReference@3f22d6d4
2024-11-29T23:48:00.961-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Float ->
org.hibernate.type.BasicTypeReference@3f22d6d4
2024-11-29T23:48:00.962-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration double ->
org.hibernate.type.BasicTypeReference@20a59bdd
2024-11-29T23:48:00.962-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration double ->
org.hibernate.type.BasicTypeReference@20a59bdd
2024-11-29T23:48:00.962-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Double ->
org.hibernate.type.BasicTypeReference@20a59bdd
2024-11-29T23:48:00.962-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration big integer ->
org.hibernate.type.BasicTypeReference@5a83fda4
2024-11-29T23:48:00.963-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.math.BigInteger ->
org.hibernate.type.BasicTypeReference@5a83fda4
2024-11-29T23:48:00.963-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration big decimal ->
org.hibernate.type.BasicTypeReference@29ffba32
2024-11-29T23:48:00.963-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
```

```
: Adding type registration java.math.BigDecimal ->
org.hibernate.type.BasicTypeReference@29ffba32
2024-11-29T23:48:00.964-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration character ->
org.hibernate.type.BasicTypeReference@c24daf
2024-11-29T23:48:00.964-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration char ->
org.hibernate.type.BasicTypeReference@c24daf
2024-11-29T23:48:00.975-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Character ->
org.hibernate.type.BasicTypeReference@c24daf
2024-11-29T23:48:00.977-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration character nchar ->
org.hibernate.type.BasicTypeReference@c354519
2024-11-29T23:48:00.977-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration string ->
org.hibernate.type.BasicTypeReference@499ee7e6
2024-11-29T23:48:00.978-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.String ->
org.hibernate.type.BasicTypeReference@499ee7e6
2024-11-29T23:48:00.978-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration nstring ->
org.hibernate.type.BasicTypeReference@1de4eacd
2024-11-29T23:48:00.979-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration characters ->
org.hibernate.type.BasicTypeReference@f5973eb
2024-11-29T23:48:00.981-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration char[] ->
```

```
org.hibernate.type.BasicTypeReference@f5973eb
2024-11-29T23:48:00.981-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration [C ->
org.hibernate.type.BasicTypeReference@f5973eb
2024-11-29T23:48:00.981-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration wrapper-characters ->
org.hibernate.type.BasicTypeReference@2962e294
2024-11-29T23:48:00.982-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration text ->
org.hibernate.type.BasicTypeReference@177d9189
2024-11-29T23:48:00.983-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration ntext ->
org.hibernate.type.BasicTypeReference@2df5b329
2024-11-29T23:48:00.983-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration clob ->
org.hibernate.type.BasicTypeReference@69f74b57
2024-11-29T23:48:00.983-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.sql.Clob ->
org.hibernate.type.BasicTypeReference@69f74b57
2024-11-29T23:48:00.983-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration nclob ->
org.hibernate.type.BasicTypeReference@57bf72bf
2024-11-29T23:48:00.984-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.sql.NClob ->
org.hibernate.type.BasicTypeReference@57bf72bf
2024-11-29T23:48:00.985-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration materialized clob ->
org.hibernate.type.BasicTypeReference@2c355018
```

```
2024-11-29T23:48:00.985-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration materialized clob char array
-> org.hibernate.type.BasicTypeReference@2c59c24c
2024-11-29T23:48:00.986-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
materialized_clob_character_array ->
org.hibernate.type.BasicTypeReference@7f279963
2024-11-29T23:48:00.986-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration materialized nclob ->
org.hibernate.type.BasicTypeReference@53a126b2
2024-11-29T23:48:00.987-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
materialized nclob character array ->
org.hibernate.type.BasicTypeReference@5592094e
2024-11-29T23:48:00.987-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
materialized nclob char array ->
org.hibernate.type.BasicTypeReference@373bfa12
2024-11-29T23:48:01.014-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration Duration ->
org.hibernate.type.BasicTypeReference@74149117
2024-11-29T23:48:01.015-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.Duration ->
org.hibernate.type.BasicTypeReference@74149117
2024-11-29T23:48:01.015-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration LocalDateTime ->
org.hibernate.type.BasicTypeReference@2edaad91
2024-11-29T23:48:01.016-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
```

```
: Adding type registration java.time.LocalDateTime ->
org.hibernate.type.BasicTypeReference@2edaad91
2024-11-29T23:48:01.016-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration LocalDate ->
org.hibernate.type.BasicTypeReference@6b47197d
2024-11-29T23:48:01.016-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.LocalDate ->
org.hibernate.type.BasicTypeReference@6b47197d
2024-11-29T23:48:01.017-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration LocalTime ->
org.hibernate.type.BasicTypeReference@344856d
2024-11-29T23:48:01.017-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.LocalTime ->
org.hibernate.type.BasicTypeReference@344856d
2024-11-29T23:48:01.018-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetDateTime ->
org.hibernate.type.BasicTypeReference@5388303b
2024-11-29T23:48:01.018-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.OffsetDateTime ->
org.hibernate.type.BasicTypeReference@5388303b
2024-11-29T23:48:01.018-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetDateTimeWithTimezone
-> org.hibernate.type.BasicTypeReference@2845a9fe
2024-11-29T23:48:01.018-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
OffsetDateTimeWithoutTimezone ->
org.hibernate.type.BasicTypeReference@7b1ad17a
2024-11-29T23:48:01.019-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
```

```
: Adding type registration OffsetTime ->
org.hibernate.type.BasicTypeReference@5c524c99
2024-11-29T23:48:01.019-03:00 DEBUG 8156 --- [api] [
restartedMain | org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.OffsetTime ->
org.hibernate.type.BasicTypeReference@5c524c99
2024-11-29T23:48:01.019-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetTimeUtc ->
org.hibernate.type.BasicTypeReference@4e49b6c0
2024-11-29T23:48:01.019-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetTimeWithTimezone ->
org.hibernate.type.BasicTypeReference@4b46fcae
2024-11-29T23:48:01.020-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetTimeWithoutTimezone ->
org.hibernate.type.BasicTypeReference@66fa75bd
2024-11-29T23:48:01.020-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration ZonedDateTime ->
org.hibernate.type.BasicTypeReference@2882db7f
2024-11-29T23:48:01.020-03:00 DEBUG 8156 --- [api] [
restartedMain org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.ZonedDateTime ->
org.hibernate.type.BasicTypeReference@2882db7f
2024-11-29T23:48:01.021-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration ZonedDateTimeWithTimezone ->
org.hibernate.type.BasicTypeReference@2bfe8719
2024-11-29T23:48:01.023-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration ZonedDateTimeWithoutTimezone
-> org.hibernate.type.BasicTypeReference@57a1ad44
2024-11-29T23:48:01.023-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration date ->
```

```
org.hibernate.type.BasicTypeReference@62c37d90
2024-11-29T23:48:01.024-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.sql.Date ->
org.hibernate.type.BasicTypeReference@62c37d90
2024-11-29T23:48:01.024-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration time ->
org.hibernate.type.BasicTypeReference@5c241b94
2024-11-29T23:48:01.025-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.sql.Time ->
org.hibernate.type.BasicTypeReference@5c241b94
2024-11-29T23:48:01.027-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration timestamp ->
org.hibernate.type.BasicTypeReference@33d9946
2024-11-29T23:48:01.028-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.sql.Timestamp ->
org.hibernate.type.BasicTypeReference@33d9946
2024-11-29T23:48:01.028-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.util.Date ->
org.hibernate.type.BasicTypeReference@33d9946
2024-11-29T23:48:01.029-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration calendar ->
org.hibernate.type.BasicTypeReference@592ccfe8
2024-11-29T23:48:01.029-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.util.Calendar ->
org.hibernate.type.BasicTypeReference@592ccfe8
2024-11-29T23:48:01.030-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.util.GregorianCalendar
-> org.hibernate.type.BasicTypeReference@592ccfe8
```

```
2024-11-29T23:48:01.030-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration calendar date ->
org.hibernate.type.BasicTypeReference@20fa16a0
2024-11-29T23:48:01.030-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration calendar time ->
org.hibernate.type.BasicTypeReference@5c7e4190
2024-11-29T23:48:01.032-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration instant ->
org.hibernate.type.BasicTypeReference@33e604f0
2024-11-29T23:48:01.033-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.Instant ->
org.hibernate.type.BasicTypeReference@33e604f0
2024-11-29T23:48:01.033-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration uuid ->
org.hibernate.type.BasicTypeReference@c8aceeb
2024-11-29T23:48:01.033-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.util.UUID ->
org.hibernate.type.BasicTypeReference@c8aceeb
2024-11-29T23:48:01.034-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration pg-uuid ->
org.hibernate.type.BasicTypeReference@c8aceeb
2024-11-29T23:48:01.037-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration uuid-binary ->
org.hibernate.type.BasicTypeReference@7cb586cc
2024-11-29T23:48:01.044-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration uuid-char ->
org.hibernate.type.BasicTypeReference@52e92a0b
2024-11-29T23:48:01.045-03:00 DEBUG 8156 --- [api] [
```

```
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration class ->
org.hibernate.type.BasicTypeReference@51ab7522
2024-11-29T23:48:01.064-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Class ->
org.hibernate.type.BasicTypeReference@51ab7522
2024-11-29T23:48:01.066-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration currency ->
org.hibernate.type.BasicTypeReference@b8c146a
2024-11-29T23:48:01.067-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration Currency ->
org.hibernate.type.BasicTypeReference@b8c146a
2024-11-29T23:48:01.067-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.util.Currency ->
org.hibernate.type.BasicTypeReference@b8c146a
2024-11-29T23:48:01.068-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration locale ->
org.hibernate.type.BasicTypeReference@5b5f6031
2024-11-29T23:48:01.068-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.util.Locale ->
org.hibernate.type.BasicTypeReference@5b5f6031
2024-11-29T23:48:01.068-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration serializable ->
org.hibernate.type.BasicTypeReference@407db023
2024-11-29T23:48:01.068-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.io.Serializable ->
org.hibernate.type.BasicTypeReference@407db023
2024-11-29T23:48:01.068-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
```

```
: Adding type registration timezone ->
org.hibernate.type.BasicTypeReference@4a75df6b
2024-11-29T23:48:01.069-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.util.TimeZone ->
org.hibernate.type.BasicTypeReference@4a75df6b
2024-11-29T23:48:01.069-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration ZoneOffset ->
org.hibernate.type.BasicTypeReference@21b1bd0b
2024-11-29T23:48:01.069-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.ZoneOffset ->
org.hibernate.type.BasicTypeReference@21b1bd0b
2024-11-29T23:48:01.070-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration url ->
org.hibernate.type.BasicTypeReference@1cf1fe4
2024-11-29T23:48:01.070-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.net.URL ->
org.hibernate.type.BasicTypeReference@1cf1fe4
2024-11-29T23:48:01.070-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration vector ->
org.hibernate.type.BasicTypeReference@2c9e5b56
2024-11-29T23:48:01.070-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration float vector ->
org.hibernate.type.BasicTypeReference@48f45729
2024-11-29T23:48:01.071-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration double vector ->
org.hibernate.type.BasicTypeReference@6481f2d9
2024-11-29T23:48:01.071-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration byte vector ->
```

```
org.hibernate.type.BasicTypeReference@1d48e192
2024-11-29T23:48:01.071-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration row version ->
org.hibernate.type.BasicTypeReference@43d24d86
2024-11-29T23:48:01.114-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration object ->
org.hibernate.type.JavaObjectType@c290b80
2024-11-29T23:48:01.117-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Object ->
org.hibernate.type.JavaObjectType@c290b80
2024-11-29T23:48:01.142-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration null ->
org.hibernate.type.NullType@69eb6032
2024-11-29T23:48:01.143-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm date ->
org.hibernate.type.BasicTypeReference@7069052e
2024-11-29T23:48:01.144-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm time ->
org.hibernate.type.BasicTypeReference@278c79b3
2024-11-29T23:48:01.144-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm timestamp ->
org.hibernate.type.BasicTypeReference@57c3973c
2024-11-29T23:48:01.145-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm calendar ->
org.hibernate.type.BasicTypeReference@651b9706
2024-11-29T23:48:01.146-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm_calendar_date ->
org.hibernate.type.BasicTypeReference@5d63befe
```

```
2024-11-29T23:48:01.147-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm calendar time ->
org.hibernate.type.BasicTypeReference@19e60500
2024-11-29T23:48:01.147-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm binary ->
org.hibernate.type.BasicTypeReference@52570b77
2024-11-29T23:48:01.147-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm serializable ->
org.hibernate.type.BasicTypeReference@6bcd159c
2024-11-29T23:48:04.376-03:00 INFO 8156 --- [api] [
restartedMain] o.s.o.j.p.SpringPersistenceUnitInfo
: No LoadTimeWeaver setup: ignoring JPA class
transformer
2024-11-29T23:48:05.534-03:00 INFO 8156 --- [api] [
restartedMain] org.hibernate.orm.connections.pooling
: HHH10001005: Database info:
        Database JDBC URL [Connecting through
datasource 'HikariDataSource (HikariPool-1)']
        Database driver: undefined/unknown
        Database version: 17.0
        Autocommit mode: undefined/unknown
        Isolation level: undefined/unknown
        Minimum pool size: undefined/unknown
        Maximum pool size: undefined/unknown
2024-11-29T23:48:05.589-03:00 DEBUG 8156 --- [api] [
restartedMain] o.h.t.d.sql.spi.DdlTypeRegistry
: addDescriptor(2003,
org.hibernate.type.descriptor.sql.internal.ArrayDdlType
Impl@5302e461) replaced previous
registration(org.hibernate.type.descriptor.sql.internal
.ArrayDdlTypeImpl@307b2bef)
2024-11-29T23:48:05.593-03:00 DEBUG 8156 --- [api] [
restartedMain] o.h.t.d.sql.spi.DdlTypeRegistry
: addDescriptor(6,
```

```
org.hibernate.type.descriptor.sql.internal.CapacityDepe
ndentDdlType@65545718) replaced previous
registration(org.hibernate.type.descriptor.sql.internal
.DdlTypeImpl@7fc4ed8)
2024-11-29T23:48:05.607-03:00 DEBUG 8156 --- [api] [
restartedMain] o.h.t.d.jdbc.spi.JdbcTypeRegistry
: addDescriptor(2004, BlobTypeDescriptor(BLOB BINDING))
replaced previous
registration(BlobTypeDescriptor(DEFAULT))
2024-11-29T23:48:05.607-03:00 DEBUG 8156 --- [api] [
restartedMain] o.h.t.d.jdbc.spi.JdbcTypeRegistry
: addDescriptor(2005, ClobTypeDescriptor(CLOB BINDING))
replaced previous
registration(ClobTypeDescriptor(DEFAULT))
2024-11-29T23:48:05.718-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration JAVA OBJECT ->
org.hibernate.type.JavaObjectType@580d83c9
2024-11-29T23:48:05.719-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Object ->
org.hibernate.type.JavaObjectType@580d83c9
2024-11-29T23:48:05.719-03:00 DEBUG 8156 --- [api] [
restartedMain | org.hibernate.type.BasicTypeRegistry
: Type registration key [java.lang.Object] overrode
previous entry:
org.hibernate.type.JavaObjectType@c290b80`
2024-11-29T23:48:05.767-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.DurationType ->
basicType@1(java.time.Duration,3015)
2024-11-29T23:48:05.773-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration Duration ->
basicType@1(java.time.Duration,3015)
2024-11-29T23:48:05.781-03:00 DEBUG 8156 --- [api] [
```

```
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.Duration ->
basicType@1(java.time.Duration,3015)
2024-11-29T23:48:05.818-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.OffsetDateTimeType ->
basicType@2(java.time.OffsetDateTime,3003)
2024-11-29T23:48:05.832-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetDateTime ->
basicType@2(java.time.OffsetDateTime,3003)
2024-11-29T23:48:05.840-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.OffsetDateTime ->
basicType@2(java.time.OffsetDateTime,3003)
2024-11-29T23:48:05.856-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.ZonedDateTimeType ->
basicType@3(java.time.ZonedDateTime,3003)
2024-11-29T23:48:05.865-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration ZonedDateTime ->
basicType@3(java.time.ZonedDateTime,3003)
2024-11-29T23:48:05.871-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.ZonedDateTime ->
basicType@3(java.time.ZonedDateTime,3003)
2024-11-29T23:48:05.892-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.OffsetTimeType ->
basicType@4(java.time.OffsetTime,3007)
2024-11-29T23:48:05.893-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetTime ->
```

```
basicType@4(java.time.OffsetTime,3007)
2024-11-29T23:48:05.894-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.OffsetTime ->
basicType@4(java.time.OffsetTime,3007)
2024-11-29T23:48:05.900-03:00 DEBUG 8156 --- [api] [
restartedMain] o.h.type.spi.TypeConfiguration$Scope
: Scoping TypeConfiguration
[org.hibernate.type.spi.TypeConfiguration@1eb66f82] to
MetadataBuildingContext
[org.hibernate.boot.internal.MetadataBuildingContextRoo
tImpl@248276a]
2024-11-29T23:48:10.777-03:00 INFO 8156 --- [api] [
restartedMain] o.h.m.i.EntityInstantiatorPojoStandard
: HHH000182: No default (no-argument) constructor for
class: med.voll.api.model.DB.MedicoDB (class must be
instantiated by Interceptor)
2024-11-29T23:48:11.006-03:00
                               INFO 8156 --- [api] [
restartedMain] o.h.m.internal.PojoInstantiatorImpl
: HHH000182: No default (no-argument) constructor for
class: med.voll.api.model.Enderecos (class must be
instantiated by Interceptor)
2024-11-29T23:48:12.169-03:00
                               INFO 8156 --- [api] [
restartedMain] o.h.e.t.j.p.i.JtaPlatformInitiator
: HHH000489: No JTA platform available (set
'hibernate.transaction.jta.platform' to enable JTA
platform integration)
2024-11-29T23:48:12.180-03:00 DEBUG 8156 --- [api] [
restartedMain] o.h.type.spi.TypeConfiguration$Scope
: Scoping TypeConfiguration
[org.hibernate.type.spi.TypeConfiguration@1eb66f82] to
SessionFactoryImplementor
[org.hibernate.internal.SessionFactoryImpl@472ad8eb]
2024-11-29T23:48:13.483-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.SQL
: alter table if exists medicos add column bairro
varchar(255)
```

```
Hibernate: alter table if exists medicos add column
bairro varchar(255)
2024-11-29T23:48:13.813-03:00 DEBUG 8156 --- [api] [
restartedMainl org.hibernate.SOL
: alter table if exists medicos add column cep
varchar(255)
Hibernate: alter table if exists medicos add column cep
varchar(255)
2024-11-29T23:48:13.837-03:00 DEBUG 8156 --- [api] [
restartedMainl org.hibernate.SQL
: alter table if exists medicos add column cidade
varchar(255)
Hibernate: alter table if exists medicos add column
cidade varchar(255)
2024-11-29T23:48:13.843-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.SQL
: alter table if exists medicos add column complemento
varchar(255)
Hibernate: alter table if exists medicos add column
complemento varchar(255)
2024-11-29T23:48:13.857-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.SQL
: alter table if exists medicos add column logradouro
varchar(255)
Hibernate: alter table if exists medicos add column
logradouro varchar(255)
2024-11-29T23:48:13.864-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.SQL
: alter table if exists medicos add column numero
varchar(255)
Hibernate: alter table if exists medicos add column
numero varchar(255)
2024-11-29T23:48:13.871-03:00 DEBUG 8156 --- [api] [
restartedMain] org.hibernate.SQL
: alter table if exists medicos add column uf
varchar(255)
Hibernate: alter table if exists medicos add column uf
```

```
varchar(255)
2024-11-29T23:48:13.907-03:00 TRACE 8156 --- [api] [
restartedMain] o.h.type.spi.TypeConfiguration$Scope
: Handling #sessionFactoryCreated from
[org.hibernate.internal.SessionFactoryImpl@472ad8eb]
for TypeConfiguration
2024-11-29T23:48:13.908-03:00 INFO 8156 --- [api] [
restartedMain] j.LocalContainerEntityManagerFactoryBean
: Initialized JPA EntityManagerFactory for persistence
unit 'default'
2024-11-29T23:48:16.354-03:00 WARN 8156 --- [api] [
restartedMain] JpaBaseConfiguration$JpaWebConfiguration
: spring.jpa.open-in-view is enabled by default.
Therefore, database queries may be performed during
view rendering. Explicitly configure
spring.jpa.open-in-view to disable this warning
2024-11-29T23:48:19.678-03:00
                               INFO 8156 --- [api] [
restartedMain] o.s.b.d.a.OptionalLiveReloadServer
: LiveReload server is running on port 35729
2024-11-29T23:48:22.058-03:00
                               INFO 8156 --- [api] [
restartedMain] o.s.b.w.embedded.tomcat.TomcatWebServer
: Tomcat started on port 8080 (http) with context path
'/'
2024-11-29T23:48:22.156-03:00 INFO 8156 --- [api] [
restartedMain | med.voll.api.ApiApplication
: Started ApiApplication in 141.049 seconds (process
running for 180.77)
                               INFO 8156 --- [api]
2024-11-29T23:56:25.377-03:00
[nio-8080-exec-1] o.a.c.c.C.[Tomcat].[localhost].[/]
   : Initializing Spring DispatcherServlet
'dispatcherServlet'
2024-11-29T23:56:25.378-03:00 INFO 8156 --- [api]
[nio-8080-exec-1] o.s.web.servlet.DispatcherServlet
   : Initializing Servlet 'dispatcherServlet'
2024-11-29T23:56:25.398-03:00 INFO 8156 --- [api]
[nio-8080-exec-1] o.s.web.servlet.DispatcherServlet
   : Completed initialization in 18 ms
```

```
{
"nome": "Rodrigo Novalgina",
"email": "rodrigo.ferreira@voll.med",
"crm": "123456",
"especialidade": "ortopedia",
"endereco": {
    "logradouro": "rua 1",
    "bairro": "bairro",
    "cep": "12345678",
    "cidade": "Brasilia",
    "uf": "DF",
    "numero": "1",
    "complemento": "complemento"
    }
}
```