

```
        alter table if exists medicos
            add constraint UKkydlrhahqk78xm3pvessqmp99
unique (email)
2024-12-04T17:39:40.134-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.SQL
:
        alter table if exists medicos
            drop constraint if exists
UKmq3aidcf9gmeapwamgnnsuw2k
Hibernate:
        alter table if exists medicos
            drop constraint if exists
UKmq3aidcf9gmeapwamgnnsuw2k
2024-12-04T17:39:40.142-03:00 WARN 7764 --- [api] [
restartedMain] o.h.engine.jdbc.spi.SqlExceptionHelper
: SQL Warning Code: 0, SQLState: 00000
2024-12-04T17:39:40.142-03:00 WARN 7764 --- [api] [
restartedMain] o.h.engine.jdbc.spi.SqlExceptionHelper
: restrição "ukmq3aidcf9gmeapwamgnnsuw2k" da relação
"medicos" não existe, ignorando
2024-12-04T17:39:40.143-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.SQL
:
        alter table if exists medicos
            add constraint UKmq3aidcf9gmeapwamgnnsuw2k
unique (nome)
Hibernate:
        alter table if exists medicos
            add constraint UKmq3aidcf9gmeapwamgnnsuw2k
unique (nome)
2024-12-04T17:39:40.182-03:00 TRACE 7764 --- [api] [
restartedMain] o.h.type.spi.TypeConfiguration$Scope
: Handling #sessionFactoryCreated from
[org.hibernate.internal.SessionFactoryImpl@4c859f0b]
for TypeConfiguration
2024-12-04T17:39:40.184-03:00 INFO 7764 --- [api] [
restartedMain] j.LocalContainerEntityManagerFactoryBean
```

```
: Initialized JPA EntityManagerFactory for persistence
unit 'default'
2024-12-04T17:39:45.263-03:00  WARN 7764 --- [api] [
restartedMain] JpaBaseConfiguration$JpaWebConfiguration
: spring.jpa.open-in-view is enabled by default.
Therefore, database queries may be performed during
view rendering. Explicitly configure
spring.jpa.open-in-view to disable this warning
2024-12-04T17:39:50.112-03:00  INFO 7764 --- [api] [
restartedMain] o.s.b.d.a.OptionalLiveReloadServer
: LiveReload server is running on port 35729
2024-12-04T17:39:50.648-03:00  INFO 7764 --- [api] [
restartedMain] o.s.b.w.embedded.tomcat.TomcatWebServer
: Tomcat started on port 8080 (http) with context path
 '/'
2024-12-04T17:39:50.746-03:00  INFO 7764 --- [api] [
restartedMain] med.voll.api.ApiApplication
: Started ApiApplication in 85.298 seconds (process
running for 89.267)
2024-12-04T17:58:04.027-03:00  INFO 7764 --- [api]
[nio-8080-exec-1] o.a.c.c.C.[Tomcat].[localhost].[/]
: Initializing Spring DispatcherServlet
'dispatcherServlet'
2024-12-04T17:58:04.031-03:00  INFO 7764 --- [api]
[nio-8080-exec-1] o.s.web.servlet.DispatcherServlet
: Initializing Servlet 'dispatcherServlet'
2024-12-04T17:58:04.066-03:00  INFO 7764 --- [api]
[nio-8080-exec-1] o.s.web.servlet.DispatcherServlet
: Completed initialization in 34 ms
2024-12-04T17:58:06.761-03:00  DEBUG 7764 --- [api]
[nio-8080-exec-1] org.hibernate.SQL
:
insert
into
medicos
(ativado, crm, email, bairro, cep, cidade,
complemento, logradouro, numero, uf, especialidade,
```

```

nome, telefone)
    values
        (?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?)
Hibernate:
    insert
    into
        medicos
        (ativado, crm, email, bairro, cep, cidade,
complemento, logradouro, numero, uf, especialidade,
nome, telefone)
    values
        (?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?)
2024-12-04T18:00:16.984-03:00 DEBUG 7764 --- [api]
[nio-8080-exec-3] org.hibernate.SQL
:
    insert
    into
        medicos
        (ativado, crm, email, bairro, cep, cidade,
complemento, logradouro, numero, uf, especialidade,
nome, telefone)
    values
        (?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?)
Hibernate:
    insert
    into
        medicos
        (ativado, crm, email, bairro, cep, cidade,
complemento, logradouro, numero, uf, especialidade,
nome, telefone)
    values
        (?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?)
2024-12-04T18:04:40.571-03:00 INFO 7764 --- [api] [
File Watcher] rtingClassPathChangeChangedEventListener
: Restarting due to 1 class path change (0 additions, 0
deletions, 1 modification)
2024-12-04T18:04:40.747-03:00 INFO 7764 --- [api] [

```

```

Thread-5] o.s.b.w.e.tomcat.GracefulShutdown      :
Commencing graceful shutdown. Waiting for active
requests to complete
2024-12-04T18:04:40.860-03:00  INFO 7764 --- [api]
[tomcat-shutdown] o.s.b.w.e.tomcat.GracefulShutdown
: Graceful shutdown complete
2024-12-04T18:04:40.953-03:00  INFO 7764 --- [api] [
Thread-5] j.LocalContainerEntityManagerFactoryBean :
Closing JPA EntityManagerFactory for persistence unit
'default'
2024-12-04T18:04:40.958-03:00  TRACE 7764 --- [api] [
Thread-5] o.h.type.spi.TypeConfiguration$Scope      :
Handling #sessionFactoryClosed from
[org.hibernate.internal.SessionFactoryImpl@4c859f0b]
for TypeConfiguration
2024-12-04T18:04:40.959-03:00  DEBUG 7764 --- [api] [
Thread-5] o.h.type.spi.TypeConfiguration$Scope      :
Un-scoping TypeConfiguration
[org.hibernate.type.spi.TypeConfiguration$Scope@7b19475
a] from SessionFactory
[org.hibernate.internal.SessionFactoryImpl@4c859f0b]
2024-12-04T18:04:41.055-03:00  INFO 7764 --- [api] [
Thread-5] com.zaxxer.hikari.HikariDataSource          :
HikariPool-1 - Shutdown initiated...
2024-12-04T18:04:41.107-03:00  INFO 7764 --- [api] [
Thread-5] com.zaxxer.hikari.HikariDataSource          :
HikariPool-1 - Shutdown completed.

```

Spring Boot

2024-12-04T18:04:43.560-03:00 INFO 7764 --- [api] [restartedMain] med.voll.api.ApiApplication : Starting ApiApplication using Java 21 with PID 7764 (C:\GitHubjavabin7777777\PROJETOS-ORACLE-ONE-ALURA\api\api\target\classes started by Jupiter in C:\GitHubjavabin7777777\PROJETOS-ORACLE-ONE-ALURA\api\api)

2024-12-04T18:04:43.560-03:00 INFO 7764 --- [api] [restartedMain] med.voll.api.ApiApplication : No active profile set, falling back to 1 default profile: "default"

2024-12-04T18:04:48.403-03:00 INFO 7764 --- [api] [restartedMain] .s.d.r.c.RepositoryConfigurationDelegate : Bootstrapping Spring Data JPA repositories in DEFAULT mode.

2024-12-04T18:04:48.444-03:00 INFO 7764 --- [api] [restartedMain] .s.d.r.c.RepositoryConfigurationDelegate : Finished Spring Data repository scanning in 24 ms. Found 0 JPA repository interfaces.

2024-12-04T18:04:49.031-03:00 WARN 7764 --- [api] [restartedMain] ConfigServletWebServerApplicationContext : Exception encountered during context initialization - cancelling refresh attempt: org.springframework.beans.factory.BeanClassException: Cannot find class [med.voll.api.controller.MedicoController] for bean with name 'medicoController' defined in file [C:\GitHubjavabin7777777\PROJETOS-ORACLE-ONE-ALURA\api\api\target\classes\med\voll\api\controller\MedicoController.class]

2024-12-04T18:04:49.095-03:00 INFO 7764 --- [api] [restartedMain] .s.b.a.l.ConditionEvaluationReportLogger :

Error starting ApplicationContext. To display the condition evaluation report re-run your application with 'debug' enabled.

2024-12-04T18:04:51.157-03:00 ERROR 7764 --- [api] [restartedMain] o.s.boot.SpringApplication : Application run failed

org.springframework.beans.factory.CannotLoadBeanClassException: Cannot find class
[med.voll.api.controller.MedicoController] for bean
with name 'medicoController' defined in file
[C:\GitHubjavabin7777777\PROJETOS-ORACLE-ONE-ALURA\api\api\target\classes\med\voll\api\controller\MedicoController.class]

at

org.springframework.beans.factory.support.AbstractBeanFactory.resolveBeanClass(AbstractBeanFactory.java:1552)
~[spring-beans-6.2.0.jar:6.2.0]

at

org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.determineTargetType(AbstractAutowireCapableBeanFactory.java:686)
~[spring-beans-6.2.0.jar:6.2.0]

at

org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.predictBeanType(AbstractAutowireCapableBeanFactory.java:654)
~[spring-beans-6.2.0.jar:6.2.0]

at

org.springframework.beans.factory.support.AbstractBeanFactory.getType(AbstractBeanFactory.java:735)
~[spring-beans-6.2.0.jar:6.2.0]

at

org.springframework.beans.factory.support.DefaultListableBeanFactory.findAnnotationOnBean(DefaultListableBeanFactory.java:765) ~[spring-beans-6.2.0.jar:6.2.0]

at

org.springframework.boot.sql.init.dependency.AnnotationDependsOnDatabaseInitializationDetector.detect(AnnotationDependsOnDatabaseInitializationDetector.java:36)

```
~[spring-boot-3.4.0.jar:3.4.0]
    at
org.springframework.boot.sql.init.dependency.DatabaseIn
itiationDependencyConfigurer$DependsOnDatabaseIniti
alizationPostProcessor.detectDependsOnInitializationBea
nNames(DatabaseInitializationDependencyConfigurer.java:
152) ~[spring-boot-3.4.0.jar:3.4.0]
    at
org.springframework.boot.sql.init.dependency.DatabaseIn
itiationDependencyConfigurer$DependsOnDatabaseIniti
alizationPostProcessor.postProcessBeanFactory(DatabaseI
nitiationDependencyConfigurer.java:115)
~[spring-boot-3.4.0.jar:3.4.0]
    at
org.springframework.context.support.PostProcessorRegist
rationDelegate.invokeBeanFactoryPostProcessors(PostProc
essorRegistrationDelegate.java:363)
~[spring-context-6.2.0.jar:6.2.0]
    at
org.springframework.context.support.PostProcessorRegist
rationDelegate.invokeBeanFactoryPostProcessors(PostProc
essorRegistrationDelegate.java:197)
~[spring-context-6.2.0.jar:6.2.0]
    at
org.springframework.context.support.AbstractApplication
Context.invokeBeanFactoryPostProcessors(AbstractApplica
tionContext.java:791) ~[spring-context-6.2.0.jar:6.2.0]
    at
org.springframework.context.support.AbstractApplication
Context.refresh(AbstractApplicationContext.java:609)
~[spring-context-6.2.0.jar:6.2.0]
    at
org.springframework.boot.web.servlet.context.ServletWeb
ServerApplicationContext.refresh(ServletWebServerApplic
ationContext.java:146) ~[spring-boot-3.4.0.jar:3.4.0]
    at
org.springframework.boot.SpringApplication.refresh(Spri
```

```
ngApplication.java:752) ~[spring-boot-3.4.0.jar:3.4.0]
    at
org.springframework.boot.SpringApplication.refreshConte
xt(SpringApplication.java:439)
~[spring-boot-3.4.0.jar:3.4.0]
    at
org.springframework.boot.SpringApplication.run(SpringAp
plication.java:318) ~[spring-boot-3.4.0.jar:3.4.0]
    at
org.springframework.boot.SpringApplication.run(SpringAp
plication.java:1361) ~[spring-boot-3.4.0.jar:3.4.0]
    at
org.springframework.boot.SpringApplication.run(SpringAp
plication.java:1350) ~[spring-boot-3.4.0.jar:3.4.0]
    at
med.voll.api.ApiApplication.main(ApiApplication.java:10
) ~[classes/:na]
    at
java.base/jdk.internal.reflect.DirectMethodHandleAccess
or.invoke(DirectMethodHandleAccessor.java:103) ~[na:na]
    at
java.base/java.lang.reflect.Method.invoke(Method.java:5
80) ~[na:na]
    at
org.springframework.boot.devtools.restart.RestartLaunch
er.run(RestartLauncher.java:50)
~[spring-boot-devtools-3.4.0.jar:3.4.0]
Caused by: java.lang.ClassNotFoundException:
med.voll.api.controller.MedicoController
    at
java.base/jdk.internal.loader.BuiltinClassLoader.loadCl
ass(BuiltinClassLoader.java:641) ~[na:na]
    at
java.base/jdk.internal.loader.ClassLoaders$AppClassLoad
er.loadClass(ClassLoaders.java:188) ~[na:na]
    at
java.base/java.lang.ClassLoader.loadClass(ClassLoader.j
```



```
ava:526) ~[na:na]
    at java.base/java.lang.Class.forName0(Native
Method) ~[na:na]
    at
java.base/java.lang.Class.forName(Class.java:534)
~[na:na]
    at
java.base/java.lang.Class.forName(Class.java:513)
~[na:na]
    at
org.springframework.boot.devtools.restart.classloader.R
estartClassLoader.loadClass(RestartClassLoader.java:121
) ~[spring-boot-devtools-3.4.0.jar:3.4.0]
    at
java.base/java.lang.ClassLoader.loadClass(ClassLoader.j
ava:526) ~[na:na]
    at java.base/java.lang.Class.forName0(Native
Method) ~[na:na]
    at
java.base/java.lang.Class.forName(Class.java:534)
~[na:na]
    at
java.base/java.lang.Class.forName(Class.java:513)
~[na:na]
    at
org.springframework.util.ClassUtils.forName(ClassUtils.
java:321) ~[spring-core-6.2.0.jar:6.2.0]
    at
org.springframework.beans.factory.support.AbstractBeanD
efinition.resolveBeanClass(AbstractBeanDefinition.java:
503) ~[spring-beans-6.2.0.jar:6.2.0]
    at
org.springframework.beans.factory.support.AbstractBeanF
actory.doResolveBeanClass(AbstractBeanFactory.java:1620
) ~[spring-beans-6.2.0.jar:6.2.0]
    at
org.springframework.beans.factory.support.AbstractBeanF
```



```
restartedMain] o.apache.catalina.core.StandardService
: Starting service [Tomcat]
2024-12-04T18:04:55.430-03:00 INFO 7764 --- [api] [
restartedMain] o.apache.catalina.core.StandardEngine
: Starting Servlet engine: [Apache Tomcat/10.1.33]
2024-12-04T18:04:55.628-03:00 INFO 7764 --- [api] [
restartedMain] o.a.c.c.C.[Tomcat].[localhost].[/]
: Initializing Spring embedded WebApplicationContext
2024-12-04T18:04:55.629-03:00 INFO 7764 --- [api] [
restartedMain] w.s.c.ServletWebServerApplicationContext
: Root WebApplicationContext: initialization completed
in 2566 ms
2024-12-04T18:04:55.819-03:00 WARN 7764 --- [api] [
restartedMain] ConfigServletWebServerApplicationContext
: Exception encountered during context initialization -
cancelling refresh attempt:
org.springframework.beans.factory.BeanCreationException
: Error creating bean with name 'entityManagerFactory'
defined in class path resource
[org/springframework/boot/autoconfigure/orm/jpa/Hiberna
teJpaConfiguration.class]: Failed to initialize
dependency 'flyway' of LoadTimeWeaverAware bean
'entityManagerFactory': Error creating bean with name
'flyway' defined in class path resource
[org/springframework/boot/autoconfigure/flyway/FlywayAu
toConfiguration$FlywayConfiguration.class]: Failed to
instantiate [org.flywaydb.core.Flyway]: Factory method
'flyway' threw exception with message: Error creating
bean with name 'dataSource' defined in class path
resource
[org/springframework/boot/autoconfigure/jdbc/DataSource
Configuration$Hikari.class]: Failed to instantiate
[com.zaxxer.hikari.HikariDataSource]: Factory method
'dataSource' threw exception with message: Failed to
determine a suitable driver class
2024-12-04T18:04:55.821-03:00 INFO 7764 --- [api] [
restartedMain] o.apache.catalina.core.StandardService
```

```
: Stopping service [Tomcat]
2024-12-04T18:04:55.836-03:00 INFO 7764 --- [api] [
restartedMain] .s.b.a.l.ConditionEvaluationReportLogger
:
```

Error starting ApplicationContext. To display the condition evaluation report re-run your application with 'debug' enabled.

```
2024-12-04T18:04:55.862-03:00 ERROR 7764 --- [api] [
restartedMain] o.s.b.d.LoggingFailureAnalysisReporter
:
```

```
*****
APPLICATION FAILED TO START
*****
```

Description:

Failed to configure a DataSource: 'url' attribute is not specified and no embedded datasource could be configured.

Reason: Failed to determine a suitable driver class

Action:

Consider the following:

If you want an embedded database (H2, HSQL or Derby), please put it on the classpath.

If you have database settings to be loaded from a particular profile you may need to activate it (no profiles are currently active).

.\ / _ ' _ _ _ (_) _ _ _ \ \ \ \

```
( ( ) \_ | ' | ' | | ' \_ | \ \ \ \
 \ \_ | | ) | | | | | ( | | ) ) )
 ' | | | . | | | | | | \_ , | / / / /
=====|_|=====|_|/=//_/_/_/_/
```

:: Spring Boot :: (v3.4.0)

```
2024-12-04T18:05:09.326-03:00 INFO 7764 --- [api] [
restartedMain] med.voll.api.ApiApplication
: Starting ApiApplication using Java 21 with PID 7764
(C:\GitHubjavabin7777777\PROJETOS-ORACLE-ONE-ALURA\api\
api\target\classes started by Jupiter in
C:\GitHubjavabin7777777\PROJETOS-ORACLE-ONE-ALURA\api\api)
2024-12-04T18:05:09.334-03:00 INFO 7764 --- [api] [
restartedMain] med.voll.api.ApiApplication
: No active profile set, falling back to 1 default
profile: "default"
2024-12-04T18:05:11.354-03:00 INFO 7764 --- [api] [
restartedMain] .s.d.r.c.RepositoryConfigurationDelegate
: Bootstrapping Spring Data JPA repositories in DEFAULT
mode.
2024-12-04T18:05:11.439-03:00 INFO 7764 --- [api] [
restartedMain] .s.d.r.c.RepositoryConfigurationDelegate
: Finished Spring Data repository scanning in 73 ms.
Found 1 JPA repository interface.
2024-12-04T18:05:12.296-03:00 INFO 7764 --- [api] [
restartedMain] o.s.b.w.embedded.tomcat.TomcatWebServer
: Tomcat initialized with port 8080 (http)
2024-12-04T18:05:12.303-03:00 INFO 7764 --- [api] [
restartedMain] o.apache.catalina.core.StandardService
: Starting service [Tomcat]
2024-12-04T18:05:12.303-03:00 INFO 7764 --- [api] [
restartedMain] o.apache.catalina.core.StandardEngine
: Starting Servlet engine: [Apache Tomcat/10.1.33]
2024-12-04T18:05:12.491-03:00 INFO 7764 --- [api] [
restartedMain] o.a.c.c.C.[Tomcat-1].[localhost].[/]
```

```
: Initializing Spring embedded WebApplicationContext
2024-12-04T18:05:12.502-03:00 INFO 7764 --- [api] [
restartedMain] w.s.c.ServletWebServerApplicationContext
: Root WebApplicationContext: initialization completed
in 3158 ms
2024-12-04T18:05:12.654-03:00 WARN 7764 --- [api] [
restartedMain] ConfigServletWebServerApplicationContext
: Exception encountered during context initialization -
cancelling refresh attempt:
org.springframework.beans.factory.BeanCreationException
: Error creating bean with name 'entityManagerFactory'
defined in class path resource
[org/springframework/boot/autoconfigure/orm/jpa/Hiberna
teJpaConfiguration.class]: Failed to initialize
dependency 'flyway' of LoadTimeWeaverAware bean
'entityManagerFactory': Error creating bean with name
'flyway' defined in class path resource
[org/springframework/boot/autoconfigure/flyway/FlywayAu
toConfiguration$FlywayConfiguration.class]: Failed to
instantiate [org.flywaydb.core.Flyway]: Factory method
'flyway' threw exception with message: Error creating
bean with name 'dataSource' defined in class path
resource
[org/springframework/boot/autoconfigure/jdbc/DataSource
Configuration$Hikari.class]: Failed to instantiate
[com.zaxxer.hikari.HikariDataSource]: Factory method
'dataSource' threw exception with message: Failed to
determine a suitable driver class
2024-12-04T18:05:12.659-03:00 INFO 7764 --- [api] [
restartedMain] o.apache.catalina.core.StandardService
: Stopping service [Tomcat]
2024-12-04T18:05:12.725-03:00 INFO 7764 --- [api] [
restartedMain] .s.b.a.l.ConditionEvaluationReportLogger
:
```

Error starting ApplicationContext. To display the condition evaluation report re-run your application

with 'debug' enabled.

```
2024-12-04T18:05:12.781-03:00 ERROR 7764 --- [api] [
restartedMain] o.s.b.d.LoggingFailureAnalysisReporter
:
```

APPLICATION FAILED TO START

Description:

Failed to configure a DataSource: 'url' attribute is not specified and no embedded datasource could be configured.

Reason: Failed to determine a suitable driver class

Action:

Consider the following:

If you want an embedded database (H2, HSQL or Derby), please put it on the classpath.

If you have database settings to be loaded from a particular profile you may need to activate it (no profiles are currently active).

[illegible]

:: Spring Boot ::

(v3.4.0)

2024-12-04T18:05:15.060-03:00 INFO 7764 --- [api] [restartedMain] med.voll.api.ApiApplication
: Starting ApiApplication using Java 21 with PID 7764
(C:\GitHubjavabin7777777\PROJETOS-ORACLE-ONE-ALURA\api\api\target\classes started by Jupiter in
C:\GitHubjavabin7777777\PROJETOS-ORACLE-ONE-ALURA\api\api)

2024-12-04T18:05:15.071-03:00 INFO 7764 --- [api] [restartedMain] med.voll.api.ApiApplication
: No active profile set, falling back to 1 default
profile: "default"

2024-12-04T18:05:16.254-03:00 INFO 7764 --- [api] [restartedMain] .s.d.r.c.RepositoryConfigurationDelegate
: Bootstrapping Spring Data JPA repositories in DEFAULT
mode.

2024-12-04T18:05:16.328-03:00 INFO 7764 --- [api] [restartedMain] .s.d.r.c.RepositoryConfigurationDelegate
: Finished Spring Data repository scanning in 56 ms.
Found 1 JPA repository interface.

2024-12-04T18:05:16.807-03:00 INFO 7764 --- [api] [restartedMain] o.s.b.w.embedded.tomcat.TomcatWebServer
: Tomcat initialized with port 8080 (http)

2024-12-04T18:05:16.809-03:00 INFO 7764 --- [api] [restartedMain] o.apache.catalina.core.StandardService
: Starting service [Tomcat]

2024-12-04T18:05:16.810-03:00 INFO 7764 --- [api] [restartedMain] o.apache.catalina.core.StandardEngine
: Starting Servlet engine: [Apache Tomcat/10.1.33]

2024-12-04T18:05:16.957-03:00 INFO 7764 --- [api] [restartedMain] o.a.c.c.C.[Tomcat-2].[localhost].[/]
: Initializing Spring embedded WebApplicationContext

2024-12-04T18:05:16.968-03:00 INFO 7764 --- [api] [restartedMain] w.s.c.ServletWebServerApplicationContext
: Root WebApplicationContext: initialization completed
in 1887 ms

2024-12-04T18:05:17.495-03:00 INFO 7764 --- [api] [restartedMain] com.zaxxer.hikari.HikariDataSource


```
: HikariPool-2 - Starting...
2024-12-04T18:05:18.007-03:00 INFO 7764 --- [api] [
restartedMain] com.zaxxer.hikari.pool.HikariPool
: HikariPool-2 - Added connection
org.postgresql.jdbc.PgConnection@19895ef
2024-12-04T18:05:18.021-03:00 INFO 7764 --- [api] [
restartedMain] com.zaxxer.hikari.HikariDataSource
: HikariPool-2 - Start completed.
2024-12-04T18:05:18.060-03:00 INFO 7764 --- [api] [
restartedMain] org.flywaydb.core.FlywayExecutor
: Database:
jdbc:postgresql://localhost:5432/clinica_medica
(PostgreSQL 17.0)
2024-12-04T18:05:18.204-03:00 INFO 7764 --- [api] [
restartedMain] o.f.core.internal.command.DbValidate
: Successfully validated 0 migrations (execution time
00:00.028s)
2024-12-04T18:05:18.204-03:00 WARN 7764 --- [api] [
restartedMain] o.f.core.internal.command.DbValidate
: No migrations found. Are your locations set up
correctly?
2024-12-04T18:05:18.545-03:00 INFO 7764 --- [api] [
restartedMain] o.f.core.internal.command.DbMigrate
: Current version of schema "public": << Empty Schema
>>
2024-12-04T18:05:18.556-03:00 INFO 7764 --- [api] [
restartedMain] o.f.core.internal.command.DbMigrate
: Schema "public" is up to date. No migration
necessary.
2024-12-04T18:05:18.713-03:00 INFO 7764 --- [api] [
restartedMain] o.hibernate.jpa.internal.util.LogHelper
: HHH000204: Processing PersistenceUnitInfo [name:
default]
2024-12-04T18:05:18.833-03:00 INFO 7764 --- [api] [
restartedMain] o.h.c.internal.RegionFactoryInitiator
: HHH000026: Second-level cache disabled
2024-12-04T18:05:18.839-03:00 DEBUG 7764 --- [api] [
```

```
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration boolean ->
org.hibernate.type.BasicTypeReference@692001dc
2024-12-04T18:05:18.839-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration boolean ->
org.hibernate.type.BasicTypeReference@692001dc
2024-12-04T18:05:18.839-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Boolean ->
org.hibernate.type.BasicTypeReference@692001dc
2024-12-04T18:05:18.839-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration numeric_boolean ->
org.hibernate.type.BasicTypeReference@50cc4d57
2024-12-04T18:05:18.839-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.NumericBooleanConverter ->
org.hibernate.type.BasicTypeReference@50cc4d57
2024-12-04T18:05:18.839-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration true_false ->
org.hibernate.type.BasicTypeReference@761feb4d
2024-12-04T18:05:18.840-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.TrueFalseConverter ->
org.hibernate.type.BasicTypeReference@761feb4d
2024-12-04T18:05:18.840-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration yes_no ->
org.hibernate.type.BasicTypeReference@2314e55
2024-12-04T18:05:18.840-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.YesNoConverter ->
```

org.hibernate.type.BasicTypeReference@2314e55
2024-12-04T18:05:18.840-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration byte ->
org.hibernate.type.BasicTypeReference@6bf6912e
2024-12-04T18:05:18.840-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration byte ->
org.hibernate.type.BasicTypeReference@6bf6912e
2024-12-04T18:05:18.840-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration java.lang.Byte ->
org.hibernate.type.BasicTypeReference@6bf6912e
2024-12-04T18:05:18.840-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration binary ->
org.hibernate.type.BasicTypeReference@59e2cff2
2024-12-04T18:05:18.841-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration byte[] ->
org.hibernate.type.BasicTypeReference@59e2cff2
2024-12-04T18:05:18.841-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration [B ->
org.hibernate.type.BasicTypeReference@59e2cff2
2024-12-04T18:05:18.842-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration binary_wrapper ->
org.hibernate.type.BasicTypeReference@50ae1200
2024-12-04T18:05:18.842-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration wrapper-binary ->
org.hibernate.type.BasicTypeReference@50ae1200
2024-12-04T18:05:18.842-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration image ->
org.hibernate.type.BasicTypeReference@58e5ada6

2024-12-04T18:05:18.843-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration blob ->
org.hibernate.type.BasicTypeReference@7452875
2024-12-04T18:05:18.843-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration java.sql.Blob ->
org.hibernate.type.BasicTypeReference@7452875
2024-12-04T18:05:20.108-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration materialized_blob ->
org.hibernate.type.BasicTypeReference@4817ea30
2024-12-04T18:05:20.109-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration materialized_blob_wrapper ->
org.hibernate.type.BasicTypeReference@6889df20
2024-12-04T18:05:20.109-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration short ->
org.hibernate.type.BasicTypeReference@1df4c70a
2024-12-04T18:05:20.109-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration short ->
org.hibernate.type.BasicTypeReference@1df4c70a
2024-12-04T18:05:20.109-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration java.lang.Short ->
org.hibernate.type.BasicTypeReference@1df4c70a
2024-12-04T18:05:20.109-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration integer ->
org.hibernate.type.BasicTypeReference@33dc5241
2024-12-04T18:05:20.109-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration int ->
org.hibernate.type.BasicTypeReference@33dc5241
2024-12-04T18:05:20.109-03:00 DEBUG 7764 --- [api] [

```
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Integer ->
org.hibernate.type.BasicTypeReference@33dc5241
2024-12-04T18:05:20.110-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration long ->
org.hibernate.type.BasicTypeReference@44ed6860
2024-12-04T18:05:20.110-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration long ->
org.hibernate.type.BasicTypeReference@44ed6860
2024-12-04T18:05:20.110-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Long ->
org.hibernate.type.BasicTypeReference@44ed6860
2024-12-04T18:05:20.110-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration float ->
org.hibernate.type.BasicTypeReference@62bbdf02
2024-12-04T18:05:20.110-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration float ->
org.hibernate.type.BasicTypeReference@62bbdf02
2024-12-04T18:05:20.110-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Float ->
org.hibernate.type.BasicTypeReference@62bbdf02
2024-12-04T18:05:20.110-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration double ->
org.hibernate.type.BasicTypeReference@594c98c8
2024-12-04T18:05:20.111-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration double ->
org.hibernate.type.BasicTypeReference@594c98c8
2024-12-04T18:05:20.111-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
```

```
: Adding type registration java.lang.Double ->
org.hibernate.type.BasicTypeReference@594c98c8
2024-12-04T18:05:20.111-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration big_integer ->
org.hibernate.type.BasicTypeReference@85397fa
2024-12-04T18:05:20.111-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.math.BigInteger ->
org.hibernate.type.BasicTypeReference@85397fa
2024-12-04T18:05:20.111-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration big_decimal ->
org.hibernate.type.BasicTypeReference@275240f8
2024-12-04T18:05:20.111-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.math.BigDecimal ->
org.hibernate.type.BasicTypeReference@275240f8
2024-12-04T18:05:20.113-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration character ->
org.hibernate.type.BasicTypeReference@1b2dc8df
2024-12-04T18:05:20.114-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration char ->
org.hibernate.type.BasicTypeReference@1b2dc8df
2024-12-04T18:05:20.114-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Character ->
org.hibernate.type.BasicTypeReference@1b2dc8df
2024-12-04T18:05:20.114-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration character_nchar ->
org.hibernate.type.BasicTypeReference@261a99aa
2024-12-04T18:05:20.114-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration string ->
```

org.hibernate.type.BasicTypeReference@32e226d4
2024-12-04T18:05:20.114-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration java.lang.String ->
org.hibernate.type.BasicTypeReference@32e226d4
2024-12-04T18:05:20.114-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration nstring ->
org.hibernate.type.BasicTypeReference@702e5f0
2024-12-04T18:05:20.114-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration characters ->
org.hibernate.type.BasicTypeReference@721cbeff
2024-12-04T18:05:20.115-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration char[] ->
org.hibernate.type.BasicTypeReference@721cbeff
2024-12-04T18:05:20.116-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration [C ->
org.hibernate.type.BasicTypeReference@721cbeff
2024-12-04T18:05:20.116-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration wrapper-characters ->
org.hibernate.type.BasicTypeReference@b9aedf
2024-12-04T18:05:20.117-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration text ->
org.hibernate.type.BasicTypeReference@23cefc9a
2024-12-04T18:05:20.117-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration ntext ->
org.hibernate.type.BasicTypeReference@33f3a076
2024-12-04T18:05:20.117-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration clob ->
org.hibernate.type.BasicTypeReference@248f1bb1

2024-12-04T18:05:20.117-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration java.sql.Clob -> org.hibernate.type.BasicTypeReference@248f1bb1
2024-12-04T18:05:20.117-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration nclob -> org.hibernate.type.BasicTypeReference@698d86a9
2024-12-04T18:05:20.117-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration java.sql.NClob -> org.hibernate.type.BasicTypeReference@698d86a9
2024-12-04T18:05:20.117-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration materialized_clob -> org.hibernate.type.BasicTypeReference@3d739d2e
2024-12-04T18:05:20.117-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration materialized_clob_char_array -> org.hibernate.type.BasicTypeReference@13ad7ae6
2024-12-04T18:05:20.118-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration materialized_clob_character_array -> org.hibernate.type.BasicTypeReference@4fa3b9b1
2024-12-04T18:05:20.118-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration materialized_nclob -> org.hibernate.type.BasicTypeReference@4a9ec622
2024-12-04T18:05:20.798-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration materialized_nclob_character_array -> org.hibernate.type.BasicTypeReference@6ba5a8b2
2024-12-04T18:05:20.799-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration


```
materialized_nclob_char_array ->
org.hibernate.type.BasicTypeReference@13a7956a
2024-12-04T18:05:20.799-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration Duration ->
org.hibernate.type.BasicTypeReference@419bc89e
2024-12-04T18:05:20.799-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.Duration ->
org.hibernate.type.BasicTypeReference@419bc89e
2024-12-04T18:05:20.799-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration LocalDateTime ->
org.hibernate.type.BasicTypeReference@7d08b959
2024-12-04T18:05:20.799-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.LocalDateTime ->
org.hibernate.type.BasicTypeReference@7d08b959
2024-12-04T18:05:20.800-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration LocalDate ->
org.hibernate.type.BasicTypeReference@3bae6e72
2024-12-04T18:05:20.800-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.LocalDate ->
org.hibernate.type.BasicTypeReference@3bae6e72
2024-12-04T18:05:20.800-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration LocalTime ->
org.hibernate.type.BasicTypeReference@148da0a8
2024-12-04T18:05:20.800-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.LocalTime ->
org.hibernate.type.BasicTypeReference@148da0a8
2024-12-04T18:05:20.800-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetDateTime ->
```

org.hibernate.type.BasicTypeReference@bcd459f
2024-12-04T18:05:20.801-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration java.time.OffsetDateTime -> org.hibernate.type.BasicTypeReference@bcd459f
2024-12-04T18:05:20.801-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration OffsetDateTimeWithTimezone -> org.hibernate.type.BasicTypeReference@3337e7ce
2024-12-04T18:05:20.801-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration OffsetDateTimeWithoutTimezone -> org.hibernate.type.BasicTypeReference@7ba2d224
2024-12-04T18:05:20.802-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration OffsetTime -> org.hibernate.type.BasicTypeReference@253a518
2024-12-04T18:05:20.802-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration java.time.OffsetTime -> org.hibernate.type.BasicTypeReference@253a518
2024-12-04T18:05:20.802-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration OffsetTimeUtc -> org.hibernate.type.BasicTypeReference@6353e970
2024-12-04T18:05:20.802-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration OffsetTimeWithTimezone -> org.hibernate.type.BasicTypeReference@6f567b43
2024-12-04T18:05:20.802-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration OffsetTimeWithoutTimezone -> org.hibernate.type.BasicTypeReference@288b77f
2024-12-04T18:05:20.802-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration ZonedDateTime ->

org.hibernate.type.BasicTypeReference@1decb953
2024-12-04T18:05:20.803-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration java.time.ZonedDateTime -> org.hibernate.type.BasicTypeReference@1decb953
2024-12-04T18:05:20.804-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration ZonedDateTimeWithTimezone -> org.hibernate.type.BasicTypeReference@6108dbf7
2024-12-04T18:05:20.806-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration ZonedDateTimeWithoutTimezone -> org.hibernate.type.BasicTypeReference@3d5838f6
2024-12-04T18:05:20.806-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration date -> org.hibernate.type.BasicTypeReference@7aac536d
2024-12-04T18:05:20.806-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration java.sql.Date -> org.hibernate.type.BasicTypeReference@7aac536d
2024-12-04T18:05:20.807-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration time -> org.hibernate.type.BasicTypeReference@2725b4a
2024-12-04T18:05:20.807-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration java.sql.Time -> org.hibernate.type.BasicTypeReference@2725b4a
2024-12-04T18:05:20.808-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration timestamp -> org.hibernate.type.BasicTypeReference@2582ff90
2024-12-04T18:05:20.808-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration java.sql.Timestamp -> org.hibernate.type.BasicTypeReference@2582ff90

2024-12-04T18:05:20.808-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration java.util.Date -> org.hibernate.type.BasicTypeReference@2582ff90
2024-12-04T18:05:20.810-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration calendar -> org.hibernate.type.BasicTypeReference@5961fc5e
2024-12-04T18:05:20.811-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration java.util.Calendar -> org.hibernate.type.BasicTypeReference@5961fc5e
2024-12-04T18:05:20.811-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration java.util.GregorianCalendar -> org.hibernate.type.BasicTypeReference@5961fc5e
2024-12-04T18:05:20.811-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration calendar_date -> org.hibernate.type.BasicTypeReference@414eeb24
2024-12-04T18:05:20.811-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration calendar_time -> org.hibernate.type.BasicTypeReference@51f6504c
2024-12-04T18:05:20.811-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration instant -> org.hibernate.type.BasicTypeReference@633a4b9d
2024-12-04T18:05:20.811-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration java.time.Instant -> org.hibernate.type.BasicTypeReference@633a4b9d
2024-12-04T18:05:20.812-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration uuid -> org.hibernate.type.BasicTypeReference@356fc8a8
2024-12-04T18:05:20.812-03:00 DEBUG 7764 --- [api] [

```
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.util.UUID ->
org.hibernate.type.BasicTypeReference@356fc8a8
2024-12-04T18:05:20.812-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration pg-uuid ->
org.hibernate.type.BasicTypeReference@356fc8a8
2024-12-04T18:05:20.812-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration uuid-binary ->
org.hibernate.type.BasicTypeReference@3ce02ea
2024-12-04T18:05:20.839-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration uuid-char ->
org.hibernate.type.BasicTypeReference@60d946ef
2024-12-04T18:05:20.839-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration class ->
org.hibernate.type.BasicTypeReference@510e8fca
2024-12-04T18:05:20.840-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Class ->
org.hibernate.type.BasicTypeReference@510e8fca
2024-12-04T18:05:20.840-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration currency ->
org.hibernate.type.BasicTypeReference@1aef37cb
2024-12-04T18:05:20.840-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration Currency ->
org.hibernate.type.BasicTypeReference@1aef37cb
2024-12-04T18:05:20.840-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
```

```
: Adding type registration locale ->
org.hibernate.type.BasicTypeReference@6945bf2e
2024-12-04T18:05:20.840-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.util.Locale ->
org.hibernate.type.BasicTypeReference@6945bf2e
2024-12-04T18:05:20.841-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration serializable ->
org.hibernate.type.BasicTypeReference@430162d7
2024-12-04T18:05:20.841-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.io.Serializable ->
org.hibernate.type.BasicTypeReference@430162d7
2024-12-04T18:05:20.841-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration timezone ->
org.hibernate.type.BasicTypeReference@66d4d5a2
2024-12-04T18:05:20.841-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.util.TimeZone ->
org.hibernate.type.BasicTypeReference@66d4d5a2
2024-12-04T18:05:20.841-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration ZoneOffset ->
org.hibernate.type.BasicTypeReference@5e6e7dc
2024-12-04T18:05:20.842-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.ZoneOffset ->
org.hibernate.type.BasicTypeReference@5e6e7dc
2024-12-04T18:05:20.842-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration url ->
org.hibernate.type.BasicTypeReference@411e9481
2024-12-04T18:05:20.842-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.net.URL ->
```

org.hibernate.type.BasicTypeReference@411e9481
2024-12-04T18:05:20.842-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration vector ->
org.hibernate.type.BasicTypeReference@9c151af
2024-12-04T18:05:20.842-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration float_vector ->
org.hibernate.type.BasicTypeReference@4978fcf0
2024-12-04T18:05:20.842-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration double_vector ->
org.hibernate.type.BasicTypeReference@7b922a04
2024-12-04T18:05:20.843-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration byte_vector ->
org.hibernate.type.BasicTypeReference@4e9d036b
2024-12-04T18:05:20.843-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration row_version ->
org.hibernate.type.BasicTypeReference@4d527f3e
2024-12-04T18:05:20.878-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration object ->
org.hibernate.type.JavaObjectType@1153158d
2024-12-04T18:05:20.878-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration java.lang.Object ->
org.hibernate.type.JavaObjectType@1153158d
2024-12-04T18:05:20.878-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration null ->
org.hibernate.type.NullType@4c5638cd
2024-12-04T18:05:20.879-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration imm_date ->
org.hibernate.type.BasicTypeReference@7a8ff76b

```
2024-12-04T18:05:20.879-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm_time ->
org.hibernate.type.BasicTypeReference@43929908
2024-12-04T18:05:20.879-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm_timestamp ->
org.hibernate.type.BasicTypeReference@9a0db18
2024-12-04T18:05:20.879-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm_calendar ->
org.hibernate.type.BasicTypeReference@4dade9e5
2024-12-04T18:05:20.879-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm_calendar_date ->
org.hibernate.type.BasicTypeReference@489c6b94
2024-12-04T18:05:20.879-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm_calendar_time ->
org.hibernate.type.BasicTypeReference@1f11f156
2024-12-04T18:05:20.879-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm_binary ->
org.hibernate.type.BasicTypeReference@106691b7
2024-12-04T18:05:20.879-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm_serializable ->
org.hibernate.type.BasicTypeReference@3226b09f
2024-12-04T18:05:21.147-03:00 INFO 7764 --- [api] [
restartedMain] o.s.o.j.p.SpringPersistenceUnitInfo
: No LoadTimeWeaver setup: ignoring JPA class
transformer
2024-12-04T18:05:21.226-03:00 INFO 7764 --- [api] [
restartedMain] org.hibernate.orm.connections.pooling
: HHH10001005: Database info:
      Database JDBC URL [Connecting through
datasource 'HikariDataSource (HikariPool-2)']
```


Database driver: undefined/unknown
Database version: 17.0
Autocommit mode: undefined/unknown
Isolation level: undefined/unknown
Minimum pool size: undefined/unknown
Maximum pool size: undefined/unknown

```
2024-12-04T18:05:21.229-03:00 DEBUG 7764 --- [api] [
restartedMain] o.h.t.d.sql.spi.DdlTypeRegistry
: addDescriptor(2003,
org.hibernate.type.descriptor.sql.internal.ArrayDdlType
Impl@68a7237d) replaced previous
registration(org.hibernate.type.descriptor.sql.internal
.ArrayDdlTypeImpl@4197d31e)
2024-12-04T18:05:21.229-03:00 DEBUG 7764 --- [api] [
restartedMain] o.h.t.d.sql.spi.DdlTypeRegistry
: addDescriptor(6,
org.hibernate.type.descriptor.sql.internal.CapacityDepe
ndentDdlType@187dd639) replaced previous
registration(org.hibernate.type.descriptor.sql.internal
.DdlTypeImpl@3b642041)
2024-12-04T18:05:21.229-03:00 DEBUG 7764 --- [api] [
restartedMain] o.h.t.d.jdbc.spi.JdbcTypeRegistry
: addDescriptor(2004, BlobTypeDescriptor(BLOB_BINDING))
replaced previous
registration(BlobTypeDescriptor(DEFAULT))
2024-12-04T18:05:21.230-03:00 DEBUG 7764 --- [api] [
restartedMain] o.h.t.d.jdbc.spi.JdbcTypeRegistry
: addDescriptor(2005, ClobTypeDescriptor(CLOB_BINDING))
replaced previous
registration(ClobTypeDescriptor(DEFAULT))
2024-12-04T18:05:21.238-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration JAVA_OBJECT ->
org.hibernate.type.JavaObjectType@6a89409b
2024-12-04T18:05:21.239-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Object ->
```

```
org.hibernate.type.JavaObjectType@6a89409b
2024-12-04T18:05:21.239-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Type registration key [java.lang.Object] overrode
previous entry :
`org.hibernate.type.JavaObjectType@1153158d`
2024-12-04T18:05:21.239-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.DurationType ->
basicType@23(java.time.Duration,3015)
2024-12-04T18:05:21.240-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration Duration ->
basicType@23(java.time.Duration,3015)
2024-12-04T18:05:21.240-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.Duration ->
basicType@23(java.time.Duration,3015)
2024-12-04T18:05:21.242-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.OffsetDateTimeType ->
basicType@24(java.time.OffsetDateTime,3003)
2024-12-04T18:05:21.242-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetDateTime ->
basicType@24(java.time.OffsetDateTime,3003)
2024-12-04T18:05:21.243-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.OffsetDateTime ->
basicType@24(java.time.OffsetDateTime,3003)
2024-12-04T18:05:21.243-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.ZonedDateTimeType ->
basicType@25(java.time.ZonedDateTime,3003)
```

2024-12-04T18:05:21.243-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration ZonedDateTime -> basicType@25(java.time.ZonedDateTime,3003)
2024-12-04T18:05:21.243-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration java.time.ZonedDateTime -> basicType@25(java.time.ZonedDateTime,3003)
2024-12-04T18:05:21.245-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration org.hibernate.type.OffsetTimeType -> basicType@26(java.time.OffsetTime,3007)
2024-12-04T18:05:21.245-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration OffsetTime -> basicType@26(java.time.OffsetTime,3007)
2024-12-04T18:05:21.246-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration java.time.OffsetTime -> basicType@26(java.time.OffsetTime,3007)
2024-12-04T18:05:21.247-03:00 DEBUG 7764 --- [api] [restartedMain] o.h.type.spi.TypeConfiguration\$Scope : Scoping TypeConfiguration [org.hibernate.type.spi.TypeConfiguration@157971f7] to MetadataBuildingContext [org.hibernate.boot.internal.MetadataBuildingContextRootImpl@6343a17f]
2024-12-04T18:05:21.868-03:00 INFO 7764 --- [api] [restartedMain] o.h.e.t.j.p.i.JtaPlatformInitiator : HHH000489: No JTA platform available (set 'hibernate.transaction.jta.platform' to enable JTA platform integration)
2024-12-04T18:05:21.878-03:00 DEBUG 7764 --- [api] [restartedMain] o.h.type.spi.TypeConfiguration\$Scope : Scoping TypeConfiguration [org.hibernate.type.spi.TypeConfiguration@157971f7] to

SessionFactoryImplementor

[org.hibernate.internal.SessionFactoryImpl@62a92a44]

2024-12-04T18:05:22.012-03:00 TRACE 7764 --- [api] [

restartedMain] o.h.type.spi.TypeConfiguration\$Scope

: Handling #sessionFactoryCreated from

[org.hibernate.internal.SessionFactoryImpl@62a92a44]

for TypeConfiguration

2024-12-04T18:05:22.012-03:00 INFO 7764 --- [api] [

restartedMain] j.LocalContainerEntityManagerFactoryBean

: Initialized JPA EntityManagerFactory for persistence

unit 'default'

2024-12-04T18:05:22.859-03:00 WARN 7764 --- [api] [

restartedMain] JpaBaseConfiguration\$JpaWebConfiguration

: spring.jpa.open-in-view is enabled by default.

Therefore, database queries may be performed during

view rendering. Explicitly configure

spring.jpa.open-in-view to disable this warning

2024-12-04T18:05:23.474-03:00 INFO 7764 --- [api] [

restartedMain] o.s.b.d.a.OptionalLiveReloadServer

: LiveReload server is running on port 35729

2024-12-04T18:05:23.575-03:00 INFO 7764 --- [api] [

restartedMain] o.s.b.w.embedded.tomcat.TomcatWebServer

: Tomcat started on port 8080 (http) with context path

'/'

2024-12-04T18:05:23.612-03:00 INFO 7764 --- [api] [

restartedMain] med.voll.api.ApiApplication

: Started ApiApplication in 8.734 seconds (process

running for 1622.133)

2024-12-04T18:05:23.623-03:00 INFO 7764 --- [api] [

restartedMain] .ConditionEvaluationDeltaLoggingListener

: Condition evaluation unchanged

2024-12-04T18:07:36.093-03:00 INFO 7764 --- [api] [

File Watcher] rtingClassPathChangeChangedEventListener

: Restarting due to 1 class path change (0 additions, 0

deletions, 1 modification)

2024-12-04T18:07:36.107-03:00 INFO 7764 --- [api] [

Thread-7] o.s.b.w.e.tomcat.GracefulShutdown

:

Commencing graceful shutdown. Waiting for active requests to complete

```
2024-12-04T18:07:36.123-03:00 INFO 7764 --- [api]
[tomcat-shutdown] o.s.b.w.e.tomcat.GracefulShutdown
: Graceful shutdown complete
```

```
2024-12-04T18:07:36.135-03:00 INFO 7764 --- [api] [
    Thread-7] j.LocalContainerEntityManagerFactoryBean :
Closing JPA EntityManagerFactory for persistence unit
'default'
```

```
2024-12-04T18:07:36.140-03:00 TRACE 7764 --- [api] [
    Thread-7] o.h.type.spi.TypeConfiguration$Scope      :
Handling #sessionFactoryClosed from
[org.hibernate.internal.SessionFactoryImpl@62a92a44]
for TypeConfiguration
```

```
2024-12-04T18:07:36.173-03:00 DEBUG 7764 --- [api] [
    Thread-7] o.h.type.spi.TypeConfiguration$Scope      :
Un-scoping TypeConfiguration
[org.hibernate.type.spi.TypeConfiguration$Scope@c37eea5
] from SessionFactory
```

```
[org.hibernate.internal.SessionFactoryImpl@62a92a44]
```

```
2024-12-04T18:07:36.188-03:00 INFO 7764 --- [api] [
    Thread-7] com.zaxxer.hikari.HikariDataSource
HikariPool-2 - Shutdown initiated...
```

```
2024-12-04T18:07:36.237-03:00 INFO 7764 --- [api] [
    Thread-7] com.zaxxer.hikari.HikariDataSource      :
HikariPool-2 - Shutdown completed.
```

[illegible]

:: Spring Boot ::

(v3.4.0)

2024-12-04T18:07:36.713-03:00 INFO 7764 --- [api] [

```
restartedMain] med.voll.api.ApiApplication
: Starting ApiApplication using Java 21 with PID 7764
(C:\GitHubjavabin7777777\PROJETOS-ORACLE-ONE-ALURA\api\
api\target\classes started by Jupiter in
C:\GitHubjavabin7777777\PROJETOS-ORACLE-ONE-ALURA\api\api)
2024-12-04T18:07:36.726-03:00 INFO 7764 --- [api] [
restartedMain] med.voll.api.ApiApplication
: No active profile set, falling back to 1 default
profile: "default"
2024-12-04T18:07:38.587-03:00 INFO 7764 --- [api] [
restartedMain] .s.d.r.c.RepositoryConfigurationDelegate
: Bootstrapping Spring Data JPA repositories in DEFAULT
mode.
2024-12-04T18:07:38.670-03:00 INFO 7764 --- [api] [
restartedMain] .s.d.r.c.RepositoryConfigurationDelegate
: Finished Spring Data repository scanning in 62 ms.
Found 1 JPA repository interface.
2024-12-04T18:07:39.700-03:00 INFO 7764 --- [api] [
restartedMain] o.s.b.w.embedded.tomcat.TomcatWebServer
: Tomcat initialized with port 8080 (http)
2024-12-04T18:07:39.712-03:00 INFO 7764 --- [api] [
restartedMain] o.apache.catalina.core.StandardService
: Starting service [Tomcat]
2024-12-04T18:07:39.712-03:00 INFO 7764 --- [api] [
restartedMain] o.apache.catalina.core.StandardEngine
: Starting Servlet engine: [Apache Tomcat/10.1.33]
2024-12-04T18:07:39.828-03:00 INFO 7764 --- [api] [
restartedMain] o.a.c.c.C.[Tomcat-2].[localhost].[/]
: Initializing Spring embedded WebApplicationContext
2024-12-04T18:07:39.828-03:00 INFO 7764 --- [api] [
restartedMain] w.s.c.ServletWebServerApplicationContext
: Root WebApplicationContext: initialization completed
in 2977 ms
2024-12-04T18:07:40.000-03:00 INFO 7764 --- [api] [
restartedMain] com.zaxxer.hikari.HikariDataSource
: HikariPool-3 - Starting...
```

2024-12-04T18:07:40.277-03:00 INFO 7764 --- [api] [restartedMain] com.zaxxer.hikari.pool.HikariPool : HikariPool-3 - Added connection
org.postgresql.jdbc.PgConnection@21c4f9b2
2024-12-04T18:07:40.278-03:00 INFO 7764 --- [api] [restartedMain] com.zaxxer.hikari.HikariDataSource : HikariPool-3 - Start completed.
2024-12-04T18:07:40.293-03:00 INFO 7764 --- [api] [restartedMain] org.flywaydb.core.FlywayExecutor : Database:
jdbc:postgresql://localhost:5432/clinica_medica (PostgreSQL 17.0)
2024-12-04T18:07:40.352-03:00 INFO 7764 --- [api] [restartedMain] o.f.core.internal.command.DbValidate : Successfully validated 0 migrations (execution time 00:00.022s)
2024-12-04T18:07:40.353-03:00 WARN 7764 --- [api] [restartedMain] o.f.core.internal.command.DbValidate : No migrations found. Are your locations set up correctly?
2024-12-04T18:07:40.638-03:00 INFO 7764 --- [api] [restartedMain] o.f.core.internal.command.DbMigrate : Current version of schema "public": << Empty Schema >>
2024-12-04T18:07:40.648-03:00 INFO 7764 --- [api] [restartedMain] o.f.core.internal.command.DbMigrate : Schema "public" is up to date. No migration necessary.
2024-12-04T18:07:40.740-03:00 INFO 7764 --- [api] [restartedMain] o.hibernate.jpa.internal.util.LogHelper : HHH000204: Processing PersistenceUnitInfo [name: default]
2024-12-04T18:07:40.779-03:00 INFO 7764 --- [api] [restartedMain] o.h.c.internal.RegionFactoryInitiator : HHH000026: Second-level cache disabled
2024-12-04T18:07:40.781-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry

```
: Adding type registration boolean ->
org.hibernate.type.BasicTypeReference@692001dc
2024-12-04T18:07:40.781-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration boolean ->
org.hibernate.type.BasicTypeReference@692001dc
2024-12-04T18:07:40.781-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Boolean ->
org.hibernate.type.BasicTypeReference@692001dc
2024-12-04T18:07:40.781-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration numeric_boolean ->
org.hibernate.type.BasicTypeReference@50cc4d57
2024-12-04T18:07:40.781-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.NumericBooleanConverter ->
org.hibernate.type.BasicTypeReference@50cc4d57
2024-12-04T18:07:40.783-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration true_false ->
org.hibernate.type.BasicTypeReference@761feb4d
2024-12-04T18:07:40.784-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.TrueFalseConverter ->
org.hibernate.type.BasicTypeReference@761feb4d
2024-12-04T18:07:40.784-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration yes_no ->
org.hibernate.type.BasicTypeReference@2314e55
2024-12-04T18:07:40.785-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.YesNoConverter ->
org.hibernate.type.BasicTypeReference@2314e55
```


2024-12-04T18:07:40.786-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration byte ->
org.hibernate.type.BasicTypeReference@6bf6912e
2024-12-04T18:07:40.786-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration byte ->
org.hibernate.type.BasicTypeReference@6bf6912e
2024-12-04T18:07:40.786-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration java.lang.Byte ->
org.hibernate.type.BasicTypeReference@6bf6912e
2024-12-04T18:07:40.786-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration binary ->
org.hibernate.type.BasicTypeReference@59e2cff2
2024-12-04T18:07:40.786-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration byte[] ->
org.hibernate.type.BasicTypeReference@59e2cff2
2024-12-04T18:07:40.786-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration [B ->
org.hibernate.type.BasicTypeReference@59e2cff2
2024-12-04T18:07:40.786-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration binary_wrapper ->
org.hibernate.type.BasicTypeReference@50ae1200
2024-12-04T18:07:40.786-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration wrapper-binary ->
org.hibernate.type.BasicTypeReference@50ae1200
2024-12-04T18:07:40.786-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration image ->
org.hibernate.type.BasicTypeReference@58e5ada6
2024-12-04T18:07:40.787-03:00 DEBUG 7764 --- [api] [

```
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration blob ->
org.hibernate.type.BasicTypeReference@7452875
2024-12-04T18:07:40.787-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.sql.Blob ->
org.hibernate.type.BasicTypeReference@7452875
2024-12-04T18:07:40.865-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration materialized_blob ->
org.hibernate.type.BasicTypeReference@4817ea30
2024-12-04T18:07:40.866-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration materialized_blob_wrapper ->
org.hibernate.type.BasicTypeReference@6889df20
2024-12-04T18:07:40.866-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration short ->
org.hibernate.type.BasicTypeReference@1df4c70a
2024-12-04T18:07:40.866-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration short ->
org.hibernate.type.BasicTypeReference@1df4c70a
2024-12-04T18:07:40.866-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Short ->
org.hibernate.type.BasicTypeReference@1df4c70a
2024-12-04T18:07:40.866-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration integer ->
org.hibernate.type.BasicTypeReference@33dc5241
2024-12-04T18:07:40.866-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration int ->
org.hibernate.type.BasicTypeReference@33dc5241
2024-12-04T18:07:40.866-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
```

: Adding type registration java.lang.Integer ->
org.hibernate.type.BasicTypeReference@33dc5241
2024-12-04T18:07:40.866-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration long ->
org.hibernate.type.BasicTypeReference@44ed6860
2024-12-04T18:07:40.866-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration long ->
org.hibernate.type.BasicTypeReference@44ed6860
2024-12-04T18:07:40.867-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Long ->
org.hibernate.type.BasicTypeReference@44ed6860
2024-12-04T18:07:40.867-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration float ->
org.hibernate.type.BasicTypeReference@62bbdf02
2024-12-04T18:07:40.867-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration float ->
org.hibernate.type.BasicTypeReference@62bbdf02
2024-12-04T18:07:40.867-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Float ->
org.hibernate.type.BasicTypeReference@62bbdf02
2024-12-04T18:07:40.867-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration double ->
org.hibernate.type.BasicTypeReference@594c98c8
2024-12-04T18:07:40.867-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration double ->
org.hibernate.type.BasicTypeReference@594c98c8
2024-12-04T18:07:40.867-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Double ->

org.hibernate.type.BasicTypeReference@594c98c8
2024-12-04T18:07:40.867-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration big_integer ->
org.hibernate.type.BasicTypeReference@85397fa
2024-12-04T18:07:40.868-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration java.math.BigInteger ->
org.hibernate.type.BasicTypeReference@85397fa
2024-12-04T18:07:40.870-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration big_decimal ->
org.hibernate.type.BasicTypeReference@275240f8
2024-12-04T18:07:40.870-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration java.math.BigDecimal ->
org.hibernate.type.BasicTypeReference@275240f8
2024-12-04T18:07:40.875-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration character ->
org.hibernate.type.BasicTypeReference@1b2dc8df
2024-12-04T18:07:40.875-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration char ->
org.hibernate.type.BasicTypeReference@1b2dc8df
2024-12-04T18:07:40.875-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration java.lang.Character ->
org.hibernate.type.BasicTypeReference@1b2dc8df
2024-12-04T18:07:40.875-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration character_nchar ->
org.hibernate.type.BasicTypeReference@261a99aa
2024-12-04T18:07:40.876-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration string ->
org.hibernate.type.BasicTypeReference@32e226d4

2024-12-04T18:07:40.876-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration java.lang.String -> org.hibernate.type.BasicTypeReference@32e226d4
2024-12-04T18:07:40.876-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration nstring -> org.hibernate.type.BasicTypeReference@702e5f0
2024-12-04T18:07:40.876-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration characters -> org.hibernate.type.BasicTypeReference@721cbeff
2024-12-04T18:07:40.876-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration char[] -> org.hibernate.type.BasicTypeReference@721cbeff
2024-12-04T18:07:40.876-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration [C -> org.hibernate.type.BasicTypeReference@721cbeff
2024-12-04T18:07:40.876-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration wrapper-characters -> org.hibernate.type.BasicTypeReference@b9aedef
2024-12-04T18:07:40.877-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration text -> org.hibernate.type.BasicTypeReference@23cefc9a
2024-12-04T18:07:40.878-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration ntext -> org.hibernate.type.BasicTypeReference@33f3a076
2024-12-04T18:07:40.878-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration clob -> org.hibernate.type.BasicTypeReference@248f1bb1
2024-12-04T18:07:40.878-03:00 DEBUG 7764 --- [api] [

```
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.sql.Clob ->
org.hibernate.type.BasicTypeReference@248f1bb1
2024-12-04T18:07:40.878-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration nclob ->
org.hibernate.type.BasicTypeReference@698d86a9
2024-12-04T18:07:40.878-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.sql.NClob ->
org.hibernate.type.BasicTypeReference@698d86a9
2024-12-04T18:07:40.878-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration materialized_clob ->
org.hibernate.type.BasicTypeReference@3d739d2e
2024-12-04T18:07:40.878-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration materialized_clob_char_array
-> org.hibernate.type.BasicTypeReference@13ad7ae6
2024-12-04T18:07:40.878-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
materialized_clob_character_array ->
org.hibernate.type.BasicTypeReference@4fa3b9b1
2024-12-04T18:07:40.878-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration materialized_nclob ->
org.hibernate.type.BasicTypeReference@4a9ec622
2024-12-04T18:07:40.908-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
materialized_nclob_character_array ->
org.hibernate.type.BasicTypeReference@6ba5a8b2
2024-12-04T18:07:40.909-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
materialized_nclob_char_array ->
```

org.hibernate.type.BasicTypeReference@13a7956a
2024-12-04T18:07:40.909-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration Duration ->
org.hibernate.type.BasicTypeReference@419bc89e
2024-12-04T18:07:40.909-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration java.time.Duration ->
org.hibernate.type.BasicTypeReference@419bc89e
2024-12-04T18:07:40.909-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration LocalDateTime ->
org.hibernate.type.BasicTypeReference@7d08b959
2024-12-04T18:07:40.909-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration java.time.LocalDateTime ->
org.hibernate.type.BasicTypeReference@7d08b959
2024-12-04T18:07:40.910-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration LocalDate ->
org.hibernate.type.BasicTypeReference@3bae6e72
2024-12-04T18:07:40.910-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration java.time.LocalDate ->
org.hibernate.type.BasicTypeReference@3bae6e72
2024-12-04T18:07:40.910-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration LocalTime ->
org.hibernate.type.BasicTypeReference@148da0a8
2024-12-04T18:07:40.910-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration java.time.LocalTime ->
org.hibernate.type.BasicTypeReference@148da0a8
2024-12-04T18:07:40.910-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration OffsetDateTime ->
org.hibernate.type.BasicTypeReference@bcd459f

2024-12-04T18:07:40.910-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration java.time.OffsetDateTime -> org.hibernate.type.BasicTypeReference@bcd459f
2024-12-04T18:07:40.910-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration OffsetDateTimeWithTimezone -> org.hibernate.type.BasicTypeReference@3337e7ce
2024-12-04T18:07:40.911-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration OffsetDateTimeWithoutTimezone -> org.hibernate.type.BasicTypeReference@7ba2d224
2024-12-04T18:07:40.911-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration OffsetTime -> org.hibernate.type.BasicTypeReference@253a518
2024-12-04T18:07:40.911-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration java.time.OffsetTime -> org.hibernate.type.BasicTypeReference@253a518
2024-12-04T18:07:40.911-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration OffsetTimeUtc -> org.hibernate.type.BasicTypeReference@6353e970
2024-12-04T18:07:40.911-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration OffsetTimeWithTimezone -> org.hibernate.type.BasicTypeReference@6f567b43
2024-12-04T18:07:40.911-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration OffsetTimeWithoutTimezone -> org.hibernate.type.BasicTypeReference@288b77f
2024-12-04T18:07:40.911-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration ZonedDateTime -> org.hibernate.type.BasicTypeReference@1decb953

2024-12-04T18:07:40.923-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration java.time.ZonedDateTime -> org.hibernate.type.BasicTypeReference@1decb953
2024-12-04T18:07:40.923-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration ZonedDateTimeWithTimezone -> org.hibernate.type.BasicTypeReference@6108dbf7
2024-12-04T18:07:40.923-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration ZonedDateTimeWithoutTimezone -> org.hibernate.type.BasicTypeReference@3d5838f6
2024-12-04T18:07:40.924-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration date -> org.hibernate.type.BasicTypeReference@7aac536d
2024-12-04T18:07:40.924-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration java.sql.Date -> org.hibernate.type.BasicTypeReference@7aac536d
2024-12-04T18:07:40.924-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration time -> org.hibernate.type.BasicTypeReference@2725b4a
2024-12-04T18:07:40.924-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration java.sql.Time -> org.hibernate.type.BasicTypeReference@2725b4a
2024-12-04T18:07:40.924-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration timestamp -> org.hibernate.type.BasicTypeReference@2582ff90
2024-12-04T18:07:40.924-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration java.sql.Timestamp -> org.hibernate.type.BasicTypeReference@2582ff90
2024-12-04T18:07:40.924-03:00 DEBUG 7764 --- [api] [

```
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.util.Date ->
org.hibernate.type.BasicTypeReference@2582ff90
2024-12-04T18:07:40.924-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration calendar ->
org.hibernate.type.BasicTypeReference@5961fc5e
2024-12-04T18:07:40.924-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.util.Calendar ->
org.hibernate.type.BasicTypeReference@5961fc5e
2024-12-04T18:07:40.924-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.util.GregorianCalendar
-> org.hibernate.type.BasicTypeReference@5961fc5e
2024-12-04T18:07:40.925-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration calendar_date ->
org.hibernate.type.BasicTypeReference@414eeb24
2024-12-04T18:07:40.925-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration calendar_time ->
org.hibernate.type.BasicTypeReference@51f6504c
2024-12-04T18:07:40.925-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration instant ->
org.hibernate.type.BasicTypeReference@633a4b9d
2024-12-04T18:07:40.925-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.Instant ->
org.hibernate.type.BasicTypeReference@633a4b9d
2024-12-04T18:07:40.925-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration uuid ->
org.hibernate.type.BasicTypeReference@356fc8a8
2024-12-04T18:07:40.925-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
```

```
: Adding type registration java.util.UUID ->
org.hibernate.type.BasicTypeReference@356fc8a8
2024-12-04T18:07:40.925-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration pg-uuid ->
org.hibernate.type.BasicTypeReference@356fc8a8
2024-12-04T18:07:40.925-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration uuid-binary ->
org.hibernate.type.BasicTypeReference@3ce02ea
2024-12-04T18:07:40.992-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration uuid-char ->
org.hibernate.type.BasicTypeReference@60d946ef
2024-12-04T18:07:40.993-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration class ->
org.hibernate.type.BasicTypeReference@510e8fca
2024-12-04T18:07:40.993-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Class ->
org.hibernate.type.BasicTypeReference@510e8fca
2024-12-04T18:07:40.993-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration currency ->
org.hibernate.type.BasicTypeReference@1aef37cb
2024-12-04T18:07:40.993-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration Currency ->
org.hibernate.type.BasicTypeReference@1aef37cb
2024-12-04T18:07:40.993-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.util.Currency ->
org.hibernate.type.BasicTypeReference@1aef37cb
2024-12-04T18:07:40.993-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration locale ->
```

org.hibernate.type.BasicTypeReference@6945bf2e
2024-12-04T18:07:40.994-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration java.util.Locale ->
org.hibernate.type.BasicTypeReference@6945bf2e
2024-12-04T18:07:40.994-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration serializable ->
org.hibernate.type.BasicTypeReference@430162d7
2024-12-04T18:07:40.994-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration java.io.Serializable ->
org.hibernate.type.BasicTypeReference@430162d7
2024-12-04T18:07:40.994-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration timezone ->
org.hibernate.type.BasicTypeReference@66d4d5a2
2024-12-04T18:07:40.994-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration java.util.TimeZone ->
org.hibernate.type.BasicTypeReference@66d4d5a2
2024-12-04T18:07:40.994-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration ZoneOffset ->
org.hibernate.type.BasicTypeReference@5e6e7dc
2024-12-04T18:07:40.994-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration java.time.ZoneOffset ->
org.hibernate.type.BasicTypeReference@5e6e7dc
2024-12-04T18:07:40.994-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration url ->
org.hibernate.type.BasicTypeReference@411e9481
2024-12-04T18:07:40.994-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration java.net.URL ->
org.hibernate.type.BasicTypeReference@411e9481

2024-12-04T18:07:40.995-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration vector ->
org.hibernate.type.BasicTypeReference@9c151af
2024-12-04T18:07:40.995-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration float_vector ->
org.hibernate.type.BasicTypeReference@4978fcf0
2024-12-04T18:07:40.995-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration double_vector ->
org.hibernate.type.BasicTypeReference@7b922a04
2024-12-04T18:07:40.995-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration byte_vector ->
org.hibernate.type.BasicTypeReference@4e9d036b
2024-12-04T18:07:40.995-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration row_version ->
org.hibernate.type.BasicTypeReference@4d527f3e
2024-12-04T18:07:40.995-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration object ->
org.hibernate.type.JavaObjectType@1153158d
2024-12-04T18:07:40.995-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration java.lang.Object ->
org.hibernate.type.JavaObjectType@1153158d
2024-12-04T18:07:40.995-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration null ->
org.hibernate.type.NullType@4c5638cd
2024-12-04T18:07:40.996-03:00 DEBUG 7764 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration imm_date ->
org.hibernate.type.BasicTypeReference@700d7fb3
2024-12-04T18:07:40.996-03:00 DEBUG 7764 --- [api] [

```
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm_time ->
org.hibernate.type.BasicTypeReference@3a626a6e
2024-12-04T18:07:40.996-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm_timestamp ->
org.hibernate.type.BasicTypeReference@bad756e
2024-12-04T18:07:40.996-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm_calendar ->
org.hibernate.type.BasicTypeReference@2303c6fa
2024-12-04T18:07:40.996-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm_calendar_date ->
org.hibernate.type.BasicTypeReference@38e8d5ce
2024-12-04T18:07:40.996-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm_calendar_time ->
org.hibernate.type.BasicTypeReference@11f0f9a7
2024-12-04T18:07:40.996-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm_binary ->
org.hibernate.type.BasicTypeReference@7116f8f2
2024-12-04T18:07:40.996-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm_serializable ->
org.hibernate.type.BasicTypeReference@4c1fc43c
2024-12-04T18:07:41.059-03:00 INFO 7764 --- [api] [
restartedMain] o.s.o.j.p.SpringPersistenceUnitInfo
: No LoadTimeWeaver setup: ignoring JPA class
transformer
2024-12-04T18:07:41.096-03:00 INFO 7764 --- [api] [
restartedMain] org.hibernate.orm.connections.pooling
: HHH10001005: Database info:
    Database JDBC URL [Connecting through
datasource 'HikariDataSource (HikariPool-3)']
    Database driver: undefined/unknown
```

Database version: 17.0

Autocommit mode: undefined/unknown

Isolation level: undefined/unknown

Minimum pool size: undefined/unknown

Maximum pool size: undefined/unknown

```
2024-12-04T18:07:41.097-03:00 DEBUG 7764 --- [api] [
restartedMain] o.h.t.d.sql.spi.DdlTypeRegistry
: addDescriptor(2003,
org.hibernate.type.descriptor.sql.internal.ArrayDdlType
Impl@463ea49b) replaced previous
registration(org.hibernate.type.descriptor.sql.internal
.ArrayDdlTypeImpl@5374f766)
2024-12-04T18:07:41.098-03:00 DEBUG 7764 --- [api] [
restartedMain] o.h.t.d.sql.spi.DdlTypeRegistry
: addDescriptor(6,
org.hibernate.type.descriptor.sql.internal.CapacityDepe
ndentDdlType@507cf4ba) replaced previous
registration(org.hibernate.type.descriptor.sql.internal
.DdlTypeImpl@44eebabb)
2024-12-04T18:07:41.098-03:00 DEBUG 7764 --- [api] [
restartedMain] o.h.t.d.jdbc.spi.JdbcTypeRegistry
: addDescriptor(2004, BlobTypeDescriptor(BLOB_BINDING))
replaced previous
registration(BlobTypeDescriptor(DEFAULT))
2024-12-04T18:07:41.098-03:00 DEBUG 7764 --- [api] [
restartedMain] o.h.t.d.jdbc.spi.JdbcTypeRegistry
: addDescriptor(2005, ClobTypeDescriptor(CLOB_BINDING))
replaced previous
registration(ClobTypeDescriptor(DEFAULT))
2024-12-04T18:07:41.101-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration JAVA_OBJECT ->
org.hibernate.type.JavaObjectType@7747c4c1
2024-12-04T18:07:41.102-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Object ->
org.hibernate.type.JavaObjectType@7747c4c1
```

```
2024-12-04T18:07:41.160-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Type registration key [java.lang.Object] overrode
previous entry :
`org.hibernate.type.JavaObjectType@1153158d`
2024-12-04T18:07:41.161-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.DurationType ->
basicType@45(java.time.Duration,3015)
2024-12-04T18:07:41.161-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration Duration ->
basicType@45(java.time.Duration,3015)
2024-12-04T18:07:41.161-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.Duration ->
basicType@45(java.time.Duration,3015)
2024-12-04T18:07:41.161-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.OffsetDateTimeType ->
basicType@46(java.time.OffsetDateTime,3003)
2024-12-04T18:07:41.162-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetDateTime ->
basicType@46(java.time.OffsetDateTime,3003)
2024-12-04T18:07:41.162-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.OffsetDateTime ->
basicType@46(java.time.OffsetDateTime,3003)
2024-12-04T18:07:41.162-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.ZonedDateTimeType ->
basicType@47(java.time.ZonedDateTime,3003)
2024-12-04T18:07:41.162-03:00 DEBUG 7764 --- [api] [
```



```
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration ZonedDateTime ->
basicType@47(java.time.ZonedDateTime,3003)
2024-12-04T18:07:41.162-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.ZonedDateTime ->
basicType@47(java.time.ZonedDateTime,3003)
2024-12-04T18:07:41.162-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.OffsetTimeType ->
basicType@48(java.time.OffsetTime,3007)
2024-12-04T18:07:41.162-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetTime ->
basicType@48(java.time.OffsetTime,3007)
2024-12-04T18:07:41.162-03:00 DEBUG 7764 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.OffsetTime ->
basicType@48(java.time.OffsetTime,3007)
2024-12-04T18:07:41.162-03:00 DEBUG 7764 --- [api] [
restartedMain] o.h.type.spi.TypeConfiguration$Scope
: Scoping TypeConfiguration
[org.hibernate.type.spi.TypeConfiguration@3fcc288] to
MetadataBuildingContext
[org.hibernate.boot.internal.MetadataBuildingContextRootImpl@34123f69]
2024-12-04T18:07:41.623-03:00 INFO 7764 --- [api] [
restartedMain] o.h.e.t.j.p.i.JtaPlatformInitiator
: HHH000489: No JTA platform available (set
'hibernate.transaction.jta.platform' to enable JTA
platform integration)
2024-12-04T18:07:41.632-03:00 DEBUG 7764 --- [api] [
restartedMain] o.h.type.spi.TypeConfiguration$Scope
: Scoping TypeConfiguration
[org.hibernate.type.spi.TypeConfiguration@3fcc288] to
SessionFactoryImplementor
```

```
[org.hibernate.internal.SessionFactoryImpl@1e17441d]
2024-12-04T18:07:41.709-03:00 TRACE 7764 --- [api] [
restartedMain] o.h.type.spi.TypeConfiguration$Scope
: Handling #sessionFactoryCreated from
[org.hibernate.internal.SessionFactoryImpl@1e17441d]
for TypeConfiguration
2024-12-04T18:07:41.709-03:00 INFO 7764 --- [api] [
restartedMain] j.LocalContainerEntityManagerFactoryBean
: Initialized JPA EntityManagerFactory for persistence
unit 'default'
2024-12-04T18:07:42.224-03:00 WARN 7764 --- [api] [
restartedMain] JpaBaseConfiguration$JpaWebConfiguration
: spring.jpa.open-in-view is enabled by default.
Therefore, database queries may be performed during
view rendering. Explicitly configure
spring.jpa.open-in-view to disable this warning
2024-12-04T18:07:42.663-03:00 INFO 7764 --- [api] [
restartedMain] o.s.b.d.a.OptionalLiveReloadServer
: LiveReload server is running on port 35729
2024-12-04T18:07:42.759-03:00 INFO 7764 --- [api] [
restartedMain] o.s.b.w.embedded.tomcat.TomcatWebServer
: Tomcat started on port 8080 (http) with context path
 '/'
2024-12-04T18:07:42.781-03:00 INFO 7764 --- [api] [
restartedMain] med.voll.api.ApiApplication
: Started ApiApplication in 6.256 seconds (process
running for 1761.302)
2024-12-04T18:07:42.789-03:00 INFO 7764 --- [api] [
restartedMain] .ConditionEvaluationDeltaLoggingListener
: Condition evaluation unchanged
```