

```

      .
     /\ /____'-----(-)-----\ \ \ \ \
    ( ( )\____|'---|'---|'---|'---| \ \ \ \ \
     \ \ \____)| |_)| | | | | | | | ( | | ) ) )
      ' |____| ._|_| | | | | | \__, | / / / /
=====|_|=====|____/=/_/_/_/

```

:: Spring Boot :: (v3.4.0)

```

2024-12-01T19:42:36.457-03:00 INFO 12136 --- [api] [
restartedMain] med.voll.api.ApiApplication
: Starting ApiApplication using Java 21 with PID 12136
(C:\GitHubjavabin7777777\PROJETOS-ORACLE-ONE-ALURA\api\
api\target\classes started by Jupiter in
C:\GitHubjavabin7777777\PROJETOS-ORACLE-ONE-ALURA\api\a
pi)
2024-12-01T19:42:36.458-03:00 INFO 12136 --- [api] [
restartedMain] med.voll.api.ApiApplication
: No active profile set, falling back to 1 default
profile: "default"
2024-12-01T19:42:37.464-03:00 INFO 12136 --- [api] [
restartedMain] .s.d.r.c.RepositoryConfigurationDelegate
: Bootstrapping Spring Data JPA repositories in DEFAULT
mode.
2024-12-01T19:42:37.561-03:00 INFO 12136 --- [api] [
restartedMain] .s.d.r.c.RepositoryConfigurationDelegate
: Finished Spring Data repository scanning in 65 ms.
Found 1 JPA repository interface.
2024-12-01T19:42:38.087-03:00 INFO 12136 --- [api] [
restartedMain] o.s.b.w.embedded.tomcat.TomcatWebServer
: Tomcat initialized with port 8080 (http)
2024-12-01T19:42:38.101-03:00 INFO 12136 --- [api] [
restartedMain] o.apache.catalina.core.StandardService
: Starting service [Tomcat]
2024-12-01T19:42:38.112-03:00 INFO 12136 --- [api] [
restartedMain] o.apache.catalina.core.StandardEngine

```

```
: Starting Servlet engine: [Apache Tomcat/10.1.33]
2024-12-01T19:42:38.258-03:00 INFO 12136 --- [api] [
restartedMain] o.a.c.c.C.[Tomcat].[localhost].[/]
: Initializing Spring embedded WebApplicationContext
2024-12-01T19:42:38.261-03:00 INFO 12136 --- [api] [
restartedMain] w.s.c.ServletWebServerApplicationContext
: Root WebApplicationContext: initialization completed
in 1796 ms
2024-12-01T19:42:38.424-03:00 INFO 12136 --- [api] [
restartedMain] com.zaxxer.hikari.HikariDataSource
: HikariPool-5 - Starting...
2024-12-01T19:42:38.779-03:00 INFO 12136 --- [api] [
restartedMain] com.zaxxer.hikari.pool.HikariPool
: HikariPool-5 - Added connection
org.postgresql.jdbc.PgConnection@1dac45ca
2024-12-01T19:42:38.780-03:00 INFO 12136 --- [api] [
restartedMain] com.zaxxer.hikari.HikariDataSource
: HikariPool-5 - Start completed.
2024-12-01T19:42:38.789-03:00 INFO 12136 --- [api] [
restartedMain] org.flywaydb.core.FlywayExecutor
: Database:
jdbc:postgresql://localhost:5432/clinica_medica
(PostgreSQL 17.0)
2024-12-01T19:42:38.868-03:00 INFO 12136 --- [api] [
restartedMain] o.f.core.internal.command.DbValidate
: Successfully validated 0 migrations (execution time
00:00.043s)
2024-12-01T19:42:38.868-03:00 WARN 12136 --- [api] [
restartedMain] o.f.core.internal.command.DbValidate
: No migrations found. Are your locations set up
correctly?
2024-12-01T19:42:39.102-03:00 INFO 12136 --- [api] [
restartedMain] o.f.core.internal.command.DbMigrate
: Current version of schema "public": << Empty Schema
>>
2024-12-01T19:42:39.104-03:00 INFO 12136 --- [api] [
restartedMain] o.f.core.internal.command.DbMigrate
```

: Schema "public" is up to date. No migration necessary.

2024-12-01T19:42:39.215-03:00 INFO 12136 --- [api] [restartedMain] o.hibernate.jpamodel.internal.util.LogHelper : HHH000204: Processing PersistenceUnitInfo [name: default]

2024-12-01T19:42:39.308-03:00 INFO 12136 --- [api] [restartedMain] o.h.c.internal.RegionFactoryInitiator : HHH000026: Second-level cache disabled

2024-12-01T19:42:39.317-03:00 DEBUG 12136 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration boolean ->

org.hibernate.type.BasicTypeReference@36f27796

2024-12-01T19:42:39.318-03:00 DEBUG 12136 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration boolean ->

org.hibernate.type.BasicTypeReference@36f27796

2024-12-01T19:42:39.318-03:00 DEBUG 12136 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration java.lang.Boolean ->

org.hibernate.type.BasicTypeReference@36f27796

2024-12-01T19:42:39.318-03:00 DEBUG 12136 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration numeric\_boolean ->

org.hibernate.type.BasicTypeReference@513bea4d

2024-12-01T19:42:39.319-03:00 DEBUG 12136 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration

org.hibernate.type.NumericBooleanConverter ->

org.hibernate.type.BasicTypeReference@513bea4d

2024-12-01T19:42:39.319-03:00 DEBUG 12136 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration true\_false ->

org.hibernate.type.BasicTypeReference@1baa006b

2024-12-01T19:42:39.319-03:00 DEBUG 12136 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration

```
org.hibernate.type.TrueFalseConverter ->
org.hibernate.type.BasicTypeReference@1baa006b
2024-12-01T19:42:39.319-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration yes_no ->
org.hibernate.type.BasicTypeReference@2b931ba7
2024-12-01T19:42:39.319-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.YesNoConverter ->
org.hibernate.type.BasicTypeReference@2b931ba7
2024-12-01T19:42:39.320-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration byte ->
org.hibernate.type.BasicTypeReference@e788784
2024-12-01T19:42:39.320-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration byte ->
org.hibernate.type.BasicTypeReference@e788784
2024-12-01T19:42:39.320-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Byte ->
org.hibernate.type.BasicTypeReference@e788784
2024-12-01T19:42:39.320-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration binary ->
org.hibernate.type.BasicTypeReference@9f6d84
2024-12-01T19:42:39.321-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration byte[] ->
org.hibernate.type.BasicTypeReference@9f6d84
2024-12-01T19:42:39.321-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration [B ->
org.hibernate.type.BasicTypeReference@9f6d84
2024-12-01T19:42:39.321-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
```

```
: Adding type registration binary_wrapper ->
org.hibernate.type.BasicTypeReference@4b7d8ca4
2024-12-01T19:42:39.322-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration wrapper-binary ->
org.hibernate.type.BasicTypeReference@4b7d8ca4
2024-12-01T19:42:39.339-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration image ->
org.hibernate.type.BasicTypeReference@7800f84f
2024-12-01T19:42:39.340-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration blob ->
org.hibernate.type.BasicTypeReference@328e046c
2024-12-01T19:42:39.340-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.sql.Blob ->
org.hibernate.type.BasicTypeReference@328e046c
2024-12-01T19:42:39.340-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration materialized_blob ->
org.hibernate.type.BasicTypeReference@4906bcf4
2024-12-01T19:42:39.340-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration materialized_blob_wrapper ->
org.hibernate.type.BasicTypeReference@6e3901dc
2024-12-01T19:42:39.340-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration short ->
org.hibernate.type.BasicTypeReference@11044ed4
2024-12-01T19:42:39.340-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration short ->
org.hibernate.type.BasicTypeReference@11044ed4
2024-12-01T19:42:39.340-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Short ->
```

org.hibernate.type.BasicTypeReference@11044ed4  
2024-12-01T19:42:39.340-03:00 DEBUG 12136 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry  
: Adding type registration integer ->  
org.hibernate.type.BasicTypeReference@53eb95fc  
2024-12-01T19:42:39.340-03:00 DEBUG 12136 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry  
: Adding type registration int ->  
org.hibernate.type.BasicTypeReference@53eb95fc  
2024-12-01T19:42:39.340-03:00 DEBUG 12136 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry  
: Adding type registration java.lang.Integer ->  
org.hibernate.type.BasicTypeReference@53eb95fc  
2024-12-01T19:42:39.341-03:00 DEBUG 12136 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry  
: Adding type registration long ->  
org.hibernate.type.BasicTypeReference@2f767269  
2024-12-01T19:42:39.341-03:00 DEBUG 12136 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry  
: Adding type registration long ->  
org.hibernate.type.BasicTypeReference@2f767269  
2024-12-01T19:42:39.341-03:00 DEBUG 12136 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry  
: Adding type registration java.lang.Long ->  
org.hibernate.type.BasicTypeReference@2f767269  
2024-12-01T19:42:39.341-03:00 DEBUG 12136 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry  
: Adding type registration float ->  
org.hibernate.type.BasicTypeReference@9e7b1ba  
2024-12-01T19:42:39.341-03:00 DEBUG 12136 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry  
: Adding type registration float ->  
org.hibernate.type.BasicTypeReference@9e7b1ba  
2024-12-01T19:42:39.341-03:00 DEBUG 12136 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry  
: Adding type registration java.lang.Float ->  
org.hibernate.type.BasicTypeReference@9e7b1ba

```
2024-12-01T19:42:39.341-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration double ->
org.hibernate.type.BasicTypeReference@3a262cbc
2024-12-01T19:42:39.341-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration double ->
org.hibernate.type.BasicTypeReference@3a262cbc
2024-12-01T19:42:39.341-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Double ->
org.hibernate.type.BasicTypeReference@3a262cbc
2024-12-01T19:42:39.341-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration big_integer ->
org.hibernate.type.BasicTypeReference@35ed0a71
2024-12-01T19:42:39.341-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.math.BigInteger ->
org.hibernate.type.BasicTypeReference@35ed0a71
2024-12-01T19:42:39.341-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration big_decimal ->
org.hibernate.type.BasicTypeReference@2914d39f
2024-12-01T19:42:39.341-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.math.BigDecimal ->
org.hibernate.type.BasicTypeReference@2914d39f
2024-12-01T19:42:39.342-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration character ->
org.hibernate.type.BasicTypeReference@1d4add66
2024-12-01T19:42:39.342-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration char ->
org.hibernate.type.BasicTypeReference@1d4add66
2024-12-01T19:42:39.342-03:00 DEBUG 12136 --- [api] [
```

```
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Character ->
org.hibernate.type.BasicTypeReference@1d4add66
2024-12-01T19:42:39.342-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration character_nchar ->
org.hibernate.type.BasicTypeReference@168251bf
2024-12-01T19:42:39.342-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration string ->
org.hibernate.type.BasicTypeReference@4b617f9c
2024-12-01T19:42:39.342-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.String ->
org.hibernate.type.BasicTypeReference@4b617f9c
2024-12-01T19:42:39.342-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration nstring ->
org.hibernate.type.BasicTypeReference@4466c544
2024-12-01T19:42:39.342-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration characters ->
org.hibernate.type.BasicTypeReference@f8c8143
2024-12-01T19:42:39.342-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration char[] ->
org.hibernate.type.BasicTypeReference@f8c8143
2024-12-01T19:42:39.342-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration [C ->
org.hibernate.type.BasicTypeReference@f8c8143
2024-12-01T19:42:39.342-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration wrapper-characters ->
org.hibernate.type.BasicTypeReference@b0726a4
2024-12-01T19:42:39.342-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
```



```
: Adding type registration text ->
org.hibernate.type.BasicTypeReference@4b5a35c7
2024-12-01T19:42:39.343-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration ntext ->
org.hibernate.type.BasicTypeReference@3964950d
2024-12-01T19:42:39.343-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration clob ->
org.hibernate.type.BasicTypeReference@52898dfb
2024-12-01T19:42:39.343-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.sql.Clob ->
org.hibernate.type.BasicTypeReference@52898dfb
2024-12-01T19:42:39.343-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration nclob ->
org.hibernate.type.BasicTypeReference@6009b308
2024-12-01T19:42:39.345-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.sql.NClob ->
org.hibernate.type.BasicTypeReference@6009b308
2024-12-01T19:42:39.345-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration materialized_clob ->
org.hibernate.type.BasicTypeReference@7a6756c3
2024-12-01T19:42:39.346-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration materialized_clob_char_array
-> org.hibernate.type.BasicTypeReference@67b6687f
2024-12-01T19:42:39.346-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
materialized_clob_character_array ->
org.hibernate.type.BasicTypeReference@794ed727
2024-12-01T19:42:39.346-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
```

```
: Adding type registration materialized_nclob ->
org.hibernate.type.BasicTypeReference@5472baf5
2024-12-01T19:42:39.346-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
materialized_nclob_character_array ->
org.hibernate.type.BasicTypeReference@14e33ff6
2024-12-01T19:42:39.346-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
materialized_nclob_char_array ->
org.hibernate.type.BasicTypeReference@40c24885
2024-12-01T19:42:39.346-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration Duration ->
org.hibernate.type.BasicTypeReference@4f3a5855
2024-12-01T19:42:39.346-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.Duration ->
org.hibernate.type.BasicTypeReference@4f3a5855
2024-12-01T19:42:39.346-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration LocalDateTime ->
org.hibernate.type.BasicTypeReference@edee655
2024-12-01T19:42:39.347-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.LocalDateTime ->
org.hibernate.type.BasicTypeReference@edee655
2024-12-01T19:42:39.347-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration LocalDate ->
org.hibernate.type.BasicTypeReference@34f74f7
2024-12-01T19:42:39.347-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.LocalDate ->
org.hibernate.type.BasicTypeReference@34f74f7
2024-12-01T19:42:39.347-03:00 DEBUG 12136 --- [api] [
```

```
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration LocalTime ->
org.hibernate.type.BasicTypeReference@519b827b
2024-12-01T19:42:39.347-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.LocalTime ->
org.hibernate.type.BasicTypeReference@519b827b
2024-12-01T19:42:39.348-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetDateTime ->
org.hibernate.type.BasicTypeReference@4cfe90ed
2024-12-01T19:42:39.348-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.OffsetDateTime ->
org.hibernate.type.BasicTypeReference@4cfe90ed
2024-12-01T19:42:39.348-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetDateTimeWithTimezone
-> org.hibernate.type.BasicTypeReference@35eb3b69
2024-12-01T19:42:39.348-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
OffsetDateTimeWithoutTimezone ->
org.hibernate.type.BasicTypeReference@4dfb09ef
2024-12-01T19:42:39.348-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetTime ->
org.hibernate.type.BasicTypeReference@407ed271
2024-12-01T19:42:39.348-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.OffsetTime ->
org.hibernate.type.BasicTypeReference@407ed271
2024-12-01T19:42:39.348-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetTimeUtc ->
org.hibernate.type.BasicTypeReference@78bf5b6b
2024-12-01T19:42:39.348-03:00 DEBUG 12136 --- [api] [
```

```
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetTimeWithTimezone ->
org.hibernate.type.BasicTypeReference@14630766
2024-12-01T19:42:39.348-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetTimeWithoutTimezone ->
org.hibernate.type.BasicTypeReference@142c074
2024-12-01T19:42:39.348-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration ZonedDateTime ->
org.hibernate.type.BasicTypeReference@37196777
2024-12-01T19:42:39.348-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.ZonedDateTime ->
org.hibernate.type.BasicTypeReference@37196777
2024-12-01T19:42:39.348-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration ZonedDateTimeWithTimezone ->
org.hibernate.type.BasicTypeReference@357f06fc
2024-12-01T19:42:39.349-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration ZonedDateTimeWithoutTimezone
-> org.hibernate.type.BasicTypeReference@392b6f02
2024-12-01T19:42:39.349-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration date ->
org.hibernate.type.BasicTypeReference@2efd4933
2024-12-01T19:42:39.349-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.sql.Date ->
org.hibernate.type.BasicTypeReference@2efd4933
2024-12-01T19:42:39.349-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration time ->
org.hibernate.type.BasicTypeReference@5223a144
2024-12-01T19:42:39.349-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
```

```
: Adding type registration java.sql.Time ->
org.hibernate.type.BasicTypeReference@5223a144
2024-12-01T19:42:39.349-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration timestamp ->
org.hibernate.type.BasicTypeReference@1fa6051a
2024-12-01T19:42:39.350-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.sql.Timestamp ->
org.hibernate.type.BasicTypeReference@1fa6051a
2024-12-01T19:42:39.350-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.util.Date ->
org.hibernate.type.BasicTypeReference@1fa6051a
2024-12-01T19:42:39.412-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration calendar ->
org.hibernate.type.BasicTypeReference@7d973a93
2024-12-01T19:42:39.421-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.util.Calendar ->
org.hibernate.type.BasicTypeReference@7d973a93
2024-12-01T19:42:39.439-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.util.GregorianCalendar
-> org.hibernate.type.BasicTypeReference@7d973a93
2024-12-01T19:42:39.462-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration calendar_date ->
org.hibernate.type.BasicTypeReference@396740c3
2024-12-01T19:42:39.471-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration calendar_time ->
org.hibernate.type.BasicTypeReference@7601ff2a
2024-12-01T19:42:39.481-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration instant ->
```

org.hibernate.type.BasicTypeReference@5920ba25  
2024-12-01T19:42:39.487-03:00 DEBUG 12136 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry  
: Adding type registration java.time.Instant ->  
org.hibernate.type.BasicTypeReference@5920ba25  
2024-12-01T19:42:39.495-03:00 DEBUG 12136 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry  
: Adding type registration uuid ->  
org.hibernate.type.BasicTypeReference@1d275030  
2024-12-01T19:42:39.502-03:00 DEBUG 12136 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry  
: Adding type registration java.util.UUID ->  
org.hibernate.type.BasicTypeReference@1d275030  
2024-12-01T19:42:39.505-03:00 DEBUG 12136 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry  
: Adding type registration pg-uuid ->  
org.hibernate.type.BasicTypeReference@1d275030  
2024-12-01T19:42:39.507-03:00 DEBUG 12136 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry  
: Adding type registration uuid-binary ->  
org.hibernate.type.BasicTypeReference@1ec56a0f  
2024-12-01T19:42:39.507-03:00 DEBUG 12136 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry  
: Adding type registration uuid-char ->  
org.hibernate.type.BasicTypeReference@67c42e52  
2024-12-01T19:42:39.507-03:00 DEBUG 12136 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry  
: Adding type registration class ->  
org.hibernate.type.BasicTypeReference@3b69411d  
2024-12-01T19:42:39.507-03:00 DEBUG 12136 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry  
: Adding type registration java.lang.Class ->  
org.hibernate.type.BasicTypeReference@3b69411d  
2024-12-01T19:42:39.508-03:00 DEBUG 12136 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry  
: Adding type registration currency ->  
org.hibernate.type.BasicTypeReference@1ce83090

```
2024-12-01T19:42:39.509-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration Currency ->
org.hibernate.type.BasicTypeReference@1ce83090
2024-12-01T19:42:39.512-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.util.Currency ->
org.hibernate.type.BasicTypeReference@1ce83090
2024-12-01T19:42:39.513-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration locale ->
org.hibernate.type.BasicTypeReference@29c8b410
2024-12-01T19:42:39.513-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.util.Locale ->
org.hibernate.type.BasicTypeReference@29c8b410
2024-12-01T19:42:39.513-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration serializable ->
org.hibernate.type.BasicTypeReference@6f38a9c5
2024-12-01T19:42:39.513-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.io.Serializable ->
org.hibernate.type.BasicTypeReference@6f38a9c5
2024-12-01T19:42:39.513-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration timezone ->
org.hibernate.type.BasicTypeReference@1e287c96
2024-12-01T19:42:39.514-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.util.TimeZone ->
org.hibernate.type.BasicTypeReference@1e287c96
2024-12-01T19:42:39.514-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration ZoneOffset ->
org.hibernate.type.BasicTypeReference@4319b373
2024-12-01T19:42:39.514-03:00 DEBUG 12136 --- [api] [
```

```
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.ZoneOffset ->
org.hibernate.type.BasicTypeReference@4319b373
2024-12-01T19:42:39.514-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration url ->
org.hibernate.type.BasicTypeReference@2f9df734
2024-12-01T19:42:39.514-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.net.URL ->
org.hibernate.type.BasicTypeReference@2f9df734
2024-12-01T19:42:39.515-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration vector ->
org.hibernate.type.BasicTypeReference@5c10583
2024-12-01T19:42:39.515-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration float_vector ->
org.hibernate.type.BasicTypeReference@58d00561
2024-12-01T19:42:39.515-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration double_vector ->
org.hibernate.type.BasicTypeReference@565cb723
2024-12-01T19:42:39.515-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration byte_vector ->
org.hibernate.type.BasicTypeReference@16b8de8b
2024-12-01T19:42:39.515-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration row_version ->
org.hibernate.type.BasicTypeReference@1b582cc2
2024-12-01T19:42:39.515-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration object ->
org.hibernate.type.JavaObjectType@e91810b
2024-12-01T19:42:39.516-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
```



```
: Adding type registration java.lang.Object ->
org.hibernate.type.JavaObjectType@e91810b
2024-12-01T19:42:39.516-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration null ->
org.hibernate.type.NullType@7108767a
2024-12-01T19:42:39.517-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm_date ->
org.hibernate.type.BasicTypeReference@ba323b2
2024-12-01T19:42:39.517-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm_time ->
org.hibernate.type.BasicTypeReference@c60908e
2024-12-01T19:42:39.518-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm_timestamp ->
org.hibernate.type.BasicTypeReference@60e1652f
2024-12-01T19:42:39.518-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm_calendar ->
org.hibernate.type.BasicTypeReference@389add6f
2024-12-01T19:42:39.518-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm_calendar_date ->
org.hibernate.type.BasicTypeReference@2a36d77d
2024-12-01T19:42:39.518-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm_calendar_time ->
org.hibernate.type.BasicTypeReference@22dad655
2024-12-01T19:42:39.519-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm_binary ->
org.hibernate.type.BasicTypeReference@49f9073c
2024-12-01T19:42:39.519-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm_serializable ->
```

org.hibernate.type.BasicTypeReference@2766cac9  
2024-12-01T19:42:39.656-03:00 INFO 12136 --- [api] [restartedMain] o.s.o.j.p.SpringPersistenceUnitInfo : No LoadTimeWeaver setup: ignoring JPA class transformer  
2024-12-01T19:42:39.736-03:00 INFO 12136 --- [api] [restartedMain] org.hibernate.orm.connections.pooling : HHH10001005: Database info:  
Database JDBC URL [Connecting through datasource 'HikariDataSource (HikariPool-5)']  
Database driver: undefined/unknown  
Database version: 17.0  
Autocommit mode: undefined/unknown  
Isolation level: undefined/unknown  
Minimum pool size: undefined/unknown  
Maximum pool size: undefined/unknown  
2024-12-01T19:42:39.738-03:00 DEBUG 12136 --- [api] [restartedMain] o.h.t.d.sql.spi.DdlTypeRegistry : addDescriptor(2003, org.hibernate.type.descriptor.sql.internal.ArrayDdlTypeImpl@7729fa7c) replaced previous registration(org.hibernate.type.descriptor.sql.internal.ArrayDdlTypeImpl@64c76c5a)  
2024-12-01T19:42:39.738-03:00 DEBUG 12136 --- [api] [restartedMain] o.h.t.d.sql.spi.DdlTypeRegistry : addDescriptor(6, org.hibernate.type.descriptor.sql.internal.CapacityDependentDdlType@2c100f9f) replaced previous registration(org.hibernate.type.descriptor.sql.internal.DdlTypeImpl@682b28e8)  
2024-12-01T19:42:39.738-03:00 DEBUG 12136 --- [api] [restartedMain] o.h.t.d.jdbc.spi.JdbcTypeRegistry : addDescriptor(2004, BlobTypeDescriptor(BLOB\_BINDING)) replaced previous registration(BlobTypeDescriptor(DEFAULT))  
2024-12-01T19:42:39.738-03:00 DEBUG 12136 --- [api] [restartedMain] o.h.t.d.jdbc.spi.JdbcTypeRegistry

```
: addDescriptor(2005, ClobTypeDescriptor(CLOB_BINDING))
replaced previous
registration(ClobTypeDescriptor(DEFAULT))
2024-12-01T19:42:39.741-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration JAVA_OBJECT ->
org.hibernate.type.JavaObjectType@5069c58b
2024-12-01T19:42:39.742-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Object ->
org.hibernate.type.JavaObjectType@5069c58b
2024-12-01T19:42:39.742-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Type registration key [java.lang.Object] overrode
previous entry :
`org.hibernate.type.JavaObjectType@e91810b`
2024-12-01T19:42:39.742-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.DurationType ->
basicType@89(java.time.Duration,3015)
2024-12-01T19:42:39.742-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration Duration ->
basicType@89(java.time.Duration,3015)
2024-12-01T19:42:39.742-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.Duration ->
basicType@89(java.time.Duration,3015)
2024-12-01T19:42:39.742-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.OffsetDateTimeType ->
basicType@90(java.time.OffsetDateTime,3003)
2024-12-01T19:42:39.742-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetDateTime ->
```

```
basicType@90(java.time.OffsetDateTime,3003)
2024-12-01T19:42:39.742-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.OffsetDateTime ->
basicType@90(java.time.OffsetDateTime,3003)
2024-12-01T19:42:39.752-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.ZonedDateTimeType ->
basicType@91(java.time.ZonedDateTime,3003)
2024-12-01T19:42:39.752-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration ZonedDateTime ->
basicType@91(java.time.ZonedDateTime,3003)
2024-12-01T19:42:39.752-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.ZonedDateTime ->
basicType@91(java.time.ZonedDateTime,3003)
2024-12-01T19:42:39.752-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.OffsetTimeType ->
basicType@92(java.time.OffsetTime,3007)
2024-12-01T19:42:39.752-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetTime ->
basicType@92(java.time.OffsetTime,3007)
2024-12-01T19:42:39.752-03:00 DEBUG 12136 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.OffsetTime ->
basicType@92(java.time.OffsetTime,3007)
2024-12-01T19:42:39.763-03:00 DEBUG 12136 --- [api] [
restartedMain] o.h.type.spi.TypeConfiguration$Scope
: Scoping TypeConfiguration
[org.hibernate.type.spi.TypeConfiguration@f93c660] to
MetadataBuildingContext
[org.hibernate.boot.internal.MetadataBuildingContextRoo
```

tImpl@23d34cfa]

2024-12-01T19:42:40.213-03:00 INFO 12136 --- [api] [restartedMain] o.h.e.t.j.p.i.JtaPlatformInitiator : HHH000489: No JTA platform available (set 'hibernate.transaction.jta.platform' to enable JTA platform integration)

2024-12-01T19:42:40.214-03:00 DEBUG 12136 --- [api] [restartedMain] o.h.type.spi.TypeConfiguration\$Scope : Scoping TypeConfiguration [org.hibernate.type.spi.TypeConfiguration@f93c660] to SessionFactoryImplementor

[org.hibernate.internal.SessionFactoryImpl@88cd2cd]

2024-12-01T19:42:40.276-03:00 TRACE 12136 --- [api] [restartedMain] o.h.type.spi.TypeConfiguration\$Scope : Handling #sessionFactoryCreated from [org.hibernate.internal.SessionFactoryImpl@88cd2cd] for TypeConfiguration

2024-12-01T19:42:40.276-03:00 INFO 12136 --- [api] [restartedMain] j.LocalContainerEntityManagerFactoryBean : Initialized JPA EntityManagerFactory for persistence unit 'default'

2024-12-01T19:42:40.650-03:00 WARN 12136 --- [api] [restartedMain] JpaBaseConfiguration\$JpaWebConfiguration : spring.jpa.open-in-view is enabled by default. Therefore, database queries may be performed during view rendering. Explicitly configure spring.jpa.open-in-view to disable this warning

2024-12-01T19:42:41.090-03:00 INFO 12136 --- [api] [restartedMain] o.s.b.d.a.OptionalLiveReloadServer : LiveReload server is running on port 35729

2024-12-01T19:42:41.165-03:00 INFO 12136 --- [api] [restartedMain] o.s.b.w.embedded.tomcat.TomcatWebServer : Tomcat started on port 8080 (http) with context path '/'

2024-12-01T19:42:41.171-03:00 INFO 12136 --- [api] [restartedMain] med.voll.api.ApiApplication : Started ApiApplication in 4.887 seconds (process

```
running for 3395.254)
2024-12-01T19:42:41.175-03:00 INFO 12136 --- [api] [
restartedMain] .ConditionEvaluationDeltaLoggingListener
: Condition evaluation unchanged
2024-12-01T19:43:36.016-03:00 INFO 12136 --- [api]
[nio-8080-exec-1] o.a.c.c.C.[Tomcat].[localhost].[/]
: Initializing Spring DispatcherServlet
'dispatcherServlet'
2024-12-01T19:43:36.017-03:00 INFO 12136 --- [api]
[nio-8080-exec-1] o.s.web.servlet.DispatcherServlet
: Initializing Servlet 'dispatcherServlet'
2024-12-01T19:43:36.019-03:00 INFO 12136 --- [api]
[nio-8080-exec-1] o.s.web.servlet.DispatcherServlet
: Completed initialization in 1 ms
2024-12-01T19:43:36.091-03:00 DEBUG 12136 --- [api]
[nio-8080-exec-1] org.hibernate.SQL
:
select
    md1_0.id,
    md1_0.crm,
    md1_0.email,
    md1_0.bairro,
    md1_0.cep,
    md1_0.cidade,
    md1_0.complemento,
    md1_0.logradouro,
    md1_0.numero,
    md1_0.uf,
    md1_0.especialidade,
    md1_0.nome
from
    medicos md1_0
order by
    md1_0.nome
offset
    ? rows
fetch
```

first ? rows only

Hibernate:

```
select
    md1_0.id,
    md1_0.crm,
    md1_0.email,
    md1_0.bairro,
    md1_0.cep,
    md1_0.cidade,
    md1_0.complemento,
    md1_0.logradouro,
    md1_0.numero,
    md1_0.uf,
    md1_0.especialidade,
    md1_0.nome
from
    medicos md1_0
order by
    md1_0.nome
offset
    ? rows
fetch
```

first ? rows only

2024-12-01T19:43:36.144-03:00 WARN 12136 --- [api]  
[nio-8080-exec-1]

ration\$PageModule\$WarningLoggingModifier : Serializing  
PageImpl instances as-is is not supported, meaning that  
there is no guarantee about the stability of the  
resulting JSON structure!

For a stable JSON structure, please use Spring  
Data's PagedModel (globally via  
@EnableSpringDataWebSupport(pageSerializationMode =  
VIA DTO))

or Spring HATEOAS and Spring Data's  
PagedResourcesAssembler as documented in  
<https://docs.spring.io/spring-data/commons/reference/repositories/core-extensions.html#core.web.pageables>.

