```
(v3.4.0)
 :: Spring Boot ::
                               INFO 12416 --- [api] [
2024-12-01T17:38:05.445-03:00
restartedMain | med.voll.api.ApiApplication
: Starting ApiApplication using Java 21 with PID 12416
(C:\GitHubjavabin777777\PROJETOS-ORACLE-ONE-ALURA\api\
api\target\classes started by Jupiter in
C:\GitHubjavabin777777\PROJETOS-ORACLE-ONE-ALURA\api\a
pi)
2024-12-01T17:38:05.470-03:00
                               INFO 12416 --- [api] [
restartedMain] med.voll.api.ApiApplication
: No active profile set, falling back to 1 default
profile: "default"
2024-12-01T17:38:06.869-03:00
                               INFO 12416 --- [api] [
restartedMain] .e.DevToolsPropertyDefaultsPostProcessor
: Devtools property defaults active! Set
'spring.devtools.add-properties' to 'false' to disable
2024-12-01T17:38:06.870-03:00
                               INFO 12416 --- [api] [
restartedMain] .e.DevToolsPropertyDefaultsPostProcessor
: For additional web related logging consider setting
the 'logging.level.web' property to 'DEBUG'
2024-12-01T17:38:33.307-03:00
                               INFO 12416 --- [api] [
restartedMain] .s.d.r.c.RepositoryConfigurationDelegate
: Bootstrapping Spring Data JPA repositories in DEFAULT
mode.
2024-12-01T17:38:34.029-03:00
                               INFO 12416 --- [api] [
restartedMain] .s.d.r.c.RepositoryConfigurationDelegate
: Finished Spring Data repository scanning in 615 ms.
```

Found 1 JPA repository interface.

```
2024-12-01T17:38:43.430-03:00 INFO 12416 --- [api] [
restartedMain] o.s.b.w.embedded.tomcat.TomcatWebServer
: Tomcat initialized with port 8080 (http)
2024-12-01T17:38:43.609-03:00
                               INFO 12416 --- [api] [
restartedMain] o.apache.catalina.core.StandardService
: Starting service [Tomcat]
2024-12-01T17:38:43.613-03:00 INFO 12416 --- [api] [
restartedMain] o.apache.catalina.core.StandardEngine
: Starting Servlet engine: [Apache Tomcat/10.1.33]
                               INFO 12416 --- [api] [
2024-12-01T17:38:43.978-03:00
restartedMain] o.a.c.c.C.[Tomcat].[localhost].[/]
: Initializing Spring embedded WebApplicationContext
2024-12-01T17:38:43.983-03:00
                               INFO 12416 --- [api] [
restartedMain] w.s.c.ServletWebServerApplicationContext
: Root WebApplicationContext: initialization completed
in 37014 ms
2024-12-01T17:38:45.733-03:00 INFO 12416 --- [api] [
restartedMain] com.zaxxer.hikari.HikariDataSource
: HikariPool-1 - Starting...
                               INFO 12416 --- [api] [
2024-12-01T17:38:48.812-03:00
restartedMain] com.zaxxer.hikari.pool.HikariPool
: HikariPool-1 - Added connection
org.postgresql.jdbc.PgConnection@11f10ba6
2024-12-01T17:38:48.820-03:00 INFO 12416 --- [api] [
restartedMain] com.zaxxer.hikari.HikariDataSource
: HikariPool-1 - Start completed.
2024-12-01T17:38:49.569-03:00
                               INFO 12416 --- [api] [
restartedMain] org.flywaydb.core.FlywayExecutor
: Database:
jdbc:postgresql://localhost:5432/clinica medica
(PostgreSQL 17.0)
2024-12-01T17:38:51.655-03:00 INFO 12416 --- [api] [
restartedMain] o.f.core.internal.command.DbValidate
: Successfully validated 0 migrations (execution time
00:00.594s)
2024-12-01T17:38:51.655-03:00 WARN 12416 --- [api] [
restartedMain] o.f.core.internal.command.DbValidate
```

```
: No migrations found. Are your locations set up
correctly?
2024-12-01T17:38:51.740-03:00 INFO 12416 --- [api] [
restartedMainl o.f.core.internal.command.DbMigrate
: Current version of schema "public": << Empty Schema
>>
2024-12-01T17:38:51.815-03:00 INFO 12416 --- [api] [
restartedMain] o.f.core.internal.command.DbMigrate
: Schema "public" is up to date. No migration
necessary.
                               INFO 12416 --- [api] [
2024-12-01T17:38:52.945-03:00
restartedMain] o.hibernate.jpa.internal.util.LogHelper
: HHH000204: Processing PersistenceUnitInfo [name:
defaultl
2024-12-01T17:38:54.080-03:00 INFO 12416 --- [api] [
restartedMain | org.hibernate.Version
: HHH000412: Hibernate ORM core version 6.6.2. Final
2024-12-01T17:38:54.573-03:00
                               INFO 12416 --- [api] [
restartedMain] o.h.c.internal.RegionFactoryInitiator
: HHH000026: Second-level cache disabled
2024-12-01T17:38:55.302-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration boolean ->
org.hibernate.type.BasicTypeReference@499ee7e6
2024-12-01T17:38:55.302-03:00 DEBUG 12416 --- [api] [
restartedMain | org.hibernate.type.BasicTypeRegistry
: Adding type registration boolean ->
org.hibernate.type.BasicTypeReference@499ee7e6
2024-12-01T17:38:55.303-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Boolean ->
org.hibernate.type.BasicTypeReference@499ee7e6
2024-12-01T17:38:55.316-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration numeric boolean ->
org.hibernate.type.BasicTypeReference@1de4eacd
2024-12-01T17:38:55.320-03:00 DEBUG 12416 --- [api] [
```

```
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.NumericBooleanConverter ->
org.hibernate.type.BasicTypeReference@1de4eacd
2024-12-01T17:38:55.321-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration true false ->
org.hibernate.type.BasicTypeReference@f5973eb
2024-12-01T17:38:55.322-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.TrueFalseConverter ->
org.hibernate.type.BasicTypeReference@f5973eb
2024-12-01T17:38:55.327-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration yes no ->
org.hibernate.type.BasicTypeReference@2962e294
2024-12-01T17:38:55.327-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.YesNoConverter ->
org.hibernate.type.BasicTypeReference@2962e294
2024-12-01T17:38:55.327-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration byte ->
org.hibernate.type.BasicTypeReference@177d9189
2024-12-01T17:38:55.330-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration byte ->
org.hibernate.type.BasicTypeReference@177d9189
2024-12-01T17:38:55.330-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Byte ->
org.hibernate.type.BasicTypeReference@177d9189
2024-12-01T17:38:55.331-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration binary ->
```

```
org.hibernate.type.BasicTypeReference@2df5b329
2024-12-01T17:38:55.335-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration byte[] ->
org.hibernate.type.BasicTypeReference@2df5b329
2024-12-01T17:38:55.336-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration [B ->
org.hibernate.type.BasicTypeReference@2df5b329
2024-12-01T17:38:55.338-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration binary wrapper ->
org.hibernate.type.BasicTypeReference@69f74b57
2024-12-01T17:38:55.339-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration wrapper-binary ->
org.hibernate.type.BasicTypeReference@69f74b57
2024-12-01T17:38:55.343-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration image ->
org.hibernate.type.BasicTypeReference@57bf72bf
2024-12-01T17:38:55.344-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration blob ->
org.hibernate.type.BasicTypeReference@2c355018
2024-12-01T17:38:55.346-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.sql.Blob ->
org.hibernate.type.BasicTypeReference@2c355018
2024-12-01T17:38:55.349-03:00 DEBUG 12416 --- [api] [
restartedMain | org.hibernate.type.BasicTypeRegistry
: Adding type registration materialized blob ->
org.hibernate.type.BasicTypeReference@2c59c24c
2024-12-01T17:38:55.354-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration materialized_blob_wrapper ->
org.hibernate.type.BasicTypeReference@7f279963
```

```
2024-12-01T17:38:55.362-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration short ->
org.hibernate.type.BasicTypeReference@53a126b2
2024-12-01T17:38:55.369-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration short ->
org.hibernate.type.BasicTypeReference@53a126b2
2024-12-01T17:38:55.373-03:00 DEBUG 12416 --- [api] [
restartedMain | org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Short ->
org.hibernate.type.BasicTypeReference@53a126b2
2024-12-01T17:38:55.374-03:00 DEBUG 12416 --- [api] [
restartedMain org.hibernate.type.BasicTypeRegistry
: Adding type registration integer ->
org.hibernate.type.BasicTypeReference@5592094e
2024-12-01T17:38:55.377-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration int ->
org.hibernate.type.BasicTypeReference@5592094e
2024-12-01T17:38:55.377-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Integer ->
org.hibernate.type.BasicTypeReference@5592094e
2024-12-01T17:38:55.378-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration long ->
org.hibernate.type.BasicTypeReference@373bfa12
2024-12-01T17:38:55.378-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration long ->
org.hibernate.type.BasicTypeReference@373bfa12
2024-12-01T17:38:55.378-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Long ->
org.hibernate.type.BasicTypeReference@373bfa12
2024-12-01T17:38:55.378-03:00 DEBUG 12416 --- [api] [
```

```
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration float ->
org.hibernate.type.BasicTypeReference@74149117
2024-12-01T17:38:55.379-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration float ->
org.hibernate.type.BasicTypeReference@74149117
2024-12-01T17:38:55.379-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Float ->
org.hibernate.type.BasicTypeReference@74149117
2024-12-01T17:38:55.379-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration double ->
org.hibernate.type.BasicTypeReference@2edaad91
2024-12-01T17:38:55.380-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration double ->
org.hibernate.type.BasicTypeReference@2edaad91
2024-12-01T17:38:55.380-03:00 DEBUG 12416 --- [api] [
restartedMain | org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Double ->
org.hibernate.type.BasicTypeReference@2edaad91
2024-12-01T17:38:55.380-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration big integer ->
org.hibernate.type.BasicTypeReference@6b47197d
2024-12-01T17:38:55.382-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.math.BigInteger ->
org.hibernate.type.BasicTypeReference@6b47197d
2024-12-01T17:38:55.386-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration big decimal ->
org.hibernate.type.BasicTypeReference@344856d
2024-12-01T17:38:55.387-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
```

```
: Adding type registration java.math.BigDecimal ->
org.hibernate.type.BasicTypeReference@344856d
2024-12-01T17:38:55.387-03:00 DEBUG 12416 --- [api] [
restartedMain org.hibernate.type.BasicTypeRegistry
: Adding type registration character ->
org.hibernate.type.BasicTypeReference@5388303b
2024-12-01T17:38:55.397-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration char ->
org.hibernate.type.BasicTypeReference@5388303b
2024-12-01T17:38:55.399-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Character ->
org.hibernate.type.BasicTypeReference@5388303b
2024-12-01T17:38:55.402-03:00 DEBUG 12416 --- [api] [
restartedMain | org.hibernate.type.BasicTypeRegistry
: Adding type registration character nchar ->
org.hibernate.type.BasicTypeReference@2845a9fe
2024-12-01T17:38:55.402-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration string ->
org.hibernate.type.BasicTypeReference@7b1ad17a
2024-12-01T17:38:55.403-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.String ->
org.hibernate.type.BasicTypeReference@7b1ad17a
2024-12-01T17:38:55.403-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration nstring ->
org.hibernate.type.BasicTypeReference@5c524c99
2024-12-01T17:38:55.404-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration characters ->
org.hibernate.type.BasicTypeReference@4e49b6c0
2024-12-01T17:38:55.405-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration char[] ->
```

```
org.hibernate.type.BasicTypeReference@4e49b6c0
2024-12-01T17:38:55.406-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration [C ->
org.hibernate.type.BasicTypeReference@4e49b6c0
2024-12-01T17:38:55.410-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration wrapper-characters ->
org.hibernate.type.BasicTypeReference@4b46fcae
2024-12-01T17:38:55.411-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration text ->
org.hibernate.type.BasicTypeReference@66fa75bd
2024-12-01T17:38:55.411-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration ntext ->
org.hibernate.type.BasicTypeReference@2882db7f
2024-12-01T17:38:55.411-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration clob ->
org.hibernate.type.BasicTypeReference@2bfe8719
2024-12-01T17:38:55.412-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.sql.Clob ->
org.hibernate.type.BasicTypeReference@2bfe8719
2024-12-01T17:38:55.412-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration nclob ->
org.hibernate.type.BasicTypeReference@57a1ad44
2024-12-01T17:38:55.412-03:00 DEBUG 12416 --- [api] [
restartedMain | org.hibernate.type.BasicTypeRegistry
: Adding type registration java.sql.NClob ->
org.hibernate.type.BasicTypeReference@57a1ad44
2024-12-01T17:38:55.412-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration materialized clob ->
org.hibernate.type.BasicTypeReference@62c37d90
```

```
2024-12-01T17:38:55.413-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration materialized clob char array
-> org.hibernate.type.BasicTypeReference@5c241b94
2024-12-01T17:38:55.413-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
materialized_clob_character_array ->
org.hibernate.type.BasicTypeReference@33d9946
2024-12-01T17:38:55.415-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration materialized nclob ->
org.hibernate.type.BasicTypeReference@592ccfe8
2024-12-01T17:38:55.415-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
materialized nclob character array ->
org.hibernate.type.BasicTypeReference@20fa16a0
2024-12-01T17:38:55.415-03:00 DEBUG 12416 --- [api] [
restartedMain | org.hibernate.type.BasicTypeRegistry
: Adding type registration
materialized nclob char array ->
org.hibernate.type.BasicTypeReference@5c7e4190
2024-12-01T17:38:55.561-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration Duration ->
org.hibernate.type.BasicTypeReference@33e604f0
2024-12-01T17:38:55.570-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.Duration ->
org.hibernate.type.BasicTypeReference@33e604f0
2024-12-01T17:38:55.582-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration LocalDateTime ->
org.hibernate.type.BasicTypeReference@c8aceeb
2024-12-01T17:38:55.582-03:00 DEBUG 12416 --- [api] [
restartedMain | org.hibernate.type.BasicTypeRegistry
```

```
: Adding type registration java.time.LocalDateTime ->
org.hibernate.type.BasicTypeReference@c8aceeb
2024-12-01T17:38:55.583-03:00 DEBUG 12416 --- [api] [
restartedMain org.hibernate.type.BasicTypeRegistry
: Adding type registration LocalDate ->
org.hibernate.type.BasicTypeReference@7cb586cc
2024-12-01T17:38:55.583-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.LocalDate ->
org.hibernate.type.BasicTypeReference@7cb586cc
2024-12-01T17:38:55.583-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration LocalTime ->
org.hibernate.type.BasicTypeReference@52e92a0b
2024-12-01T17:38:55.583-03:00 DEBUG 12416 --- [api] [
restartedMain | org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.LocalTime ->
org.hibernate.type.BasicTypeReference@52e92a0b
2024-12-01T17:38:55.584-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetDateTime ->
org.hibernate.type.BasicTypeReference@51ab7522
2024-12-01T17:38:55.585-03:00 DEBUG 12416 --- [api] [
restartedMain org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.OffsetDateTime ->
org.hibernate.type.BasicTypeReference@51ab7522
2024-12-01T17:38:55.585-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetDateTimeWithTimezone
-> org.hibernate.type.BasicTypeReference@b8c146a
2024-12-01T17:38:55.588-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
OffsetDateTimeWithoutTimezone ->
org.hibernate.type.BasicTypeReference@5b5f6031
2024-12-01T17:38:55.588-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
```

```
: Adding type registration OffsetTime ->
org.hibernate.type.BasicTypeReference@407db023
2024-12-01T17:38:55.589-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.OffsetTime ->
org.hibernate.type.BasicTypeReference@407db023
2024-12-01T17:38:55.594-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetTimeUtc ->
org.hibernate.type.BasicTypeReference@4a75df6b
2024-12-01T17:38:55.596-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetTimeWithTimezone ->
org.hibernate.type.BasicTypeReference@21b1bd0b
2024-12-01T17:38:55.597-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetTimeWithoutTimezone ->
org.hibernate.type.BasicTypeReference@1cf1fe4
2024-12-01T17:38:55.598-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration ZonedDateTime ->
org.hibernate.type.BasicTypeReference@2c9e5b56
2024-12-01T17:38:55.598-03:00 DEBUG 12416 --- [api] [
restartedMain org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.ZonedDateTime ->
org.hibernate.type.BasicTypeReference@2c9e5b56
2024-12-01T17:38:55.599-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration ZonedDateTimeWithTimezone ->
org.hibernate.type.BasicTypeReference@48f45729
2024-12-01T17:38:55.636-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration ZonedDateTimeWithoutTimezone
-> org.hibernate.type.BasicTypeReference@6481f2d9
2024-12-01T17:38:55.636-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration date ->
```

```
org.hibernate.type.BasicTypeReference@1d48e192
2024-12-01T17:38:55.636-03:00 DEBUG 12416 --- [api] [
restartedMain | org.hibernate.type.BasicTypeRegistry
: Adding type registration java.sql.Date ->
org.hibernate.type.BasicTypeReference@1d48e192
2024-12-01T17:38:55.637-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration time ->
org.hibernate.type.BasicTypeReference@43d24d86
2024-12-01T17:38:55.637-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.sql.Time ->
org.hibernate.type.BasicTypeReference@43d24d86
2024-12-01T17:38:55.637-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration timestamp ->
org.hibernate.type.BasicTypeReference@29f507ca
2024-12-01T17:38:55.637-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.sql.Timestamp ->
org.hibernate.type.BasicTypeReference@29f507ca
2024-12-01T17:38:55.637-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.util.Date ->
org.hibernate.type.BasicTypeReference@29f507ca
2024-12-01T17:38:55.638-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration calendar ->
org.hibernate.type.BasicTypeReference@42093f17
2024-12-01T17:38:55.638-03:00 DEBUG 12416 --- [api] [
restartedMain | org.hibernate.type.BasicTypeRegistry
: Adding type registration java.util.Calendar ->
org.hibernate.type.BasicTypeReference@42093f17
2024-12-01T17:38:55.638-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.util.GregorianCalendar
-> org.hibernate.type.BasicTypeReference@42093f17
```

```
2024-12-01T17:38:55.639-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration calendar date ->
org.hibernate.type.BasicTypeReference@181702b5
2024-12-01T17:38:55.642-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration calendar time ->
org.hibernate.type.BasicTypeReference@49f8c24c
2024-12-01T17:38:55.642-03:00 DEBUG 12416 --- [api] [
restartedMain | org.hibernate.type.BasicTypeRegistry
: Adding type registration instant ->
org.hibernate.type.BasicTypeReference@483257ee
2024-12-01T17:38:55.643-03:00 DEBUG 12416 --- [api] [
restartedMain org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.Instant ->
org.hibernate.type.BasicTypeReference@483257ee
2024-12-01T17:38:55.647-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration uuid ->
org.hibernate.type.BasicTypeReference@43c82878
2024-12-01T17:38:55.647-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.util.UUID ->
org.hibernate.type.BasicTypeReference@43c82878
2024-12-01T17:38:55.647-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration pg-uuid ->
org.hibernate.type.BasicTypeReference@43c82878
2024-12-01T17:38:55.648-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration uuid-binary ->
org.hibernate.type.BasicTypeReference@636a881e
2024-12-01T17:38:55.648-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration uuid-char ->
org.hibernate.type.BasicTypeReference@6c0fdc9d
2024-12-01T17:38:55.648-03:00 DEBUG 12416 --- [api] [
```

```
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration class ->
org.hibernate.type.BasicTypeReference@36587bd5
2024-12-01T17:38:55.717-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Class ->
org.hibernate.type.BasicTypeReference@36587bd5
2024-12-01T17:38:55.727-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration currency ->
org.hibernate.type.BasicTypeReference@34d10e8e
2024-12-01T17:38:55.736-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration Currency ->
org.hibernate.type.BasicTypeReference@34d10e8e
2024-12-01T17:38:55.737-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.util.Currency ->
org.hibernate.type.BasicTypeReference@34d10e8e
2024-12-01T17:38:55.737-03:00 DEBUG 12416 --- [api] [
restartedMain | org.hibernate.type.BasicTypeRegistry
: Adding type registration locale ->
org.hibernate.type.BasicTypeReference@34c4a72
2024-12-01T17:38:55.738-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.util.Locale ->
org.hibernate.type.BasicTypeReference@34c4a72
2024-12-01T17:38:55.738-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration serializable ->
org.hibernate.type.BasicTypeReference@11b595b2
2024-12-01T17:38:55.741-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.io.Serializable ->
org.hibernate.type.BasicTypeReference@11b595b2
2024-12-01T17:38:55.741-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
```

```
: Adding type registration timezone ->
org.hibernate.type.BasicTypeReference@6446c282
2024-12-01T17:38:55.741-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.util.TimeZone ->
org.hibernate.type.BasicTypeReference@6446c282
2024-12-01T17:38:55.741-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration ZoneOffset ->
org.hibernate.type.BasicTypeReference@58df15fa
2024-12-01T17:38:55.742-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.ZoneOffset ->
org.hibernate.type.BasicTypeReference@58df15fa
2024-12-01T17:38:55.742-03:00 DEBUG 12416 --- [api] [
restartedMain | org.hibernate.type.BasicTypeRegistry
: Adding type registration url ->
org.hibernate.type.BasicTypeReference@39a1db49
2024-12-01T17:38:55.742-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.net.URL ->
org.hibernate.type.BasicTypeReference@39a1db49
2024-12-01T17:38:55.742-03:00 DEBUG 12416 --- [api] [
restartedMain org.hibernate.type.BasicTypeRegistry
: Adding type registration vector ->
org.hibernate.type.BasicTypeReference@404c1ca
2024-12-01T17:38:55.743-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration float vector ->
org.hibernate.type.BasicTypeReference@5604511a
2024-12-01T17:38:55.743-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration double vector ->
org.hibernate.type.BasicTypeReference@76d4fee5
2024-12-01T17:38:55.743-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration byte vector ->
```

```
org.hibernate.type.BasicTypeReference@419818e5
2024-12-01T17:38:55.744-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration row version ->
org.hibernate.type.BasicTypeReference@63308b8d
2024-12-01T17:38:55.780-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration object ->
org.hibernate.type.JavaObjectType@6bcd159c
2024-12-01T17:38:55.781-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Object ->
org.hibernate.type.JavaObjectType@6bcd159c
2024-12-01T17:38:55.786-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration null ->
org.hibernate.type.NullType@7f19d3ed
2024-12-01T17:38:55.788-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm date ->
org.hibernate.type.BasicTypeReference@62ddbf79
2024-12-01T17:38:55.788-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm time ->
org.hibernate.type.BasicTypeReference@ef7f909
2024-12-01T17:38:55.789-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm timestamp ->
org.hibernate.type.BasicTypeReference@1cfaa481
2024-12-01T17:38:55.789-03:00 DEBUG 12416 --- [api] [
restartedMain | org.hibernate.type.BasicTypeRegistry
: Adding type registration imm calendar ->
org.hibernate.type.BasicTypeReference@2dcd9a48
2024-12-01T17:38:55.789-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm_calendar_date ->
org.hibernate.type.BasicTypeReference@22e4deff
```

```
2024-12-01T17:38:55.790-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm calendar time ->
org.hibernate.type.BasicTypeReference@136a441b
2024-12-01T17:38:55.790-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm binary ->
org.hibernate.type.BasicTypeReference@5a7d345b
2024-12-01T17:38:55.791-03:00 DEBUG 12416 --- [api] [
restartedMain | org.hibernate.type.BasicTypeRegistry
: Adding type registration imm serializable ->
org.hibernate.type.BasicTypeReference@1ba3ea86
2024-12-01T17:39:01.494-03:00 INFO 12416 --- [api] [
restartedMain] o.s.o.j.p.SpringPersistenceUnitInfo
: No LoadTimeWeaver setup: ignoring JPA class
transformer
2024-12-01T17:39:05.593-03:00 INFO 12416 --- [api] [
restartedMain] org.hibernate.orm.connections.pooling
: HHH10001005: Database info:
        Database JDBC URL [Connecting through
datasource 'HikariDataSource (HikariPool-1)']
        Database driver: undefined/unknown
        Database version: 17.0
        Autocommit mode: undefined/unknown
        Isolation level: undefined/unknown
        Minimum pool size: undefined/unknown
        Maximum pool size: undefined/unknown
2024-12-01T17:39:05.706-03:00 DEBUG 12416 --- [api] [
restartedMain] o.h.t.d.sql.spi.DdlTypeRegistry
: addDescriptor(2003,
org.hibernate.type.descriptor.sql.internal.ArrayDdlType
Impl@4859bedb) replaced previous
registration(org.hibernate.type.descriptor.sql.internal
.ArrayDdlTypeImpl@67219d89)
2024-12-01T17:39:05.707-03:00 DEBUG 12416 --- [api] [
restartedMain] o.h.t.d.sql.spi.DdlTypeRegistry
: addDescriptor(6,
```

```
org.hibernate.type.descriptor.sql.internal.CapacityDepe
ndentDdlType@47292222) replaced previous
registration(org.hibernate.type.descriptor.sql.internal
.DdlTypeImpl@36d64853)
2024-12-01T17:39:05.719-03:00 DEBUG 12416 --- [api] [
restartedMain] o.h.t.d.jdbc.spi.JdbcTypeRegistry
: addDescriptor(2004, BlobTypeDescriptor(BLOB BINDING))
replaced previous
registration(BlobTypeDescriptor(DEFAULT))
2024-12-01T17:39:05.720-03:00 DEBUG 12416 --- [api] [
restartedMain] o.h.t.d.jdbc.spi.JdbcTypeRegistry
: addDescriptor(2005, ClobTypeDescriptor(CLOB BINDING))
replaced previous
registration(ClobTypeDescriptor(DEFAULT))
2024-12-01T17:39:05.989-03:00 DEBUG 12416 --- [api] [
restartedMain | org.hibernate.type.BasicTypeRegistry
: Adding type registration JAVA OBJECT ->
org.hibernate.type.JavaObjectType@46ceba58
2024-12-01T17:39:05.989-03:00 DEBUG 12416 --- [api] [
restartedMain | org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Object ->
org.hibernate.type.JavaObjectType@46ceba58
2024-12-01T17:39:05.990-03:00 DEBUG 12416 --- [api] [
restartedMain | org.hibernate.type.BasicTypeRegistry
: Type registration key [java.lang.Object] overrode
previous entry:
org.hibernate.type.JavaObjectType@6bcd159c`
2024-12-01T17:39:06.011-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.DurationType ->
basicType@1(java.time.Duration,3015)
2024-12-01T17:39:06.014-03:00 DEBUG 12416 --- [api] [
restartedMain | org.hibernate.type.BasicTypeRegistry
: Adding type registration Duration ->
basicType@1(java.time.Duration,3015)
2024-12-01T17:39:06.014-03:00 DEBUG 12416 --- [api] [
```

```
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.Duration ->
basicType@1(java.time.Duration,3015)
2024-12-01T17:39:06.054-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.OffsetDateTimeType ->
basicType@2(java.time.OffsetDateTime,3003)
2024-12-01T17:39:06.054-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetDateTime ->
basicType@2(java.time.OffsetDateTime,3003)
2024-12-01T17:39:06.054-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.OffsetDateTime ->
basicType@2(java.time.OffsetDateTime,3003)
2024-12-01T17:39:06.055-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.ZonedDateTimeType ->
basicType@3(java.time.ZonedDateTime,3003)
2024-12-01T17:39:06.055-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration ZonedDateTime ->
basicType@3(java.time.ZonedDateTime,3003)
2024-12-01T17:39:06.055-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.ZonedDateTime ->
basicType@3(java.time.ZonedDateTime,3003)
2024-12-01T17:39:06.059-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.OffsetTimeType ->
basicType@4(java.time.OffsetTime,3007)
2024-12-01T17:39:06.059-03:00 DEBUG 12416 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetTime ->
```

```
basicType@4(java.time.OffsetTime,3007)
2024-12-01T17:39:06.059-03:00 DEBUG 12416 --- [api] [
restartedMain | org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.OffsetTime ->
basicType@4(java.time.OffsetTime,3007)
2024-12-01T17:39:06.067-03:00 DEBUG 12416 --- [api] [
restartedMain] o.h.type.spi.TypeConfiguration$Scope
: Scoping TypeConfiguration
[org.hibernate.type.spi.TypeConfiguration@2fa559b6] to
MetadataBuildingContext
[org.hibernate.boot.internal.MetadataBuildingContextRoo
tImpl@5eb99d341
2024-12-01T17:39:20.904-03:00 INFO 12416 --- [api] [
restartedMain] o.h.e.t.j.p.i.JtaPlatformInitiator
: HHH000489: No JTA platform available (set
'hibernate.transaction.jta.platform' to enable JTA
platform integration)
2024-12-01T17:39:20.925-03:00 DEBUG 12416 --- [api] [
restartedMain] o.h.type.spi.TypeConfiguration$Scope
: Scoping TypeConfiguration
[org.hibernate.type.spi.TypeConfiguration@2fa559b6] to
SessionFactoryImplementor
[org.hibernate.internal.SessionFactoryImpl@7f33d681]
2024-12-01T17:39:23.200-03:00 TRACE 12416 --- [api] [
restartedMain] o.h.type.spi.TypeConfiguration$Scope
: Handling #sessionFactoryCreated from
[org.hibernate.internal.SessionFactoryImpl@7f33d681]
for TypeConfiguration
                               INFO 12416 --- [api] [
2024-12-01T17:39:23.202-03:00
restartedMain] j.LocalContainerEntityManagerFactoryBean
: Initialized JPA EntityManagerFactory for persistence
unit 'default'
2024-12-01T17:39:28.245-03:00 WARN 12416 --- [api] [
restartedMain] JpaBaseConfiguration$JpaWebConfiguration
: spring.jpa.open-in-view is enabled by default.
Therefore, database queries may be performed during
view rendering. Explicitly configure
```

```
spring.jpa.open-in-view to disable this warning
2024-12-01T17:39:32.118-03:00
                                INFO 12416 --- [api] [
restartedMain] o.s.b.d.a.OptionalLiveReloadServer
: LiveReload server is running on port 35729
2024-12-01T17:39:32.634-03:00
                               INFO 12416 --- [api] [
restartedMain] o.s.b.w.embedded.tomcat.TomcatWebServer
: Tomcat started on port 8080 (http) with context path
'/'
2024-12-01T17:39:32.684-03:00
                                INFO 12416 --- [api] [
restartedMain | med.voll.api.ApiApplication
: Started ApiApplication in 104.329 seconds (process
running for 120.345)
2024-12-01T17:40:27.963-03:00 INFO 12416 --- [api]
[nio-8080-exec-1] o.a.c.c.C.[Tomcat].[localhost].[/]
   : Initializing Spring DispatcherServlet
'dispatcherServlet'
2024-12-01T17:40:27.967-03:00
                                INFO 12416 --- [api]
[nio-8080-exec-1] o.s.web.servlet.DispatcherServlet
   : Initializing Servlet 'dispatcherServlet'
2024-12-01T17:40:27.973-03:00
                                INFO 12416 --- [api]
[nio-8080-exec-1] o.s.web.servlet.DispatcherServlet
   : Completed initialization in 6 ms
2024-12-01T17:40:29.234-03:00 DEBUG 12416 --- [api]
[nio-8080-exec-1] org.hibernate.SQL
   : select
md1 0.id, md1 0.crm, md1 0.email, md1 0.bairro, md1 0.cep, m
d1 0.cidade, md1 0.complemento, md1 0.logradouro, md1 0.nu
mero, md1 0.uf, md1 0.especialidade, md1 0.nome from
medicos md1 0
Hibernate: select
md1 0.id, md1 0.crm, md1 0.email, md1 0.bairro, md1 0.cep, m
d1 0.cidade, md1 0.complemento, md1 0.logradouro, md1 0.nu
mero, md1 0.uf, md1 0.especialidade, md1 0.nome from
medicos md1 0
```