```
(v3.4.0)
 :: Spring Boot ::
                               INFO 2820 --- [api] [
2024-12-05T18:34:07.109-03:00
restartedMain] med.voll.api.ApiApplication
: Starting ApiApplication using Java 21 with PID 2820
(C:\GitHubjavabin777777\PROJETOS-ORACLE-ONE-ALURA\api\
api\target\classes started by Jupiter in
C:\GitHubjavabin777777\PROJETOS-ORACLE-ONE-ALURA\api\a
pi)
2024-12-05T18:34:07.129-03:00
                               INFO 2820 --- [api] [
restartedMain] med.voll.api.ApiApplication
: No active profile set, falling back to 1 default
profile: "default"
2024-12-05T18:34:08.552-03:00
                               INFO 2820 --- [api] [
restartedMain] .e.DevToolsPropertyDefaultsPostProcessor
: Devtools property defaults active! Set
'spring.devtools.add-properties' to 'false' to disable
2024-12-05T18:34:08.568-03:00
                               INFO 2820 --- [api] [
restartedMain] .e.DevToolsPropertyDefaultsPostProcessor
: For additional web related logging consider setting
the 'logging.level.web' property to 'DEBUG'
2024-12-05T18:34:34.556-03:00
                               INFO 2820 --- [api] [
restartedMain] .s.d.r.c.RepositoryConfigurationDelegate
: Bootstrapping Spring Data JPA repositories in DEFAULT
mode.
2024-12-05T18:34:36.542-03:00
                               INFO 2820 --- [api] [
restartedMain] .s.d.r.c.RepositoryConfigurationDelegate
: Finished Spring Data repository scanning in 1828 ms.
Found 1 JPA repository interface.
```

```
2024-12-05T18:35:07.525-03:00 INFO 2820 --- [api] [
restartedMain] o.s.b.w.embedded.tomcat.TomcatWebServer
: Tomcat initialized with port 8080 (http)
2024-12-05T18:35:08.122-03:00
                               INFO 2820 --- [api] [
restartedMain] o.apache.catalina.core.StandardService
: Starting service [Tomcat]
2024-12-05T18:35:08.126-03:00
                               INFO 2820 --- [api] [
restartedMain] o.apache.catalina.core.StandardEngine
: Starting Servlet engine: [Apache Tomcat/10.1.33]
2024-12-05T18:35:10.086-03:00
                               INFO 2820 --- [api] [
restartedMain] o.a.c.c.C.[Tomcat].[localhost].[/]
: Initializing Spring embedded WebApplicationContext
2024-12-05T18:35:10.142-03:00
                               INFO 2820 --- [api] [
restartedMain | w.s.c.ServletWebServerApplicationContext
: Root WebApplicationContext: initialization completed
in 61515 ms
2024-12-05T18:35:16.765-03:00 INFO 2820 --- [api] [
restartedMain] com.zaxxer.hikari.HikariDataSource
: HikariPool-1 - Starting...
                               INFO 2820 --- [api] [
2024-12-05T18:35:31.387-03:00
restartedMain] com.zaxxer.hikari.pool.HikariPool
: HikariPool-1 - Added connection
org.postgresql.jdbc.PgConnection@1fb63f3d
2024-12-05T18:35:31.447-03:00 INFO 2820 --- [api] [
restartedMain] com.zaxxer.hikari.HikariDataSource
: HikariPool-1 - Start completed.
2024-12-05T18:35:32.203-03:00
                               INFO 2820 --- [api] [
restartedMain] org.flywaydb.core.FlywayExecutor
: Database:
jdbc:postgresql://localhost:5432/clinica medica
(PostgreSQL 17.0)
2024-12-05T18:35:35.578-03:00 INFO 2820 --- [api] [
restartedMain] o.f.core.internal.command.DbValidate
: Successfully validated 0 migrations (execution time
00:01.158s)
2024-12-05T18:35:35.579-03:00 WARN 2820 --- [api] [
restartedMain] o.f.core.internal.command.DbValidate
```

```
: No migrations found. Are your locations set up
correctly?
2024-12-05T18:35:35.742-03:00 INFO 2820 --- [api] [
restartedMainl o.f.core.internal.command.DbMigrate
: Current version of schema "public": << Empty Schema
>>
2024-12-05T18:35:36.106-03:00 INFO 2820 --- [api] [
restartedMain] o.f.core.internal.command.DbMigrate
: Schema "public" is up to date. No migration
necessary.
                               INFO 2820 --- [api] [
2024-12-05T18:35:38.735-03:00
restartedMain] o.hibernate.jpa.internal.util.LogHelper
: HHH000204: Processing PersistenceUnitInfo [name:
defaultl
2024-12-05T18:35:43.297-03:00 INFO 2820 --- [api] [
restartedMain | org.hibernate.Version
: HHH000412: Hibernate ORM core version 6.6.2.Final
2024-12-05T18:35:44.748-03:00
                               INFO 2820 --- [api] [
restartedMain] o.h.c.internal.RegionFactoryInitiator
: HHH000026: Second-level cache disabled
2024-12-05T18:35:49.739-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration boolean ->
org.hibernate.type.BasicTypeReference@5388303b
2024-12-05T18:35:49.740-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration boolean ->
org.hibernate.type.BasicTypeReference@5388303b
2024-12-05T18:35:49.743-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Boolean ->
org.hibernate.type.BasicTypeReference@5388303b
2024-12-05T18:35:49.745-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration numeric boolean ->
org.hibernate.type.BasicTypeReference@2845a9fe
2024-12-05T18:35:49.747-03:00 DEBUG 2820 --- [api] [
```

```
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.NumericBooleanConverter ->
org.hibernate.type.BasicTypeReference@2845a9fe
2024-12-05T18:35:49.749-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration true false ->
org.hibernate.type.BasicTypeReference@7b1ad17a
2024-12-05T18:35:49.751-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.TrueFalseConverter ->
org.hibernate.type.BasicTypeReference@7b1ad17a
2024-12-05T18:35:49.755-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration yes no ->
org.hibernate.type.BasicTypeReference@5c524c99
2024-12-05T18:36:35.108-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.YesNoConverter ->
org.hibernate.type.BasicTypeReference@5c524c99
2024-12-05T18:36:35.109-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration byte ->
org.hibernate.type.BasicTypeReference@4e49b6c0
2024-12-05T18:36:35.167-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration byte ->
org.hibernate.type.BasicTypeReference@4e49b6c0
2024-12-05T18:36:35.168-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Byte ->
org.hibernate.type.BasicTypeReference@4e49b6c0
2024-12-05T18:36:35.169-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration binary ->
```

```
org.hibernate.type.BasicTypeReference@4b46fcae
2024-12-05T18:36:35.173-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration byte[] ->
org.hibernate.type.BasicTypeReference@4b46fcae
2024-12-05T18:36:35.174-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration [B ->
org.hibernate.type.BasicTypeReference@4b46fcae
2024-12-05T18:36:35.176-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration binary wrapper ->
org.hibernate.type.BasicTypeReference@66fa75bd
2024-12-05T18:36:35.178-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration wrapper-binary ->
org.hibernate.type.BasicTypeReference@66fa75bd
2024-12-05T18:36:35.181-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration image ->
org.hibernate.type.BasicTypeReference@2882db7f
2024-12-05T18:36:35.194-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration blob ->
org.hibernate.type.BasicTypeReference@2bfe8719
2024-12-05T18:36:35.196-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.sql.Blob ->
org.hibernate.type.BasicTypeReference@2bfe8719
2024-12-05T18:36:35.197-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration materialized blob ->
org.hibernate.type.BasicTypeReference@57a1ad44
2024-12-05T18:36:35.199-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration materialized_blob_wrapper ->
org.hibernate.type.BasicTypeReference@62c37d90
```

```
2024-12-05T18:36:35.199-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration short ->
org.hibernate.type.BasicTypeReference@5c241b94
2024-12-05T18:36:35.200-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration short ->
org.hibernate.type.BasicTypeReference@5c241b94
2024-12-05T18:36:35.200-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Short ->
org.hibernate.type.BasicTypeReference@5c241b94
2024-12-05T18:36:35.201-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration integer ->
org.hibernate.type.BasicTypeReference@33d9946
2024-12-05T18:36:35.202-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration int ->
org.hibernate.type.BasicTypeReference@33d9946
2024-12-05T18:36:35.202-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Integer ->
org.hibernate.type.BasicTypeReference@33d9946
2024-12-05T18:36:35.202-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration long ->
org.hibernate.type.BasicTypeReference@592ccfe8
2024-12-05T18:36:35.376-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration long ->
org.hibernate.type.BasicTypeReference@592ccfe8
2024-12-05T18:36:35.377-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Long ->
org.hibernate.type.BasicTypeReference@592ccfe8
2024-12-05T18:36:35.377-03:00 DEBUG 2820 --- [api] [
```

```
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration float ->
org.hibernate.type.BasicTypeReference@20fa16a0
2024-12-05T18:36:35.378-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration float ->
org.hibernate.type.BasicTypeReference@20fa16a0
2024-12-05T18:36:35.378-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Float ->
org.hibernate.type.BasicTypeReference@20fa16a0
2024-12-05T18:36:35.378-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration double ->
org.hibernate.type.BasicTypeReference@5c7e4190
2024-12-05T18:36:35.378-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration double ->
org.hibernate.type.BasicTypeReference@5c7e4190
2024-12-05T18:36:35.379-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Double ->
org.hibernate.type.BasicTypeReference@5c7e4190
2024-12-05T18:36:35.379-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration big integer ->
org.hibernate.type.BasicTypeReference@33e604f0
2024-12-05T18:36:35.382-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.math.BigInteger ->
org.hibernate.type.BasicTypeReference@33e604f0
2024-12-05T18:36:35.384-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration big decimal ->
org.hibernate.type.BasicTypeReference@c8aceeb
2024-12-05T18:36:35.385-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
```

```
: Adding type registration java.math.BigDecimal ->
org.hibernate.type.BasicTypeReference@c8aceeb
2024-12-05T18:36:35.387-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration character ->
org.hibernate.type.BasicTypeReference@7cb586cc
2024-12-05T18:36:35.391-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration char ->
org.hibernate.type.BasicTypeReference@7cb586cc
2024-12-05T18:36:35.392-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Character ->
org.hibernate.type.BasicTypeReference@7cb586cc
2024-12-05T18:36:35.393-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration character nchar ->
org.hibernate.type.BasicTypeReference@52e92a0b
2024-12-05T18:36:35.394-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration string ->
org.hibernate.type.BasicTypeReference@51ab7522
2024-12-05T18:36:35.395-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.String ->
org.hibernate.type.BasicTypeReference@51ab7522
2024-12-05T18:36:35.395-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration nstring ->
org.hibernate.type.BasicTypeReference@b8c146a
2024-12-05T18:36:35.397-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration characters ->
org.hibernate.type.BasicTypeReference@5b5f6031
2024-12-05T18:36:35.413-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration char[] ->
```

```
org.hibernate.type.BasicTypeReference@5b5f6031
2024-12-05T18:36:35.430-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration [C ->
org.hibernate.type.BasicTypeReference@5b5f6031
2024-12-05T18:36:35.431-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration wrapper-characters ->
org.hibernate.type.BasicTypeReference@407db023
2024-12-05T18:36:35.435-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration text ->
org.hibernate.type.BasicTypeReference@4a75df6b
2024-12-05T18:36:35.436-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration ntext ->
org.hibernate.type.BasicTypeReference@21b1bd0b
2024-12-05T18:36:35.437-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration clob ->
org.hibernate.type.BasicTypeReference@1cf1fe4
2024-12-05T18:36:35.438-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.sql.Clob ->
org.hibernate.type.BasicTypeReference@1cf1fe4
2024-12-05T18:36:35.438-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration nclob ->
org.hibernate.type.BasicTypeReference@2c9e5b56
2024-12-05T18:36:35.439-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.sql.NClob ->
org.hibernate.type.BasicTypeReference@2c9e5b56
2024-12-05T18:36:35.439-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration materialized clob ->
org.hibernate.type.BasicTypeReference@48f45729
```

```
2024-12-05T18:36:35.440-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration materialized clob char array
-> org.hibernate.type.BasicTypeReference@6481f2d9
2024-12-05T18:36:35.442-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
materialized_clob_character_array ->
org.hibernate.type.BasicTypeReference@1d48e192
2024-12-05T18:36:35.444-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration materialized nclob ->
org.hibernate.type.BasicTypeReference@43d24d86
2024-12-05T18:36:35.448-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
materialized nclob character array ->
org.hibernate.type.BasicTypeReference@29f507ca
2024-12-05T18:36:35.450-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
materialized nclob char array ->
org.hibernate.type.BasicTypeReference@42093f17
2024-12-05T18:36:35.454-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration Duration ->
org.hibernate.type.BasicTypeReference@181702b5
2024-12-05T18:36:35.455-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.Duration ->
org.hibernate.type.BasicTypeReference@181702b5
2024-12-05T18:36:35.455-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration LocalDateTime ->
org.hibernate.type.BasicTypeReference@49f8c24c
2024-12-05T18:36:35.456-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
```

```
: Adding type registration java.time.LocalDateTime ->
org.hibernate.type.BasicTypeReference@49f8c24c
2024-12-05T18:36:35.456-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration LocalDate ->
org.hibernate.type.BasicTypeReference@483257ee
2024-12-05T18:36:35.457-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.LocalDate ->
org.hibernate.type.BasicTypeReference@483257ee
2024-12-05T18:36:35.457-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration LocalTime ->
org.hibernate.type.BasicTypeReference@43c82878
2024-12-05T18:36:35.458-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.LocalTime ->
org.hibernate.type.BasicTypeReference@43c82878
2024-12-05T18:36:35.458-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetDateTime ->
org.hibernate.type.BasicTypeReference@636a881e
2024-12-05T18:36:35.458-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.OffsetDateTime ->
org.hibernate.type.BasicTypeReference@636a881e
2024-12-05T18:36:35.458-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetDateTimeWithTimezone
-> org.hibernate.type.BasicTypeReference@6c0fdc9d
2024-12-05T18:36:35.459-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
OffsetDateTimeWithoutTimezone ->
org.hibernate.type.BasicTypeReference@36587bd5
2024-12-05T18:36:35.459-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
```

```
: Adding type registration OffsetTime ->
org.hibernate.type.BasicTypeReference@34d10e8e
2024-12-05T18:36:35.459-03:00 DEBUG 2820 --- [api] [
restartedMain | org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.OffsetTime ->
org.hibernate.type.BasicTypeReference@34d10e8e
2024-12-05T18:36:35.459-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetTimeUtc ->
org.hibernate.type.BasicTypeReference@34c4a72
2024-12-05T18:36:35.460-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetTimeWithTimezone ->
org.hibernate.type.BasicTypeReference@11b595b2
2024-12-05T18:36:35.461-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetTimeWithoutTimezone ->
org.hibernate.type.BasicTypeReference@6446c282
2024-12-05T18:36:35.462-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration ZonedDateTime ->
org.hibernate.type.BasicTypeReference@58df15fa
2024-12-05T18:36:35.463-03:00 DEBUG 2820 --- [api] [
restartedMain org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.ZonedDateTime ->
org.hibernate.type.BasicTypeReference@58df15fa
2024-12-05T18:36:35.463-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration ZonedDateTimeWithTimezone ->
org.hibernate.type.BasicTypeReference@39a1db49
2024-12-05T18:36:35.464-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration ZonedDateTimeWithoutTimezone
-> org.hibernate.type.BasicTypeReference@404c1ca
2024-12-05T18:36:35.464-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration date ->
```

```
org.hibernate.type.BasicTypeReference@5604511a
2024-12-05T18:36:35.464-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.sql.Date ->
org.hibernate.type.BasicTypeReference@5604511a
2024-12-05T18:36:35.464-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration time ->
org.hibernate.type.BasicTypeReference@76d4fee5
2024-12-05T18:36:35.465-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.sql.Time ->
org.hibernate.type.BasicTypeReference@76d4fee5
2024-12-05T18:36:35.465-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration timestamp ->
org.hibernate.type.BasicTypeReference@419818e5
2024-12-05T18:36:35.465-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.sql.Timestamp ->
org.hibernate.type.BasicTypeReference@419818e5
2024-12-05T18:36:35.465-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.util.Date ->
org.hibernate.type.BasicTypeReference@419818e5
2024-12-05T18:36:35.467-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration calendar ->
org.hibernate.type.BasicTypeReference@63308b8d
2024-12-05T18:36:35.468-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.util.Calendar ->
org.hibernate.type.BasicTypeReference@63308b8d
2024-12-05T18:36:35.469-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.util.GregorianCalendar
-> org.hibernate.type.BasicTypeReference@63308b8d
```

```
2024-12-05T18:36:35.470-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration calendar date ->
org.hibernate.type.BasicTypeReference@17489a70
2024-12-05T18:36:35.471-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration calendar time ->
org.hibernate.type.BasicTypeReference@46ba6daa
2024-12-05T18:36:35.476-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration instant ->
org.hibernate.type.BasicTypeReference@47641aa8
2024-12-05T18:36:35.478-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.Instant ->
org.hibernate.type.BasicTypeReference@47641aa8
2024-12-05T18:36:35.478-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration uuid ->
org.hibernate.type.BasicTypeReference@206f9d2a
2024-12-05T18:36:35.478-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.util.UUID ->
org.hibernate.type.BasicTypeReference@206f9d2a
2024-12-05T18:36:35.478-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration pg-uuid ->
org.hibernate.type.BasicTypeReference@206f9d2a
2024-12-05T18:36:35.482-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration uuid-binary ->
org.hibernate.type.BasicTypeReference@73a7184d
2024-12-05T18:36:35.497-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration uuid-char ->
org.hibernate.type.BasicTypeReference@6665fcae
2024-12-05T18:36:35.498-03:00 DEBUG 2820 --- [api] [
```

```
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration class ->
org.hibernate.type.BasicTypeReference@1b31b90
2024-12-05T18:36:35.498-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Class ->
org.hibernate.type.BasicTypeReference@1b31b90
2024-12-05T18:36:35.502-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration currency ->
org.hibernate.type.BasicTypeReference@5d695041
2024-12-05T18:36:35.503-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration Currency ->
org.hibernate.type.BasicTypeReference@5d695041
2024-12-05T18:36:35.504-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.util.Currency ->
org.hibernate.type.BasicTypeReference@5d695041
2024-12-05T18:36:35.505-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration locale ->
org.hibernate.type.BasicTypeReference@16474ed1
2024-12-05T18:36:35.505-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.util.Locale ->
org.hibernate.type.BasicTypeReference@16474ed1
2024-12-05T18:36:35.510-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration serializable ->
org.hibernate.type.BasicTypeReference@5f8e403b
2024-12-05T18:36:35.511-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.io.Serializable ->
org.hibernate.type.BasicTypeReference@5f8e403b
2024-12-05T18:36:35.511-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
```

```
: Adding type registration timezone ->
org.hibernate.type.BasicTypeReference@4678bfc1
2024-12-05T18:36:35.511-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.util.TimeZone ->
org.hibernate.type.BasicTypeReference@4678bfc1
2024-12-05T18:36:35.512-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration ZoneOffset ->
org.hibernate.type.BasicTypeReference@51841417
2024-12-05T18:36:35.512-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.ZoneOffset ->
org.hibernate.type.BasicTypeReference@51841417
2024-12-05T18:36:35.512-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration url ->
org.hibernate.type.BasicTypeReference@7d99f930
2024-12-05T18:36:35.512-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.net.URL ->
org.hibernate.type.BasicTypeReference@7d99f930
2024-12-05T18:36:35.513-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration vector ->
org.hibernate.type.BasicTypeReference@503bf120
2024-12-05T18:36:35.513-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration float vector ->
org.hibernate.type.BasicTypeReference@53beda51
2024-12-05T18:36:35.514-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration double vector ->
org.hibernate.type.BasicTypeReference@226b489d
2024-12-05T18:36:35.515-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration byte vector ->
```

```
org.hibernate.type.BasicTypeReference@10096599
2024-12-05T18:36:35.515-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration row version ->
org.hibernate.type.BasicTypeReference@1fb42449
2024-12-05T18:36:35.686-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration object ->
org.hibernate.type.JavaObjectType@136a441b
2024-12-05T18:36:35.692-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Object ->
org.hibernate.type.JavaObjectType@136a441b
2024-12-05T18:36:35.698-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration null ->
org.hibernate.type.NullType@50ae1200
2024-12-05T18:36:35.700-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm date ->
org.hibernate.type.BasicTypeReference@58e5ada6
2024-12-05T18:36:35.701-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm time ->
org.hibernate.type.BasicTypeReference@7452875
2024-12-05T18:36:35.701-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm timestamp ->
org.hibernate.type.BasicTypeReference@4817ea30
2024-12-05T18:36:35.728-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm calendar ->
org.hibernate.type.BasicTypeReference@6889df20
2024-12-05T18:36:35.728-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm_calendar_date ->
org.hibernate.type.BasicTypeReference@1df4c70a
```

```
2024-12-05T18:36:35.728-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm calendar time ->
org.hibernate.type.BasicTypeReference@33dc5241
2024-12-05T18:36:35.728-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm binary ->
org.hibernate.type.BasicTypeReference@44ed6860
2024-12-05T18:36:35.729-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm serializable ->
org.hibernate.type.BasicTypeReference@62bbdf02
2024-12-05T18:36:46.099-03:00 INFO 2820 --- [api] [
restartedMain] o.s.o.j.p.SpringPersistenceUnitInfo
: No LoadTimeWeaver setup: ignoring JPA class
transformer
2024-12-05T18:36:51.558-03:00 INFO 2820 --- [api] [
restartedMain] org.hibernate.orm.connections.pooling
: HHH10001005: Database info:
        Database JDBC URL [Connecting through
datasource 'HikariDataSource (HikariPool-1)']
        Database driver: undefined/unknown
        Database version: 17.0
        Autocommit mode: undefined/unknown
        Isolation level: undefined/unknown
        Minimum pool size: undefined/unknown
        Maximum pool size: undefined/unknown
2024-12-05T18:36:51.775-03:00 DEBUG 2820 --- [api] [
restartedMain] o.h.t.d.sql.spi.DdlTypeRegistry
: addDescriptor(2003,
org.hibernate.type.descriptor.sql.internal.ArrayDdlType
Impl@5c5ec272) replaced previous
registration(org.hibernate.type.descriptor.sql.internal
.ArrayDdlTypeImpl@1def9e07)
2024-12-05T18:36:51.776-03:00 DEBUG 2820 --- [api] [
restartedMain] o.h.t.d.sql.spi.DdlTypeRegistry
: addDescriptor(6,
```

```
org.hibernate.type.descriptor.sql.internal.CapacityDepe
ndentDdlType@78e83ad5) replaced previous
registration(org.hibernate.type.descriptor.sql.internal
.DdlTypeImpl@323167f)
2024-12-05T18:36:51.807-03:00 DEBUG 2820 --- [api] [
restartedMain] o.h.t.d.jdbc.spi.JdbcTypeRegistry
: addDescriptor(2004, BlobTypeDescriptor(BLOB BINDING))
replaced previous
registration(BlobTypeDescriptor(DEFAULT))
2024-12-05T18:36:51.808-03:00 DEBUG 2820 --- [api] [
restartedMain] o.h.t.d.jdbc.spi.JdbcTypeRegistry
: addDescriptor(2005, ClobTypeDescriptor(CLOB BINDING))
replaced previous
registration(ClobTypeDescriptor(DEFAULT))
2024-12-05T18:36:52.016-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration JAVA OBJECT ->
org.hibernate.type.JavaObjectType@5afb7746
2024-12-05T18:36:52.026-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Object ->
org.hibernate.type.JavaObjectType@5afb7746
2024-12-05T18:36:52.027-03:00 DEBUG 2820 --- [api] [
restartedMain | org.hibernate.type.BasicTypeRegistry
: Type registration key [java.lang.Object] overrode
previous entry:
org.hibernate.type.JavaObjectType@136a441b`
2024-12-05T18:36:52.124-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.DurationType ->
basicType@1(java.time.Duration,3015)
2024-12-05T18:36:52.125-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration Duration ->
basicType@1(java.time.Duration,3015)
2024-12-05T18:36:52.126-03:00 DEBUG 2820 --- [api] [
```

```
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.Duration ->
basicType@1(java.time.Duration,3015)
2024-12-05T18:36:52.171-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.OffsetDateTimeType ->
basicType@2(java.time.OffsetDateTime,3003)
2024-12-05T18:36:52.173-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetDateTime ->
basicType@2(java.time.OffsetDateTime,3003)
2024-12-05T18:36:52.204-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.OffsetDateTime ->
basicType@2(java.time.OffsetDateTime,3003)
2024-12-05T18:36:52.207-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.ZonedDateTimeType ->
basicType@3(java.time.ZonedDateTime,3003)
2024-12-05T18:36:52.219-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration ZonedDateTime ->
basicType@3(java.time.ZonedDateTime,3003)
2024-12-05T18:36:52.220-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.ZonedDateTime ->
basicType@3(java.time.ZonedDateTime,3003)
2024-12-05T18:36:52.225-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.OffsetTimeType ->
basicType@4(java.time.OffsetTime,3007)
2024-12-05T18:36:52.227-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetTime ->
```

```
basicType@4(java.time.OffsetTime,3007)
2024-12-05T18:36:52.228-03:00 DEBUG 2820 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.OffsetTime ->
basicType@4(java.time.OffsetTime,3007)
2024-12-05T18:36:52.251-03:00 DEBUG 2820 --- [api] [
restartedMain] o.h.type.spi.TypeConfiguration$Scope
: Scoping TypeConfiguration
[org.hibernate.type.spi.TypeConfiguration@36842cdd] to
MetadataBuildingContext
[org.hibernate.boot.internal.MetadataBuildingContextRoo
tImpl@5829893c]
2024-12-05T18:37:05.786-03:00 INFO 2820 --- [api] [
restartedMain | o.h.e.t.j.p.i.JtaPlatformInitiator
: HHH000489: No JTA platform available (set
'hibernate.transaction.jta.platform' to enable JTA
platform integration)
2024-12-05T18:37:05.796-03:00 DEBUG 2820 --- [api] [
restartedMain] o.h.type.spi.TypeConfiguration$Scope
: Scoping TypeConfiguration
[org.hibernate.type.spi.TypeConfiguration@36842cdd] to
SessionFactoryImplementor
[org.hibernate.internal.SessionFactoryImpl@5cf607a7]
2024-12-05T18:37:07.210-03:00 TRACE 2820 --- [api] [
restartedMain] o.h.type.spi.TypeConfiguration$Scope
: Handling #sessionFactoryCreated from
[org.hibernate.internal.SessionFactoryImpl@5cf607a7]
for TypeConfiguration
                               INFO 2820 --- [api] [
2024-12-05T18:37:07.214-03:00
restartedMain] j.LocalContainerEntityManagerFactoryBean
: Initialized JPA EntityManagerFactory for persistence
unit 'default'
2024-12-05T18:37:13.428-03:00 WARN 2820 --- [api] [
restartedMain] JpaBaseConfiguration$JpaWebConfiguration
: spring.jpa.open-in-view is enabled by default.
Therefore, database queries may be performed during
view rendering. Explicitly configure
```

```
spring.jpa.open-in-view to disable this warning
2024-12-05T18:37:18.779-03:00
                               INFO 2820 --- [api] [
restartedMain] o.s.b.d.a.OptionalLiveReloadServer
: LiveReload server is running on port 35729
2024-12-05T18:37:19.533-03:00
                               INFO 2820 --- [api] [
restartedMain] o.s.b.w.embedded.tomcat.TomcatWebServer
: Tomcat started on port 8080 (http) with context path
'/'
2024-12-05T18:37:19.596-03:00
                               INFO 2820 --- [api] [
restartedMain | med.voll.api.ApiApplication
: Started ApiApplication in 208.257 seconds (process
running for 255.642)
2024-12-05T18:39:37.872-03:00 INFO 2820 --- [api]
[nio-8080-exec-1] o.a.c.c.C.[Tomcat].[localhost].[/]
   : Initializing Spring DispatcherServlet
'dispatcherServlet'
2024-12-05T18:39:37.873-03:00
                               INFO 2820 --- [api]
[nio-8080-exec-1] o.s.web.servlet.DispatcherServlet
   : Initializing Servlet 'dispatcherServlet'
2024-12-05T18:39:37.880-03:00
                               INFO 2820 --- [api]
[nio-8080-exec-1] o.s.web.servlet.DispatcherServlet
   : Completed initialization in 7 ms
2024-12-05T18:39:40.264-03:00 DEBUG 2820 --- [api]
[nio-8080-exec-1] org.hibernate.SQL
    select
        md1 0.id,
        md1 0.ativado,
        md1 0.crm,
        md1 0.email,
        md1 0.bairro,
        md1 0.cep,
        md1 0.cidade,
        md1 0.complemento,
        md1_0.logradouro,
        md1 0.numero,
        md1 0.uf,
```

```
md1 0.especialidade,
        md1 0.nome,
        md1 0.telefone
    from
        medicos md1_0
    where
        md1 0.id=?
Hibernate:
    select
        md1 0.id,
        md1 0.ativado,
        md1_0.crm,
        md1 0.email,
        md1 0.bairro,
        md1_0.cep,
        md1 0.cidade,
        md1 0.complemento,
        md1 0.logradouro,
        md1 0.numero,
        md1 0.uf,
        md1 0.especialidade,
        md1 0.nome,
        md1 0.telefone
    from
        medicos md1_0
    where
        md1 0.id=?
2024-12-05T18:40:10.438-03:00 DEBUG 2820 --- [api]
[nio-8080-exec-2] org.hibernate.SQL
    select
        md1 0.id,
        md1 0.ativado,
        md1 0.crm,
        md1 0.email,
        md1 0.bairro,
        md1 0.cep,
```

```
md1 0.cidade,
        md1 0.complemento,
        md1_0.logradouro,
        md1 0.numero,
        md1 0.uf,
        md1 0.especialidade,
        md1 0.nome,
        md1 0.telefone
    from
        medicos md1 0
    where
        md1 0.id=?
Hibernate:
    select
        md1_0.id,
        md1 0.ativado,
        md1 0.crm,
        md1_0.email,
        md1 0.bairro,
        md1 0.cep,
        md1 0.cidade,
        md1 0.complemento,
        md1 0.logradouro,
        md1 0.numero,
        md1_0.uf,
        md1 0.especialidade,
        md1_0.nome,
        md1 0.telefone
    from
        medicos md1_0
    where
        md1 0.id=?
2024-12-05T18:40:10.732-03:00 DEBUG 2820 --- [api]
[nio-8080-exec-2] org.hibernate.SQL
    update
        medicos
```

```
set
        ativado=?,
        crm=?,
        email=?,
        bairro=?,
        cep=?,
        cidade=?,
        complemento=?,
        logradouro=?,
        numero=?,
        uf=?,
        especialidade=?,
        nome=?,
        telefone=?
    where
        id=?
Hibernate:
    update
        medicos
    set
        ativado=?,
        crm=?,
        email=?,
        bairro=?,
        cep=?,
        cidade=?,
        complemento=?,
        logradouro=?,
        numero=?,
        uf=?,
        especialidade=?,
        nome=?,
        telefone=?
    where
        id=?
2024-12-05T18:40:58.732-03:00 DEBUG 2820 --- [api]
[nio-8080-exec-3] org.hibernate.SQL
```

```
select
        md1_0.id,
        md1 0.ativado,
        md1_0.crm,
        md1 0.email,
        md1 0.bairro,
        md1 0.cep,
        md1_0.cidade,
        md1 0.complemento,
        md1 0.logradouro,
        md1_0.numero,
        md1 0.uf,
        md1 0.especialidade,
        md1_0.nome,
        md1 0.telefone
    from
        medicos md1 0
    where
        md1 0.id=?
Hibernate:
    select
        md1 0.id,
        md1 0.ativado,
        md1_0.crm,
        md1 0.email,
        md1 0.bairro,
        md1 0.cep,
        md1 0.cidade,
        md1 0.complemento,
        md1 0.logradouro,
        md1 0.numero,
        md1 0.uf,
        md1_0.especialidade,
        md1_0.nome,
        md1 0.telefone
    from
```

```
medicos md1 0
    where
        md1 0.id=?
2024-12-05T18:40:58.749-03:00 DEBUG 2820 --- [api]
[nio-8080-exec-3] org.hibernate.SQL
    update
        medicos
    set
        ativado=?,
        crm=?,
        email=?,
        bairro=?,
        cep=?,
        cidade=?,
        complemento=?,
        logradouro=?,
        numero=?,
        uf=?,
        especialidade=?,
        nome=?,
        telefone=?
    where
        id=?
Hibernate:
    update
        medicos
    set
        ativado=?,
        crm=?,
        email=?,
        bairro=?,
        cep=?,
        cidade=?,
        complemento=?,
        logradouro=?,
        numero=?,
```

```
uf=?,
    especialidade=?,
    nome=?,
    telefone=?
where
    id=?
```