```
(v3.4.0)
 :: Spring Boot ::
2024-12-04T19:39:26.482-03:00
                               INFO 7060 --- [api] [
restartedMain] med.voll.api.ApiApplication
: Starting ApiApplication using Java 21 with PID 7060
(C:\GitHubjavabin777777\PROJETOS-ORACLE-ONE-ALURA\api\
api\target\classes started by Jupiter in
C:\GitHubjavabin777777\PROJETOS-ORACLE-ONE-ALURA\api\a
pi)
2024-12-04T19:39:26.502-03:00
                               INFO 7060 --- [api] [
restartedMain] med.voll.api.ApiApplication
: No active profile set, falling back to 1 default
profile: "default"
2024-12-04T19:39:26.937-03:00
                               INFO 7060 --- [api] [
restartedMain] .e.DevToolsPropertyDefaultsPostProcessor
: Devtools property defaults active! Set
'spring.devtools.add-properties' to 'false' to disable
2024-12-04T19:39:26.938-03:00
                               INFO 7060 --- [api] [
restartedMain] .e.DevToolsPropertyDefaultsPostProcessor
: For additional web related logging consider setting
the 'logging.level.web' property to 'DEBUG'
2024-12-04T19:39:34.679-03:00
                               INFO 7060 --- [api] [
restartedMain] .s.d.r.c.RepositoryConfigurationDelegate
: Bootstrapping Spring Data JPA repositories in DEFAULT
mode.
2024-12-04T19:39:35.224-03:00
                               INFO 7060 --- [api] [
restartedMain] .s.d.r.c.RepositoryConfigurationDelegate
: Finished Spring Data repository scanning in 460 ms.
Found 1 JPA repository interface.
```

```
2024-12-04T19:39:40.617-03:00 INFO 7060 --- [api] [
restartedMain] o.s.b.w.embedded.tomcat.TomcatWebServer
: Tomcat initialized with port 8080 (http)
2024-12-04T19:39:40.771-03:00
                               INFO 7060 --- [api] [
restartedMain] o.apache.catalina.core.StandardService
: Starting service [Tomcat]
2024-12-04T19:39:40.786-03:00
                               INFO 7060 --- [api] [
restartedMain] o.apache.catalina.core.StandardEngine
: Starting Servlet engine: [Apache Tomcat/10.1.33]
2024-12-04T19:39:41.237-03:00
                               INFO 7060 --- [api] [
restartedMain] o.a.c.c.C.[Tomcat].[localhost].[/]
: Initializing Spring embedded WebApplicationContext
2024-12-04T19:39:41.253-03:00
                               INFO 7060 --- [api] [
restartedMain] w.s.c.ServletWebServerApplicationContext
: Root WebApplicationContext: initialization completed
in 14304 ms
2024-12-04T19:39:43.620-03:00 INFO 7060 --- [api] [
restartedMain] com.zaxxer.hikari.HikariDataSource
: HikariPool-1 - Starting...
                               INFO 7060 --- [api] [
2024-12-04T19:39:45.465-03:00
restartedMain] com.zaxxer.hikari.pool.HikariPool
: HikariPool-1 - Added connection
org.postgresql.jdbc.PgConnection@145bc060
2024-12-04T19:39:45.485-03:00 INFO 7060 --- [api] [
restartedMain] com.zaxxer.hikari.HikariDataSource
: HikariPool-1 - Start completed.
2024-12-04T19:39:45.657-03:00
                               INFO 7060 --- [api] [
restartedMain] org.flywaydb.core.FlywayExecutor
: Database:
jdbc:postgresql://localhost:5432/clinica medica
(PostgreSQL 17.0)
2024-12-04T19:39:45.858-03:00 INFO 7060 --- [api] [
restartedMain] o.f.c.i.s.JdbcTableSchemaHistory
: Schema history table "public"."flyway_schema_history"
does not exist yet
2024-12-04T19:39:45.872-03:00 INFO 7060 --- [api] [
restartedMain] o.f.core.internal.command.DbValidate
```

```
: Successfully validated 0 migrations (execution time
00:00.075s)
2024-12-04T19:39:45.872-03:00 WARN 7060 --- [api] [
restartedMainl o.f.core.internal.command.DbValidate
: No migrations found. Are your locations set up
correctly?
2024-12-04T19:39:46.008-03:00 INFO 7060 --- [api] [
restartedMain] o.f.c.i.s.JdbcTableSchemaHistory
: Creating Schema History table
"public"."flyway_schema_history" ...
2024-12-04T19:39:46.839-03:00
                               INFO 7060 --- [api] [
restartedMain] o.f.core.internal.command.DbMigrate
: Current version of schema "public": << Empty Schema
>>
2024-12-04T19:39:46.866-03:00 INFO 7060 --- [api] [
restartedMain] o.f.core.internal.command.DbMigrate
: Schema "public" is up to date. No migration
necessary.
2024-12-04T19:39:48.243-03:00 INFO 7060 --- [api] [
restartedMain] o.hibernate.jpa.internal.util.LogHelper
: HHH000204: Processing PersistenceUnitInfo [name:
default]
2024-12-04T19:39:49.995-03:00
                               INFO 7060 --- [api] [
restartedMain | org.hibernate.Version
: HHH000412: Hibernate ORM core version 6.6.2.Final
2024-12-04T19:39:50.616-03:00
                               INFO 7060 --- [api] [
restartedMain] o.h.c.internal.RegionFactoryInitiator
: HHH000026: Second-level cache disabled
2024-12-04T19:39:52.699-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration boolean ->
org.hibernate.type.BasicTypeReference@20d7ed07
2024-12-04T19:39:52.701-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration boolean ->
org.hibernate.type.BasicTypeReference@20d7ed07
2024-12-04T19:39:52.706-03:00 DEBUG 7060 --- [api] [
```

```
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Boolean ->
org.hibernate.type.BasicTypeReference@20d7ed07
2024-12-04T19:39:52.708-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration numeric boolean ->
org.hibernate.type.BasicTypeReference@4511f13f
2024-12-04T19:39:52.708-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.NumericBooleanConverter ->
org.hibernate.type.BasicTypeReference@4511f13f
2024-12-04T19:39:52.709-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration true_false ->
org.hibernate.type.BasicTypeReference@52731e7b
2024-12-04T19:39:52.709-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.TrueFalseConverter ->
org.hibernate.type.BasicTypeReference@52731e7b
2024-12-04T19:39:52.709-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration yes no ->
org.hibernate.type.BasicTypeReference@4899a398
2024-12-04T19:39:52.710-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.YesNoConverter ->
org.hibernate.type.BasicTypeReference@4899a398
2024-12-04T19:39:52.711-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration byte ->
org.hibernate.type.BasicTypeReference@5739d059
2024-12-04T19:39:52.711-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration byte ->
```

```
org.hibernate.type.BasicTypeReference@5739d059
2024-12-04T19:39:52.712-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Byte ->
org.hibernate.type.BasicTypeReference@5739d059
2024-12-04T19:39:52.712-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration binary ->
org.hibernate.type.BasicTypeReference@1d6b5b88
2024-12-04T19:39:52.712-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration byte[] ->
org.hibernate.type.BasicTypeReference@1d6b5b88
2024-12-04T19:39:52.713-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration [B ->
org.hibernate.type.BasicTypeReference@1d6b5b88
2024-12-04T19:39:52.715-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration binary wrapper ->
org.hibernate.type.BasicTypeReference@57a11e98
2024-12-04T19:39:52.716-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration wrapper-binary ->
org.hibernate.type.BasicTypeReference@57a11e98
2024-12-04T19:39:52.725-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration image ->
org.hibernate.type.BasicTypeReference@5221f297
2024-12-04T19:39:52.726-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration blob ->
org.hibernate.type.BasicTypeReference@4b835b92
2024-12-04T19:39:52.726-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.sql.Blob ->
org.hibernate.type.BasicTypeReference@4b835b92
```

```
2024-12-04T19:39:52.727-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration materialized blob ->
org.hibernate.type.BasicTypeReference@c73fe71
2024-12-04T19:39:52.727-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration materialized blob wrapper ->
org.hibernate.type.BasicTypeReference@537974b9
2024-12-04T19:39:52.728-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration short ->
org.hibernate.type.BasicTypeReference@e91810b
2024-12-04T19:39:52.728-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration short ->
org.hibernate.type.BasicTypeReference@e91810b
2024-12-04T19:39:52.728-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Short ->
org.hibernate.type.BasicTypeReference@e91810b
2024-12-04T19:39:52.728-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration integer ->
org.hibernate.type.BasicTypeReference@5f9f1480
2024-12-04T19:39:52.730-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration int ->
org.hibernate.type.BasicTypeReference@5f9f1480
2024-12-04T19:39:52.731-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Integer ->
org.hibernate.type.BasicTypeReference@5f9f1480
2024-12-04T19:39:52.731-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration long ->
org.hibernate.type.BasicTypeReference@4c8ce974
2024-12-04T19:39:52.731-03:00 DEBUG 7060 --- [api] [
```

```
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration long ->
org.hibernate.type.BasicTypeReference@4c8ce974
2024-12-04T19:39:52.732-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Long ->
org.hibernate.type.BasicTypeReference@4c8ce974
2024-12-04T19:39:52.732-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration float ->
org.hibernate.type.BasicTypeReference@54c890e0
2024-12-04T19:39:52.732-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration float ->
org.hibernate.type.BasicTypeReference@54c890e0
2024-12-04T19:39:52.733-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Float ->
org.hibernate.type.BasicTypeReference@54c890e0
2024-12-04T19:39:52.733-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration double ->
org.hibernate.type.BasicTypeReference@56d3daab
2024-12-04T19:39:52.733-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration double ->
org.hibernate.type.BasicTypeReference@56d3daab
2024-12-04T19:39:52.734-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Double ->
org.hibernate.type.BasicTypeReference@56d3daab
2024-12-04T19:39:52.734-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration big integer ->
org.hibernate.type.BasicTypeReference@714fefe5
2024-12-04T19:39:52.735-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
```

```
: Adding type registration java.math.BigInteger ->
org.hibernate.type.BasicTypeReference@714fefe5
2024-12-04T19:39:52.735-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration big decimal ->
org.hibernate.type.BasicTypeReference@5a236ff1
2024-12-04T19:39:52.735-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.math.BigDecimal ->
org.hibernate.type.BasicTypeReference@5a236ff1
2024-12-04T19:39:52.736-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration character ->
org.hibernate.type.BasicTypeReference@4a7cabc5
2024-12-04T19:39:52.740-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration char ->
org.hibernate.type.BasicTypeReference@4a7cabc5
2024-12-04T19:39:52.741-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Character ->
org.hibernate.type.BasicTypeReference@4a7cabc5
2024-12-04T19:39:52.741-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration character_nchar ->
org.hibernate.type.BasicTypeReference@23236a3
2024-12-04T19:39:52.741-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration string ->
org.hibernate.type.BasicTypeReference@c0cd1c7
2024-12-04T19:39:52.741-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.String ->
org.hibernate.type.BasicTypeReference@c0cd1c7
2024-12-04T19:39:52.742-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration nstring ->
```

```
org.hibernate.type.BasicTypeReference@4d917b50
2024-12-04T19:39:52.743-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration characters ->
org.hibernate.type.BasicTypeReference@629cd3a4
2024-12-04T19:39:52.743-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration char[] ->
org.hibernate.type.BasicTypeReference@629cd3a4
2024-12-04T19:39:52.743-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration [C ->
org.hibernate.type.BasicTypeReference@629cd3a4
2024-12-04T19:39:52.744-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration wrapper-characters ->
org.hibernate.type.BasicTypeReference@7108767a
2024-12-04T19:39:52.744-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration text ->
org.hibernate.type.BasicTypeReference@1b601375
2024-12-04T19:39:52.745-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration ntext ->
org.hibernate.type.BasicTypeReference@5dedb0b2
2024-12-04T19:39:52.747-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration clob ->
org.hibernate.type.BasicTypeReference@59684958
2024-12-04T19:39:52.748-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.sql.Clob ->
org.hibernate.type.BasicTypeReference@59684958
2024-12-04T19:39:52.749-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration nclob ->
org.hibernate.type.BasicTypeReference@6be14fa9
```

```
2024-12-04T19:39:52.749-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.sql.NClob ->
org.hibernate.type.BasicTypeReference@6be14fa9
2024-12-04T19:39:52.750-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration materialized clob ->
org.hibernate.type.BasicTypeReference@7081121b
2024-12-04T19:39:52.751-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration materialized clob char array
-> org.hibernate.type.BasicTypeReference@40d95499
2024-12-04T19:39:52.752-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
materialized clob character array ->
org.hibernate.type.BasicTypeReference@5b60f753
2024-12-04T19:39:52.755-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration materialized nclob ->
org.hibernate.type.BasicTypeReference@3a1d7791
2024-12-04T19:39:52.764-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
materialized_nclob_character_array ->
org.hibernate.type.BasicTypeReference@4274ab03
2024-12-04T19:39:52.765-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
materialized nclob char array ->
org.hibernate.type.BasicTypeReference@48834248
2024-12-04T19:39:52.773-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration Duration ->
org.hibernate.type.BasicTypeReference@1485ee64
2024-12-04T19:39:52.775-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
```

```
: Adding type registration java.time.Duration ->
org.hibernate.type.BasicTypeReference@1485ee64
2024-12-04T19:39:52.775-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration LocalDateTime ->
org.hibernate.type.BasicTypeReference@45f5b29a
2024-12-04T19:39:52.776-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.LocalDateTime ->
org.hibernate.type.BasicTypeReference@45f5b29a
2024-12-04T19:39:52.778-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration LocalDate ->
org.hibernate.type.BasicTypeReference@223e3594
2024-12-04T19:39:52.779-03:00 DEBUG 7060 --- [api] [
restartedMain | org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.LocalDate ->
org.hibernate.type.BasicTypeReference@223e3594
2024-12-04T19:39:52.780-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration LocalTime ->
org.hibernate.type.BasicTypeReference@707da299
2024-12-04T19:39:52.780-03:00 DEBUG 7060 --- [api] [
restartedMain org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.LocalTime ->
org.hibernate.type.BasicTypeReference@707da299
2024-12-04T19:39:52.780-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetDateTime ->
org.hibernate.type.BasicTypeReference@4bb0843c
2024-12-04T19:39:52.791-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.OffsetDateTime ->
org.hibernate.type.BasicTypeReference@4bb0843c
2024-12-04T19:39:52.792-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetDateTimeWithTimezone
```

```
-> org.hibernate.type.BasicTypeReference@23b99eb2
2024-12-04T19:39:52.793-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
OffsetDateTimeWithoutTimezone ->
org.hibernate.type.BasicTypeReference@70f88dc4
2024-12-04T19:39:52.793-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetTime ->
org.hibernate.type.BasicTypeReference@6d8c8028
2024-12-04T19:39:52.793-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.OffsetTime ->
org.hibernate.type.BasicTypeReference@6d8c8028
2024-12-04T19:39:52.793-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetTimeUtc ->
org.hibernate.type.BasicTypeReference@225278c1
2024-12-04T19:39:52.794-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetTimeWithTimezone ->
org.hibernate.type.BasicTypeReference@4d713e37
2024-12-04T19:39:52.794-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetTimeWithoutTimezone ->
org.hibernate.type.BasicTypeReference@79530cf0
2024-12-04T19:39:52.794-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration ZonedDateTime ->
org.hibernate.type.BasicTypeReference@70d75e32
2024-12-04T19:39:52.795-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.ZonedDateTime ->
org.hibernate.type.BasicTypeReference@70d75e32
2024-12-04T19:39:52.795-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration ZonedDateTimeWithTimezone ->
```

```
org.hibernate.type.BasicTypeReference@41f2a499
2024-12-04T19:39:52.796-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration ZonedDateTimeWithoutTimezone
-> org.hibernate.type.BasicTypeReference@5b6aa16
2024-12-04T19:39:52.796-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration date ->
org.hibernate.type.BasicTypeReference@64e302dc
2024-12-04T19:39:52.796-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.sql.Date ->
org.hibernate.type.BasicTypeReference@64e302dc
2024-12-04T19:39:52.797-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration time ->
org.hibernate.type.BasicTypeReference@2e8ff6bc
2024-12-04T19:39:52.797-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.sql.Time ->
org.hibernate.type.BasicTypeReference@2e8ff6bc
2024-12-04T19:39:52.797-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration timestamp ->
org.hibernate.type.BasicTypeReference@7a8d5998
2024-12-04T19:39:52.797-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.sql.Timestamp ->
org.hibernate.type.BasicTypeReference@7a8d5998
2024-12-04T19:39:52.797-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.util.Date ->
org.hibernate.type.BasicTypeReference@7a8d5998
2024-12-04T19:39:52.798-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration calendar ->
org.hibernate.type.BasicTypeReference@4a5baac5
```

```
2024-12-04T19:39:52.798-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.util.Calendar ->
org.hibernate.type.BasicTypeReference@4a5baac5
2024-12-04T19:39:52.813-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.util.GregorianCalendar
-> org.hibernate.type.BasicTypeReference@4a5baac5
2024-12-04T19:39:52.813-03:00 DEBUG 7060 --- [api] [
restartedMain | org.hibernate.type.BasicTypeRegistry
: Adding type registration calendar date ->
org.hibernate.type.BasicTypeReference@3652b4b0
2024-12-04T19:39:52.814-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration calendar_time ->
org.hibernate.type.BasicTypeReference@67b98ed0
2024-12-04T19:39:52.815-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration instant ->
org.hibernate.type.BasicTypeReference@77e85a26
2024-12-04T19:39:52.815-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.Instant ->
org.hibernate.type.BasicTypeReference@77e85a26
2024-12-04T19:39:52.816-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration uuid ->
org.hibernate.type.BasicTypeReference@6072db9c
2024-12-04T19:39:52.824-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.util.UUID ->
org.hibernate.type.BasicTypeReference@6072db9c
2024-12-04T19:39:52.825-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration pg-uuid ->
org.hibernate.type.BasicTypeReference@6072db9c
2024-12-04T19:39:52.826-03:00 DEBUG 7060 --- [api] [
```

```
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration uuid-binary ->
org.hibernate.type.BasicTypeReference@43a60416
2024-12-04T19:39:52.826-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration uuid-char ->
org.hibernate.type.BasicTypeReference@68c2ddbc
2024-12-04T19:39:52.828-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration class ->
org.hibernate.type.BasicTypeReference@5dce83e8
2024-12-04T19:39:52.828-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Class ->
org.hibernate.type.BasicTypeReference@5dce83e8
2024-12-04T19:39:52.829-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration currency ->
org.hibernate.type.BasicTypeReference@2b161df6
2024-12-04T19:39:52.829-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration Currency ->
org.hibernate.type.BasicTypeReference@2b161df6
2024-12-04T19:39:52.829-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.util.Currency ->
org.hibernate.type.BasicTypeReference@2b161df6
2024-12-04T19:39:52.830-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration locale ->
org.hibernate.type.BasicTypeReference@58632a36
2024-12-04T19:39:52.830-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.util.Locale ->
org.hibernate.type.BasicTypeReference@58632a36
2024-12-04T19:39:52.830-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
```

```
: Adding type registration serializable ->
org.hibernate.type.BasicTypeReference@263223bb
2024-12-04T19:39:52.830-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.io.Serializable ->
org.hibernate.type.BasicTypeReference@263223bb
2024-12-04T19:39:52.830-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration timezone ->
org.hibernate.type.BasicTypeReference@fca2556
2024-12-04T19:39:52.831-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.util.TimeZone ->
org.hibernate.type.BasicTypeReference@fca2556
2024-12-04T19:39:52.901-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration ZoneOffset ->
org.hibernate.type.BasicTypeReference@14a860f4
2024-12-04T19:39:52.902-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.ZoneOffset ->
org.hibernate.type.BasicTypeReference@14a860f4
2024-12-04T19:39:52.902-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration url ->
org.hibernate.type.BasicTypeReference@555bcacd
2024-12-04T19:39:52.903-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.net.URL ->
org.hibernate.type.BasicTypeReference@555bcacd
2024-12-04T19:39:52.904-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration vector ->
org.hibernate.type.BasicTypeReference@62430426
2024-12-04T19:39:52.905-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration float vector ->
```

```
org.hibernate.type.BasicTypeReference@3c7d6dad
2024-12-04T19:39:52.905-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration double vector ->
org.hibernate.type.BasicTypeReference@6b850516
2024-12-04T19:39:52.906-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration byte vector ->
org.hibernate.type.BasicTypeReference@6083a709
2024-12-04T19:39:52.906-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration row version ->
org.hibernate.type.BasicTypeReference@1a1bfd0b
2024-12-04T19:39:52.948-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration object ->
org.hibernate.type.JavaObjectType@56e62802
2024-12-04T19:39:52.949-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Object ->
org.hibernate.type.JavaObjectType@56e62802
2024-12-04T19:39:52.955-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration null ->
org.hibernate.type.NullType@7284555b
2024-12-04T19:39:52.956-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm date ->
org.hibernate.type.BasicTypeReference@45ac080a
2024-12-04T19:39:52.957-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm time ->
org.hibernate.type.BasicTypeReference@3a599dda
2024-12-04T19:39:52.957-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm_timestamp ->
org.hibernate.type.BasicTypeReference@7d2c0209
```

```
2024-12-04T19:39:52.957-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm calendar ->
org.hibernate.type.BasicTypeReference@2dd2be7a
2024-12-04T19:39:52.958-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm calendar date ->
org.hibernate.type.BasicTypeReference@81b0f92
2024-12-04T19:39:52.958-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm calendar time ->
org.hibernate.type.BasicTypeReference@7e5af406
2024-12-04T19:39:52.958-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm binary ->
org.hibernate.type.BasicTypeReference@63fb9d8e
2024-12-04T19:39:52.959-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm serializable ->
org.hibernate.type.BasicTypeReference@5b62dee5
2024-12-04T19:39:55.159-03:00
                               INFO 7060 --- [api] [
restartedMain] o.s.o.j.p.SpringPersistenceUnitInfo
: No LoadTimeWeaver setup: ignoring JPA class
transformer
2024-12-04T19:39:55.976-03:00 INFO 7060 --- [api] [
restartedMain] org.hibernate.orm.connections.pooling
: HHH10001005: Database info:
        Database JDBC URL [Connecting through
datasource 'HikariDataSource (HikariPool-1)']
        Database driver: undefined/unknown
        Database version: 17.0
        Autocommit mode: undefined/unknown
        Isolation level: undefined/unknown
        Minimum pool size: undefined/unknown
        Maximum pool size: undefined/unknown
2024-12-04T19:39:56.066-03:00 DEBUG 7060 --- [api] [
restartedMain] o.h.t.d.sql.spi.DdlTypeRegistry
```

```
: addDescriptor(2003,
org.hibernate.type.descriptor.sql.internal.ArrayDdlType
Impl@60623b3e) replaced previous
registration(org.hibernate.type.descriptor.sql.internal
.ArrayDdlTypeImpl@6c97433)
2024-12-04T19:39:56.075-03:00 DEBUG 7060 --- [api] [
restartedMain] o.h.t.d.sql.spi.DdlTypeRegistry
: addDescriptor(6,
org.hibernate.type.descriptor.sql.internal.CapacityDepe
ndentDdlType@1d15984f) replaced previous
registration(org.hibernate.type.descriptor.sql.internal
.DdlTypeImpl@af874b5)
2024-12-04T19:39:56.094-03:00 DEBUG 7060 --- [api] [
restartedMain] o.h.t.d.jdbc.spi.JdbcTypeRegistry
: addDescriptor(2004, BlobTypeDescriptor(BLOB BINDING))
replaced previous
registration(BlobTypeDescriptor(DEFAULT))
2024-12-04T19:39:56.095-03:00 DEBUG 7060 --- [api] [
restartedMain] o.h.t.d.jdbc.spi.JdbcTypeRegistry
: addDescriptor(2005, ClobTypeDescriptor(CLOB BINDING))
replaced previous
registration(ClobTypeDescriptor(DEFAULT))
2024-12-04T19:39:56.261-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration JAVA_OBJECT ->
org.hibernate.type.JavaObjectType@121f9e82
2024-12-04T19:39:56.261-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Object ->
org.hibernate.type.JavaObjectType@121f9e82
2024-12-04T19:39:56.262-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Type registration key [java.lang.Object] overrode
previous entry:
`org.hibernate.type.JavaObjectType@56e62802`
2024-12-04T19:39:56.299-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
```

```
: Adding type registration
org.hibernate.type.DurationType ->
basicType@1(java.time.Duration,3015)
2024-12-04T19:39:56.300-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration Duration ->
basicType@1(java.time.Duration,3015)
2024-12-04T19:39:56.301-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.Duration ->
basicType@1(java.time.Duration,3015)
2024-12-04T19:39:56.333-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.OffsetDateTimeType ->
basicType@2(java.time.OffsetDateTime,3003)
2024-12-04T19:39:56.343-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetDateTime ->
basicType@2(java.time.OffsetDateTime,3003)
2024-12-04T19:39:56.352-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.OffsetDateTime ->
basicType@2(java.time.OffsetDateTime,3003)
2024-12-04T19:39:56.353-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.ZonedDateTimeType ->
basicType@3(java.time.ZonedDateTime,3003)
2024-12-04T19:39:56.359-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration ZonedDateTime ->
basicType@3(java.time.ZonedDateTime,3003)
2024-12-04T19:39:56.361-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.ZonedDateTime ->
basicType@3(java.time.ZonedDateTime,3003)
```

```
2024-12-04T19:39:56.367-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.OffsetTimeType ->
basicType@4(java.time.OffsetTime,3007)
2024-12-04T19:39:56.368-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetTime ->
basicType@4(java.time.OffsetTime,3007)
2024-12-04T19:39:56.368-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.OffsetTime ->
basicType@4(java.time.OffsetTime,3007)
2024-12-04T19:39:56.381-03:00 DEBUG 7060 --- [api] [
restartedMain] o.h.type.spi.TypeConfiguration$Scope
: Scoping TypeConfiguration
[org.hibernate.type.spi.TypeConfiguration@53726f10] to
MetadataBuildingContext
[org.hibernate.boot.internal.MetadataBuildingContextRoo
tImpl@6b872d17]
2024-12-04T19:40:02.985-03:00 INFO 7060 --- [api] [
restartedMain] o.h.e.t.j.p.i.JtaPlatformInitiator
: HHH000489: No JTA platform available (set
'hibernate.transaction.jta.platform' to enable JTA
platform integration)
2024-12-04T19:40:02.989-03:00 DEBUG 7060 --- [api] [
restartedMain] o.h.type.spi.TypeConfiguration$Scope
: Scoping TypeConfiguration
[org.hibernate.type.spi.TypeConfiguration@53726f10] to
SessionFactoryImplementor
[org.hibernate.internal.SessionFactoryImpl@346b4e4b]
2024-12-04T19:40:03.292-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.SQL
    create table medicos (
        id bigint generated by default as identity,
        ativado boolean,
```

```
crm varchar(255),
        email varchar(255),
        bairro varchar(255),
        cep varchar(255),
        cidade varchar(255),
        complemento varchar(255),
        logradouro varchar(255),
        numero varchar(255),
        uf varchar(255),
        especialidade varchar(255) check (especialidade
in
('ODONTOLOGIA', 'ORTOPEDIA', 'GINECOLOGIA', 'CARDIOLOGIA')
),
        nome varchar(255),
        telefone varchar(255),
        primary key (id)
Hibernate:
    create table medicos (
        id bigint generated by default as identity,
        ativado boolean,
        crm varchar(255),
        email varchar(255),
        bairro varchar(255),
        cep varchar(255),
        cidade varchar(255),
        complemento varchar(255),
        logradouro varchar(255),
        numero varchar(255),
        uf varchar(255),
        especialidade varchar(255) check (especialidade
in
('ODONTOLOGIA', 'ORTOPEDIA', 'GINECOLOGIA', 'CARDIOLOGIA')
),
        nome varchar(255),
        telefone varchar(255),
        primary key (id)
```

```
)
2024-12-04T19:40:03.494-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.SQL
    alter table if exists medicos
       drop constraint if exists
UKrxsweypth0bpyhxpvfd9sfgh3
Hibernate:
    alter table if exists medicos
       drop constraint if exists
UKrxsweypth0bpyhxpvfd9sfgh3
2024-12-04T19:40:03.602-03:00 WARN 7060 --- [api] [
restartedMain] o.h.engine.jdbc.spi.SqlExceptionHelper
: SQL Warning Code: 0, SQLState: 00000
2024-12-04T19:40:03.602-03:00 WARN 7060 --- [api] [
restartedMain] o.h.engine.jdbc.spi.SqlExceptionHelper
: restrição "ukrxsweypth0bpyhxpvfd9sfgh3" da relação
"medicos" não existe, ignorando
2024-12-04T19:40:03.604-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.SQL
    alter table if exists medicos
       add constraint UKrxsweypth0bpyhxpvfd9sfgh3
unique (crm)
Hibernate:
    alter table if exists medicos
       add constraint UKrxsweypth0bpyhxpvfd9sfgh3
unique (crm)
2024-12-04T19:40:03.653-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.SQL
    alter table if exists medicos
       drop constraint if exists
UKkydlrhahqk78xm3pvessqmp99
Hibernate:
    alter table if exists medicos
       drop constraint if exists
```

```
UKkydlrhahqk78xm3pvessqmp99
2024-12-04T19:40:03.659-03:00 WARN 7060 --- [api] [
restartedMain] o.h.engine.jdbc.spi.SqlExceptionHelper
: SQL Warning Code: 0, SQLState: 00000
2024-12-04T19:40:03.660-03:00 WARN 7060 --- [api] [
restartedMain] o.h.engine.jdbc.spi.SqlExceptionHelper
: restrição "ukkydlrhahgk78xm3pvessgmp99" da relação
"medicos" não existe, ignorando
2024-12-04T19:40:03.661-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.SQL
    alter table if exists medicos
       add constraint UKkydlrhahgk78xm3pvessqmp99
unique (email)
Hibernate:
    alter table if exists medicos
       add constraint UKkydlrhahgk78xm3pvessgmp99
unique (email)
2024-12-04T19:40:03.687-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.SQL
    alter table if exists medicos
       drop constraint if exists
UKmq3aidcf9gmeapwamgnnsuw2k
Hibernate:
    alter table if exists medicos
       drop constraint if exists
UKmq3aidcf9gmeapwamgnnsuw2k
2024-12-04T19:40:03.695-03:00 WARN 7060 --- [api] [
restartedMain] o.h.engine.jdbc.spi.SqlExceptionHelper
: SQL Warning Code: 0, SQLState: 00000
2024-12-04T19:40:03.695-03:00 WARN 7060 --- [api] [
restartedMain] o.h.engine.jdbc.spi.SqlExceptionHelper
: restrição "ukmq3aidcf9gmeapwamgnnsuw2k" da relação
"medicos" não existe, ignorando
2024-12-04T19:40:03.696-03:00 DEBUG 7060 --- [api] [
restartedMain] org.hibernate.SQL
```

```
alter table if exists medicos
       add constraint UKmq3aidcf9gmeapwamgnnsuw2k
unique (nome)
Hibernate:
    alter table if exists medicos
       add constraint UKmq3aidcf9gmeapwamgnnsuw2k
unique (nome)
2024-12-04T19:40:03.717-03:00 TRACE 7060 --- [api] [
restartedMain] o.h.type.spi.TypeConfiguration$Scope
: Handling #sessionFactoryCreated from
[org.hibernate.internal.SessionFactoryImpl@346b4e4b]
for TypeConfiguration
2024-12-04T19:40:03.718-03:00 INFO 7060 --- [api] [
restartedMain] j.LocalContainerEntityManagerFactoryBean
: Initialized JPA EntityManagerFactory for persistence
unit 'default'
2024-12-04T19:40:07.285-03:00 WARN 7060 --- [api] [
restartedMain] JpaBaseConfiguration$JpaWebConfiguration
: spring.jpa.open-in-view is enabled by default.
Therefore, database queries may be performed during
view rendering. Explicitly configure
spring.jpa.open-in-view to disable this warning
2024-12-04T19:40:18.484-03:00
                               INFO 7060 --- [api] [
restartedMain] o.s.b.d.a.OptionalLiveReloadServer
: LiveReload server is running on port 35729
2024-12-04T19:40:19.193-03:00 INFO 7060 --- [api] [
restartedMain] o.s.b.w.embedded.tomcat.TomcatWebServer
: Tomcat started on port 8080 (http) with context path
2024-12-04T19:40:19.254-03:00 INFO 7060 --- [api] [
restartedMain] med.voll.api.ApiApplication
: Started ApiApplication in 56.016 seconds (process
running for 59.405)
2024-12-04T19:43:03.988-03:00 INFO 7060 --- [api]
[nio-8080-exec-1] o.a.c.c.C.[Tomcat].[localhost].[/]
```

: Initializing Spring DispatcherServlet

```
'dispatcherServlet'
2024-12-04T19:43:03.989-03:00 INFO 7060 --- [api]
[nio-8080-exec-1] o.s.web.servlet.DispatcherServlet
   : Initializing Servlet 'dispatcherServlet'
2024-12-04T19:43:04.002-03:00
                               INFO 7060 --- [api]
[nio-8080-exec-1] o.s.web.servlet.DispatcherServlet
   : Completed initialization in 13 ms
2024-12-04T19:43:06.794-03:00 DEBUG 7060 --- [api]
[nio-8080-exec-1] org.hibernate.SQL
    insert
    into
        medicos
        (ativado, crm, email, bairro, cep, cidade,
complemento, logradouro, numero, uf, especialidade,
nome, telefone)
    values
        (?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?)
Hibernate:
    insert
    into
        medicos
        (ativado, crm, email, bairro, cep, cidade,
complemento, logradouro, numero, uf, especialidade,
nome, telefone)
    values
        (?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?)
2024-12-04T19:44:00.653-03:00 DEBUG 7060 --- [api]
[nio-8080-exec-3] org.hibernate.SQL
    insert
    into
        medicos
        (ativado, crm, email, bairro, cep, cidade,
complemento, logradouro, numero, uf, especialidade,
nome, telefone)
    values
```

```
(?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?)
Hibernate:
    insert
    into
        medicos
        (ativado, crm, email, bairro, cep, cidade,
complemento, logradouro, numero, uf, especialidade,
nome, telefone)
    values
        (?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?)
2024-12-04T19:44:52.093-03:00 DEBUG 7060 --- [api]
[nio-8080-exec-4] org.hibernate.SQL
    insert
    into
        medicos
        (ativado, crm, email, bairro, cep, cidade,
complemento, logradouro, numero, uf, especialidade,
nome, telefone)
    values
        (?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?)
Hibernate:
    insert
    into
        medicos
        (ativado, crm, email, bairro, cep, cidade,
complemento, logradouro, numero, uf, especialidade,
nome, telefone)
    values
        (?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?)
2024-12-04T19:45:42.308-03:00 WARN 7060 --- [api]
[nio-8080-exec-5]
.w.s.m.s.DefaultHandlerExceptionResolver : Resolved
[org.springframework.http.converter.HttpMessageNotReada
bleException: JSON parse error: Cannot deserialize
value of type `med.voll.api.model.Especialidade` from
String "GINOCOLOGIA": not one of the values accepted
```

```
for Enum class: [ORTOPEDIA, ODONTOLOGIA, CARDIOLOGIA,
GINECOLOGIA11
2024-12-04T19:46:31.734-03:00 DEBUG 7060 --- [api]
[nio-8080-exec-2] org.hibernate.SOL
    insert
    into
        medicos
        (ativado, crm, email, bairro, cep, cidade,
complemento, logradouro, numero, uf, especialidade,
nome, telefone)
    values
        (?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?)
Hibernate:
    insert
    into
        medicos
        (ativado, crm, email, bairro, cep, cidade,
complemento, logradouro, numero, uf, especialidade,
nome, telefone)
    values
        (?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?)
2024-12-04T19:47:56.201-03:00 DEBUG 7060 --- [api]
[nio-8080-exec-8] org.hibernate.SOL
    insert
    into
        medicos
        (ativado, crm, email, bairro, cep, cidade,
complemento, logradouro, numero, uf, especialidade,
nome, telefone)
    values
        (?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?)
Hibernate:
    insert
    into
        medicos
```

```
(ativado, crm, email, bairro, cep, cidade,
complemento, logradouro, numero, uf, especialidade,
nome, telefone)
    values
        (?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?)
2024-12-04T19:48:43.561-03:00 DEBUG 7060 --- [api]
[nio-8080-exec-7] org.hibernate.SQL
    insert
    into
        medicos
        (ativado, crm, email, bairro, cep, cidade,
complemento, logradouro, numero, uf, especialidade,
nome, telefone)
    values
        (?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?)
Hibernate:
    insert
    into
        medicos
        (ativado, crm, email, bairro, cep, cidade,
complemento, logradouro, numero, uf, especialidade,
nome, telefone)
    values
        (?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?)
2024-12-04T19:49:59.910-03:00 DEBUG 7060 --- [api]
[io-8080-exec-10] org.hibernate.SQL
    insert
    into
        medicos
        (ativado, crm, email, bairro, cep, cidade,
complemento, logradouro, numero, uf, especialidade,
nome, telefone)
    values
        (?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?)
Hibernate:
```

```
insert
    into
        medicos
        (ativado, crm, email, bairro, cep, cidade,
complemento, logradouro, numero, uf, especialidade,
nome, telefone)
    values
        (?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?)
2024-12-04T19:50:41.473-03:00 WARN 7060 --- [api]
[nio-8080-exec-1]
.w.s.m.s.DefaultHandlerExceptionResolver : Resolved
[org.springframework.web.bind.MethodArgumentNotValidExc
eption: Validation failed for argument [0] in public
void
med.voll.api.controller.MedicoController.InserirDados(m
ed.voll.api.model.Medicos): [Field error in object
'medicos' on field 'endereco.cep': rejected value
[7345543]; codes
[Pattern.medicos.endereco.cep,Pattern.endereco.cep,Patt
ern.cep,Pattern.java.lang.String,Pattern]; arguments
[org.springframework.context.support.DefaultMessageSour
ceResolvable: codes
[medicos.endereco.cep,endereco.cep]; arguments [];
default message
[endereco.cep],[Ljakarta.validation.constraints.Pattern
$Flag;@f03a6ab,\d{8}]; default message [deve
corresponder a "\d{8}"]] ]
2024-12-04T19:51:07.296-03:00 DEBUG 7060 --- [api]
[nio-8080-exec-3] org.hibernate.SQL
    insert
    into
        medicos
        (ativado, crm, email, bairro, cep, cidade,
complemento, logradouro, numero, uf, especialidade,
nome, telefone)
    values
```

```
(?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?)
Hibernate:
    insert
    into
        medicos
        (ativado, crm, email, bairro, cep, cidade,
complemento, logradouro, numero, uf, especialidade,
nome, telefone)
    values
        (?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?)
2024-12-04T19:51:37.417-03:00 DEBUG 7060 --- [api]
[nio-8080-exec-4] org.hibernate.SQL
    insert
    into
        medicos
        (ativado, crm, email, bairro, cep, cidade,
complemento, logradouro, numero, uf, especialidade,
nome, telefone)
    values
        (?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?)
Hibernate:
    insert
    into
        medicos
        (ativado, crm, email, bairro, cep, cidade,
complemento, logradouro, numero, uf, especialidade,
nome, telefone)
    values
        (?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?)
```