```
  .   ____          _            __ _ _
 /\\ / ___'_ __ _ _(_)_ __  __ _ \ \ \ \
( ( )\___ | '_ | '_| | '_ \/ _` | \ \ \ \
 \\/  ___)| |_)| | | | | || (_| |  ) ) ) )
  '  |____| .__|_| |_|_| |_\__, | / / / /
 =========|_|==============|___/=/_/_/_/
```

:: Spring Boot ::   (v3.4.0)

2024-12-01T13:10:58.762-03:00 INFO 5440 --- [api] [restartedMain] med.voll.api.ApiApplication
: Starting ApiApplication using Java 21 with PID 5440 (C:\GitHubjavabin7777777\PROJETOS-ORACLE-ONE-ALURA\api\api\target\classes started by Jupiter in C:\GitHubjavabin7777777\PROJETOS-ORACLE-ONE-ALURA\api\api)
2024-12-01T13:10:58.796-03:00 INFO 5440 --- [api] [restartedMain] med.voll.api.ApiApplication
: No active profile set, falling back to 1 default profile: "default"
2024-12-01T13:10:59.983-03:00 INFO 5440 --- [api] [restartedMain] .e.DevToolsPropertyDefaultsPostProcessor
: Devtools property defaults active! Set 'spring.devtools.add-properties' to 'false' to disable
2024-12-01T13:10:59.987-03:00 INFO 5440 --- [api] [restartedMain] .e.DevToolsPropertyDefaultsPostProcessor
: For additional web related logging consider setting the 'logging.level.web' property to 'DEBUG'
2024-12-01T13:11:08.840-03:00 INFO 5440 --- [api] [restartedMain] .s.d.r.c.RepositoryConfigurationDelegate
: Bootstrapping Spring Data JPA repositories in DEFAULT mode.
2024-12-01T13:11:09.278-03:00 INFO 5440 --- [api] [restartedMain] .s.d.r.c.RepositoryConfigurationDelegate
: Finished Spring Data repository scanning in 361 ms. Found 1 JPA repository interface.
```

```
2024-12-01T13:11:17.936-03:00  INFO 5440 --- [api] [
restartedMain] o.s.b.w.embedded.tomcat.TomcatWebServer
: Tomcat initialized with port 8080 (http)
2024-12-01T13:11:18.116-03:00  INFO 5440 --- [api] [
restartedMain] o.apache.catalina.core.StandardService
: Starting service [Tomcat]
2024-12-01T13:11:18.128-03:00  INFO 5440 --- [api] [
restartedMain] o.apache.catalina.core.StandardEngine
: Starting Servlet engine: [Apache Tomcat/10.1.33]
2024-12-01T13:11:18.996-03:00  INFO 5440 --- [api] [
restartedMain] o.a.c.c.C.[Tomcat].[localhost].[/]
: Initializing Spring embedded WebApplicationContext
2024-12-01T13:11:19.010-03:00  INFO 5440 --- [api] [
restartedMain] w.s.c.ServletWebServerApplicationContext
: Root WebApplicationContext: initialization completed
in 19015 ms
2024-12-01T13:11:20.782-03:00  INFO 5440 --- [api] [
restartedMain] com.zaxxer.hikari.HikariDataSource
: HikariPool-1 - Starting...
2024-12-01T13:11:23.835-03:00  INFO 5440 --- [api] [
restartedMain] com.zaxxer.hikari.pool.HikariPool
: HikariPool-1 - Added connection
org.postgresql.jdbc.PgConnection@60683886
2024-12-01T13:11:23.849-03:00  INFO 5440 --- [api] [
restartedMain] com.zaxxer.hikari.HikariDataSource
: HikariPool-1 - Start completed.
2024-12-01T13:11:24.698-03:00  INFO 5440 --- [api] [
restartedMain] org.flywaydb.core.FlywayExecutor
: Database:
jdbc:postgresql://localhost:5432/clinica_medica
(PostgreSQL 17.0)
2024-12-01T13:11:26.671-03:00  INFO 5440 --- [api] [
restartedMain] o.f.core.internal.command.DbValidate
: Successfully validated 0 migrations (execution time
00:00.385s)
2024-12-01T13:11:26.671-03:00  WARN 5440 --- [api] [
restartedMain] o.f.core.internal.command.DbValidate
```

: No migrations found. Are your locations set up correctly?
2024-12-01T13:11:26.778-03:00 INFO 5440 --- [api] [restartedMain] o.f.core.internal.command.DbMigrate
: Current version of schema "public": << Empty Schema >>
2024-12-01T13:11:26.838-03:00 INFO 5440 --- [api] [restartedMain] o.f.core.internal.command.DbMigrate
: Schema "public" is up to date. No migration necessary.
2024-12-01T13:11:28.095-03:00 INFO 5440 --- [api] [restartedMain] o.hibernate.jpa.internal.util.LogHelper
: HHH000204: Processing PersistenceUnitInfo [name: default]
2024-12-01T13:11:28.912-03:00 INFO 5440 --- [api] [restartedMain] org.hibernate.Version
: HHH000412: Hibernate ORM core version 6.6.2.Final
2024-12-01T13:11:29.833-03:00 INFO 5440 --- [api] [restartedMain] o.h.c.internal.RegionFactoryInitiator
: HHH000026: Second-level cache disabled
2024-12-01T13:11:30.600-03:00 DEBUG 5440 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration boolean -> org.hibernate.type.BasicTypeReference@36f27796
2024-12-01T13:11:30.609-03:00 DEBUG 5440 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration boolean -> org.hibernate.type.BasicTypeReference@36f27796
2024-12-01T13:11:30.617-03:00 DEBUG 5440 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Boolean -> org.hibernate.type.BasicTypeReference@36f27796
2024-12-01T13:11:30.625-03:00 DEBUG 5440 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration numeric_boolean -> org.hibernate.type.BasicTypeReference@513bea4d
2024-12-01T13:11:30.627-03:00 DEBUG 5440 --- [api] [

restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.NumericBooleanConverter ->
org.hibernate.type.BasicTypeReference@513bea4d
2024-12-01T13:11:30.629-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration true_false ->
org.hibernate.type.BasicTypeReference@1baa006b
2024-12-01T13:11:30.639-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.TrueFalseConverter ->
org.hibernate.type.BasicTypeReference@1baa006b
2024-12-01T13:11:30.647-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration yes_no ->
org.hibernate.type.BasicTypeReference@2b931ba7
2024-12-01T13:11:30.652-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.YesNoConverter ->
org.hibernate.type.BasicTypeReference@2b931ba7
2024-12-01T13:11:30.675-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration byte ->
org.hibernate.type.BasicTypeReference@e788784
2024-12-01T13:11:30.685-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration byte ->
org.hibernate.type.BasicTypeReference@e788784
2024-12-01T13:11:30.699-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Byte ->
org.hibernate.type.BasicTypeReference@e788784
2024-12-01T13:11:30.706-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration binary ->

```
org.hibernate.type.BasicTypeReference@9f6d84
2024-12-01T13:11:30.711-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration byte[] ->
org.hibernate.type.BasicTypeReference@9f6d84
2024-12-01T13:11:30.735-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration [B ->
org.hibernate.type.BasicTypeReference@9f6d84
2024-12-01T13:11:30.746-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration binary_wrapper ->
org.hibernate.type.BasicTypeReference@4b7d8ca4
2024-12-01T13:11:30.763-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration wrapper-binary ->
org.hibernate.type.BasicTypeReference@4b7d8ca4
2024-12-01T13:11:30.772-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration image ->
org.hibernate.type.BasicTypeReference@7800f84f
2024-12-01T13:11:30.777-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration blob ->
org.hibernate.type.BasicTypeReference@328e046c
2024-12-01T13:11:30.878-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.sql.Blob ->
org.hibernate.type.BasicTypeReference@328e046c
2024-12-01T13:11:30.886-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration materialized_blob ->
org.hibernate.type.BasicTypeReference@4906bcf4
2024-12-01T13:11:30.891-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration materialized_blob_wrapper ->
org.hibernate.type.BasicTypeReference@6e3901dc
```

2024-12-01T13:11:30.899-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration short ->
org.hibernate.type.BasicTypeReference@11044ed4
2024-12-01T13:11:30.907-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration short ->
org.hibernate.type.BasicTypeReference@11044ed4
2024-12-01T13:11:30.908-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Short ->
org.hibernate.type.BasicTypeReference@11044ed4
2024-12-01T13:11:30.908-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration integer ->
org.hibernate.type.BasicTypeReference@53eb95fc
2024-12-01T13:11:30.909-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration int ->
org.hibernate.type.BasicTypeReference@53eb95fc
2024-12-01T13:11:30.909-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Integer ->
org.hibernate.type.BasicTypeReference@53eb95fc
2024-12-01T13:11:30.909-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration long ->
org.hibernate.type.BasicTypeReference@2f767269
2024-12-01T13:11:30.910-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration long ->
org.hibernate.type.BasicTypeReference@2f767269
2024-12-01T13:11:30.910-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Long ->
org.hibernate.type.BasicTypeReference@2f767269
2024-12-01T13:11:30.910-03:00 DEBUG 5440 --- [api] [

restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration float ->
org.hibernate.type.BasicTypeReference@9e7b1ba
2024-12-01T13:11:30.910-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration float ->
org.hibernate.type.BasicTypeReference@9e7b1ba
2024-12-01T13:11:30.911-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Float ->
org.hibernate.type.BasicTypeReference@9e7b1ba
2024-12-01T13:11:30.911-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration double ->
org.hibernate.type.BasicTypeReference@3a262cbc
2024-12-01T13:11:30.911-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration double ->
org.hibernate.type.BasicTypeReference@3a262cbc
2024-12-01T13:11:30.912-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Double ->
org.hibernate.type.BasicTypeReference@3a262cbc
2024-12-01T13:11:30.912-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration big_integer ->
org.hibernate.type.BasicTypeReference@35ed0a71
2024-12-01T13:11:30.914-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.math.BigInteger ->
org.hibernate.type.BasicTypeReference@35ed0a71
2024-12-01T13:11:30.916-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration big_decimal ->
org.hibernate.type.BasicTypeReference@2914d39f
2024-12-01T13:11:30.916-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry

: Adding type registration java.math.BigDecimal ->
org.hibernate.type.BasicTypeReference@2914d39f
2024-12-01T13:11:30.920-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration character ->
org.hibernate.type.BasicTypeReference@1d4add66
2024-12-01T13:11:30.925-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration char ->
org.hibernate.type.BasicTypeReference@1d4add66
2024-12-01T13:11:30.925-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Character ->
org.hibernate.type.BasicTypeReference@1d4add66
2024-12-01T13:11:30.927-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration character_nchar ->
org.hibernate.type.BasicTypeReference@168251bf
2024-12-01T13:11:30.927-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration string ->
org.hibernate.type.BasicTypeReference@4b617f9c
2024-12-01T13:11:30.928-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.String ->
org.hibernate.type.BasicTypeReference@4b617f9c
2024-12-01T13:11:30.928-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration nstring ->
org.hibernate.type.BasicTypeReference@4466c544
2024-12-01T13:11:30.928-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration characters ->
org.hibernate.type.BasicTypeReference@f8c8143
2024-12-01T13:11:30.928-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration char[] ->

org.hibernate.type.BasicTypeReference@f8c8143
2024-12-01T13:11:30.928-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration [C ->
org.hibernate.type.BasicTypeReference@f8c8143
2024-12-01T13:11:30.928-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration wrapper-characters ->
org.hibernate.type.BasicTypeReference@b0726a4
2024-12-01T13:11:30.928-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration text ->
org.hibernate.type.BasicTypeReference@4b5a35c7
2024-12-01T13:11:30.928-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration ntext ->
org.hibernate.type.BasicTypeReference@3964950d
2024-12-01T13:11:30.929-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration clob ->
org.hibernate.type.BasicTypeReference@52898dfb
2024-12-01T13:11:30.929-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.sql.Clob ->
org.hibernate.type.BasicTypeReference@52898dfb
2024-12-01T13:11:30.929-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration nclob ->
org.hibernate.type.BasicTypeReference@6009b308
2024-12-01T13:11:30.929-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.sql.NClob ->
org.hibernate.type.BasicTypeReference@6009b308
2024-12-01T13:11:30.930-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration materialized_clob ->
org.hibernate.type.BasicTypeReference@7a6756c3

2024-12-01T13:11:30.930-03:00 DEBUG 5440 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration materialized_clob_char_array -> org.hibernate.type.BasicTypeReference@67b6687f
2024-12-01T13:11:30.930-03:00 DEBUG 5440 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration materialized_clob_character_array -> org.hibernate.type.BasicTypeReference@794ed727
2024-12-01T13:11:30.930-03:00 DEBUG 5440 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration materialized_nclob -> org.hibernate.type.BasicTypeReference@5472baf5
2024-12-01T13:11:30.933-03:00 DEBUG 5440 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration materialized_nclob_character_array -> org.hibernate.type.BasicTypeReference@14e33ff6
2024-12-01T13:11:30.933-03:00 DEBUG 5440 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration materialized_nclob_char_array -> org.hibernate.type.BasicTypeReference@40c24885
2024-12-01T13:11:30.939-03:00 DEBUG 5440 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration Duration -> org.hibernate.type.BasicTypeReference@4f3a5855
2024-12-01T13:11:30.943-03:00 DEBUG 5440 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration java.time.Duration -> org.hibernate.type.BasicTypeReference@4f3a5855
2024-12-01T13:11:30.945-03:00 DEBUG 5440 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration LocalDateTime -> org.hibernate.type.BasicTypeReference@edee655
2024-12-01T13:11:30.946-03:00 DEBUG 5440 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry

: Adding type registration java.time.LocalDateTime ->
org.hibernate.type.BasicTypeReference@edee655
2024-12-01T13:11:30.946-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration LocalDate ->
org.hibernate.type.BasicTypeReference@34f74f7
2024-12-01T13:11:30.946-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.LocalDate ->
org.hibernate.type.BasicTypeReference@34f74f7
2024-12-01T13:11:30.949-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration LocalTime ->
org.hibernate.type.BasicTypeReference@519b827b
2024-12-01T13:11:30.955-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.LocalTime ->
org.hibernate.type.BasicTypeReference@519b827b
2024-12-01T13:11:30.955-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetDateTime ->
org.hibernate.type.BasicTypeReference@4cfe90ed
2024-12-01T13:11:30.955-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.OffsetDateTime ->
org.hibernate.type.BasicTypeReference@4cfe90ed
2024-12-01T13:11:30.956-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetDateTimeWithTimezone
-> org.hibernate.type.BasicTypeReference@35eb3b69
2024-12-01T13:11:30.956-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
OffsetDateTimeWithoutTimezone ->
org.hibernate.type.BasicTypeReference@4dfb09ef
2024-12-01T13:11:30.956-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry

: Adding type registration OffsetTime ->
org.hibernate.type.BasicTypeReference@407ed271
2024-12-01T13:11:30.956-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.OffsetTime ->
org.hibernate.type.BasicTypeReference@407ed271
2024-12-01T13:11:30.956-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetTimeUtc ->
org.hibernate.type.BasicTypeReference@78bf5b6b
2024-12-01T13:11:30.957-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetTimeWithTimezone ->
org.hibernate.type.BasicTypeReference@14630766
2024-12-01T13:11:30.958-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetTimeWithoutTimezone ->
org.hibernate.type.BasicTypeReference@142c074
2024-12-01T13:11:30.958-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration ZonedDateTime ->
org.hibernate.type.BasicTypeReference@37196777
2024-12-01T13:11:30.973-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.ZonedDateTime ->
org.hibernate.type.BasicTypeReference@37196777
2024-12-01T13:11:30.974-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration ZonedDateTimeWithTimezone ->
org.hibernate.type.BasicTypeReference@357f06fc
2024-12-01T13:11:30.975-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration ZonedDateTimeWithoutTimezone
-> org.hibernate.type.BasicTypeReference@392b6f02
2024-12-01T13:11:30.976-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration date ->

org.hibernate.type.BasicTypeReference@2efd4933
2024-12-01T13:11:30.977-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.sql.Date ->
org.hibernate.type.BasicTypeReference@2efd4933
2024-12-01T13:11:30.977-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration time ->
org.hibernate.type.BasicTypeReference@5223a144
2024-12-01T13:11:30.977-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.sql.Time ->
org.hibernate.type.BasicTypeReference@5223a144
2024-12-01T13:11:30.978-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration timestamp ->
org.hibernate.type.BasicTypeReference@1fa6051a
2024-12-01T13:11:30.978-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.sql.Timestamp ->
org.hibernate.type.BasicTypeReference@1fa6051a
2024-12-01T13:11:30.978-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.util.Date ->
org.hibernate.type.BasicTypeReference@1fa6051a
2024-12-01T13:11:30.978-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration calendar ->
org.hibernate.type.BasicTypeReference@7d973a93
2024-12-01T13:11:30.981-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.util.Calendar ->
org.hibernate.type.BasicTypeReference@7d973a93
2024-12-01T13:11:30.981-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.util.GregorianCalendar
-> org.hibernate.type.BasicTypeReference@7d973a93

2024-12-01T13:11:30.983-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration calendar_date ->
org.hibernate.type.BasicTypeReference@396740c3
2024-12-01T13:11:30.984-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration calendar_time ->
org.hibernate.type.BasicTypeReference@7601ff2a
2024-12-01T13:11:30.984-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration instant ->
org.hibernate.type.BasicTypeReference@5920ba25
2024-12-01T13:11:30.985-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.Instant ->
org.hibernate.type.BasicTypeReference@5920ba25
2024-12-01T13:11:30.986-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration uuid ->
org.hibernate.type.BasicTypeReference@1d275030
2024-12-01T13:11:30.986-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.util.UUID ->
org.hibernate.type.BasicTypeReference@1d275030
2024-12-01T13:11:30.987-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration pg-uuid ->
org.hibernate.type.BasicTypeReference@1d275030
2024-12-01T13:11:30.988-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration uuid-binary ->
org.hibernate.type.BasicTypeReference@1ec56a0f
2024-12-01T13:11:30.991-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration uuid-char ->
org.hibernate.type.BasicTypeReference@67c42e52
2024-12-01T13:11:30.992-03:00 DEBUG 5440 --- [api] [

restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration class ->
org.hibernate.type.BasicTypeReference@3b69411d
2024-12-01T13:11:30.992-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Class ->
org.hibernate.type.BasicTypeReference@3b69411d
2024-12-01T13:11:30.993-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration currency ->
org.hibernate.type.BasicTypeReference@1ce83090
2024-12-01T13:11:30.993-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration Currency ->
org.hibernate.type.BasicTypeReference@1ce83090
2024-12-01T13:11:30.993-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.util.Currency ->
org.hibernate.type.BasicTypeReference@1ce83090
2024-12-01T13:11:30.993-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration locale ->
org.hibernate.type.BasicTypeReference@29c8b410
2024-12-01T13:11:30.994-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.util.Locale ->
org.hibernate.type.BasicTypeReference@29c8b410
2024-12-01T13:11:30.994-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration serializable ->
org.hibernate.type.BasicTypeReference@6f38a9c5
2024-12-01T13:11:30.994-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.io.Serializable ->
org.hibernate.type.BasicTypeReference@6f38a9c5
2024-12-01T13:11:30.994-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry

: Adding type registration timezone ->
org.hibernate.type.BasicTypeReference@1e287c96
2024-12-01T13:11:30.995-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.util.TimeZone ->
org.hibernate.type.BasicTypeReference@1e287c96
2024-12-01T13:11:30.995-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration ZoneOffset ->
org.hibernate.type.BasicTypeReference@4319b373
2024-12-01T13:11:30.995-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.ZoneOffset ->
org.hibernate.type.BasicTypeReference@4319b373
2024-12-01T13:11:30.995-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration url ->
org.hibernate.type.BasicTypeReference@2f9df734
2024-12-01T13:11:30.996-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.net.URL ->
org.hibernate.type.BasicTypeReference@2f9df734
2024-12-01T13:11:30.996-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration vector ->
org.hibernate.type.BasicTypeReference@5c10583
2024-12-01T13:11:30.996-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration float_vector ->
org.hibernate.type.BasicTypeReference@58d00561
2024-12-01T13:11:30.996-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration double_vector ->
org.hibernate.type.BasicTypeReference@565cb723
2024-12-01T13:11:30.996-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration byte_vector ->

org.hibernate.type.BasicTypeReference@16b8de8b
2024-12-01T13:11:30.997-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration row_version ->
org.hibernate.type.BasicTypeReference@1b582cc2
2024-12-01T13:11:31.051-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration object ->
org.hibernate.type.JavaObjectType@e91810b
2024-12-01T13:11:31.058-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Object ->
org.hibernate.type.JavaObjectType@e91810b
2024-12-01T13:11:31.064-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration null ->
org.hibernate.type.NullType@7108767a
2024-12-01T13:11:31.064-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm_date ->
org.hibernate.type.BasicTypeReference@1b601375
2024-12-01T13:11:31.065-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm_time ->
org.hibernate.type.BasicTypeReference@5dedb0b2
2024-12-01T13:11:31.065-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm_timestamp ->
org.hibernate.type.BasicTypeReference@59684958
2024-12-01T13:11:31.065-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm_calendar ->
org.hibernate.type.BasicTypeReference@6be14fa9
2024-12-01T13:11:31.066-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm_calendar_date ->
org.hibernate.type.BasicTypeReference@7081121b

2024-12-01T13:11:31.067-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm_calendar_time ->
org.hibernate.type.BasicTypeReference@40d95499
2024-12-01T13:11:31.068-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm_binary ->
org.hibernate.type.BasicTypeReference@5b60f753
2024-12-01T13:11:31.068-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm_serializable ->
org.hibernate.type.BasicTypeReference@3a1d7791
2024-12-01T13:11:32.654-03:00 INFO 5440 --- [api] [
restartedMain] o.s.o.j.p.SpringPersistenceUnitInfo
: No LoadTimeWeaver setup: ignoring JPA class
transformer
2024-12-01T13:11:33.648-03:00 INFO 5440 --- [api] [
restartedMain] org.hibernate.orm.connections.pooling
: HHH10001005: Database info:
        Database JDBC URL [Connecting through
datasource 'HikariDataSource (HikariPool-1)']
        Database driver: undefined/unknown
        Database version: 17.0
        Autocommit mode: undefined/unknown
        Isolation level: undefined/unknown
        Minimum pool size: undefined/unknown
        Maximum pool size: undefined/unknown
2024-12-01T13:11:33.716-03:00 DEBUG 5440 --- [api] [
restartedMain] o.h.t.d.sql.spi.DdlTypeRegistry
: addDescriptor(2003,
org.hibernate.type.descriptor.sql.internal.ArrayDdlType
Impl@2ec1bdc5) replaced previous
registration(org.hibernate.type.descriptor.sql.internal
.ArrayDdlTypeImpl@24416445)
2024-12-01T13:11:33.717-03:00 DEBUG 5440 --- [api] [
restartedMain] o.h.t.d.sql.spi.DdlTypeRegistry
: addDescriptor(6,

org.hibernate.type.descriptor.sql.internal.CapacityDepe
ndentDdlType@5dcf705d) replaced previous
registration(org.hibernate.type.descriptor.sql.internal
.DdlTypeImpl@55e699a0)
2024-12-01T13:11:33.731-03:00 DEBUG 5440 --- [api] [
restartedMain] o.h.t.d.jdbc.spi.JdbcTypeRegistry
: addDescriptor(2004, BlobTypeDescriptor(BLOB_BINDING))
replaced previous
registration(BlobTypeDescriptor(DEFAULT))
2024-12-01T13:11:33.739-03:00 DEBUG 5440 --- [api] [
restartedMain] o.h.t.d.jdbc.spi.JdbcTypeRegistry
: addDescriptor(2005, ClobTypeDescriptor(CLOB_BINDING))
replaced previous
registration(ClobTypeDescriptor(DEFAULT))
2024-12-01T13:11:33.819-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration JAVA_OBJECT ->
org.hibernate.type.JavaObjectType@39df26ad
2024-12-01T13:11:33.832-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Object ->
org.hibernate.type.JavaObjectType@39df26ad
2024-12-01T13:11:33.833-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Type registration key [java.lang.Object] overrode
previous entry :
`org.hibernate.type.JavaObjectType@e91810b`
2024-12-01T13:11:33.866-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.DurationType ->
basicType@1(java.time.Duration,3015)
2024-12-01T13:11:33.873-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration Duration ->
basicType@1(java.time.Duration,3015)
2024-12-01T13:11:33.880-03:00 DEBUG 5440 --- [api] [

restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.Duration ->
basicType@1(java.time.Duration,3015)
2024-12-01T13:11:33.925-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.OffsetDateTimeType ->
basicType@2(java.time.OffsetDateTime,3003)
2024-12-01T13:11:33.957-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetDateTime ->
basicType@2(java.time.OffsetDateTime,3003)
2024-12-01T13:11:33.964-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.OffsetDateTime ->
basicType@2(java.time.OffsetDateTime,3003)
2024-12-01T13:11:33.974-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.ZonedDateTimeType ->
basicType@3(java.time.ZonedDateTime,3003)
2024-12-01T13:11:33.980-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration ZonedDateTime ->
basicType@3(java.time.ZonedDateTime,3003)
2024-12-01T13:11:33.985-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.ZonedDateTime ->
basicType@3(java.time.ZonedDateTime,3003)
2024-12-01T13:11:33.996-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.OffsetTimeType ->
basicType@4(java.time.OffsetTime,3007)
2024-12-01T13:11:34.001-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetTime ->

basicType@4(java.time.OffsetTime,3007)
2024-12-01T13:11:34.042-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.OffsetTime ->
basicType@4(java.time.OffsetTime,3007)
2024-12-01T13:11:34.056-03:00 DEBUG 5440 --- [api] [
restartedMain] o.h.type.spi.TypeConfiguration$Scope
: Scoping TypeConfiguration
[org.hibernate.type.spi.TypeConfiguration@3ff4159f] to
MetadataBuildingContext
[org.hibernate.boot.internal.MetadataBuildingContextRoo
tImpl@3c778b31]
2024-12-01T13:11:39.324-03:00 INFO 5440 --- [api] [
restartedMain] o.h.e.t.j.p.i.JtaPlatformInitiator
: HHH000489: No JTA platform available (set
'hibernate.transaction.jta.platform' to enable JTA
platform integration)
2024-12-01T13:11:39.328-03:00 DEBUG 5440 --- [api] [
restartedMain] o.h.type.spi.TypeConfiguration$Scope
: Scoping TypeConfiguration
[org.hibernate.type.spi.TypeConfiguration@3ff4159f] to
SessionFactoryImplementor
[org.hibernate.internal.SessionFactoryImpl@35d1e30f]
2024-12-01T13:11:40.760-03:00 TRACE 5440 --- [api] [
restartedMain] o.h.type.spi.TypeConfiguration$Scope
: Handling #sessionFactoryCreated from
[org.hibernate.internal.SessionFactoryImpl@35d1e30f]
for TypeConfiguration
2024-12-01T13:11:40.763-03:00 INFO 5440 --- [api] [
restartedMain] j.LocalContainerEntityManagerFactoryBean
: Initialized JPA EntityManagerFactory for persistence
unit 'default'
2024-12-01T13:11:44.354-03:00 WARN 5440 --- [api] [
restartedMain] JpaBaseConfiguration$JpaWebConfiguration
: spring.jpa.open-in-view is enabled by default.
Therefore, database queries may be performed during
view rendering. Explicitly configure

spring.jpa.open-in-view to disable this warning
2024-12-01T13:11:49.537-03:00 INFO 5440 --- [api] [
restartedMain] o.s.b.d.a.OptionalLiveReloadServer
: LiveReload server is running on port 35729
2024-12-01T13:11:49.972-03:00 INFO 5440 --- [api] [
restartedMain] o.s.b.w.embedded.tomcat.TomcatWebServer
: Tomcat started on port 8080 (http) with context path
'/'
2024-12-01T13:11:51.125-03:00 INFO 5440 --- [api] [
restartedMain] med.voll.api.ApiApplication
: Started ApiApplication in 61.08 seconds (process
running for 79.152)
2024-12-01T13:14:17.657-03:00 INFO 5440 --- [api] [
File Watcher] rtingClassPathChangeChangedEventListener
: Restarting due to 1 class path change (0 additions, 0
deletions, 1 modification)
2024-12-01T13:14:17.688-03:00 INFO 5440 --- [api] [
    Thread-5] o.s.b.w.e.tomcat.GracefulShutdown   :
Commencing graceful shutdown. Waiting for active
requests to complete
2024-12-01T13:14:17.801-03:00 INFO 5440 --- [api]
[tomcat-shutdown] o.s.b.w.e.tomcat.GracefulShutdown
    : Graceful shutdown complete
2024-12-01T13:14:17.824-03:00 INFO 5440 --- [api] [
    Thread-5] j.LocalContainerEntityManagerFactoryBean :
Closing JPA EntityManagerFactory for persistence unit
'default'
2024-12-01T13:14:17.836-03:00 TRACE 5440 --- [api] [
    Thread-5] o.h.type.spi.TypeConfiguration$Scope   :
Handling #sessionFactoryClosed from
[org.hibernate.internal.SessionFactoryImpl@35d1e30f]
for TypeConfiguration
2024-12-01T13:14:17.848-03:00 DEBUG 5440 --- [api] [
    Thread-5] o.h.type.spi.TypeConfiguration$Scope   :
Un-scoping TypeConfiguration
[org.hibernate.type.spi.TypeConfiguration$Scope@5695de4
5] from SessionFactory

```
[org.hibernate.internal.SessionFactoryImpl@35d1e30f]
2024-12-01T13:14:17.871-03:00  INFO 5440 --- [api] [
    Thread-5] com.zaxxer.hikari.HikariDataSource        :
HikariPool-1 - Shutdown initiated...
2024-12-01T13:14:17.943-03:00  INFO 5440 --- [api] [
    Thread-5] com.zaxxer.hikari.HikariDataSource        :
HikariPool-1 - Shutdown completed.

  .   ____          _            __ _ _
 /\\ / ___'_ __ _ _(_)_ __  __ _ \ \ \ \
( ( )\___ | '_ | '_| | '_ \/ _` | \ \ \ \
 \\/  ___)| |_)| | | | | || (_| |  ) ) ) )
  '  |____| .__|_| |_|_| |_\__, | / / / /
 =========|_|==============|___/=/_/_/_/

  :: Spring Boot ::                (v3.4.0)

2024-12-01T13:14:19.261-03:00  INFO 5440 --- [api] [
restartedMain] med.voll.api.ApiApplication
: Starting ApiApplication using Java 21 with PID 5440
(C:\GitHubjavabin7777777\PROJETOS-ORACLE-ONE-ALURA\api\
api\target\classes started by Jupiter in
C:\GitHubjavabin7777777\PROJETOS-ORACLE-ONE-ALURA\api\a
pi)
2024-12-01T13:14:19.262-03:00  INFO 5440 --- [api] [
restartedMain] med.voll.api.ApiApplication
: No active profile set, falling back to 1 default
profile: "default"
2024-12-01T13:14:21.018-03:00  INFO 5440 --- [api] [
restartedMain] .s.d.r.c.RepositoryConfigurationDelegate
: Bootstrapping Spring Data JPA repositories in DEFAULT
mode.
2024-12-01T13:14:21.093-03:00  INFO 5440 --- [api] [
restartedMain] .s.d.r.c.RepositoryConfigurationDelegate
: Finished Spring Data repository scanning in 62 ms.
Found 1 JPA repository interface.
2024-12-01T13:14:21.980-03:00  INFO 5440 --- [api] [
```

restartedMain] o.s.b.w.embedded.tomcat.TomcatWebServer
: Tomcat initialized with port 8080 (http)
2024-12-01T13:14:22.016-03:00 INFO 5440 --- [api] [
restartedMain] o.apache.catalina.core.StandardService
: Starting service [Tomcat]
2024-12-01T13:14:22.023-03:00 INFO 5440 --- [api] [
restartedMain] o.apache.catalina.core.StandardEngine
: Starting Servlet engine: [Apache Tomcat/10.1.33]
2024-12-01T13:14:22.238-03:00 INFO 5440 --- [api] [
restartedMain] o.a.c.c.C.[Tomcat].[localhost].[/]
: Initializing Spring embedded WebApplicationContext
2024-12-01T13:14:22.238-03:00 INFO 5440 --- [api] [
restartedMain] w.s.c.ServletWebServerApplicationContext
: Root WebApplicationContext: initialization completed
in 2957 ms
2024-12-01T13:14:23.560-03:00 INFO 5440 --- [api] [
restartedMain] com.zaxxer.hikari.HikariDataSource
: HikariPool-2 - Starting...
2024-12-01T13:14:23.846-03:00 INFO 5440 --- [api] [
restartedMain] com.zaxxer.hikari.pool.HikariPool
: HikariPool-2 - Added connection
org.postgresql.jdbc.PgConnection@37e11a6e
2024-12-01T13:14:23.847-03:00 INFO 5440 --- [api] [
restartedMain] com.zaxxer.hikari.HikariDataSource
: HikariPool-2 - Start completed.
2024-12-01T13:14:23.861-03:00 INFO 5440 --- [api] [
restartedMain] org.flywaydb.core.FlywayExecutor
: Database:
jdbc:postgresql://localhost:5432/clinica_medica
(PostgreSQL 17.0)
2024-12-01T13:14:23.926-03:00 INFO 5440 --- [api] [
restartedMain] o.f.core.internal.command.DbValidate
: Successfully validated 0 migrations (execution time
00:00.022s)
2024-12-01T13:14:23.927-03:00 WARN 5440 --- [api] [
restartedMain] o.f.core.internal.command.DbValidate
: No migrations found. Are your locations set up

correctly?

2024-12-01T13:14:24.180-03:00 INFO 5440 --- [api] [restartedMain] o.f.core.internal.command.DbMigrate   : Current version of schema "public": << Empty Schema >>
2024-12-01T13:14:24.182-03:00 INFO 5440 --- [api] [restartedMain] o.f.core.internal.command.DbMigrate   : Schema "public" is up to date. No migration necessary.
2024-12-01T13:14:24.299-03:00 INFO 5440 --- [api] [restartedMain] o.hibernate.jpa.internal.util.LogHelper   : HHH000204: Processing PersistenceUnitInfo [name: default]
2024-12-01T13:14:24.331-03:00 INFO 5440 --- [api] [restartedMain] o.h.c.internal.RegionFactoryInitiator   : HHH000026: Second-level cache disabled
2024-12-01T13:14:24.350-03:00 DEBUG 5440 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry   : Adding type registration boolean -> org.hibernate.type.BasicTypeReference@36f27796
2024-12-01T13:14:24.356-03:00 DEBUG 5440 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry   : Adding type registration boolean -> org.hibernate.type.BasicTypeReference@36f27796
2024-12-01T13:14:24.363-03:00 DEBUG 5440 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry   : Adding type registration java.lang.Boolean -> org.hibernate.type.BasicTypeReference@36f27796
2024-12-01T13:14:24.369-03:00 DEBUG 5440 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry   : Adding type registration numeric_boolean -> org.hibernate.type.BasicTypeReference@513bea4d
2024-12-01T13:14:24.375-03:00 DEBUG 5440 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry   : Adding type registration org.hibernate.type.NumericBooleanConverter -> org.hibernate.type.BasicTypeReference@513bea4d

```
2024-12-01T13:14:24.380-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration true_false ->
org.hibernate.type.BasicTypeReference@1baa006b
2024-12-01T13:14:24.386-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.TrueFalseConverter ->
org.hibernate.type.BasicTypeReference@1baa006b
2024-12-01T13:14:24.394-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration yes_no ->
org.hibernate.type.BasicTypeReference@2b931ba7
2024-12-01T13:14:24.399-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.YesNoConverter ->
org.hibernate.type.BasicTypeReference@2b931ba7
2024-12-01T13:14:24.406-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration byte ->
org.hibernate.type.BasicTypeReference@e788784
2024-12-01T13:14:24.411-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration byte ->
org.hibernate.type.BasicTypeReference@e788784
2024-12-01T13:14:24.418-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Byte ->
org.hibernate.type.BasicTypeReference@e788784
2024-12-01T13:14:24.427-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration binary ->
org.hibernate.type.BasicTypeReference@9f6d84
2024-12-01T13:14:24.433-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration byte[] ->
```

org.hibernate.type.BasicTypeReference@9f6d84
2024-12-01T13:14:24.439-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration [B ->
org.hibernate.type.BasicTypeReference@9f6d84
2024-12-01T13:14:24.458-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration binary_wrapper ->
org.hibernate.type.BasicTypeReference@4b7d8ca4
2024-12-01T13:14:24.460-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration wrapper-binary ->
org.hibernate.type.BasicTypeReference@4b7d8ca4
2024-12-01T13:14:24.462-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration image ->
org.hibernate.type.BasicTypeReference@7800f84f
2024-12-01T13:14:24.464-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration blob ->
org.hibernate.type.BasicTypeReference@328e046c
2024-12-01T13:14:24.465-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.sql.Blob ->
org.hibernate.type.BasicTypeReference@328e046c
2024-12-01T13:14:24.467-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration materialized_blob ->
org.hibernate.type.BasicTypeReference@4906bcf4
2024-12-01T13:14:24.468-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration materialized_blob_wrapper ->
org.hibernate.type.BasicTypeReference@6e3901dc
2024-12-01T13:14:24.469-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration short ->
org.hibernate.type.BasicTypeReference@11044ed4

2024-12-01T13:14:24.470-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration short ->
org.hibernate.type.BasicTypeReference@11044ed4
2024-12-01T13:14:24.473-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Short ->
org.hibernate.type.BasicTypeReference@11044ed4
2024-12-01T13:14:24.474-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration integer ->
org.hibernate.type.BasicTypeReference@53eb95fc
2024-12-01T13:14:24.475-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration int ->
org.hibernate.type.BasicTypeReference@53eb95fc
2024-12-01T13:14:24.475-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Integer ->
org.hibernate.type.BasicTypeReference@53eb95fc
2024-12-01T13:14:24.476-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration long ->
org.hibernate.type.BasicTypeReference@2f767269
2024-12-01T13:14:24.479-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration long ->
org.hibernate.type.BasicTypeReference@2f767269
2024-12-01T13:14:24.479-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Long ->
org.hibernate.type.BasicTypeReference@2f767269
2024-12-01T13:14:24.480-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration float ->
org.hibernate.type.BasicTypeReference@9e7b1ba
2024-12-01T13:14:24.480-03:00 DEBUG 5440 --- [api] [

restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration float ->
org.hibernate.type.BasicTypeReference@9e7b1ba
2024-12-01T13:14:24.481-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Float ->
org.hibernate.type.BasicTypeReference@9e7b1ba
2024-12-01T13:14:24.491-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration double ->
org.hibernate.type.BasicTypeReference@3a262cbc
2024-12-01T13:14:24.493-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration double ->
org.hibernate.type.BasicTypeReference@3a262cbc
2024-12-01T13:14:24.494-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Double ->
org.hibernate.type.BasicTypeReference@3a262cbc
2024-12-01T13:14:24.499-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration big_integer ->
org.hibernate.type.BasicTypeReference@35ed0a71
2024-12-01T13:14:24.500-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.math.BigInteger ->
org.hibernate.type.BasicTypeReference@35ed0a71
2024-12-01T13:14:24.502-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration big_decimal ->
org.hibernate.type.BasicTypeReference@2914d39f
2024-12-01T13:14:24.503-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.math.BigDecimal ->
org.hibernate.type.BasicTypeReference@2914d39f
2024-12-01T13:14:24.508-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry

: Adding type registration character ->
org.hibernate.type.BasicTypeReference@1d4add66
2024-12-01T13:14:24.515-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration char ->
org.hibernate.type.BasicTypeReference@1d4add66
2024-12-01T13:14:24.518-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Character ->
org.hibernate.type.BasicTypeReference@1d4add66
2024-12-01T13:14:24.522-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration character_nchar ->
org.hibernate.type.BasicTypeReference@168251bf
2024-12-01T13:14:24.524-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration string ->
org.hibernate.type.BasicTypeReference@4b617f9c
2024-12-01T13:14:24.530-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.String ->
org.hibernate.type.BasicTypeReference@4b617f9c
2024-12-01T13:14:24.531-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration nstring ->
org.hibernate.type.BasicTypeReference@4466c544
2024-12-01T13:14:24.532-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration characters ->
org.hibernate.type.BasicTypeReference@f8c8143
2024-12-01T13:14:24.533-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration char[] ->
org.hibernate.type.BasicTypeReference@f8c8143
2024-12-01T13:14:24.533-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration [C ->

org.hibernate.type.BasicTypeReference@f8c8143
2024-12-01T13:14:24.534-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration wrapper-characters ->
org.hibernate.type.BasicTypeReference@b0726a4
2024-12-01T13:14:24.534-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration text ->
org.hibernate.type.BasicTypeReference@4b5a35c7
2024-12-01T13:14:24.539-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration ntext ->
org.hibernate.type.BasicTypeReference@3964950d
2024-12-01T13:14:24.547-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration clob ->
org.hibernate.type.BasicTypeReference@52898dfb
2024-12-01T13:14:24.550-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.sql.Clob ->
org.hibernate.type.BasicTypeReference@52898dfb
2024-12-01T13:14:24.551-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration nclob ->
org.hibernate.type.BasicTypeReference@6009b308
2024-12-01T13:14:24.551-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.sql.NClob ->
org.hibernate.type.BasicTypeReference@6009b308
2024-12-01T13:14:24.552-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration materialized_clob ->
org.hibernate.type.BasicTypeReference@7a6756c3
2024-12-01T13:14:24.556-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration materialized_clob_char_array
-> org.hibernate.type.BasicTypeReference@67b6687f

2024-12-01T13:14:24.557-03:00 DEBUG 5440 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration materialized_clob_character_array -> org.hibernate.type.BasicTypeReference@794ed727
2024-12-01T13:14:24.558-03:00 DEBUG 5440 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration materialized_nclob -> org.hibernate.type.BasicTypeReference@5472baf5
2024-12-01T13:14:24.560-03:00 DEBUG 5440 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration materialized_nclob_character_array -> org.hibernate.type.BasicTypeReference@14e33ff6
2024-12-01T13:14:24.563-03:00 DEBUG 5440 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration materialized_nclob_char_array -> org.hibernate.type.BasicTypeReference@40c24885
2024-12-01T13:14:24.563-03:00 DEBUG 5440 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration Duration -> org.hibernate.type.BasicTypeReference@4f3a5855
2024-12-01T13:14:24.564-03:00 DEBUG 5440 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration java.time.Duration -> org.hibernate.type.BasicTypeReference@4f3a5855
2024-12-01T13:14:24.574-03:00 DEBUG 5440 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration LocalDateTime -> org.hibernate.type.BasicTypeReference@edee655
2024-12-01T13:14:24.574-03:00 DEBUG 5440 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration java.time.LocalDateTime -> org.hibernate.type.BasicTypeReference@edee655
2024-12-01T13:14:24.574-03:00 DEBUG 5440 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry

: Adding type registration LocalDate ->
org.hibernate.type.BasicTypeReference@34f74f7
2024-12-01T13:14:24.575-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.LocalDate ->
org.hibernate.type.BasicTypeReference@34f74f7
2024-12-01T13:14:24.575-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration LocalTime ->
org.hibernate.type.BasicTypeReference@519b827b
2024-12-01T13:14:24.575-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.LocalTime ->
org.hibernate.type.BasicTypeReference@519b827b
2024-12-01T13:14:24.575-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetDateTime ->
org.hibernate.type.BasicTypeReference@4cfe90ed
2024-12-01T13:14:24.576-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.OffsetDateTime ->
org.hibernate.type.BasicTypeReference@4cfe90ed
2024-12-01T13:14:24.576-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetDateTimeWithTimezone
-> org.hibernate.type.BasicTypeReference@35eb3b69
2024-12-01T13:14:24.577-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
OffsetDateTimeWithoutTimezone ->
org.hibernate.type.BasicTypeReference@4dfb09ef
2024-12-01T13:14:24.577-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetTime ->
org.hibernate.type.BasicTypeReference@407ed271
2024-12-01T13:14:24.577-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry

: Adding type registration java.time.OffsetTime ->
org.hibernate.type.BasicTypeReference@407ed271
2024-12-01T13:14:24.578-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetTimeUtc ->
org.hibernate.type.BasicTypeReference@78bf5b6b
2024-12-01T13:14:24.578-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetTimeWithTimezone ->
org.hibernate.type.BasicTypeReference@14630766
2024-12-01T13:14:24.578-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetTimeWithoutTimezone ->
org.hibernate.type.BasicTypeReference@142c074
2024-12-01T13:14:24.579-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration ZonedDateTime ->
org.hibernate.type.BasicTypeReference@37196777
2024-12-01T13:14:24.579-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.ZonedDateTime ->
org.hibernate.type.BasicTypeReference@37196777
2024-12-01T13:14:24.579-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration ZonedDateTimeWithTimezone ->
org.hibernate.type.BasicTypeReference@357f06fc
2024-12-01T13:14:24.972-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration ZonedDateTimeWithoutTimezone
-> org.hibernate.type.BasicTypeReference@392b6f02
2024-12-01T13:14:24.972-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration date ->
org.hibernate.type.BasicTypeReference@2efd4933
2024-12-01T13:14:24.973-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.sql.Date ->

org.hibernate.type.BasicTypeReference@2efd4933
2024-12-01T13:14:24.973-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration time ->
org.hibernate.type.BasicTypeReference@5223a144
2024-12-01T13:14:24.973-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.sql.Time ->
org.hibernate.type.BasicTypeReference@5223a144
2024-12-01T13:14:24.973-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration timestamp ->
org.hibernate.type.BasicTypeReference@1fa6051a
2024-12-01T13:14:24.973-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.sql.Timestamp ->
org.hibernate.type.BasicTypeReference@1fa6051a
2024-12-01T13:14:24.974-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.util.Date ->
org.hibernate.type.BasicTypeReference@1fa6051a
2024-12-01T13:14:24.974-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration calendar ->
org.hibernate.type.BasicTypeReference@7d973a93
2024-12-01T13:14:24.974-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.util.Calendar ->
org.hibernate.type.BasicTypeReference@7d973a93
2024-12-01T13:14:24.974-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.util.GregorianCalendar
-> org.hibernate.type.BasicTypeReference@7d973a93
2024-12-01T13:14:24.974-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration calendar_date ->
org.hibernate.type.BasicTypeReference@396740c3

2024-12-01T13:14:24.974-03:00 DEBUG 5440 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration calendar_time -> org.hibernate.type.BasicTypeReference@7601ff2a
2024-12-01T13:14:24.974-03:00 DEBUG 5440 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration instant -> org.hibernate.type.BasicTypeReference@5920ba25
2024-12-01T13:14:24.975-03:00 DEBUG 5440 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration java.time.Instant -> org.hibernate.type.BasicTypeReference@5920ba25
2024-12-01T13:14:24.975-03:00 DEBUG 5440 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration uuid -> org.hibernate.type.BasicTypeReference@1d275030
2024-12-01T13:14:24.975-03:00 DEBUG 5440 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration java.util.UUID -> org.hibernate.type.BasicTypeReference@1d275030
2024-12-01T13:14:24.975-03:00 DEBUG 5440 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration pg-uuid -> org.hibernate.type.BasicTypeReference@1d275030
2024-12-01T13:14:24.975-03:00 DEBUG 5440 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration uuid-binary -> org.hibernate.type.BasicTypeReference@1ec56a0f
2024-12-01T13:14:24.975-03:00 DEBUG 5440 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration uuid-char -> org.hibernate.type.BasicTypeReference@67c42e52
2024-12-01T13:14:24.975-03:00 DEBUG 5440 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration class -> org.hibernate.type.BasicTypeReference@3b69411d
2024-12-01T13:14:24.976-03:00 DEBUG 5440 --- [api] [

restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Class ->
org.hibernate.type.BasicTypeReference@3b69411d
2024-12-01T13:14:24.976-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration currency ->
org.hibernate.type.BasicTypeReference@1ce83090
2024-12-01T13:14:24.976-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration Currency ->
org.hibernate.type.BasicTypeReference@1ce83090
2024-12-01T13:14:24.976-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.util.Currency ->
org.hibernate.type.BasicTypeReference@1ce83090
2024-12-01T13:14:24.976-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration locale ->
org.hibernate.type.BasicTypeReference@29c8b410
2024-12-01T13:14:24.977-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.util.Locale ->
org.hibernate.type.BasicTypeReference@29c8b410
2024-12-01T13:14:24.977-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration serializable ->
org.hibernate.type.BasicTypeReference@6f38a9c5
2024-12-01T13:14:24.977-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.io.Serializable ->
org.hibernate.type.BasicTypeReference@6f38a9c5
2024-12-01T13:14:24.977-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration timezone ->
org.hibernate.type.BasicTypeReference@1e287c96
2024-12-01T13:14:24.977-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry

: Adding type registration java.util.TimeZone ->
org.hibernate.type.BasicTypeReference@1e287c96
2024-12-01T13:14:24.977-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration ZoneOffset ->
org.hibernate.type.BasicTypeReference@4319b373
2024-12-01T13:14:24.977-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.ZoneOffset ->
org.hibernate.type.BasicTypeReference@4319b373
2024-12-01T13:14:24.978-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration url ->
org.hibernate.type.BasicTypeReference@2f9df734
2024-12-01T13:14:24.978-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.net.URL ->
org.hibernate.type.BasicTypeReference@2f9df734
2024-12-01T13:14:24.978-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration vector ->
org.hibernate.type.BasicTypeReference@5c10583
2024-12-01T13:14:24.978-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration float_vector ->
org.hibernate.type.BasicTypeReference@58d00561
2024-12-01T13:14:24.978-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration double_vector ->
org.hibernate.type.BasicTypeReference@565cb723
2024-12-01T13:14:24.978-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration byte_vector ->
org.hibernate.type.BasicTypeReference@16b8de8b
2024-12-01T13:14:24.978-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration row_version ->

org.hibernate.type.BasicTypeReference@1b582cc2
2024-12-01T13:14:24.978-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration object ->
org.hibernate.type.JavaObjectType@e91810b
2024-12-01T13:14:24.979-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Object ->
org.hibernate.type.JavaObjectType@e91810b
2024-12-01T13:14:24.986-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration null ->
org.hibernate.type.NullType@7108767a
2024-12-01T13:14:24.987-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm_date ->
org.hibernate.type.BasicTypeReference@1e9aaa8b
2024-12-01T13:14:24.988-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm_time ->
org.hibernate.type.BasicTypeReference@140371a2
2024-12-01T13:14:24.988-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm_timestamp ->
org.hibernate.type.BasicTypeReference@4900beb0
2024-12-01T13:14:24.988-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm_calendar ->
org.hibernate.type.BasicTypeReference@5c1b4e84
2024-12-01T13:14:24.988-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm_calendar_date ->
org.hibernate.type.BasicTypeReference@179e697e
2024-12-01T13:14:24.988-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm_calendar_time ->
org.hibernate.type.BasicTypeReference@181f944e

2024-12-01T13:14:24.989-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm_binary ->
org.hibernate.type.BasicTypeReference@54a64cc3
2024-12-01T13:14:24.990-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm_serializable ->
org.hibernate.type.BasicTypeReference@52cf57bd
2024-12-01T13:14:25.098-03:00 INFO 5440 --- [api] [
restartedMain] o.s.o.j.p.SpringPersistenceUnitInfo
: No LoadTimeWeaver setup: ignoring JPA class
transformer
2024-12-01T13:14:25.153-03:00 INFO 5440 --- [api] [
restartedMain] org.hibernate.orm.connections.pooling
: HHH10001005: Database info:
        Database JDBC URL [Connecting through
datasource 'HikariDataSource (HikariPool-2)']
        Database driver: undefined/unknown
        Database version: 17.0
        Autocommit mode: undefined/unknown
        Isolation level: undefined/unknown
        Minimum pool size: undefined/unknown
        Maximum pool size: undefined/unknown
2024-12-01T13:14:25.160-03:00 DEBUG 5440 --- [api] [
restartedMain] o.h.t.d.sql.spi.DdlTypeRegistry
: addDescriptor(2003,
org.hibernate.type.descriptor.sql.internal.ArrayDdlType
Impl@226d1630) replaced previous
registration(org.hibernate.type.descriptor.sql.internal
.ArrayDdlTypeImpl@13c03c53)
2024-12-01T13:14:25.165-03:00 DEBUG 5440 --- [api] [
restartedMain] o.h.t.d.sql.spi.DdlTypeRegistry
: addDescriptor(6,
org.hibernate.type.descriptor.sql.internal.CapacityDepe
ndentDdlType@5d463d9b) replaced previous
registration(org.hibernate.type.descriptor.sql.internal
.DdlTypeImpl@6eb4096b)

```
2024-12-01T13:14:25.173-03:00 DEBUG 5440 --- [api] [
restartedMain] o.h.t.d.jdbc.spi.JdbcTypeRegistry
: addDescriptor(2004, BlobTypeDescriptor(BLOB_BINDING))
replaced previous
registration(BlobTypeDescriptor(DEFAULT))
2024-12-01T13:14:25.179-03:00 DEBUG 5440 --- [api] [
restartedMain] o.h.t.d.jdbc.spi.JdbcTypeRegistry
: addDescriptor(2005, ClobTypeDescriptor(CLOB_BINDING))
replaced previous
registration(ClobTypeDescriptor(DEFAULT))
2024-12-01T13:14:25.191-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration JAVA_OBJECT ->
org.hibernate.type.JavaObjectType@24a24e1b
2024-12-01T13:14:25.196-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Object ->
org.hibernate.type.JavaObjectType@24a24e1b
2024-12-01T13:14:25.201-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Type registration key [java.lang.Object] overrode
previous entry :
`org.hibernate.type.JavaObjectType@e91810b`
2024-12-01T13:14:25.203-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.DurationType ->
basicType@23(java.time.Duration,3015)
2024-12-01T13:14:25.213-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration Duration ->
basicType@23(java.time.Duration,3015)
2024-12-01T13:14:25.218-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.Duration ->
basicType@23(java.time.Duration,3015)
2024-12-01T13:14:25.224-03:00 DEBUG 5440 --- [api] [
```

restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.OffsetDateTimeType ->
basicType@24(java.time.OffsetDateTime,3003)
2024-12-01T13:14:25.234-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetDateTime ->
basicType@24(java.time.OffsetDateTime,3003)
2024-12-01T13:14:25.237-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.OffsetDateTime ->
basicType@24(java.time.OffsetDateTime,3003)
2024-12-01T13:14:25.247-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.ZonedDateTimeType ->
basicType@25(java.time.ZonedDateTime,3003)
2024-12-01T13:14:25.252-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration ZonedDateTime ->
basicType@25(java.time.ZonedDateTime,3003)
2024-12-01T13:14:25.258-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.ZonedDateTime ->
basicType@25(java.time.ZonedDateTime,3003)
2024-12-01T13:14:25.260-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.OffsetTimeType ->
basicType@26(java.time.OffsetTime,3007)
2024-12-01T13:14:25.261-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetTime ->
basicType@26(java.time.OffsetTime,3007)
2024-12-01T13:14:25.261-03:00 DEBUG 5440 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.OffsetTime ->

```
basicType@26(java.time.OffsetTime,3007)
2024-12-01T13:14:25.262-03:00 DEBUG 5440 --- [api] [
restartedMain] o.h.type.spi.TypeConfiguration$Scope
: Scoping TypeConfiguration
[org.hibernate.type.spi.TypeConfiguration@3612dc78] to
MetadataBuildingContext
[org.hibernate.boot.internal.MetadataBuildingContextRoo
tImpl@5ad495c4]
2024-12-01T13:14:25.862-03:00  INFO 5440 --- [api] [
restartedMain] o.h.e.t.j.p.i.JtaPlatformInitiator
: HHH000489: No JTA platform available (set
'hibernate.transaction.jta.platform' to enable JTA
platform integration)
2024-12-01T13:14:25.898-03:00 DEBUG 5440 --- [api] [
restartedMain] o.h.type.spi.TypeConfiguration$Scope
: Scoping TypeConfiguration
[org.hibernate.type.spi.TypeConfiguration@3612dc78] to
SessionFactoryImplementor
[org.hibernate.internal.SessionFactoryImpl@2ed0e005]
2024-12-01T13:14:26.029-03:00 TRACE 5440 --- [api] [
restartedMain] o.h.type.spi.TypeConfiguration$Scope
: Handling #sessionFactoryCreated from
[org.hibernate.internal.SessionFactoryImpl@2ed0e005]
for TypeConfiguration
2024-12-01T13:14:26.029-03:00  INFO 5440 --- [api] [
restartedMain] j.LocalContainerEntityManagerFactoryBean
: Initialized JPA EntityManagerFactory for persistence
unit 'default'
2024-12-01T13:14:27.285-03:00  WARN 5440 --- [api] [
restartedMain] JpaBaseConfiguration$JpaWebConfiguration
: spring.jpa.open-in-view is enabled by default.
Therefore, database queries may be performed during
view rendering. Explicitly configure
spring.jpa.open-in-view to disable this warning
2024-12-01T13:14:28.199-03:00  INFO 5440 --- [api] [
restartedMain] o.s.b.d.a.OptionalLiveReloadServer
: LiveReload server is running on port 35729
```

```
2024-12-01T13:14:28.225-03:00  INFO 5440 --- [api] [
restartedMain] o.s.b.w.embedded.tomcat.TomcatWebServer
: Tomcat started on port 8080 (http) with context path
'/'
2024-12-01T13:14:28.262-03:00  INFO 5440 --- [api] [
restartedMain] med.voll.api.ApiApplication
: Started ApiApplication in 9.236 seconds (process
running for 236.289)
2024-12-01T13:14:28.296-03:00  INFO 5440 --- [api] [
restartedMain] .ConditionEvaluationDeltaLoggingListener
: Condition evaluation unchanged
2024-12-01T13:17:24.457-03:00  INFO 5440 --- [api]
[nio-8080-exec-1] o.a.c.c.C.[Tomcat].[localhost].[/]
   : Initializing Spring DispatcherServlet
'dispatcherServlet'
2024-12-01T13:17:24.458-03:00  INFO 5440 --- [api]
[nio-8080-exec-1] o.s.web.servlet.DispatcherServlet
   : Initializing Servlet 'dispatcherServlet'
2024-12-01T13:17:24.460-03:00  INFO 5440 --- [api]
[nio-8080-exec-1] o.s.web.servlet.DispatcherServlet
   : Completed initialization in 2 ms
2024-12-01T13:17:25.856-03:00  WARN 5440 --- [api]
[nio-8080-exec-1]
.w.s.m.s.DefaultHandlerExceptionResolver : Resolved
[org.springframework.web.bind.MethodArgumentNotValidExc
eption: Validation failed for argument [0] in public
void
med.voll.api.controller.MedicoController.InserirDados(m
ed.voll.api.model.Medicos): [Field error in object
'medicos' on field 'endereco.cep': rejected value
[7345543]; codes
[Pattern.medicos.endereco.cep,Pattern.endereco.cep,Patt
ern.cep,Pattern.java.lang.String,Pattern]; arguments
[org.springframework.context.support.DefaultMessageSour
ceResolvable: codes
[medicos.endereco.cep,endereco.cep]; arguments [];
default message
```

[endereco.cep],[Ljakarta.validation.constraints.Pattern
$Flag;@752e95d4,\d{8}]; default message [deve
corresponder a "\d{8}"]]]

Medicos[nome=Carlos Correia Dentada,
email=carlos.corden@voll.med, crm=432234,
especialidade=CARDIOLOGIA,
endereco=Endereco[logradouro=Rua das Maças, bairro=Pé
de Abacate, cep=73455430, cidade=Brasilia, uf=DF,
numero=102, complemento=Apto 401]]

med.voll.api.model.DB.MedicoDB@6833c330

2024-12-01T13:18:16.647-03:00 DEBUG 5440 --- [api]
[nio-8080-exec-2] org.hibernate.SQL
    : insert into medicos
(crm,email,bairro,cep,cidade,complemento,logradouro,num
ero,uf,especialidade,nome) values
(?,?,?,?,?,?,?,?,?,?,?)
Hibernate: insert into medicos
(crm,email,bairro,cep,cidade,complemento,logradouro,num
ero,uf,especialidade,nome) values
(?,?,?,?,?,?,?,?,?,?,?)

Medicos[nome=Roberto Cardoso Ferreira,
email=roberto.cardoso@voll.med, crm=234567,
especialidade=ORTOPEDIA,
endereco=Endereco[logradouro=Rua Machado de Assis,
bairro=Bairro Poema, cep=40568001, cidade=Recife,
uf=PE, numero=37, complemento=]]

med.voll.api.model.DB.MedicoDB@5d1a3ba3

2024-12-01T13:20:59.441-03:00 DEBUG 5440 --- [api]
[nio-8080-exec-4] org.hibernate.SQL

```
    : insert into medicos
(crm,email,bairro,cep,cidade,complemento,logradouro,num
ero,uf,especialidade,nome) values
(?,?,?,?,?,?,?,?,?,?,?)
Hibernate: insert into medicos
(crm,email,bairro,cep,cidade,complemento,logradouro,num
ero,uf,especialidade,nome) values
(?,?,?,?,?,?,?,?,?,?,?)

Medicos[nome=Carla Amendoa Chai,
email=carla.amchai@voll.med, crm=734120,
especialidade=CARDIOLOGIA,
endereco=Endereco[logradouro=Rua das Rosas,
bairro=Bairro do Ipê, cep=28457540, cidade=São Paulo,
uf=SP, numero=25, complemento=Apto 804]]

med.voll.api.model.DB.MedicoDB@62ec8c04


2024-12-01T13:23:02.327-03:00 DEBUG 5440 --- [api]
[nio-8080-exec-6] org.hibernate.SQL
    : insert into medicos
(crm,email,bairro,cep,cidade,complemento,logradouro,num
ero,uf,especialidade,nome) values
(?,?,?,?,?,?,?,?,?,?,?)
Hibernate: insert into medicos
(crm,email,bairro,cep,cidade,complemento,logradouro,num
ero,uf,especialidade,nome) values
(?,?,?,?,?,?,?,?,?,?,?)
2024-12-01T13:24:13.673-03:00  WARN 5440 --- [api]
[nio-8080-exec-8]
.w.s.m.s.DefaultHandlerExceptionResolver : Resolved
[org.springframework.http.converter.HttpMessageNotReada
bleException: JSON parse error: Unexpected
end-of-input: expected close marker for Object (start
marker at [Source: REDACTED
(`StreamReadFeature.INCLUDE_SOURCE_IN_LOCATION`
```

disabled); line: 1, column: 1])]

Medicos[nome=Hamilton Cordoba,
email=hamilton.cor@voll.med, crm=175454,
especialidade=ORTOPEDIA,
endereco=Endereco[logradouro=Rua das Violetas,
bairro=Comd.Goiabeira, cep=15245728, cidade=Rio de
Janeiro, uf=RJ, numero=21, complemento=casa 100]]

med.voll.api.model.DB.MedicoDB@5ec71f23

2024-12-01T13:26:20.895-03:00 DEBUG 5440 --- [api]
[nio-8080-exec-9] org.hibernate.SQL
    : insert into medicos
(crm,email,bairro,cep,cidade,complemento,logradouro,num
ero,uf,especialidade,nome) values
(?,?,?,?,?,?,?,?,?,?,?)
Hibernate: insert into medicos
(crm,email,bairro,cep,cidade,complemento,logradouro,num
ero,uf,especialidade,nome) values
(?,?,?,?,?,?,?,?,?,?,?)
2024-12-01T13:27:31.190-03:00 WARN 5440 --- [api]
[nio-8080-exec-1]
.w.s.m.s.DefaultHandlerExceptionResolver : Resolved
[org.springframework.http.converter.HttpMessageNotReada
bleException: JSON parse error: Cannot deserialize
value of type `med.voll.api.model.Especialidade` from
String "GINOCOLOGIA": not one of the values accepted
for Enum class: [ORTOPEDIA, ODONTOLOGIA, CARDIOLOGIA,
GINECOLOGIA]]

Medicos[nome=Andréia Atmosphera,
email=andreia.atm@voll.med, crm=123478,
especialidade=GINECOLOGIA,
endereco=Endereco[logradouro=Rua 10, bairro=Tio
Antônio, cep=12345750, cidade=Paraibuna, uf=PB,

numero=43, complemento=]]

med.voll.api.model.DB.MedicoDB@62cfd072

2024-12-01T13:27:58.572-03:00 DEBUG 5440 --- [api]
[nio-8080-exec-2] org.hibernate.SQL
    : insert into medicos
(crm,email,bairro,cep,cidade,complemento,logradouro,num
ero,uf,especialidade,nome) values
(?,?,?,?,?,?,?,?,?,?,?)
Hibernate: insert into medicos
(crm,email,bairro,cep,cidade,complemento,logradouro,num
ero,uf,especialidade,nome) values
(?,?,?,?,?,?,?,?,?,?,?)

Medicos[nome=John Carlson, email=john.car@voll.med,
crm=526652, especialidade=GINECOLOGIA,
endereco=Endereco[logradouro=Rua das Bananas,
bairro=Bairro das Oliveiras, cep=78789001, cidade=Rio
de Janeiro, uf=RJ, numero=25, complemento=CASA 400]]

med.voll.api.model.DB.MedicoDB@7904a8fc

2024-12-01T13:33:21.484-03:00 DEBUG 5440 --- [api]
[nio-8080-exec-4] org.hibernate.SQL
    : insert into medicos
(crm,email,bairro,cep,cidade,complemento,logradouro,num
ero,uf,especialidade,nome) values
(?,?,?,?,?,?,?,?,?,?,?)
Hibernate: insert into medicos
(crm,email,bairro,cep,cidade,complemento,logradouro,num
ero,uf,especialidade,nome) values
(?,?,?,?,?,?,?,?,?,?,?)
2024-12-01T15:51:09.793-03:00 WARN 5440 --- [api] [l-2
housekeeper] com.zaxxer.hikari.pool.HikariPool   :

HikariPool-2 - Thread starvation or clock leap detected (housekeeper delta=1h24m41s184ms491µs800ns).
d