

```
"timestamp": "2024-12-01T00:31:59.120+00:00",
  "status": 400,
  "error": "Bad Request",
  "trace":
"org.springframework.web.bind.MethodArgumentNotValidExc
ption: Validation failed for argument [0] in public
void
med.voll.api.controller.MedicoController.InserirDados(m
ed.voll.api.model.Medicos): [Field error in object
'medicos' on field 'crm': rejected value [123]; codes
[Pattern.medicos.crm,Pattern.crm,Pattern.java.lang.Stri
ng,Pattern]; arguments
[org.springframework.context.support.DefaultMessageSour
ceResolvable: codes [medicos.crm,crm]; arguments [];
default message
[crm],[Ljakarta.validation.constraints.Pattern$Flag;@7a
d74795,\\d{4,6}]; default message [deve corresponder a
\\"\\d{4,6}\\"]] \\r\\n\\tat
org.springframework.web.servlet.mvc.method.annotation.R
equestResponseBodyMethodProcessor.resolveArgument(Reque
stResponseBodyMethodProcessor.java:159)\\r\\n\\tat
org.springframework.web.method.support.HandlerMethodArg
umentResolverComposite.resolveArgument(HandlerMethodArg
umentResolverComposite.java:122)\\r\\n\\tat
org.springframework.web.method.support.InvocableHandler
Method.getMethodArgumentValues(InvocableHandlerMethod.j
ava:224)\\r\\n\\tat
org.springframework.web.method.support.InvocableHandler
Method.invokeForRequest(InvocableHandlerMethod.java:178
)\\r\\n\\tat
org.springframework.web.servlet.mvc.method.annotation.S
ervletInvocableHandlerMethod.invokeAndHandle(ServletInv
ocableHandlerMethod.java:118)\\r\\n\\tat
org.springframework.web.servlet.mvc.method.annotation.R
equestMappingHandlerAdapter.invokeHandlerMethod(Request
MappingHandlerAdapter.java:986)\\r\\n\\tat
org.springframework.web.servlet.mvc.method.annotation.R
```

```
equestMappingHandlerAdapter.handleInternal(RequestMappingHandlerAdapter.java:891)\r\n\tat
org.springframework.web.servlet.mvc.method.AbstractHandlerMethodAdapter.handle(AbstractHandlerMethodAdapter.java:87)\r\n\tat
org.springframework.web.servlet.DispatcherServlet.doDispatch(DispatcherServlet.java:1088)\r\n\tat
org.springframework.web.servlet.DispatcherServlet.doService(DispatcherServlet.java:978)\r\n\tat
org.springframework.web.servlet.FrameworkServlet.processRequest(FrameworkServlet.java:1014)\r\n\tat
org.springframework.web.servlet.FrameworkServlet.doPost(FrameworkServlet.java:914)\r\n\tat
jakarta.servlet.http.HttpServlet.service(HttpServlet.java:590)\r\n\tat
org.springframework.web.servlet.FrameworkServlet.service(FrameworkServlet.java:885)\r\n\tat
jakarta.servlet.http.HttpServlet.service(HttpServlet.java:658)\r\n\tat
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:195)\r\n\tat
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:140)\r\n\tat
org.apache.tomcat.websocket.server.WsFilter.doFilter(WsFilter.java:51)\r\n\tat
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:164)\r\n\tat
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:140)\r\n\tat
org.springframework.web.filter.RequestContextFilter.doFilterInternal(RequestContextFilter.java:100)\r\n\tat
org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerRequestFilter.java:116)\r\n\tat
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:164)\r\n\tat
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:140)\r\n\tat
```

```
org.springframework.web.filter.FormContentFilter.doFilterInternal(FormContentFilter.java:93)\r\n\tat
org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerRequestFilter.java:116)\r\n\tat
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:164)\r\n\tat
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:140)\r\n\tat
org.springframework.web.filter.CharacterEncodingFilter.doFilterInternal(CharacterEncodingFilter.java:201)\r\n\tat
org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerRequestFilter.java:116)\r\n\tat
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:164)\r\n\tat
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:140)\r\n\tat
org.apache.catalina.core.StandardWrapperValve.invoke(StandardWrapperValve.java:167)\r\n\tat
org.apache.catalina.core.StandardContextValve.invoke(StandardContextValve.java:90)\r\n\tat
org.apache.catalina.authenticator.AuthenticatorBase.invoke(AuthenticatorBase.java:483)\r\n\tat
org.apache.catalina.core.StandardHostValve.invoke(StandardHostValve.java:115)\r\n\tat
org.apache.catalina.valves.ErrorReportValve.invoke(ErrorReportValve.java:93)\r\n\tat
org.apache.catalina.core.StandardEngineValve.invoke(StandardEngineValve.java:74)\r\n\tat
org.apache.catalina.connector.CoyoteAdapter.service(CoyoteAdapter.java:344)\r\n\tat
org.apache.coyote.http11.Http11Processor.service(Http11Processor.java:397)\r\n\tat
org.apache.coyote.AbstractProcessorLight.process(AbstractProcessorLight.java:63)\r\n\tat
org.apache.coyote.AbstractProtocol$ConnectionHandler.process(AbstractProtocol.java:905)\r\n\tat
```

```

org.apache.tomcat.util.net.NioEndpoint$SocketProcessor.
doRun(NioEndpoint.java:1741)\r\n\tat
org.apache.tomcat.util.net.SocketProcessorBase.run(Socket
ProcessorBase.java:52)\r\n\tat
org.apache.tomcat.util.threads.ThreadPoolExecutor.runWo
rker(ThreadPoolExecutor.java:1190)\r\n\tat
org.apache.tomcat.util.threads.ThreadPoolExecutor$Worke
r.run(ThreadPoolExecutor.java:659)\r\n\tat
org.apache.tomcat.util.threads.TaskThread$WrappingRunna
ble.run(TaskThread.java:63)\r\n\tat
java.base/java.lang.Thread.run(Thread.java:1583)\r\n",
    "message": "Validation failed for
object='medicos'. Error count: 1",
    "errors": [
        {
            "objectName": "medicos",
            "field": "crm",
            "rejectedValue": "123",
            "codes": [
                "Pattern.medicos.crm",
                "Pattern.crm",

"Pattern.java.lang.String",
                "Pattern"
            ],
            "arguments": [
                {
                    "codes": [

"medicos.crm",
                    "crm"
                ],
                "arguments":

null,

"defaultMessage": "crm",
                "code": "crm"
            ]
        }
    ]
}

```

```

        },
        [],
        {
            "arguments":
null,
            "defaultMessage": "\\d{4,6}",
            "codes": [
                "\\d{4,6}"
            ]
        }
    ],
    "defaultMessage": "deve
corresponder a "\\d{4,6}\\\"",
    "bindingFailure": false,
    "code": "Pattern"
},
    "path": "/medico"
}

{
    "timestamp": "2024-12-01T00:34:51.363+00:00",
    "status": 400,
    "error": "Bad Request",
    "trace":
"org.springframework.http.converter.HttpMessageNotReada
bleException: JSON parse error: Cannot coerce empty
String (\\") to `med.voll.api.model.Especialidade`
value (but could if coercion was enabled using
`CoercionConfig`)\r\n\tat
org.springframework.http.converter.json.AbstractJackson
2HttpMessageConverter.readJavaType(AbstractJackson2Http
MessageConverter.java:409)\r\n\tat
org.springframework.http.converter.json.AbstractJackson

```

```
2HttpMessageConverter.read(AbstractJackson2HttpMessageC
onverter.java:357)\r\n\tat
org.springframework.web.servlet.mvc.method.annotation.A
bstractMessageConverterMethodArgumentResolver.readWithM
essageConverters(AbstractMessageConverterMethodArgument
Resolver.java:204)\r\n\tat
org.springframework.web.servlet.mvc.method.annotation.R
equestResponseBodyMethodProcessor.readWithMessageConver
ters(RequestResponseBodyMethodProcessor.java:176)\r\n\t
at
org.springframework.web.servlet.mvc.method.annotation.R
equestResponseBodyMethodProcessor.resolveArgument(Reque
stResponseBodyMethodProcessor.java:150)\r\n\tat
org.springframework.web.method.support.HandlerMethodArg
umentResolverComposite.resolveArgument(HandlerMethodArg
umentResolverComposite.java:122)\r\n\tat
org.springframework.web.method.support.InvocableHandler
Method.getMethodArgumentValues(InvocableHandlerMethod.j
ava:224)\r\n\tat
org.springframework.web.method.support.InvocableHandler
Method.invokeForRequest(InvocableHandlerMethod.java:178
)\r\n\tat
org.springframework.web.servlet.mvc.method.annotation.S
ervletInvocableHandlerMethod.invokeAndHandle(ServletInv
ocableHandlerMethod.java:118)\r\n\tat
org.springframework.web.servlet.mvc.method.annotation.R
equestMappingHandlerAdapter.invokeHandlerMethod(Request
MappingHandlerAdapter.java:986)\r\n\tat
org.springframework.web.servlet.mvc.method.annotation.R
equestMappingHandlerAdapter.handleInternal(RequestMappi
ngHandlerAdapter.java:891)\r\n\tat
org.springframework.web.servlet.mvc.method.AbstractHand
lerMethodAdapter.handle(AbstractHandlerMethodAdapter.ja
va:87)\r\n\tat
org.springframework.web.servlet.DispatcherServlet.doDis
patch(DispatcherServlet.java:1088)\r\n\tat
org.springframework.web.servlet.DispatcherServlet.doSer
```

vice(DispatcherServlet.java:978)\r\n\tat
org.springframework.web.servlet.FrameworkServlet.proces
sRequest(FrameworkServlet.java:1014)\r\n\tat
org.springframework.web.servlet.FrameworkServlet.doPost
(FrameworkServlet.java:914)\r\n\tat
jakarta.servlet.http.HttpServlet.service(HttpServlet.ja
va:590)\r\n\tat
org.springframework.web.servlet.FrameworkServlet.servic
e(FrameworkServlet.java:885)\r\n\tat
jakarta.servlet.http.HttpServlet.service(HttpServlet.ja
va:658)\r\n\tat
org.apache.catalina.core.ApplicationFilterChain.interna
lDoFilter(ApplicationFilterChain.java:195)\r\n\tat
org.apache.catalina.core.ApplicationFilterChain.doFilte
r(ApplicationFilterChain.java:140)\r\n\tat
org.apache.tomcat.websocket.server.WsFilter.doFilter(Ws
Filter.java:51)\r\n\tat
org.apache.catalina.core.ApplicationFilterChain.interna
lDoFilter(ApplicationFilterChain.java:164)\r\n\tat
org.apache.catalina.core.ApplicationFilterChain.doFilte
r(ApplicationFilterChain.java:140)\r\n\tat
org.springframework.web.filter.RequestContextFilter.doF
ilterInternal(RequestContextFilter.java:100)\r\n\tat
org.springframework.web.filter.OncePerRequestFilter.doF
ilter(OncePerRequestFilter.java:116)\r\n\tat
org.apache.catalina.core.ApplicationFilterChain.interna
lDoFilter(ApplicationFilterChain.java:164)\r\n\tat
org.apache.catalina.core.ApplicationFilterChain.doFilte
r(ApplicationFilterChain.java:140)\r\n\tat
org.springframework.web.filter.FormContentFilter.doFilt
erInternal(FormContentFilter.java:93)\r\n\tat
org.springframework.web.filter.OncePerRequestFilter.doF
ilter(OncePerRequestFilter.java:116)\r\n\tat
org.apache.catalina.core.ApplicationFilterChain.interna
lDoFilter(ApplicationFilterChain.java:164)\r\n\tat
org.apache.catalina.core.ApplicationFilterChain.doFilte
r(ApplicationFilterChain.java:140)\r\n\tat

org.springframework.web.filter.CharacterEncodingFilter.
doFilterInternal(CharacterEncodingFilter.java:201)\r\n\tat
org.springframework.web.filter.OncePerRequestFilter.doF
ilter(OncePerRequestFilter.java:116)\r\n\tat
org.apache.catalina.core.ApplicationFilterChain.interna
lDoFilter(ApplicationFilterChain.java:164)\r\n\tat
org.apache.catalina.core.ApplicationFilterChain.doFilde
r(ApplicationFilterChain.java:140)\r\n\tat
org.apache.catalina.core.StandardWrapperValve.invoke(St
andardWrapperValve.java:167)\r\n\tat
org.apache.catalina.core.StandardContextValve.invoke(St
andardContextValve.java:90)\r\n\tat
org.apache.catalina.authenticator.AuthenticatorBase.inv
oke(AuthenticatorBase.java:483)\r\n\tat
org.apache.catalina.core.StandardHostValve.invoke(Stand
ardHostValve.java:115)\r\n\tat
org.apache.catalina.valves.ErrorReportValve.invoke(Erro
rReportValve.java:93)\r\n\tat
org.apache.catalina.core.StandardEngineValve.invoke(Sta
ndardEngineValve.java:74)\r\n\tat
org.apache.catalina.connector.CoyoteAdapter.service(Coy
oteAdapter.java:344)\r\n\tat
org.apache.coyote.http11.Http11Processor.service(Http11
Processor.java:397)\r\n\tat
org.apache.coyote.AbstractProcessorLight.process(Abstra
ctProcessorLight.java:63)\r\n\tat
org.apache.coyote.AbstractProtocol\$ConnectionHandler.pr
ocess(AbstractProtocol.java:905)\r\n\tat
org.apache.tomcat.util.net.NioEndpoint\$SocketProcessor.
doRun(NioEndpoint.java:1741)\r\n\tat
org.apache.tomcat.util.net.SocketProcessorBase.run(Sock
etProcessorBase.java:52)\r\n\tat
org.apache.tomcat.util.threads.ThreadPoolExecutor.runWo
rker(ThreadPoolExecutor.java:1190)\r\n\tat
org.apache.tomcat.util.threads.ThreadPoolExecutor\$Worke
r.run(ThreadPoolExecutor.java:659)\r\n\tat


```
org.apache.tomcat.util.threads.TaskThread$WrappingRunnable.run(TaskThread.java:63)\r\n\tat
java.base/java.lang.Thread.run(Thread.java:1583)\r\nCaused by:
com.fasterxml.jackson.databind.exc.InvalidFormatException: Cannot coerce empty String (\"\") to
`med.voll.api.model.Especialidade` value (but could if coercion was enabled using `CoercionConfig`)\n at
[Source: REDACTED
(`StreamReadFeature.INCLUDE_SOURCE_IN_LOCATION`
disabled); line: 5, column: 18] (through reference
chain:
med.voll.api.model.Medicos[\"especialidade\"])\r\n\tat
com.fasterxml.jackson.databind.exc.InvalidFormatException.from(InvalidFormatException.java:67)\r\n\tat
com.fasterxml.jackson.databind.DeserializationContext.reportBadCoercion(DeserializationContext.java:1832)\r\n\tat
com.fasterxml.jackson.databind.deser.std.StdDeserializer._checkCoercionFail(StdDeserializer.java:1679)\r\n\tat
com.fasterxml.jackson.databind.deser.std.EnumDeserializer._deserializeAltString(EnumDeserializer.java:389)\r\n\tat
com.fasterxml.jackson.databind.deser.std.EnumDeserializer._fromString(EnumDeserializer.java:304)\r\n\tat
com.fasterxml.jackson.databind.deser.std.EnumDeserializer.deserialize(EnumDeserializer.java:273)\r\n\tat
com.fasterxml.jackson.databind.deser.SettableBeanProperty.deserialize(SettableBeanProperty.java:543)\r\n\tat
com.fasterxml.jackson.databind.deser.BeanDeserializer._deserializeWithErrorWrapping(BeanDeserializer.java:583)
\r\n\tat
com.fasterxml.jackson.databind.deser.BeanDeserializer._deserializeUsingPropertyBased(BeanDeserializer.java:447)
\r\n\tat
com.fasterxml.jackson.databind.deser.BeanDeserializerBase.deserializeFromObjectUsingNonDefault(BeanDeserializer
```



```
restartedMain] med.voll.api.ApiApplication
: Starting ApiApplication using Java 21 with PID 11356
(C:\GitHubjavabin7777777\PROJETOS-ORACLE-ONE-ALURA\api\
api\target\classes started by Jupiter in
C:\GitHubjavabin7777777\PROJETOS-ORACLE-ONE-ALURA\api\api)
2024-11-30T21:29:11.205-03:00 INFO 11356 --- [api] [
restartedMain] med.voll.api.ApiApplication
: No active profile set, falling back to 1 default
profile: "default"
2024-11-30T21:29:12.376-03:00 INFO 11356 --- [api] [
restartedMain] .e.DevToolsPropertyDefaultsPostProcessor
: Devtools property defaults active! Set
'spring.devtools.add-properties' to 'false' to disable
2024-11-30T21:29:12.377-03:00 INFO 11356 --- [api] [
restartedMain] .e.DevToolsPropertyDefaultsPostProcessor
: For additional web related logging consider setting
the 'logging.level.web' property to 'DEBUG'
2024-11-30T21:29:36.506-03:00 INFO 11356 --- [api] [
restartedMain] .s.d.r.c.RepositoryConfigurationDelegate
: Bootstrapping Spring Data JPA repositories in DEFAULT
mode.
2024-11-30T21:29:37.229-03:00 INFO 11356 --- [api] [
restartedMain] .s.d.r.c.RepositoryConfigurationDelegate
: Finished Spring Data repository scanning in 596 ms.
Found 1 JPA repository interface.
2024-11-30T21:30:04.721-03:00 INFO 11356 --- [api] [
restartedMain] o.s.b.w.embedded.tomcat.TomcatWebServer
: Tomcat initialized with port 8080 (http)
2024-11-30T21:30:05.765-03:00 INFO 11356 --- [api] [
restartedMain] o.apache.catalina.core.StandardService
: Starting service [Tomcat]
2024-11-30T21:30:05.774-03:00 INFO 11356 --- [api] [
restartedMain] o.apache.catalina.core.StandardEngine
: Starting Servlet engine: [Apache Tomcat/10.1.33]
2024-11-30T21:30:07.184-03:00 INFO 11356 --- [api] [
restartedMain] o.a.c.c.C.[Tomcat].[localhost].[/]
```

: Initializing Spring embedded WebApplicationContext
2024-11-30T21:30:07.209-03:00 INFO 11356 --- [api] [restartedMain] w.s.c.ServletWebServerApplicationContext
: Root WebApplicationContext: initialization completed in 54741 ms
2024-11-30T21:30:14.568-03:00 INFO 11356 --- [api] [restartedMain] com.zaxxer.hikari.HikariDataSource
: HikariPool-1 - Starting...
2024-11-30T21:30:23.343-03:00 INFO 11356 --- [api] [restartedMain] com.zaxxer.hikari.pool.HikariPool
: HikariPool-1 - Added connection
org.postgresql.jdbc.PgConnection@6361dc6d
2024-11-30T21:30:23.362-03:00 INFO 11356 --- [api] [restartedMain] com.zaxxer.hikari.HikariDataSource
: HikariPool-1 - Start completed.
2024-11-30T21:30:23.698-03:00 INFO 11356 --- [api] [restartedMain] org.flywaydb.core.FlywayExecutor
: Database:
jdbc:postgresql://localhost:5432/clinica_medica
(PostgreSQL 17.0)
2024-11-30T21:30:26.556-03:00 INFO 11356 --- [api] [restartedMain] o.f.core.internal.command.DbValidate
: Successfully validated 0 migrations (execution time 00:01.115s)
2024-11-30T21:30:26.557-03:00 WARN 11356 --- [api] [restartedMain] o.f.core.internal.command.DbValidate
: No migrations found. Are your locations set up correctly?
2024-11-30T21:30:26.666-03:00 INFO 11356 --- [api] [restartedMain] o.f.core.internal.command.DbMigrate
: Current version of schema "public": << Empty Schema >>
2024-11-30T21:30:26.702-03:00 INFO 11356 --- [api] [restartedMain] o.f.core.internal.command.DbMigrate
: Schema "public" is up to date. No migration necessary.
2024-11-30T21:30:28.126-03:00 INFO 11356 --- [api] [

```
restartedMain] o.hibernate.jpamodelgen.internal.util.LogHelper
: HHH000204: Processing PersistenceUnitInfo [name:
default]
2024-11-30T21:30:30.447-03:00 INFO 11356 --- [api] [
restartedMain] org.hibernate.Version
: HHH000412: Hibernate ORM core version 6.6.2.Final
2024-11-30T21:30:31.369-03:00 INFO 11356 --- [api] [
restartedMain] o.h.c.internal.RegionFactoryInitiator
: HHH000026: Second-level cache disabled
2024-11-30T21:30:34.108-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration boolean ->
org.hibernate.type.BasicTypeReference@5a0f7096
2024-11-30T21:30:34.112-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration boolean ->
org.hibernate.type.BasicTypeReference@5a0f7096
2024-11-30T21:30:34.143-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Boolean ->
org.hibernate.type.BasicTypeReference@5a0f7096
2024-11-30T21:30:34.147-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration numeric_boolean ->
org.hibernate.type.BasicTypeReference@7e085de9
2024-11-30T21:30:34.149-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.NumericBooleanConverter ->
org.hibernate.type.BasicTypeReference@7e085de9
2024-11-30T21:30:34.150-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration true_false ->
org.hibernate.type.BasicTypeReference@45bd0bb7
2024-11-30T21:30:34.151-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
```

```
org.hibernate.type.TrueFalseConverter ->
org.hibernate.type.BasicTypeReference@45bd0bb7
2024-11-30T21:30:34.165-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration yes_no ->
org.hibernate.type.BasicTypeReference@424245bb
2024-11-30T21:30:34.176-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.YesNoConverter ->
org.hibernate.type.BasicTypeReference@424245bb
2024-11-30T21:30:34.177-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration byte ->
org.hibernate.type.BasicTypeReference@63e806a5
2024-11-30T21:30:34.182-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration byte ->
org.hibernate.type.BasicTypeReference@63e806a5
2024-11-30T21:30:34.183-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Byte ->
org.hibernate.type.BasicTypeReference@63e806a5
2024-11-30T21:30:34.183-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration binary ->
org.hibernate.type.BasicTypeReference@5fb3f824
2024-11-30T21:30:34.184-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration byte[] ->
org.hibernate.type.BasicTypeReference@5fb3f824
2024-11-30T21:30:34.184-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration [B ->
org.hibernate.type.BasicTypeReference@5fb3f824
2024-11-30T21:30:34.184-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
```

```
: Adding type registration binary_wrapper ->
org.hibernate.type.BasicTypeReference@727eb0d6
2024-11-30T21:30:34.184-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration wrapper-binary ->
org.hibernate.type.BasicTypeReference@727eb0d6
2024-11-30T21:30:34.185-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration image ->
org.hibernate.type.BasicTypeReference@22415cbf
2024-11-30T21:30:34.185-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration blob ->
org.hibernate.type.BasicTypeReference@1bfbb7c
2024-11-30T21:30:34.186-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.sql.Blob ->
org.hibernate.type.BasicTypeReference@1bfbb7c
2024-11-30T21:30:34.188-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration materialized_blob ->
org.hibernate.type.BasicTypeReference@418d01b7
2024-11-30T21:30:34.203-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration materialized_blob_wrapper ->
org.hibernate.type.BasicTypeReference@4672e150
2024-11-30T21:30:34.376-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration short ->
org.hibernate.type.BasicTypeReference@6e7ef985
2024-11-30T21:30:34.377-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration short ->
org.hibernate.type.BasicTypeReference@6e7ef985
2024-11-30T21:30:34.378-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Short ->
```

org.hibernate.type.BasicTypeReference@6e7ef985
2024-11-30T21:30:34.379-03:00 DEBUG 11356 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration integer ->
org.hibernate.type.BasicTypeReference@1266cb6d
2024-11-30T21:30:34.379-03:00 DEBUG 11356 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration int ->
org.hibernate.type.BasicTypeReference@1266cb6d
2024-11-30T21:30:34.379-03:00 DEBUG 11356 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration java.lang.Integer ->
org.hibernate.type.BasicTypeReference@1266cb6d
2024-11-30T21:30:34.379-03:00 DEBUG 11356 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration long ->
org.hibernate.type.BasicTypeReference@3b4ff02f
2024-11-30T21:30:34.380-03:00 DEBUG 11356 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration long ->
org.hibernate.type.BasicTypeReference@3b4ff02f
2024-11-30T21:30:34.380-03:00 DEBUG 11356 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration java.lang.Long ->
org.hibernate.type.BasicTypeReference@3b4ff02f
2024-11-30T21:30:34.380-03:00 DEBUG 11356 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration float ->
org.hibernate.type.BasicTypeReference@6a66fe77
2024-11-30T21:30:34.381-03:00 DEBUG 11356 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration float ->
org.hibernate.type.BasicTypeReference@6a66fe77
2024-11-30T21:30:34.381-03:00 DEBUG 11356 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry : Adding type registration java.lang.Float ->
org.hibernate.type.BasicTypeReference@6a66fe77


```
2024-11-30T21:30:34.381-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration double ->
org.hibernate.type.BasicTypeReference@734d806f
2024-11-30T21:30:34.381-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration double ->
org.hibernate.type.BasicTypeReference@734d806f
2024-11-30T21:30:34.381-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Double ->
org.hibernate.type.BasicTypeReference@734d806f
2024-11-30T21:30:34.382-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration big_integer ->
org.hibernate.type.BasicTypeReference@575410c8
2024-11-30T21:30:34.382-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.math.BigInteger ->
org.hibernate.type.BasicTypeReference@575410c8
2024-11-30T21:30:34.382-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration big_decimal ->
org.hibernate.type.BasicTypeReference@135e5c85
2024-11-30T21:30:34.382-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.math.BigDecimal ->
org.hibernate.type.BasicTypeReference@135e5c85
2024-11-30T21:30:34.383-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration character ->
org.hibernate.type.BasicTypeReference@4e169ddf
2024-11-30T21:30:34.402-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration char ->
org.hibernate.type.BasicTypeReference@4e169ddf
2024-11-30T21:30:34.405-03:00 DEBUG 11356 --- [api] [
```

```
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Character ->
org.hibernate.type.BasicTypeReference@4e169ddf
2024-11-30T21:30:34.405-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration character_nchar ->
org.hibernate.type.BasicTypeReference@5147228a
2024-11-30T21:30:34.406-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration string ->
org.hibernate.type.BasicTypeReference@2662aa3a
2024-11-30T21:30:34.406-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.String ->
org.hibernate.type.BasicTypeReference@2662aa3a
2024-11-30T21:30:34.406-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration nstring ->
org.hibernate.type.BasicTypeReference@47b97007
2024-11-30T21:30:34.406-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration characters ->
org.hibernate.type.BasicTypeReference@3dbbf54a
2024-11-30T21:30:34.407-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration char[] ->
org.hibernate.type.BasicTypeReference@3dbbf54a
2024-11-30T21:30:34.407-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration [C ->
org.hibernate.type.BasicTypeReference@3dbbf54a
2024-11-30T21:30:34.408-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration wrapper-characters ->
org.hibernate.type.BasicTypeReference@5580d305
2024-11-30T21:30:34.408-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
```

```
: Adding type registration text ->
org.hibernate.type.BasicTypeReference@660090f5
2024-11-30T21:30:34.409-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration ntext ->
org.hibernate.type.BasicTypeReference@6a35fd7a
2024-11-30T21:30:34.409-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration clob ->
org.hibernate.type.BasicTypeReference@8c654d3
2024-11-30T21:30:34.410-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.sql.Clob ->
org.hibernate.type.BasicTypeReference@8c654d3
2024-11-30T21:30:34.410-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration nclob ->
org.hibernate.type.BasicTypeReference@5b8db635
2024-11-30T21:30:34.411-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.sql.NClob ->
org.hibernate.type.BasicTypeReference@5b8db635
2024-11-30T21:30:34.411-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration materialized_clob ->
org.hibernate.type.BasicTypeReference@39e80289
2024-11-30T21:30:34.412-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration materialized_clob_char_array
-> org.hibernate.type.BasicTypeReference@7c73e6e3
2024-11-30T21:30:34.412-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
materialized_clob_character_array ->
org.hibernate.type.BasicTypeReference@46295572
2024-11-30T21:30:34.413-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
```

```
: Adding type registration materialized_nclob ->
org.hibernate.type.BasicTypeReference@70236f9c
2024-11-30T21:30:34.414-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
materialized_nclob_character_array ->
org.hibernate.type.BasicTypeReference@926c75b
2024-11-30T21:30:34.414-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
materialized_nclob_char_array ->
org.hibernate.type.BasicTypeReference@6a017c62
2024-11-30T21:30:34.470-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration Duration ->
org.hibernate.type.BasicTypeReference@660f3695
2024-11-30T21:30:34.471-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.Duration ->
org.hibernate.type.BasicTypeReference@660f3695
2024-11-30T21:30:34.471-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration LocalDateTime ->
org.hibernate.type.BasicTypeReference@dbbfa47
2024-11-30T21:30:34.471-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.LocalDateTime ->
org.hibernate.type.BasicTypeReference@dbbfa47
2024-11-30T21:30:34.472-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration LocalDate ->
org.hibernate.type.BasicTypeReference@3298f8b4
2024-11-30T21:30:34.472-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.LocalDate ->
org.hibernate.type.BasicTypeReference@3298f8b4
2024-11-30T21:30:34.473-03:00 DEBUG 11356 --- [api] [
```

```
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration LocalDateTime ->
org.hibernate.type.BasicTypeReference@531b70e9
2024-11-30T21:30:34.473-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.LocalDateTime ->
org.hibernate.type.BasicTypeReference@531b70e9
2024-11-30T21:30:34.473-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetDateTime ->
org.hibernate.type.BasicTypeReference@4c3f5f81
2024-11-30T21:30:34.474-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.OffsetDateTime ->
org.hibernate.type.BasicTypeReference@4c3f5f81
2024-11-30T21:30:34.474-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetDateTimeWithTimezone
-> org.hibernate.type.BasicTypeReference@1e84ed83
2024-11-30T21:30:34.474-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
OffsetDateTimeWithoutTimezone ->
org.hibernate.type.BasicTypeReference@6b2cebbf
2024-11-30T21:30:34.475-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetTime ->
org.hibernate.type.BasicTypeReference@6338520b
2024-11-30T21:30:34.475-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.OffsetTime ->
org.hibernate.type.BasicTypeReference@6338520b
2024-11-30T21:30:34.475-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetTimeUtc ->
org.hibernate.type.BasicTypeReference@55cdcaba
2024-11-30T21:30:34.475-03:00 DEBUG 11356 --- [api] [
```

```
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetTimeWithTimezone ->
org.hibernate.type.BasicTypeReference@6c1cdd75
2024-11-30T21:30:34.476-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetTimeWithoutTimezone ->
org.hibernate.type.BasicTypeReference@60e1b25a
2024-11-30T21:30:34.476-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration ZonedDateTime ->
org.hibernate.type.BasicTypeReference@41e80c47
2024-11-30T21:30:34.477-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.ZonedDateTime ->
org.hibernate.type.BasicTypeReference@41e80c47
2024-11-30T21:30:34.478-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration ZonedDateTimeWithTimezone ->
org.hibernate.type.BasicTypeReference@7a4b86da
2024-11-30T21:30:34.481-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration ZonedDateTimeWithoutTimezone
-> org.hibernate.type.BasicTypeReference@70360b93
2024-11-30T21:30:34.481-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration date ->
org.hibernate.type.BasicTypeReference@1da804ad
2024-11-30T21:30:34.482-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.sql.Date ->
org.hibernate.type.BasicTypeReference@1da804ad
2024-11-30T21:30:34.483-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration time ->
org.hibernate.type.BasicTypeReference@1c23b96b
2024-11-30T21:30:34.485-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
```

```
: Adding type registration java.sql.Time ->
org.hibernate.type.BasicTypeReference@1c23b96b
2024-11-30T21:30:34.486-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration timestamp ->
org.hibernate.type.BasicTypeReference@3a789163
2024-11-30T21:30:34.486-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.sql.Timestamp ->
org.hibernate.type.BasicTypeReference@3a789163
2024-11-30T21:30:34.487-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.util.Date ->
org.hibernate.type.BasicTypeReference@3a789163
2024-11-30T21:30:34.487-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration calendar ->
org.hibernate.type.BasicTypeReference@7a526f2c
2024-11-30T21:30:34.491-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.util.Calendar ->
org.hibernate.type.BasicTypeReference@7a526f2c
2024-11-30T21:30:34.491-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.util.GregorianCalendar
-> org.hibernate.type.BasicTypeReference@7a526f2c
2024-11-30T21:30:34.492-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration calendar_date ->
org.hibernate.type.BasicTypeReference@278281a7
2024-11-30T21:30:34.493-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration calendar_time ->
org.hibernate.type.BasicTypeReference@266b8cdd
2024-11-30T21:30:34.496-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration instant ->
```

org.hibernate.type.BasicTypeReference@5866f2fa
2024-11-30T21:30:34.497-03:00 DEBUG 11356 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.Instant ->
org.hibernate.type.BasicTypeReference@5866f2fa
2024-11-30T21:30:34.497-03:00 DEBUG 11356 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration uuid ->
org.hibernate.type.BasicTypeReference@31a4cdd5
2024-11-30T21:30:34.498-03:00 DEBUG 11356 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.util.UUID ->
org.hibernate.type.BasicTypeReference@31a4cdd5
2024-11-30T21:30:34.498-03:00 DEBUG 11356 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration pg-uuid ->
org.hibernate.type.BasicTypeReference@31a4cdd5
2024-11-30T21:30:34.499-03:00 DEBUG 11356 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration uuid-binary ->
org.hibernate.type.BasicTypeReference@218fdff
2024-11-30T21:30:34.499-03:00 DEBUG 11356 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration uuid-char ->
org.hibernate.type.BasicTypeReference@786f9405
2024-11-30T21:30:34.500-03:00 DEBUG 11356 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration class ->
org.hibernate.type.BasicTypeReference@177148d0
2024-11-30T21:30:34.500-03:00 DEBUG 11356 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Class ->
org.hibernate.type.BasicTypeReference@177148d0
2024-11-30T21:30:34.502-03:00 DEBUG 11356 --- [api] [restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration currency ->
org.hibernate.type.BasicTypeReference@acf58e


```
2024-11-30T21:30:34.502-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration Currency ->
org.hibernate.type.BasicTypeReference@acf58e
2024-11-30T21:30:34.503-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.util.Currency ->
org.hibernate.type.BasicTypeReference@acf58e
2024-11-30T21:30:34.503-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration locale ->
org.hibernate.type.BasicTypeReference@459e1761
2024-11-30T21:30:34.503-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.util.Locale ->
org.hibernate.type.BasicTypeReference@459e1761
2024-11-30T21:30:34.503-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration serializable ->
org.hibernate.type.BasicTypeReference@41556c6b
2024-11-30T21:30:34.504-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.io.Serializable ->
org.hibernate.type.BasicTypeReference@41556c6b
2024-11-30T21:30:34.504-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration timezone ->
org.hibernate.type.BasicTypeReference@5c7f9b59
2024-11-30T21:30:34.506-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.util.TimeZone ->
org.hibernate.type.BasicTypeReference@5c7f9b59
2024-11-30T21:30:34.507-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration ZoneOffset ->
org.hibernate.type.BasicTypeReference@3b9815dd
2024-11-30T21:30:34.507-03:00 DEBUG 11356 --- [api] [
```

```
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.ZoneOffset ->
org.hibernate.type.BasicTypeReference@3b9815dd
2024-11-30T21:30:34.508-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration url ->
org.hibernate.type.BasicTypeReference@e0838d0
2024-11-30T21:30:34.508-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.net.URL ->
org.hibernate.type.BasicTypeReference@e0838d0
2024-11-30T21:30:34.508-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration vector ->
org.hibernate.type.BasicTypeReference@64d43b4e
2024-11-30T21:30:34.508-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration float_vector ->
org.hibernate.type.BasicTypeReference@44d1d1de
2024-11-30T21:30:34.509-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration double_vector ->
org.hibernate.type.BasicTypeReference@3f9c1264
2024-11-30T21:30:34.509-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration byte_vector ->
org.hibernate.type.BasicTypeReference@701d63ff
2024-11-30T21:30:34.509-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration row_version ->
org.hibernate.type.BasicTypeReference@355628f9
2024-11-30T21:30:34.690-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration object ->
org.hibernate.type.JavaObjectType@2b161809
2024-11-30T21:30:34.699-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
```

```
: Adding type registration java.lang.Object ->
org.hibernate.type.JavaObjectType@2b161809
2024-11-30T21:30:34.705-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration null ->
org.hibernate.type.NullType@11c58df7
2024-11-30T21:30:34.706-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm_date ->
org.hibernate.type.BasicTypeReference@31facce6
2024-11-30T21:30:34.706-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm_time ->
org.hibernate.type.BasicTypeReference@7b7c2cae
2024-11-30T21:30:34.706-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm_timestamp ->
org.hibernate.type.BasicTypeReference@6b47d0f5
2024-11-30T21:30:34.706-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm_calendar ->
org.hibernate.type.BasicTypeReference@56d0425f
2024-11-30T21:30:34.707-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm_calendar_date ->
org.hibernate.type.BasicTypeReference@312a299f
2024-11-30T21:30:34.707-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm_calendar_time ->
org.hibernate.type.BasicTypeReference@2ba96a48
2024-11-30T21:30:34.707-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm_binary ->
org.hibernate.type.BasicTypeReference@7e3cc7b0
2024-11-30T21:30:34.707-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration imm_serializable ->
```

org.hibernate.type.BasicTypeReference@2a2aa092
2024-11-30T21:30:41.112-03:00 INFO 11356 --- [api] [restartedMain] o.s.o.j.p.SpringPersistenceUnitInfo : No LoadTimeWeaver setup: ignoring JPA class transformer
2024-11-30T21:30:44.529-03:00 INFO 11356 --- [api] [restartedMain] org.hibernate.orm.connections.pooling : HHH10001005: Database info:
Database JDBC URL [Connecting through datasource 'HikariDataSource (HikariPool-1)']
Database driver: undefined/unknown
Database version: 17.0
Autocommit mode: undefined/unknown
Isolation level: undefined/unknown
Minimum pool size: undefined/unknown
Maximum pool size: undefined/unknown
2024-11-30T21:30:44.654-03:00 DEBUG 11356 --- [api] [restartedMain] o.h.t.d.sql.spi.DdlTypeRegistry : addDescriptor(2003, org.hibernate.type.descriptor.sql.internal.ArrayDdlTypeImpl@2af6ece6) replaced previous registration(org.hibernate.type.descriptor.sql.internal.ArrayDdlTypeImpl@458f9131)
2024-11-30T21:30:44.656-03:00 DEBUG 11356 --- [api] [restartedMain] o.h.t.d.sql.spi.DdlTypeRegistry : addDescriptor(6, org.hibernate.type.descriptor.sql.internal.CapacityDependentDdlType@22c2ef48) replaced previous registration(org.hibernate.type.descriptor.sql.internal.DdlTypeImpl@5ff35333)
2024-11-30T21:30:44.686-03:00 DEBUG 11356 --- [api] [restartedMain] o.h.t.d.jdbc.spi.JdbcTypeRegistry : addDescriptor(2004, BlobTypeDescriptor(BLOB_BINDING)) replaced previous registration(BlobTypeDescriptor(DEFAULT))
2024-11-30T21:30:44.687-03:00 DEBUG 11356 --- [api] [restartedMain] o.h.t.d.jdbc.spi.JdbcTypeRegistry

```
: addDescriptor(2005, ClobTypeDescriptor(CLOB_BINDING))
replaced previous
registration(ClobTypeDescriptor(DEFAULT))
2024-11-30T21:30:44.780-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration JAVA_OBJECT ->
org.hibernate.type.JavaObjectType@2feebda1
2024-11-30T21:30:44.780-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.lang.Object ->
org.hibernate.type.JavaObjectType@2feebda1
2024-11-30T21:30:44.781-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Type registration key [java.lang.Object] overrode
previous entry :
`org.hibernate.type.JavaObjectType@2b161809`
2024-11-30T21:30:44.809-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.DurationType ->
basicType@1(java.time.Duration,3015)
2024-11-30T21:30:44.809-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration Duration ->
basicType@1(java.time.Duration,3015)
2024-11-30T21:30:44.810-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.Duration ->
basicType@1(java.time.Duration,3015)
2024-11-30T21:30:44.837-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.OffsetDateTimeType ->
basicType@2(java.time.OffsetDateTime,3003)
2024-11-30T21:30:44.837-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetDateTime ->
```

```
basicType@2(java.time.OffsetDateTime,3003)
2024-11-30T21:30:44.840-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.OffsetDateTime ->
basicType@2(java.time.OffsetDateTime,3003)
2024-11-30T21:30:44.841-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.ZonedDateTimeType ->
basicType@3(java.time.ZonedDateTime,3003)
2024-11-30T21:30:44.841-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration ZonedDateTime ->
basicType@3(java.time.ZonedDateTime,3003)
2024-11-30T21:30:44.842-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.ZonedDateTime ->
basicType@3(java.time.ZonedDateTime,3003)
2024-11-30T21:30:44.852-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration
org.hibernate.type.OffsetTimeType ->
basicType@4(java.time.OffsetTime,3007)
2024-11-30T21:30:44.853-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration OffsetTime ->
basicType@4(java.time.OffsetTime,3007)
2024-11-30T21:30:44.853-03:00 DEBUG 11356 --- [api] [
restartedMain] org.hibernate.type.BasicTypeRegistry
: Adding type registration java.time.OffsetTime ->
basicType@4(java.time.OffsetTime,3007)
2024-11-30T21:30:44.858-03:00 DEBUG 11356 --- [api] [
restartedMain] o.h.type.spi.TypeConfiguration$Scope
: Scoping TypeConfiguration
[org.hibernate.type.spi.TypeConfiguration@396270cb] to
MetadataBuildingContext
[org.hibernate.boot.internal.MetadataBuildingContextRoo
```

tImpl@5f27e5d8]

2024-11-30T21:30:56.477-03:00 INFO 11356 --- [api] [restartedMain] o.h.e.t.j.p.i.JtaPlatformInitiator : HHH000489: No JTA platform available (set 'hibernate.transaction.jta.platform' to enable JTA platform integration)

2024-11-30T21:30:56.490-03:00 DEBUG 11356 --- [api] [restartedMain] o.h.type.spi.TypeConfiguration\$Scope : Scoping TypeConfiguration [org.hibernate.type.spi.TypeConfiguration@396270cb] to SessionFactoryImplementor

[org.hibernate.internal.SessionFactoryImpl@174f7a2c]

2024-11-30T21:31:00.045-03:00 TRACE 11356 --- [api] [restartedMain] o.h.type.spi.TypeConfiguration\$Scope : Handling #sessionFactoryCreated from [org.hibernate.internal.SessionFactoryImpl@174f7a2c] for TypeConfiguration

2024-11-30T21:31:00.049-03:00 INFO 11356 --- [api] [restartedMain] j.LocalContainerEntityManagerFactoryBean : Initialized JPA EntityManagerFactory for persistence unit 'default'

2024-11-30T21:31:07.809-03:00 WARN 11356 --- [api] [restartedMain] JpaBaseConfiguration\$JpaWebConfiguration : spring.jpa.open-in-view is enabled by default. Therefore, database queries may be performed during view rendering. Explicitly configure spring.jpa.open-in-view to disable this warning

2024-11-30T21:31:14.349-03:00 INFO 11356 --- [api] [restartedMain] o.s.b.d.a.OptionalLiveReloadServer : LiveReload server is running on port 35729

2024-11-30T21:31:15.778-03:00 INFO 11356 --- [api] [restartedMain] o.s.b.w.embedded.tomcat.TomcatWebServer : Tomcat started on port 8080 (http) with context path '/'

2024-11-30T21:31:15.921-03:00 INFO 11356 --- [api] [restartedMain] med.voll.api.ApiApplication : Started ApiApplication in 132.738 seconds (process

```
running for 136.591)
2024-11-30T21:31:56.113-03:00 INFO 11356 --- [api]
[nio-8080-exec-1] o.a.c.c.C.[Tomcat].[localhost].[/]
: Initializing Spring DispatcherServlet
'dispatcherServlet'
2024-11-30T21:31:56.114-03:00 INFO 11356 --- [api]
[nio-8080-exec-1] o.s.web.servlet.DispatcherServlet
: Initializing Servlet 'dispatcherServlet'
2024-11-30T21:31:56.122-03:00 INFO 11356 --- [api]
[nio-8080-exec-1] o.s.web.servlet.DispatcherServlet
: Completed initialization in 8 ms
2024-11-30T21:31:58.783-03:00 WARN 11356 --- [api]
[nio-8080-exec-1]
.w.s.m.s.DefaultHandlerExceptionResolver : Resolved
[org.springframework.web.bind.MethodArgumentNotValidExc
eption: Validation failed for argument [0] in public
void
med.voll.api.controller.MedicoController.InserirDados(m
ed.voll.api.model.Medicos): [Field error in object
'medicos' on field 'crm': rejected value [123]; codes
[Pattern.medicos.crm,Pattern.crm,Pattern.java.lang.Stri
ng,Pattern]; arguments
[org.springframework.context.support.DefaultMessageSour
ceResolvable: codes [medicos.crm,crm]; arguments [];
default message
[crm],[Ljakarta.validation.constraints.Pattern$Flag;@7a
d74795,\d{4,6}]; default message [deve corresponder a
"\d{4,6}"]] ]
2024-11-30T21:34:51.342-03:00 WARN 11356 --- [api]
[nio-8080-exec-2]
.w.s.m.s.DefaultHandlerExceptionResolver : Resolved
[org.springframework.http.converter.HttpMessageNotReada
bleException: JSON parse error: Cannot coerce empty
String ("") to `med.voll.api.model.Especialidade` value
(but could if coercion was enabled using
`CoercionConfig`)]
```


