


Linking Git/GitHub and RStudio

Now that we have both RStudio and Git set-up on your computer and a GitHub account, it's time to link them together so that you can maximize the benefits of using RStudio in your version control pipelines.


Linking RStudio and Git

In RStudio, go to Tools > Global Options > Git/SVN



Use the Global Options menu to tell RStudio you are using Git as your version control system

Sometimes the default path to the Git executable is not correct. Confirm that git.exe resides in the directory that RStudio has specified; if not, change the directory to the correct path. Otherwise, click OK or Apply.




Confirm that the directory RStudio points to for the Git executable is correct

RStudio and Git are now linked.

Linking RStudio and GitHub

In that same RStudio option window, click “Create RSA Key” and when this completes, click “Close.”

Following this, in that same window again, click “View public key” and copy the string of numbers and letters. Close this window.



Generate an RSA key and copy the public key to your clipboard

You have now created a key that is specific to you which we will provide to GitHub, so that it knows who you are when you commit a change from within RStudio.

To do so, go to github.com/, log-in if you are not already, and go to your account settings. There, go to “SSH and GPG keys” and click “New SSH key”. Paste in the public key you have copied from RStudio into the Key box and give it a Title related to RStudio. Confirm the addition of the key with your GitHub password.

Personal settings

Profile

Account

Emails

Notifications

Billing

SSH and GPG keys

Security

Blocked users

Repositories

Organizations

Saved replies

Applications

Developer settings

Public profile

Name

Public email

Select a verified email to display

You can manage verified email addresses in your email settings.

Bio

Tell us a little bit about yourself

You can @mention other users and organizations to link to them.

URL

Company

You can @mention your company's GitHub organization to link it.

Location

All of the fields on this page are optional and can be deleted at any time, and by filling them out, you're giving us consent to share this data wherever your user profile appears. Please see our [privacy statement](#) to learn more about how we use this information.

Update profile

Contributions

☐ Include private contributions on my profile

Get credit for all your work by showing the number of contributions to private repositories on your profile without any repository or organization information. [Learn how we count contributions.](#)

Update contributions

GitHub Developer Program

Building an application service, or tool that integrates with GitHub? [Join the GitHub Developer Program](#), or read more about it at our [Developer site](#).

Check out the Developer site for guides, our API reference, and other resources for building applications that integrate with GitHub. Make sure your contact information is up-to-date below. Thanks for being a member!

Location of “SSH and GPG keys” on your profile settings

Personal settings

Profile

Account

Emails

Notifications

Billing

SSH and GPG keys

Security

Blocked users

Repositories

Organizations

Saved replies

Applications

Developer settings

SSH keys / Add new

Title

RStudio-key

Key

Begins with 'ssh-rsa', 'ssh-dss', 'ssh-ed25519', 'ecdsa-sha2-nistp256', 'ecdsa-sha2-nistp384', or 'ecdsa-sha2-nistp521'


Add SSH key

Telling GitHub the public SSH key generated in RStudio

GitHub and RStudio are now linked. From here, we can create a repository on GitHub and link to RStudio.

Create a new repository and edit it in RStudio

On GitHub, create a new repository (github.com > Your Profile > Repositories > New). Name your new test repository and give it a short description. Click Create repository. Copy the URL for your new repository.



ProTip! Updating your profile with your name, location, and a profile picture helps other GitHub users get to know you. [Edit profile](#) ✕

Overview **Repositories 0** Stars 0 Followers 0 Following 0

Popular repositories

You don't have any public repositories yet.

1 contribution in the last year [Contribution settings](#)

Mar Apr May Jun Jul Aug Sep Oct Nov Dec Jan Feb

Mon
Wed
Fri

[Learn how we count contributions.](#) Less More

This is your **contribution graph**. Your first is for joining GitHub and you'll earn more as you make [additional contributions](#). More contributions means a darker green square for that day. Over time, your chart might start looking [something like this](#).

We have a quick guide that will show you how to create your first repository and earn more green squares!

[Read the Hello World guide](#)

Location of the “Repositories” link on your profile

Create a new repository

A repository contains all the files for your project, including the revision history.

Owner

 JaneEverydayDoe ▾

Repository name

/ testing ✓

Great repository names are short and memorable. Need inspiration? How about **curly-spork**.

Description (optional)

A repository that will be linked with RStudio



Public

Anyone can see this repository. You choose who can commit.



Private

You choose who can see and commit to this repository.

☐ Initialize this repository with a README

This will let you immediately clone the repository to your computer. Skip this step if you're importing an existing repository.

Add .gitignore: None ▾



Add a license: None ▾





Create repository

Creating a new repository on GitHub

In RStudio, go to File > New Project. Select Version Control. Select Git as your version control software. Paste in the repository URL from before, select the location where you would like the project stored. When done, click on “Create Project”. Doing so will initialize a new project, linked to the GitHub repository, and open a new session of RStudio.



Creating a version controlled project on RStudio





Cloning your Git repository to RStudio

Create a new R script (File > New File > R Script) and copy and paste the following code:



```
print("This file was created within RStudio")  
  
print("And now it lives on GitHub")
```

Save the file. Note that when you do so, the default location for the file is within the new Project directory you created earlier.




Saving your first script for this project

Once that is done, looking back at RStudio, in the Git tab of the environment quadrant, you should see your file you just created! Click the checkbox under "Staged" to stage your file.




All files that have been modified since your last pull appear in the Git tab

Click “Commit”. A new window should open, that lists all of the changed files from earlier, and below that shows the differences in the staged files from previous versions. In the upper quadrant, in the “Commit message” box, write yourself a commit message. Click Commit. Close the window.



Committing your R Script to the repository!

So far, you have created a file, saved it, staged it, and committed it. If you remember your version control lecture, the next step is to push your changes to your online repository. Push your changes to the GitHub repository.



How to push your commit to the GitHub repository

Go to your GitHub repository and see that the commit has been recorded.

You've just successfully pushed your first commit from within RStudio to GitHub!

Summary

In this lesson, we linked Git and RStudio, so that RStudio recognizes you are using Git as your version control software. Following that, we linked RStudio to GitHub, so that you can push and pull repositories from within RStudio. To test this, we created a repository on GitHub, linked it with a new project within RStudio, created a new file, and then staged, committed, and pushed the file to your GitHub repository!