HTML References

- HTML by Alphabet
- HTML by Category
- HTML Browser Support
- HTML Attributes
- HTML Global Attributes
- HTML Events
- HTML Colors
- HTML Canvas
- HTML Audio/Video
- HTML Character Sets
- HTML Doctypes
- HTML URL Encode
- HTML Language Codes
- HTML Country Codes
- HTML Messages
- HTML Methods
- PX to EM Converter
- Keyboard Shortcuts

HTML Tags

- <!-->
- <!DOCTYPE>
- <a>
- <abbr>

HTML Element Reference - By Category

Previous Next

Basic HTML

Tag	Description
<!DOCTYPE>	Defines the document type
<html>	Defines an HTML document
<head>	Contains metadata/information for the document
<title>	Defines a title for the document
<body>	Defines the document's body

COLOR PICKER

HTML References

- HTML by Alphabet
- HTML by Category
- HTML Browser Support
- HTML Attributes
- HTML Global Attributes
- HTML Events
- HTML Colors
- HTML Canvas
- HTML Audio/Video
- HTML Character Sets
- HTML Doctypes
- HTML URL Encode
- HTML Language Codes
- HTML Country Codes
- HTML Messages
- HTML Methods
- PX to EM Converter
- Keyboard Shortcuts

HTML Tags

- <!-->
- <!DOCTYPE>
- <a>
- <abbr>

 	Inserts a single line break
<hr>	Defines a thematic change in the content
<!--...-->	Defines a comment

Formatting

Tag	Description
<acronym>	Not supported in HTML5. Use <abbr> instead. Defines an acronym
<abbr>	Defines an abbreviation or an acronym
<address>	Defines contact information for the author/owner of a document/article
<b>	Defines bold text
<bdi>	Isolates a part of text that might be formatted in a different direction from other text outside it
<bdo>	Overrides the current text direction
<big>	Not supported in HTML5. Use CSS instead. Defines big text

HTML References

- HTML by Alphabet
- HTML by Category
- HTML Browser Support
- HTML Attributes
- HTML Global Attributes
- HTML Events
- HTML Colors
- HTML Canvas
- HTML Audio/Video
- HTML Character Sets
- HTML Doctypes
- HTML URL Encode
- HTML Language Codes
- HTML Country Codes
- HTML Country Codes
- HTTP Messages
- HTTP Methods
- PX to EM Converter
- Keyboard Shortcuts

HTML Tags

- <!-->
- <!DOCTYPE>
- <a>
- <abbr>

<cite>	Defines the title of a work
<code>	Defines a piece of computer code
<del>	Defines text that has been deleted from a document
<dfn>	Specifies a term that is going to be defined within the content
	Defines emphasized text
<font>	Not supported in HTML5. Use CSS instead. Defines font, color, and size for text
<i>	Defines a part of text in an alternate voice or mood
<ins>	Defines a text that has been inserted into a document
<kbd>	Defines keyboard input
<mark>	Defines marked/highlighted text
<meter>	Defines a scalar measurement within a known range (a gauge)
<pre>	Defines preformatted text
<progress>	Represents the progress of a task
<q>	Defines a short quotation
<rp>	Defines what to show in browsers that do not support ruby annotations

HTML References

- HTML by Alphabet
- HTML by Category
- HTML Browser Support
- HTML Attributes
- HTML Global Attributes
- HTML Events
- HTML Colors
- HTML Canvas
- HTML Audio/Video
- HTML Character Sets
- HTML Doctypes
- HTML URL Encode
- HTML Language Codes
- HTML Country Codes
- HTML Country Codes
- HTTP Messages
- HTTP Methods
- PX to EM Converter
- Keyboard Shortcuts

HTML Tags

- <!-->
- <!DOCTYPE>
- <a>
- <abbr>

<s>	Defines text that is no longer correct
<samp>	Defines sample output from a computer program
<small>	Defines smaller text
<strike>	Not supported in HTML5. Use <del> or <s> instead. Defines strikethrough text
	Defines important text
<sub>	Defines subscripted text
<sup>	Defines superscripted text
<template>	Defines a container for content that should be hidden when the page loads
<time>	Defines a specific time (or datetime)
<tt>	Not supported in HTML5. Use CSS instead. Defines teletype text
<u>	Defines some text that is unarticulated and styled differently from normal text
<var>	Defines a variable
<wbr>	Defines a possible line-break

HTML References

- HTML by Alphabet
- HTML by Category
- HTML Browser Support
- HTML Attributes
- HTML Global Attributes
- HTML Events
- HTML Colors
- HTML Canvas
- HTML Audio/Video
- HTML Character Sets
- HTML Doctypes
- HTML URL Encode
- HTML Language Codes
- HTML Country Codes
- HTML Messages
- HTML Methods
- PX to EM Converter
- Keyboard Shortcuts

HTML Tags

- <!-->
- <!DOCTYPE>
- <a>
- <abbr>

Tag	Description
<form>	Defines an HTML form for user input
<input>	Defines an input control
<textarea>	Defines a multiline input control (text area)
<button>	Defines a clickable button
<select>	Defines a drop-down list
<optgroup>	Defines a group of related options in a drop-down list
<option>	Defines an option in a drop-down list
<label>	Defines a label for an <input> element
<fieldset>	Groups related elements in a form
<legend>	Defines a caption for a <fieldset> element
<datalist>	Specifies a list of pre-defined options for input controls
<output>	Defines the result of a calculation

Frames

HTML References

- HTML by Alphabet
- HTML by Category
- HTML Browser Support
- HTML Attributes
- HTML Global Attributes
- HTML Events
- HTML Colors
- HTML Canvas
- HTML Audio/Video
- HTML Character Sets
- HTML Doctypes
- HTML URL Encode
- HTML Language Codes
- HTML Country Codes
- HTTP Messages
- HTTP Methods
- PX to EM Converter
- Keyboard Shortcuts

HTML Tags

- <!-->
- <!DOCTYPE>
- <a>
- <abbr>

<frameset>	Not supported in HTML5. Defines a set of frames
<noframes>	Not supported in HTML5. Defines an alternate content for users that do not support frames
<iframe>	Defines an inline frame

Images

Tag	Description
<img>	Defines an image
<map>	Defines a client-side image map
<area>	Defines an area inside an image map
<canvas>	Used to draw graphics, on the fly, via scripting (usually JavaScript)
<figcaption>	Defines a caption for a <figure> element
<figure>	Specifies self-contained content
<picture>	Defines a container for multiple image resources

HTML References

- HTML by Alphabet
- HTML by Category
- HTML Browser Support
- HTML Attributes
- HTML Global Attributes
- HTML Events
- HTML Colors
- HTML Canvas
- HTML Audio/Video
- HTML Character Sets
- HTML Doctypes
- HTML URL Encode
- HTML Language Codes
- HTML Country Codes
- HTML Country Codes
- HTTP Messages
- HTTP Methods
- PX to EM Converter
- Keyboard Shortcuts

HTML Tags

- <!-->
- <!DOCTYPE>
- <a>
- <abbr>

Audio / Video

Tag	Description
<audio>	Defines sound content
<source>	Defines multiple media resources for media elements (<video>, <audio> and <picture>)
<track>	Defines text tracks for media elements (<video> and <audio>)
<video>	Defines a video or movie

Links

Tag	Description
<a>	Defines a hyperlink
<link>	Defines the relationship between a document and an external resource (most used to link to style sheets)
<nav>	Defines navigation links

Lists

HTML References

- HTML by Alphabet
- HTML by Category
- HTML Browser Support
- HTML Attributes
- HTML Global Attributes
- HTML Events
- HTML Colors
- HTML Canvas
- HTML Audio/Video
- HTML Character Sets
- HTML Doctypes
- HTML URL Encode
- HTML Language Codes
- HTML Country Codes
- HTML Country Codes
- HTTP Messages
- HTTP Methods
- PX to EM Converter
- Keyboard Shortcuts

HTML Tags

- <!-->
- <!DOCTYPE>
- <a>
- <abbr>

<ul>	Defines an unordered list
<ol>	Defines an ordered list
<li>	Defines a list item
<dir>	Not supported in HTML5. Use <ul> instead. Defines a directory list
<dl>	Defines a description list
<dt>	Defines a term/name in a description list
<dd>	Defines a description of a term/name in a description list

Tables

Tag	Description
<table>	Defines a table
<caption>	Defines a table caption
<th>	Defines a header cell in a table
<tr>	Defines a row in a table
<td>	Defines a cell in a table

HTML References

HTML by Alphabet
HTML by Category
HTML Browser Support
HTML Attributes
HTML Global Attributes
HTML Events
HTML Colors
HTML Canvas
HTML Audio/Video
HTML Character Sets
HTML Doctypes
HTML URL Encode
HTML Language Codes
HTML Country Codes
HTML Messages
HTML Methods
PX to EM Converter
Keyboard Shortcuts

HTML Tags

<!-->
<!DOCTYPE>
<a>

<tfoot>	Groups the footer content in a table
<col>	Specifies column properties for each column within a <colgroup> element
<colgroup>	Specifies a group of one or more columns in a table for formatting

Styles and Semantics

Tag	Description
<style>	Defines style information for a document
	Defines a section in a document
	Defines a section in a document
<header>	Defines a header for a document or section
<hgroup>	Defines a header and related content
<footer>	Defines a footer for a document or section
<main>	Specifies the main content of a document
<section>	Defines a section in a document
<search>	Defines a search section

HTML References

HTML by Alphabet
HTML by Category
HTML Browser Support
HTML Attributes
HTML Global Attributes
HTML Events
HTML Colors
HTML Canvas
HTML Audio/Video
HTML Character Sets
HTML Doctypes
HTML URL Encode
HTML Language Codes
HTML Country Codes
HTML Messages
HTML Methods
PX to EM Converter
Keyboard Shortcuts

HTML Tags

<!-->
<!DOCTYPE>
<a>
<abbr>

<details>	Defines additional details that the user can view or hide
<dialog>	Defines a dialog box or window
<summary>	Defines a visible heading for a <details> element
<data>	Adds a machine-readable translation of a given content

Meta Info

Tag	Description
<head>	Defines information about the document
<meta>	Defines metadata about an HTML document
<base>	Specifies the base URL/target for all relative URLs in a document
<basefont>	Not supported in HTML5. Use CSS instead. Specifies a default color, size, and font for all text in a document

Programming

Tag	Description

HTML References

HTML by Alphabet
HTML by Category
HTML Browser Support
HTML Attributes
HTML Global Attributes
HTML Events
HTML Colors
HTML Canvas
HTML Audio/Video
HTML Character Sets
HTML Doctypes
HTML URL Encode
HTML Language Codes
HTML Country Codes
HTML Messages
HTML Methods
PX to EM Converter
Keyboard Shortcuts

HTML Tags

<!-->
<!DOCTYPE>
<a>
<abbr>

<applet>	Not supported in HTML5. Use <embed> or <object> instead. Defines an embedded applet
<embed>	Defines a container for an external resource
<object>	Defines a container for an external resource
<param>	Defines a parameter for an object

❮ Previous Next ❯



HTML References

HTML by Alphabet
HTML by Category
HTML Browser Support
HTML Attributes
HTML Global Attributes
HTML Events
HTML Colors
HTML Canvas
HTML Audio/Video
HTML Character Sets
HTML Doctypes
HTML URL Encode
HTML Language Codes
HTML Country Codes
HTML Messages
HTML Methods
PX to EM Converter
Keyboard Shortcuts

HTML Tags

<!-->
<!DOCTYPE>
<a>

FOR BUSINESS CONTACT US

Top Tutorials

HTML Tutorial
CSS Tutorial
JavaScript Tutorial
How To Tutorial
SQL Tutorial
Python Tutorial
W3.CSS Tutorial
Bootstrap Tutorial
PHP Tutorial
Java Tutorial
C++ Tutorial
jQuery Tutorial

Top References

HTML Reference
CSS Reference
JavaScript Reference
SQL Reference
Python Reference
W3.CSS Reference
Bootstrap Reference
PHP Reference
HTML Colors
Java Reference
Angular Reference
jQuery Reference

Top Examples

HTML Examples
CSS Examples
JavaScript Examples
How To Examples
SQL Examples
Python Examples
W3.CSS Examples
Bootstrap Examples
PHP Examples
Java Examples
XML Examples
jQuery Examples

Get Certified

HTML Certificate
CSS Certificate
JavaScript Certificate
Front End Certificate
SQL Certificate
Python Certificate
PHP Certificate
jQuery Certificate
Java Certificate
C++ Certificate
C# Certificate
XML Certificate

HTML References

HTML by Alphabet
HTML by Category
HTML Browser Support
HTML Attributes
HTML Global Attributes
HTML Events
HTML Colors
HTML Canvas
HTML Audio/Video
HTML Character Sets
HTML Doctypes
HTML URL Encode
HTML Language Codes
HTML Country Codes
HTTP Messages
HTTP Methods
PX to EM Converter
Keyboard Shortcuts

HTML Tags

<!-->
<!DOCTYPE>
<a>
<abbr>

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning.
Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness
of all content. While using W3Schools, you agree to have read and accepted our terms of use, cookie and privacy policy.

Copyright 1999-2024 by Refsnes Data. All Rights Reserved. W3Schools is Powered by W3.CSS.