HTML References

- HTML by Alphabet
- HTML by Category
- HTML Browser Support
- HTML Attributes
- HTML Global Attributes
- HTML Events
- HTML Colors
- HTML Canvas
- HTML Audio/Video
- HTML Character Sets
- HTML Doctypes
- HTML URL Encode
- HTML Language Codes
- HTML Country Codes
- HTML Messages
- HTML Methods
- PX to EM Converter
- Keyboard Shortcuts

HTML Tags

- <!-->
- <!DOCTYPE>
- <a>
- <abbr>

HTML Element Reference

Home Next

HTML Tags Ordered Alphabetically

Search..

Tag	Description
<!--...-->	Defines a comment
<!DOCTYPE>	Defines the document type
<a>	Defines a hyperlink
<abbr>	Defines an abbreviation or an acronym

COLOR PICKER

HTML References

- HTML by Alphabet
- HTML by Category
- HTML Browser Support
- HTML Attributes
- HTML Global Attributes
- HTML Events
- HTML Colors
- HTML Canvas
- HTML Audio/Video
- HTML Character Sets
- HTML Doctypes
- HTML URL Encode
- HTML Language Codes
- HTML Country Codes
- HTTP Messages
- HTTP Methods
- PX to EM Converter
- Keyboard Shortcuts

HTML Tags

- <!-->
- <!DOCTYPE>
- <a>
- <abbr>

	document
<applet>	Not supported in HTML5. Use <embed> or <object> instead. Defines an embedded applet
<area>	Defines an area inside an image map
<article>	Defines an article
<aside>	Defines content aside from the page content
<audio>	Defines embedded sound content
<b>	Defines bold text
<base>	Specifies the base URL/target for all relative URLs in a document
<basefont>	Not supported in HTML5. Use CSS instead. Specifies a default color, size, and font for all text in a document
<bdi>	Isolates a part of text that might be formatted in a different direction from other text outside it
<bdo>	Overrides the current text direction
<big>	Not supported in HTML5. Use CSS instead. Defines big text

HTML References

- HTML by Alphabet
- HTML by Category
- HTML Browser Support
- HTML Attributes
- HTML Global Attributes
- HTML Events
- HTML Colors
- HTML Canvas
- HTML Audio/Video
- HTML Character Sets
- HTML Doctypes
- HTML URL Encode
- HTML Language Codes
- HTML Country Codes
- HTML Messages
- HTML Methods
- PX to EM Converter
- Keyboard Shortcuts

HTML Tags

- <!-->
- <!DOCTYPE>
- <a>
- <abbr>

 	Defines a single line break
<button>	Defines a clickable button
<canvas>	Used to draw graphics, on the fly, via scripting (usually JavaScript)
<caption>	Defines a table caption
	Not supported in HTML5. Use CSS instead. Defines centered text
<cite>	Defines the title of a work
<code>	Defines a piece of computer code
<col>	Specifies column properties for each column within a <colgroup> element
<colgroup>	Specifies a group of one or more columns in a table for formatting
<data>	Adds a machine-readable translation of a given content
<datalist>	Specifies a list of pre-defined options for input controls
<dd>	Defines a description/value of a term in a description list
<del>	Defines text that has been deleted from a document

HTML References

- HTML by Alphabet
- HTML by Category
- HTML Browser Support
- HTML Attributes
- HTML Global Attributes
- HTML Events
- HTML Colors
- HTML Canvas
- HTML Audio/Video
- HTML Character Sets
- HTML Doctypes
- HTML URL Encode
- HTML Language Codes
- HTML Country Codes
- HTML Messages
- HTML Methods
- PX to EM Converter
- Keyboard Shortcuts

HTML Tags

- <!-->
- <!DOCTYPE>
- <a>
- <abbr>

<dialog>	Defines a dialog box or window
<dir>	Not supported in HTML5. Use <ul> instead. Defines a directory list
	Defines a section in a document
<dl>	Defines a description list
<dt>	Defines a term/name in a description list
	Defines emphasized text
<embed>	Defines a container for an external application
<fieldset>	Groups related elements in a form
<figcaption>	Defines a caption for a <figure> element
<figure>	Specifies self-contained content
<font>	Not supported in HTML5. Use CSS instead. Defines font, color, and size for text
<footer>	Defines a footer for a document or section
<form>	Defines an HTML form for user input
<frame>	Not supported in HTML5. Defines a window (a frame) in a frameset

HTML References

- HTML by Alphabet
- HTML by Category
- HTML Browser Support
- HTML Attributes
- HTML Global Attributes
- HTML Events
- HTML Colors
- HTML Canvas
- HTML Audio/Video
- HTML Character Sets
- HTML Doctypes
- HTML URL Encode
- HTML Language Codes
- HTML Country Codes
- HTML Messages
- HTML Methods
- PX to EM Converter
- Keyboard Shortcuts

HTML Tags

- <!-->
- <!DOCTYPE>
- <a>
- <abbr>

<head>	Contains metadata/information for the document
<header>	Defines a header for a document or section
<hgroup>	Defines a header and related content
<hr>	Defines a thematic change in the content
<html>	Defines the root of an HTML document
<i>	Defines a part of text in an alternate voice or mood
<iframe>	Defines an inline frame
<img>	Defines an image
<input>	Defines an input control
<ins>	Defines a text that has been inserted into a document
<kbd>	Defines keyboard input
<label>	Defines a label for an <input> element
<legend>	Defines a caption for a <fieldset> element
<li>	Defines a list item
<link>	Defines the relationship between a document and an external resource (most used to link to style sheets)

HTML References

- HTML by Alphabet
- HTML by Category
- HTML Browser Support
- HTML Attributes
- HTML Global Attributes
- HTML Events
- HTML Colors
- HTML Canvas
- HTML Audio/Video
- HTML Character Sets
- HTML Doctypes
- HTML URL Encode
- HTML Language Codes
- HTML Country Codes
- HTTP Messages
- HTTP Methods
- PX to EM Converter
- Keyboard Shortcuts

HTML Tags

- <!-->
- <!DOCTYPE>
- <a>
- <abbr>

<mark>	Defines marked/highlighted text
<menu>	Defines an unordered list
<meta>	Defines metadata about an HTML document
<meter>	Defines a scalar measurement within a known range (a gauge)
<nav>	Defines navigation links
<noframes>	Not supported in HTML5. Defines an alternate content for users that do not support frames
<noscript>	Defines an alternate content for users that do not support client-side scripts
<object>	Defines a container for an external application
<ol>	Defines an ordered list
<optgroup>	Defines a group of related options in a drop-down list
<option>	Defines an option in a drop-down list
<output>	Defines the result of a calculation
<p>	Defines a paragraph
<param>	Defines a parameter for an object

HTML References

- HTML by Alphabet
- HTML by Category
- HTML Browser Support
- HTML Attributes
- HTML Global Attributes
- HTML Events
- HTML Colors
- HTML Canvas
- HTML Audio/Video
- HTML Character Sets
- HTML Doctypes
- HTML URL Encode
- HTML Language Codes
- HTML Country Codes
- HTTP Messages
- HTTP Methods
- PX to EM Converter
- Keyboard Shortcuts

HTML Tags

- <!-->
- <!DOCTYPE>
- <a>
- <abbr>

<progress>	Represents the progress of a task
<q>	Defines a short quotation
<rp>	Defines what to show in browsers that do not support ruby annotations
<rt>	Defines an explanation/pronunciation of characters (for East Asian typography)
<ruby>	Defines a ruby annotation (for East Asian typography)
<s>	Defines text that is no longer correct
<samp>	Defines sample output from a computer program
<script>	Defines a client-side script
<search>	Defines a search section
<section>	Defines a section in a document
<select>	Defines a drop-down list
<small>	Defines smaller text
<source>	Defines multiple media resources for media elements (<video> and <audio>)
	Defines a section in a document

HTML References

- HTML by Alphabet
- HTML by Category
- HTML Browser Support
- HTML Attributes
- HTML Global Attributes
- HTML Events
- HTML Colors
- HTML Canvas
- HTML Audio/Video
- HTML Character Sets
- HTML Doctypes
- HTML URL Encode
- HTML Language Codes
- HTML Country Codes
- HTML Messages
- HTML Methods
- PX to EM Converter
- Keyboard Shortcuts

HTML Tags

- <!-->
- <!DOCTYPE>
- <a>
- <abbr>

<style>	Defines style information for a document
<sub>	Defines subscripted text
<summary>	Defines a visible heading for a <details> element
<sup>	Defines superscripted text
<svg>	Defines a container for SVG graphics
<table>	Defines a table
<tbody>	Groups the body content in a table
<td>	Defines a cell in a table
<template>	Defines a container for content that should be hidden when the page loads
<textarea>	Defines a multiline input control (text area)
<tfoot>	Groups the footer content in a table
<th>	Defines a header cell in a table
<thead>	Groups the header content in a table
<time>	Defines a specific time (or datetime)
<title>	Defines a title for the document

HTML References

- HTML by Alphabet
- HTML by Category
- HTML Browser Support
- HTML Attributes
- HTML Global Attributes
- HTML Events
- HTML Colors
- HTML Canvas
- HTML Audio/Video
- HTML Character Sets
- HTML Doctypes
- HTML URL Encode
- HTML Language Codes
- HTML Country Codes
- HTML Country Codes
- HTTP Messages
- HTTP Methods
- PX to EM Converter
- Keyboard Shortcuts

HTML Tags

- <!-->
- <!DOCTYPE>
- <a>
- <abbr>

<tt>	Not supported in HTML5. Use CSS instead. Defines teletype text
<u>	Defines some text that is unarticulated and styled differently from normal text
<ul>	Defines an unordered list
<var>	Defines a variable
<video>	Defines embedded video content
<wbr>	Defines a possible line-break

❮ Home Next ❯

Track your progress - it's free! Sign Up Log in

HTML References

HTML by Alphabet
HTML by Category
HTML Browser Support
HTML Attributes
HTML Global Attributes
HTML Events
HTML Colors
HTML Canvas
HTML Audio/Video
HTML Character Sets
HTML Doctypes
HTML URL Encode
HTML Language Codes
HTML Country Codes
HTML Messages
HTML Methods
PX to EM Converter
Keyboard Shortcuts

HTML Tags

<!-->
<!DOCTYPE>
<a>
<abbr>

FOR BUSINESS CONTACT US

Top Tutorials

HTML Tutorial
CSS Tutorial
JavaScript Tutorial
How To Tutorial
SQL Tutorial
Python Tutorial
W3.CSS Tutorial
Bootstrap Tutorial
PHP Tutorial
Java Tutorial
C++ Tutorial
jQuery Tutorial

Top References

HTML Reference
CSS Reference
JavaScript Reference
SQL Reference
Python Reference
W3.CSS Reference
Bootstrap Reference
PHP Reference
HTML Colors
Java Reference
Angular Reference
jQuery Reference

Top Examples

HTML Examples
CSS Examples
JavaScript Examples
How To Examples
SQL Examples
Python Examples
W3.CSS Examples
Bootstrap Examples
PHP Examples
Java Examples
XML Examples
jQuery Examples

Get Certified

HTML Certificate
CSS Certificate
JavaScript Certificate
Front End Certificate
SQL Certificate
Python Certificate
PHP Certificate
jQuery Certificate
Java Certificate
C++ Certificate
C# Certificate
XML Certificate

HTML References

HTML by Alphabet
HTML by Category
HTML Browser Support
HTML Attributes
HTML Global Attributes
HTML Events
HTML Colors
HTML Canvas
HTML Audio/Video
HTML Character Sets
HTML Doctypes
HTML URL Encode
HTML Language Codes
HTML Country Codes
HTTP Messages
HTTP Methods
PX to EM Converter
Keyboard Shortcuts

HTML Tags

<!-->
<!DOCTYPE>
<a>

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning.
Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness
of all content. While using W3Schools, you agree to have read and accepted our terms of use, cookie and privacy policy.

Copyright 1999-2024 by Refsnes Data. All Rights Reserved. W3Schools is Powered by W3.CSS.