HTML by Category
HTML Browser Support
HTML Attributes
HTML Global Attributes
HTML Events
HTML Colors
HTML Canvas
HTML Audio/Video
HTML Character Sets
HTML Doctypes
HTML URL Encode
HTML Language Codes
HTML Country Codes
HTML Messages
HTML Methods
PX to EM Converter
Keyboard Shortcuts

HTML Tags

<!-->
<!DOCTYPE>
<a>
<abbr>
<acronym>
<address>

HTML URL Encoding Reference

Previous Next

URL - Uniform Resource Locator

Web browsers request pages from web servers by using a URL.

The URL is the address of a web page, like: **https://www.w3schools.com.**

URL Encoding (Percent Encoding)

URL encoding converts characters into a format that can be transmitted over the Internet.

URLs can only be sent over the Internet using the ASCII character-set.



COLOR PICKER

HTML by Category
HTML Browser Support
HTML Attributes
HTML Global Attributes
HTML Events
HTML Colors
HTML Canvas
HTML Audio/Video
HTML Character Sets
HTML Doctypes
HTML URL Encode
HTML Language Codes
HTML Country Codes
HTML Messages
HTML Methods
PX to EM Converter
Keyboard Shortcuts

HTML Tags

<!-->
<!DOCTYPE>
<a>
<abbr>
<acronym>
<address>

hexadecimal digits.

URLs cannot contain spaces. URL encoding normally replaces a space with a plus (+) sign or with %20.

Try It Yourself

If you click the "Submit" button below, the browser will URL encode the input before it is sent to the server. A page at the server will display the received input.

Hello Günter Submit

Try some other input and click Submit again.

URL Encoding Functions

In JavaScript, PHP, and ASP there are functions that can be used to URL encode a string.

PHP has the rawurlencode() function, and ASP has the Server.URLEncode() function.

In JavaScript you can use the **encodeURIComponent()** function.

Click the "URL Encode" button to see how the JavaScript function encodes the text.

HTML by Category
HTML Browser Support
HTML Attributes
HTML Global Attributes
HTML Events
HTML Colors
HTML Canvas
HTML Audio/Video
HTML Character Sets
HTML Doctypes
HTML URL Encode
HTML Language Codes
HTML Country Codes
HTML Messages
HTML Methods
PX to EM Converter
Keyboard Shortcuts

HTML Tags

<!-->
<!DOCTYPE>
<a>
<abbr>
<acronym>
<address>

ASCII Encoding Reference

Your browser will encode input, according to the character-set used in your page.

The default character-set in HTML5 is UTF-8.

Character	From Windows-1252	From UTF-8
space	%20	%20
!	%21	%21
"	%22	%22
#	%23	%23
$	%24	%24
%	%25	%25
&	%26	%26
'	%27	%27
(	%28	%28
)	%29	%29

HTML by Category
HTML Browser Support
HTML Attributes
HTML Global Attributes
HTML Events
HTML Colors
HTML Canvas
HTML Audio/Video
HTML Character Sets
HTML Doctypes
HTML URL Encode
HTML Language Codes
HTML Country Codes
HTML Messages
HTML Methods
PX to EM Converter
Keyboard Shortcuts

HTML Tags

<!-->
<!DOCTYPE>
<a>
<abbr>
<acronym>
<address>

,	%2C	%2C
-	%2D	%2D
.	%2E	%2E
/	%2F	%2F
0	%30	%30
1	%31	%31
2	%32	%32
3	%33	%33
4	%34	%34
5	%35	%35
6	%36	%36
7	%37	%37
8	%38	%38
9	%39	%39
:	%3A	%3A
;	%3B	%3B

HTML by Category
HTML Browser Support
HTML Attributes
HTML Global Attributes
HTML Events
HTML Colors
HTML Canvas
HTML Audio/Video
HTML Character Sets
HTML Doctypes
HTML URL Encode
HTML Language Codes
HTML Country Codes
HTML Messages
HTML Methods
PX to EM Converter
Keyboard Shortcuts

HTML Tags

<!-->
<!DOCTYPE>
<a>
<abbr>
<acronym>
<address>

>	%3E	%3E
?	%3F	%3F
@	%40	%40
A	%41	%41
B	%42	%42
C	%43	%43
D	%44	%44
E	%45	%45
F	%46	%46
G	%47	%47
H	%48	%48
I	%49	%49
J	%4A	%4A
K	%4B	%4B
L	%4C	%4C
M	%4D	%4D

HTML by Category
HTML Browser Support
HTML Attributes
HTML Global Attributes
HTML Events
HTML Colors
HTML Canvas
HTML Audio/Video
HTML Character Sets
HTML Doctypes
HTML URL Encode
HTML Language Codes
HTML Country Codes
HTML Messages
HTML Methods
PX to EM Converter
Keyboard Shortcuts

HTML Tags

<!-->
<!DOCTYPE>
<a>
<abbr>
<acronym>
<address>

P	%50	%50
Q	%51	%51
R	%52	%52
S	%53	%53
T	%54	%54
U	%55	%55
V	%56	%56
W	%57	%57
X	%58	%58
Y	%59	%59
Z	%5A	%5A
[	%5B	%5B
\	%5C	%5C
]	%5D	%5D
^	%5E	%5E
_	%5F	%5F

HTML by Category
HTML Browser Support
HTML Attributes
HTML Global Attributes
HTML Events
HTML Colors
HTML Canvas
HTML Audio/Video
HTML Character Sets
HTML Doctypes
HTML URL Encode
HTML Language Codes
HTML Country Codes
HTML Messages
HTML Methods
PX to EM Converter
Keyboard Shortcuts

HTML Tags

<!-->
<!DOCTYPE>
<a>
<abbr>
<acronym>
<address>

b	%62	%62
c	%63	%63
d	%64	%64
e	%65	%65
f	%66	%66
g	%67	%67
h	%68	%68
i	%69	%69
j	%6A	%6A
k	%6B	%6B
l	%6C	%6C
m	%6D	%6D
n	%6E	%6E
o	%6F	%6F
p	%70	%70
q	%71	%71

HTML by Category
HTML Browser Support
HTML Attributes
HTML Global Attributes
HTML Events
HTML Colors
HTML Canvas
HTML Audio/Video
HTML Character Sets
HTML Doctypes
HTML URL Encode
HTML Language Codes
HTML Country Codes
HTML Messages
HTML Methods
PX to EM Converter
Keyboard Shortcuts

HTML Tags

<!-->
<!DOCTYPE>
<a>
<abbr>
<acronym>
<address>

t	%74	%74
u	%75	%75
v	%76	%76
w	%77	%77
x	%78	%78
y	%79	%79
z	%7A	%7A
{	%7B	%7B
|	%7C	%7C
}	%7D	%7D
~	%7E	%7E
	%7F	%7F
€	%80	%E2%82%AC
□	%81	%81
‚	%82	%E2%80%9A
ƒ	%83	%C6%92

HTML by Category
HTML Browser Support
HTML Attributes
HTML Global Attributes
HTML Events
HTML Colors
HTML Canvas
HTML Audio/Video
HTML Character Sets
HTML Doctypes
HTML URL Encode
HTML Language Codes
HTML Country Codes
HTML Messages
HTML Methods
PX to EM Converter
Keyboard Shortcuts

HTML Tags

<!-->
<!DOCTYPE>
<a>
<abbr>
<acronym>
<address>

†	%86	%E2%80%A0
‡	%87	%E2%80%A1
ˆ	%88	%CB%86
‰	%89	%E2%80%B0
Š	%8A	%C5%A0
‹	%8B	%E2%80%B9
Œ	%8C	%C5%92
□	%8D	%C5%8D
Ž	%8E	%C5%BD
□	%8F	%8F
□	%90	%C2%90
‘	%91	%E2%80%98
’	%92	%E2%80%99
“	%93	%E2%80%9C
”	%94	%E2%80%9D
•	%95	%E2%80%A2

HTML by Category
HTML Browser Support
HTML Attributes
HTML Global Attributes
HTML Events
HTML Colors
HTML Canvas
HTML Audio/Video
HTML Character Sets
HTML Doctypes
HTML URL Encode
HTML Language Codes
HTML Country Codes
HTML Messages
HTML Methods
PX to EM Converter
Keyboard Shortcuts

HTML Tags

<!-->
<!DOCTYPE>
<a>
<abbr>
<acronym>
<address>

˜	%98	%CB%9C
™	%99	%E2%84
š	%9A	%C5%A1
›	%9B	%E2%80
œ	%9C	%C5%93
□	%9D	%9D
ž	%9E	%C5%BE
Ÿ	%9F	%C5%B8
	%A0	%C2%A0
¡	%A1	%C2%A1
¢	%A2	%C2%A2
£	%A3	%C2%A3
¤	%A4	%C2%A4
¥	%A5	%C2%A5
¦	%A6	%C2%A6
§	%A7	%C2%A7

HTML by Category
HTML Browser Support
HTML Attributes
HTML Global Attributes
HTML Events
HTML Colors
HTML Canvas
HTML Audio/Video
HTML Character Sets
HTML Doctypes
HTML URL Encode
HTML Language Codes
HTML Country Codes
HTML Country Codes
HTTP Messages
HTTP Methods
PX to EM Converter
Keyboard Shortcuts

HTML Tags

<!-->
<!DOCTYPE>
<a>
<abbr>
<acronym>
<address>

ª	%AA	%C2%AA
«	%AB	%C2%AB
¬	%AC	%C2%AC
	%AD	%C2%AD
®	%AE	%C2%AE
¯	%AF	%C2%AF
°	%B0	%C2%B0
±	%B1	%C2%B1
²	%B2	%C2%B2
³	%B3	%C2%B3
´	%B4	%C2%B4
µ	%B5	%C2%B5
¶	%B6	%C2%B6
·	%B7	%C2%B7
¸	%B8	%C2%B8
¹	%B9	%C2%B9

HTML by Category
HTML Browser Support
HTML Attributes
HTML Global Attributes
HTML Events
HTML Colors
HTML Canvas
HTML Audio/Video
HTML Character Sets
HTML Doctypes
HTML URL Encode
HTML Language Codes
HTML Country Codes
HTML Messages
HTML Methods
PX to EM Converter
Keyboard Shortcuts

HTML Tags

<!-->
<!DOCTYPE>
<a>
<abbr>
<acronym>
<address>

¼	%BC	%C2%BC
½	%BD	%C2%BD
¾	%BE	%C2%BE
¿	%BF	%C2%BF
À	%C0	%C3%80
Á	%C1	%C3%81
Â	%C2	%C3%82
Ã	%C3	%C3%83
Ä	%C4	%C3%84
Å	%C5	%C3%85
Æ	%C6	%C3%86
Ç	%C7	%C3%87
È	%C8	%C3%88
É	%C9	%C3%89
Ê	%CA	%C3%8A
Ë	%CB	%C3%8B

HTML by Category
HTML Browser Support
HTML Attributes
HTML Global Attributes
HTML Events
HTML Colors
HTML Canvas
HTML Audio/Video
HTML Character Sets
HTML Doctypes
HTML URL Encode
HTML Language Codes
HTML Country Codes
HTML Messages
HTML Methods
PX to EM Converter
Keyboard Shortcuts

HTML Tags

<!-->
<!DOCTYPE>
<a>
<abbr>
<acronym>
<address>

Î	%CE	%C3%8E
Ï	%CF	%C3%8F
Ð	%D0	%C3%90
Ñ	%D1	%C3%91
Ò	%D2	%C3%92
Ó	%D3	%C3%93
Ô	%D4	%C3%94
Õ	%D5	%C3%95
Ö	%D6	%C3%96
×	%D7	%C3%97
Ø	%D8	%C3%98
Ù	%D9	%C3%99
Ú	%DA	%C3%9A
Û	%DB	%C3%9B
Ü	%DC	%C3%9C
Ý	%DD	%C3%9D

HTML by Category
HTML Browser Support
HTML Attributes
HTML Global Attributes
HTML Events
HTML Colors
HTML Canvas
HTML Audio/Video
HTML Character Sets
HTML Doctypes
HTML URL Encode
HTML Language Codes
HTML Country Codes
HTML Messages
HTML Methods
PX to EM Converter
Keyboard Shortcuts

HTML Tags

<!-->
<!DOCTYPE>
<a>
<abbr>
<acronym>
<address>

à	%E0	%C3%A0
á	%E1	%C3%A1
â	%E2	%C3%A2
ã	%E3	%C3%A3
ä	%E4	%C3%A4
å	%E5	%C3%A5
æ	%E6	%C3%A6
ç	%E7	%C3%A7
è	%E8	%C3%A8
é	%E9	%C3%A9
ê	%EA	%C3%AA
ë	%EB	%C3%AB
ì	%EC	%C3%AC
í	%ED	%C3%AD
î	%EE	%C3%AE
ï	%EF	%C3%AF

HTML by Category
HTML Browser Support
HTML Attributes
HTML Global Attributes
HTML Events
HTML Colors
HTML Canvas
HTML Audio/Video
HTML Character Sets
HTML Doctypes
HTML URL Encode
HTML Language Codes
HTML Country Codes
HTML Messages
HTML Methods
PX to EM Converter
Keyboard Shortcuts

HTML Tags

<!-->
<!DOCTYPE>
<a>
<abbr>
<acronym>
<address>

ò	%F2	%C3%B2
ó	%F3	%C3%B3
ô	%F4	%C3%B4
õ	%F5	%C3%B5
ö	%F6	%C3%B6
÷	%F7	%C3%B7
ø	%F8	%C3%B8
ù	%F9	%C3%B9
ú	%FA	%C3%BA
û	%FB	%C3%BB
ü	%FC	%C3%BC
ý	%FD	%C3%BD
þ	%FE	%C3%BE
ÿ	%FF	%C3%BF

URL Encoding Reference

HTML by Category
HTML Browser Support
HTML Attributes
HTML Global Attributes
HTML Events
HTML Colors
HTML Canvas
HTML Audio/Video
HTML Character Sets
HTML Doctypes
HTML URL Encode
HTML Language Codes
HTML Country Codes
HTML Messages
HTML Methods
PX to EM Converter
Keyboard Shortcuts

HTML Tags

<!-->
<!DOCTYPE>
<a>
<abbr>
<acronym>
<address>

ASCII Character	Description	URL-encoding
NUL	null character	%00
SOH	start of header	%01
STX	start of text	%02
ETX	end of text	%03
EOT	end of transmission	%04
ENQ	enquiry	%05
ACK	acknowledge	%06
BEL	bell (ring)	%07
BS	backspace	%08
HT	horizontal tab	%09
LF	line feed	%0A
VT	vertical tab	%0B
FF	form feed	%0C
CR	carriage return	%0D
SO	shift out	%0E

HTML by Category
HTML Browser Support
HTML Attributes
HTML Global Attributes
HTML Events
HTML Colors
HTML Canvas
HTML Audio/Video
HTML Character Sets
HTML Doctypes
HTML URL Encode
HTML Language Codes
HTML Country Codes
HTML Messages
HTML Methods
PX to EM Converter
Keyboard Shortcuts

HTML Tags

<!-->
<!DOCTYPE>
<a>
<abbr>
<acronym>
<address>

DC1	device control 1	%11
DC2	device control 2	%12
DC3	device control 3	%13
DC4	device control 4	%14
NAK	negative acknowledge	%15
SYN	synchronize	%16
ETB	end transmission block	%17
CAN	cancel	%18
EM	end of medium	%19
SUB	substitute	%1A
ESC	escape	%1B
FS	file separator	%1C
GS	group separator	%1D
RS	record separator	%1E
US	unit separator	%1F

HTML by Category
HTML Browser Support
HTML Attributes
HTML Global Attributes
HTML Events
HTML Colors
HTML Canvas
HTML Audio/Video
HTML Character Sets
HTML Doctypes
HTML URL Encode
HTML Language Codes
HTML Country Codes
HTML Messages
HTML Methods
PX to EM Converter
Keyboard Shortcuts

HTML Tags

<!-->
<!DOCTYPE>
<a>
<abbr>
<acronym>
<address>

Track your progress - it's free!
Sign Up Log in

PLUS SPACES GET CERTIFIED FOR TEACHERS
FOR BUSINESS CONTACT US

Top Tutorials
HTML Tutorial
CSS Tutorial
JavaScript Tutorial
How To Tutorial
SQL Tutorial
Python Tutorial
W3.CSS Tutorial
Bootstrap Tutorial
PHP Tutorial
Java Tutorial

Top References
HTML Reference
CSS Reference
JavaScript Reference
SQL Reference
Python Reference
W3.CSS Reference
Bootstrap Reference
PHP Reference
HTML Colors
Java Reference

HTML by Category
HTML Browser Support
HTML Attributes
HTML Global Attributes
HTML Events
HTML Colors
HTML Canvas
HTML Audio/Video
HTML Character Sets
HTML Doctypes
HTML URL Encode
HTML Language Codes
HTML Country Codes
HTML Messages
HTML Methods
PX to EM Converter
Keyboard Shortcuts

HTML Tags

<!-->
<!DOCTYPE>
<a>
<abbr>
<acronym>
<address>

CSS Examples
JavaScript Examples
How To Examples
SQL Examples
Python Examples
W3.CSS Examples
Bootstrap Examples
PHP Examples
Java Examples
XML Examples
jQuery Examples

CSS Certificate
JavaScript Certificate
Front End Certificate
SQL Certificate
Python Certificate
PHP Certificate
jQuery Certificate
Java Certificate
C++ Certificate
C# Certificate
XML Certificate

FORUM ABOUT ACADEMY

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning.
Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness
of all content. While using W3Schools, you agree to have read and accepted our terms of use, cookie and privacy policy.

HTML by Category
HTML Browser Support
HTML Attributes
HTML Global Attributes
HTML Events
HTML Colors
HTML Canvas
HTML Audio/Video
HTML Character Sets
HTML Doctypes
HTML URL Encode
HTML Language Codes
HTML Country Codes
HTML Country Codes
HTTP Messages
HTTP Methods
PX to EM Converter
Keyboard Shortcuts

HTML Tags

<!-->
<!DOCTYPE>
<a>
<abbr>
<acronym>
<address>