HTML Global Attributes
HTML Events
HTML Colors
HTML Canvas
HTML Audio/Video
HTML Character Sets
HTML Doctypes
HTML URL Encode
HTML Language Codes
HTML Country Codes
HTML Messages
HTML Methods
PX to EM Converter
Keyboard Shortcuts

HTML Tags

<!-->
<!DOCTYPE>
<a>
<abbr>
<acronym>
<address>
<applet>
<area>
<article>

HTTP Status Messages

Previous Next

HTML Error Messages

When a browser requests a service from a web server, an error might occur, and the server might return an error code like "404 Not Found".

It is common to name these errors HTML error messages.

But these messages are something called HTTP status messages. In fact, the server always returns a message for every request. The most common message is 200 OK.

Below is a list of HTTP status messages that might be returned:

1xx: Information

Level up with HTML Course
Gain skills, and get certified
Start Today!

COLOR PICKER

HTML Global Attributes
HTML Events
HTML Colors
HTML Canvas
HTML Audio/Video
HTML Character Sets
HTML Doctypes
HTML URL Encode
HTML Language Codes
HTML Country Codes
HTML Messages
HTML Methods
PX to EM Converter
Keyboard Shortcuts

HTML Tags

<!-->
<!DOCTYPE>
<a>
<abbr>
<acronym>
<address>
<applet>
<area>
<article>

	request body
101 Switching Protocols	The requester has asked the server to switch protocols
103 Early Hints	Used with the Link header to allow the browser to start preloading resources while the server prepares a response

2xx: Successful

Message:	Description:
200 OK	The request is OK (this is the standard response for successful HTTP requests)
201 Created	The request has been fulfilled, and a new resource is created
202 Accepted	The request has been accepted for processing, but the processing has not been completed
203 Non-Authoritative Information	The request has been successfully processed, but is returning information that may be from another source
204 No Content	The request has been successfully processed, but is not returning any content

HTML Global Attributes
HTML Events
HTML Colors
HTML Canvas
HTML Audio/Video
HTML Character Sets
HTML Doctypes
HTML URL Encode
HTML Language Codes
HTML Country Codes
HTML Messages
HTML Methods
PX to EM Converter
Keyboard Shortcuts

HTML Tags

<!-->
<!DOCTYPE>
<a>
<abbr>
<acronym>
<address>
<applet>
<area>
<article>

206 Partial Content	The server is delivering only part of the resource due to a range header sent by the client

3xx: Redirection

Message:	Description:
300 Multiple Choices	A link list. The user can select a link and go to that location. Maximum five addresses
301 Moved Permanently	The requested page has moved to a new URL
302 Found	The requested page has moved temporarily to a new URL
303 See Other	The requested page can be found under a different URL
304 Not Modified	Indicates the requested page has not been modified since last requested
307 Temporary Redirect	The requested page has moved temporarily to a new URL
308 Permanent Redirect	The requested page has moved permanently to a new URL

HTML Global Attributes
HTML Events
HTML Colors
HTML Canvas
HTML Audio/Video
HTML Character Sets
HTML Doctypes
HTML URL Encode
HTML Language Codes
HTML Country Codes
HTML Messages
HTML Methods
PX to EM Converter
Keyboard Shortcuts

HTML Tags

<!-->
<!DOCTYPE>
<a>
<abbr>
<acronym>
<address>
<applet>
<area>
<article>

Message:	Description:
400 Bad Request	The request cannot be fulfilled due to bad syntax
401 Unauthorized	The request was a legal request, but the server is refusing to respond to it. For use when authentication is possible but has failed or not yet been provided
402 Payment Required	*Reserved for future use*
403 Forbidden	The request was a legal request, but the server is refusing to respond to it
404 Not Found	The requested page could not be found but may be available again in the future
405 Method Not Allowed	A request was made of a page using a request method not supported by that page
406 Not Acceptable	The server can only generate a response that is not accepted by the client
407 Proxy Authentication Required	The client must first authenticate itself with the proxy
408 Request Timeout	The server timed out waiting for the request

HTML Global Attributes
HTML Events
HTML Colors
HTML Canvas
HTML Audio/Video
HTML Character Sets
HTML Doctypes
HTML URL Encode
HTML Language Codes
HTML Country Codes
HTML Messages
HTTP Methods
PX to EM Converter
Keyboard Shortcuts

HTML Tags

<!-->
<!DOCTYPE>
<a>
<abbr>
<acronym>
<address>
<applet>
<area>
<article>

411 Length Required	The "Content-Length" is not defined. The server will not accept the request without it
412 Precondition Failed	The precondition given in the request evaluated to false by the server
413 Request Too Large	The server will not accept the request, because the request entity is too large
414 Request-URI Too Long	The server will not accept the request, because the URI is too long. Occurs when you convert a POST request to a GET request with a long query information
415 Unsupported Media Type	The server will not accept the request, because the media type is not supported
416 Range Not Satisfiable	The client has asked for a portion of the file, but the server cannot supply that portion
417 Expectation Failed	The server cannot meet the requirements of the Expect request-header field

5xx: Server Error

Message:	Description:

HTML Global Attributes
HTML Events
HTML Colors
HTML Canvas
HTML Audio/Video
HTML Character Sets
HTML Doctypes
HTML URL Encode
HTML Language Codes
HTML Country Codes
HTML Messages
HTTP Methods
PX to EM Converter
Keyboard Shortcuts

HTML Tags

<!-->
<!DOCTYPE>
<a>
<abbr>
<acronym>
<address>
<applet>
<area>
<article>

	request method, or it lacks the ability to fulfill the request
502 Bad Gateway	The server was acting as a gateway or proxy and received an invalid response from the upstream server
503 Service Unavailable	The server is currently unavailable (overloaded or down)
504 Gateway Timeout	The server was acting as a gateway or proxy and did not receive a timely response from the upstream server
505 HTTP Version Not Supported	The server does not support the HTTP protocol version used in the request
511 Network Authentication Required	The client needs to authenticate to gain network access

Previous Next

HTML Global Attributes
HTML Events
HTML Colors
HTML Canvas
HTML Audio/Video
HTML Character Sets
HTML Doctypes
HTML URL Encode
HTML Language Codes
HTML Country Codes
HTML Messages
HTML Methods
PX to EM Converter
Keyboard Shortcuts

HTML Tags

<!-->
<!DOCTYPE>
<a>
<abbr>
<acronym>
<address>
<applet>
<area>
<article>

PLUS SPACES GET CERTIFIED FOR TEACHERS

FOR BUSINESS CONTACT US

Top Tutorials

HTML Tutorial
CSS Tutorial
JavaScript Tutorial
How To Tutorial
SQL Tutorial
Python Tutorial
W3.CSS Tutorial
Bootstrap Tutorial
PHP Tutorial
Java Tutorial
C++ Tutorial
jQuery Tutorial

Top References

HTML Reference
CSS Reference
JavaScript Reference
SQL Reference
Python Reference
W3.CSS Reference
Bootstrap Reference
PHP Reference
HTML Colors
Java Reference
Angular Reference
jQuery Reference

Top Examples

Get Certified

HTML Global Attributes
HTML Events
HTML Colors
HTML Canvas
HTML Audio/Video
HTML Character Sets
HTML Doctypes
HTML URL Encode
HTML Language Codes
HTML Country Codes
HTML Messages
HTML Methods
PX to EM Converter
Keyboard Shortcuts

HTML Tags

<!-->
<!DOCTYPE>
<a>
<abbr>
<acronym>
<address>
<applet>
<area>
<article>

W3.CSS Examples
Bootstrap Examples
PHP Examples
Java Examples
XML Examples
jQuery Examples

PHP Certificate
jQuery Certificate
Java Certificate
C++ Certificate
C# Certificate
XML Certificate

FORUM ABOUT ACADEMY

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning.
Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness
of all content. While using W3Schools, you agree to have read and accepted our terms of use, cookie and privacy policy.

Copyright 1999-2024 by Refsnes Data. All Rights Reserved. W3Schools is powered by W3.CSS.