HTML Canvas
HTML Audio/Video
HTML Character Sets
HTML Doctypes
HTML URL Encode
HTML Language Codes
HTML Country Codes
HTML Messages
HTML Methods
PX to EM Converter
Keyboard Shortcuts

HTML Tags

<!-->
<!DOCTYPE>
<a>
<abbr>
<acronym>
<address>
<applet>
<area>
<article>
<aside>
<audio>
<b>

Keyboard Shortcuts

Previous Next

Keyboard Shortcuts For Windows and Mac

Keyboard shortcuts are often used in modern operating systems and computer software programs.

Learning and using keyboard shortcuts can save you a lot of time.

Basic Shortcuts

Description	Windows	Mac OS
Edit menu	Alt + E	Ctrl + F2 + F

COLOR PICKER

HTML Canvas
HTML Audio/Video
HTML Character Sets
HTML Doctypes
HTML URL Encode
HTML Language Codes
HTML Country Codes
HTML Country Codes
HTTP Messages
HTTP Methods
PX to EM Converter
Keyboard Shortcuts

HTML Tags

<!-->
<!DOCTYPE>
<a>
<abbr>
<acronym>
<address>
<applet>
<area>
<article>
<aside>
<audio>
<b>

Select all text	Ctrl + A	Cmd + A
Copy text	Ctrl + C	Cmd + C
Find text	Ctrl + F	Cmd + F
Find and replace text	Ctrl + H	Cmd + F
New Document	Ctrl + N	Cmd + N
Open a file	Ctrl + O	Cmd + O
Print options	Ctrl + P	Cmd + P
Save file	Ctrl + S	Cmd + S
Paste text	Ctrl + V	Cmd + V
Cut text	Ctrl + X	Cmd + X
Redo text	Ctrl + Y	Shift + Cmd + Z
Undo text	Ctrl + Z	Cmd + Z

Text Editing

Description	Windows	Mac OS
Cursor Movement		

HTML Canvas
HTML Audio/Video
HTML Character Sets
HTML Doctypes
HTML URL Encode
HTML Language Codes
HTML Country Codes
HTML Messages
HTML Methods
PX to EM Converter
Keyboard Shortcuts

HTML Tags

<!-->
<!DOCTYPE>
<a>
<abbr>
<acronym>
<address>
<applet>
<area>
<article>
<aside>
<audio>
<b>

line break		
Go up one row	Up Arrow	Up Arrow
Go down one row	Down Arrow	Down Arrow
Go to the beginning of the current line	Home	Cmd + Left Arrow
Go to the end of the current line	End	Cmd + Right Arrow
Go to the beginning of the document	Ctrl + Home	Cmd + Up Arrow
Go to the end of the document	Ctrl + End	Cmd + Down Arrow
Move up one frame	Page Up	Fn + Up Arrow
Move down one frame	Page Down	Fn + Down Arrow
Go to beginning of previous word	Ctrl + Left Arrow	Option + Left Arrow
Go to beginning of next word	Ctrl + Right Arrow	Option + Right Arrow
Go to beginning of line break	Ctrl + Up Arrow	Cmd + Left Arrow

HTML Canvas
HTML Audio/Video
HTML Character Sets
HTML Doctypes
HTML URL Encode
HTML Language Codes
HTML Country Codes
HTML Messages
HTML Methods
PX to EM Converter
Keyboard Shortcuts

HTML Tags

<!-->
<!DOCTYPE>
<a>
<abbr>
<acronym>
<address>
<applet>
<area>
<article>
<aside>
<audio>
<b>

Text Selection		
Select characters to the left	Shift + Left Arrow	Shift + Left Arrow
Select characters to the right	Shift + Right Arrow	Shift + Right Arrow
Select lines upwards	Shift + Up Arrow	Shift + Up Arrow
Select lines downwards	Shift + Down Arrow	Shift + Down Arrow
Select words to the left	Shift + Ctrl + Left	Shift + Opt + Left
Select words to the right	Shift + Ctrl + Right	Shift + Opt + Right
Select paragraphs to the left	Shift + Ctrl + Up	Shift + Opt + Up
Select paragraphs to the right	Shift + Ctrl + Down	Shift + Opt + Down
Select text between the cursor and the beginning of the current line	Shift + Home	Cmd + Shift + Left Arrow
Select text between the cursor and the end of the current line	Shift + End	Cmd + Shift + Right Arrow

HTML Canvas
HTML Audio/Video
HTML Character Sets
HTML Doctypes
HTML URL Encode
HTML Language Codes
HTML Country Codes
HTML Messages
HTML Methods
PX to EM Converter
Keyboard Shortcuts

HTML Tags

<!-->
<!DOCTYPE>
<a>
<abbr>
<acronym>
<address>
<applet>
<area>
<article>
<aside>
<audio>
<b>

Select text between the cursor and the end of the document	Shift + Ctrl + End	Cmd + Shift + Down Arrow or Cmd + Shift + Fn + Right Arrow
Select one frame at a time of text above the cursor	Shift + Page Up	Shift + Fn + Up Arrow
Select one frame at a time of text below the cursor	Shift + Page Down	Shift + Fn + Down Arrow
Select all text	Ctrl + A	Cmd + A
Find text	Ctrl + F	Cmd + F
Text Formatting		
Make selected text bold	Ctrl + B	Cmd + B
Make selected text italic	Ctrl + I	Cmd + I
Underline selected text	Ctrl + U	Cmd + U
Make selected text superscript	Ctrl + Shift + =	Cmd + Shift + =
Make selected text subscript	Ctrl + =	Cmd + =

HTML Canvas
HTML Audio/Video
HTML Character Sets
HTML Doctypes
HTML URL Encode
HTML Language Codes
HTML Country Codes
HTML Messages
HTML Methods
PX to EM Converter
Keyboard Shortcuts

HTML Tags

<!-->
<!DOCTYPE>
<a>
<abbr>
<acronym>
<address>
<applet>
<area>
<article>
<aside>
<audio>
<b>

Delete characters to the right	Delete	Fn + Backspace
Delete words to the right	Ctrl + Del	Cmd + Backspace
Delete words to the left	Ctrl + Backspace	Cmd + Fn + Backspace
Indent	Tab	Tab
Outdent	Shift + Tab	Shift + Tab
Copy text	Ctrl + C	Cmd + C
Find and replace text	Ctrl + H	Cmd + F
Paste text	Ctrl + V	Cmd + V
Cut text	Ctrl + X	Cmd + X
Redo text	Ctrl + Y	Shift + Cmd + Z
Undo text	Ctrl + Z	Cmd + Z

Web Browsers

HTML Canvas
HTML Audio/Video
HTML Character Sets
HTML Doctypes
HTML URL Encode
HTML Language Codes
HTML Country Codes
HTML Messages
HTML Methods
PX to EM Converter
Keyboard Shortcuts

HTML Tags

<!-->
<!DOCTYPE>
<a>
<abbr>
<acronym>
<address>
<applet>
<area>
<article>
<aside>
<audio>
<b>

Scroll down a frame	Space or Page Down	Space or Fn + Down Arrow
Scroll up a frame	Shift + Space or Page Up	Shift + Space or Fn + Up Arrow
Go to bottom of the page	End	Cmd + Down Arrow
Go to top of the page	Home	Cmd + Up Arrow
Go back	Alt + Left Arrow or Backspace	Cmd + Left Arrow
Go forward	Alt + Right Arrow or Shift + Backspace	Cmd + Right Arrow
Refresh a webpage	F5	Cmd + R
Refresh a webpage (no cache)	Ctrl + F5	Cmd + Shift + R
Stop	Esc	Esc
Toggle full-screen	F11	Cmd + Shift + F
Zoom in	Ctrl + +	Cmd + +
Zoom out	Ctrl + -	Cmd + -
Zoom 100% (default)	Ctrl + 0	Cmd + 0

HTML Canvas
HTML Audio/Video
HTML Character Sets
HTML Doctypes
HTML URL Encode
HTML Language Codes
HTML Country Codes
HTML Messages
HTML Methods
PX to EM Converter
Keyboard Shortcuts

HTML Tags

<!-->
<!DOCTYPE>
<a>
<abbr>
<acronym>
<address>
<applet>
<area>
<article>
<aside>
<audio>
<b>

Find text	Ctrl + F	Cmd + F
Tab / Window Management		
Open a new tab	Ctrl + T	Cmd + T
Close current tab	Ctrl + W	Cmd + W
Close all tabs	Ctrl + Shift + W	Cmd + Q
Close all tabs except the current tab	Ctrl + Alt + F4	Cmd + Opt + W
Go to next tab	Ctrl + Tab	Control + Tab or Cmd + Shift + Right Arrow
Go to previous tab	Ctrl + Shift + Tab	Shift + Control + Tab or Cmd + Shift + Left Arrow
Go to a specific tab number	Ctrl + 1-8	Cmd + 1-8
Go to the last tab	Ctrl + 9	Cmd + 9
Reopen the last closed tab	Ctrl + Shift + T	Cmd + Shift + T
Open a new window	Ctrl + N	Cmd + N

HTML Canvas
HTML Audio/Video
HTML Character Sets
HTML Doctypes
HTML URL Encode
HTML Language Codes
HTML Country Codes
HTML Messages
HTML Methods
PX to EM Converter
Keyboard Shortcuts

HTML Tags

<!-->
<!DOCTYPE>
<a>
<abbr>
<acronym>
<address>
<applet>
<area>
<article>
<aside>
<audio>
<b>

Go to previous window	Alt + Shift + Tab	Cmd + Shift + Tab
Reopen the last closed window	Ctrl + Shift + N	
Open links in a new tab in the background	Ctrl + Click	Cmd + Click
Open links in a new tab in the foreground	Ctrl + Shift + Click	Cmd + Shift + Click
Print current webpage	Ctrl + P	Cmd + P
Save current webpage	Ctrl + S	Cmd + S
Address Bar		
Cycle between toolbar, search bar, and page elements	Tab	Tab
Go to browser's address bar	Ctrl + L or Alt + D	Cmd + L
Focus and select the browser's search bar	Ctrl + E	Cmd + E / Cmd + K
Open the address bar location in a new tab	Alt + Enter	Opt + Enter

HTML Canvas
HTML Audio/Video
HTML Character Sets
HTML Doctypes
HTML URL Encode
HTML Language Codes
HTML Country Codes
HTML Messages
HTML Methods
PX to EM Converter
Keyboard Shortcuts

HTML Tags

<!-->
<!DOCTYPE>
<a>
<abbr>
<acronym>
<address>
<applet>
<area>
<article>
<aside>
<audio>
<b>

".com" to the end of the text typed in the address bar (e.g., type "w3schools" and press Ctrl + Enter to open "www.w3schools.com")		Control + Enter
Bookmarks		
Open the bookmarks menu	Ctrl + B	Cmd + B
Add bookmark for current page	Ctrl + D	Cmd + Opt + B or Cmd + Shift + B
Open browsing history	Ctrl + H	Cmd + Shift + H or Cmd + Y
Open download history	Ctrl + J	Cmd + J or Cmd + Shift + J

Screenshots

Description	Windows	Mac OS
Save screenshot of the whole screen as file		Cmd + Shift + 3

HTML Canvas
HTML Audio/Video
HTML Character Sets
HTML Doctypes
HTML URL Encode
HTML Language Codes
HTML Country Codes
HTML Messages
HTML Methods
PX to EM Converter
Keyboard Shortcuts

HTML Tags

<!-->
<!DOCTYPE>
<a>
<abbr>
<acronym>
<address>
<applet>
<area>
<article>
<aside>
<audio>
<b>

Save screenshot of window as file		Cmd + Shift + 4, then Space
Copy screenshot of window to the clipboard	Alt + PrtScr	Cmd + Ctrl + Shift + 4, then Space
Copy screenshot of wanted area to the clipboard		Cmd + Ctrl + Shift + 4
Save screenshot of wanted area as file		Cmd + Shift + 4

Note: Due to different keyboard setups, some shortcuts may not be compatible for all users.

❮ Previous Next ❯



HTML Canvas
HTML Audio/Video
HTML Character Sets
HTML Doctypes
HTML URL Encode
HTML Language Codes
HTML Country Codes
HTML Messages
HTML Methods
PX to EM Converter
Keyboard Shortcuts

HTML Tags

<!-->
<!DOCTYPE>
<a>
<abbr>
<acronym>
<address>
<applet>
<area>
<article>
<aside>
<audio>
<b>

PLUS SPACES GET CERTIFIED FOR TEACHERS

FOR BUSINESS CONTACT US

Top Tutorials

HTML Tutorial
CSS Tutorial
JavaScript Tutorial
How To Tutorial
SQL Tutorial
Python Tutorial
W3.CSS Tutorial
Bootstrap Tutorial
PHP Tutorial
Java Tutorial
C++ Tutorial
jQuery Tutorial

Top References

HTML Reference
CSS Reference
JavaScript Reference
SQL Reference
Python Reference
W3.CSS Reference
Bootstrap Reference
PHP Reference
HTML Colors
Java Reference
Angular Reference
jQuery Reference

Top Examples

HTML Examples
CSS Examples
JavaScript Examples
How To Examples
SQL Examples
Python Examples
W3.CSS Examples
Bootstrap Examples
PHP Examples

Get Certified

HTML Certificate
CSS Certificate
JavaScript Certificate
Front End Certificate
SQL Certificate
Python Certificate
PHP Certificate
jQuery Certificate
Java Certificate

HTML Canvas
HTML Audio/Video
HTML Character Sets
HTML Doctypes
HTML URL Encode
HTML Language Codes
HTML Country Codes
HTML Messages
HTML Methods
PX to EM Converter
Keyboard Shortcuts

HTML Tags

<!-->
<!DOCTYPE>
<a>
<abbr>
<acronym>
<address>
<applet>
<area>
<article>
<aside>
<audio>
<b>

FORUM ABOUT ACADEMY

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning.
Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness
of all content. While using W3Schools, you agree to have read and accepted our terms of use, cookie and privacy policy.

Copyright 1999-2024 by Refsnes Data. All Rights Reserved. W3Schools is Powered by W3.CSS.