

Caregiver Management Portal

A React-based web portal for the Caregiver Communications Platform. This portal provides management functionality for administrators, directors, and site directors.

Note: DSPs (Direct Support Professionals) cannot access this portal.

Tech Stack

- **React 19** with TypeScript
- **Vite** for development and building
- **React Router** for navigation
- **CSS** for styling (vanilla CSS, no frameworks)

Getting Started

Prerequisites

- Node.js 18+
- The backend server running at <https://localhost:8443>

Installation

```
cd portal/caregiver-mgmt-portal
npm install
```

Development

```
npm run dev
```

The portal runs at <https://localhost:5173> with HTTPS enabled using the same certificates as the backend.

Production (Docker)

When running via Docker Compose, the portal is served at <https://localhost:3000> via Nginx.

```
# From project root
./restart.zsh
```

Features

For Administrators

- Staff management (create, update, deactivate)
- Client management (create, update, deactivate)
- Document template builder
- Shift template builder
- Behavior type configuration

For Directors

- View all locations and clients
- Document template builder
- Shift template builder
- Document review and compliance tracking
- Staff oversight

For Site Directors

- Location-scoped view of clients and staff
- Shift scheduling and shift template builder for their location
- Document management for enrolled clients

Pages

Route	Page	Description
/	Dashboard	Overview stats and quick actions
/clients	Clients	Client list, enrollment, residence, contacts
/staff	Staff	Staff directory and management
/shifts	Shifts	Shift scheduling and assignments
/documents	Documents	Document templates and client documents

Project Structure

```
src/  
├── components/      # Reusable UI components (forms, modals)  
├── pages/           # Page components (Dashboard, Clients, Staff, etc.)  
├── contexts/        # React context providers (AuthContext)  
├── hooks/           # Custom React hooks (usePermission)  
├── types/           # TypeScript type definitions  
└── services/        # API service layer
```

Authentication & Authorization

- **AuthContext** manages login/logout and session state
- **usePermission** hook provides role-based access control
- Protected routes redirect unauthenticated users to [/login](#)

- DSP users are blocked at login with a clear error message

HTTPS Configuration

The portal uses the same self-signed certificates as the backend server. Certificates are expected at:

- `../server/cert.pem`
- `../server/key.pem`

See the main [README.md](#) for certificate generation instructions.