


# EXPO



## Product Sheet

EXPO is a unique ceiling-hung construction allowing the panels to hover just above the floor and glide effortlessly when opening and closing with each panel in the system linked to the next one. The benefit: Even without a floor track or threshold, EXPO stands its ground. It's an industry-leading system that provides dependable separation when you need it, and leaves no trace when you don't.

## Extrusions



# EXPO



## Glazing and Panels:

Single glazing  
Glass thickness: 1/2"  
Tempered, laminated, low iron (extra clear), and specialty glass

## Profile:

Structural beam needed at the top  
Frameless panels with applied seal at the bottom and on the sides  
Maximum height of 10'  
Aluminum

## Tolerance:

1/8" tolerance

## Acoustical properties:

Single glazed STC assembly score ranges estimated at: 30 - 34

## Lead times:

6-8 weeks on standard clear anodized  
8-10 weeks on custom system

# EXPO















## Sustainability

At Muraflex, we are dedicated to diminishing our impact on the environment. We are also committed to continually improving our procedures in terms of product development, supply, packaging and distribution in an effort to minimize our environmental footprint.



## The Finishes

Black anodized	Architectural Bronze anodized	Medium Bronze anodized	Champagne anodized	Light Bronze anodized	Clear anodized
					
Black powder coat	Charcoal powder coat	Grey powder coat	Champagne powder coat	White powder coat	Custom powder coat
					

Due to variances in screen calibration or print quality, finish images may not accurately represent the actual color sample.