

## **Product Sheet**

QUADRO is designed with elegance and prestige in mind. With its recessed reveal, QUADRO creates a picture frame effect highlighting your office space like a work of art. Quadro can be entirely customizable on either the corridor or the office side. Mix and match and have fun with the widest array of finishes including, anodized, powder coat, wood veneer, brushed, and polished finishes.

# **Extrusions**















## Glazing and Panels:

Single and double glazing
Third top hung center decorative panel
Glass thickness: ½" and ¾"
Tempered, laminated, low iron (extra clear),
and specialty glass

## Tolerance:

Total of 3/4"

## Junctions:

Available in polycarbonate Glass to glass, corner (L), and T condition

#### Profile:

Stick built

Profile dimensions:

- Top extrusion: W3-1/2" x H2-3/8"
- Top extrusion with decorative snap on  $W4-\frac{11}{16}$ " x  $H2-\frac{3}{8}$ "
- Bottom extrusion: W3" x H1-%16"
   Same extrusion for offset and double glazing

Aluminum

Applied mullions available
Aluminum and wood flyby available

## Gaskets:

Door: available in black, white, and clear Wall: available in black, white, and grey

## Ceiling Condition:

Can be installed on a bulk ceiling, acoustical tiles (ACT), or as a free-standing system Maximum height of 10'

#### Doors:

#### Framed

- Standard Muraflex single glazed pivot door
- Standard Muraflex double glazed pivot door
- Standard Muraflex single glazed sliding door

#### Wood

- Pivot door
- Sliding door

Standard door hardware

- Lever or ladder pull
- Locking or non-locking
- Drop seal available on framed doors and wood sliding door
- Hold open available on all swing doors Maximum door height: 10'

## Acoustical properties:

Single glazed STC assembly score ranges estimated at (depending on options): 34 - 38 Double glazed STC assembly score ranges estimated at (depending on options): 43 - 46 Double glazed with top hung center decorative panel estimated at 43+

#### Integrated electrical components:

High and low voltage wiring Integrated electrical components including room scheduler, card reader, and electrical strike available

Panic hardware available

## Lead times:

6-8 weeks on standard clear anodized

8-10 weeks on custom system

# muraflex



# **Sustainability**

At Muraflex, we are dedicated to diminishing our impact on the environment. We are also committed to continually improving our procedures in terms of product development, supply, packaging and distribution in an effort to minimize our environmental footprint.

















## **The Finishes**





Architectural Bronze anodized





Champagne



Light Bronze anodized



Clear anodized



Black powder coat



Charcoal powder coat



Grey



Champagne powder coat



White powder coat



Custom powder Coat



Polished anodized



Brushed Black anodized



Brushed Silver anodized



Wenge wood veneer



Walnut wood veneer



White Oak wood veneer



Due to variances in screen calibration or print quality, finish images may not accurately represent the actual color sample.