

DBMS/SQL

Lesson 02 Basics of SQL

Lesson Objectives

- To understand the following topics:
 - SQL Language
 - Rules for SQL Statements
 - Standard SQL Statement groups
 - Logging to Oracle Server



2.1: SQL

What is SQL?

■ SQL:

- SQL stands for Structured Query Language.
- SQL is used to communicate with a database.
- Statements are used to perform tasks such as update data on a database, or retrieve data from a database.
- Benefits of SQL are:
 - It is a Non-Procedural Language.
 - It is a language for all users.
 - It is a unified language.



Copyright © Capgemini 2015. All Rights Reserved 3

What is SQL?

SQL stands for Structured Query Language. Pronounced as SEQUEL, SQL was originally developed by IBM based on Dr. E.F. Codd's relational model to define, manipulate and control data in a database

- SQL is a set of commands that allows you to access a Relational Database.
- SQL is an ANSI standard computer language.
- SQL can execute queries against a database.
- SQL can retrieve data from a database.
- SQL can insert new records in a database.
- SQL can delete records from a database.
- SQL can update records in a database.
- SQL is easy to learn.
- SQL is a non-procedural, English-like language that processes data in "groups of records" rather than processing one record at a time.
- SQL provides automatic navigation to the data.

2.1 SQL

What can SQL do?

■ SQL

- allows you to access a database.
- can execute queries against a database.
- can retrieve data from a database.
- can insert new records into a database.
- can delete records from a database.
- can update records in a database.



Copyright © Capgemini 2015. All Rights Reserved 4

Almost all modern Relational Database Management Systems like MS SQL Server, Microsoft Access, MSDE, Oracle, DB2, Sybase, MySQL, Postgres, and Informix use SQL as standard database language.

However, although all those RDBMS use SQL, they use different SQL dialects

For example: MS SQL Server specific version of the SQL is called T-SQL, Oracle version of SQL is called PL/SQL which also supports Procedural Language features, MS Access version of SQL is called JET SQL, etc.

➤ Oracle has further modified SQL to support ORDBMS features.

2.2: SQL

Rules for SQL statements

- Rules for SQL statements:

- SQL keywords are not case sensitive. However, normally all commands (SELECT, UPDATE, etc) are upper-cased.
- "Variable" and "parameter" names are displayed as lower-case.
- New-line characters are ignored in SQL.
- Many DBMS systems terminate SQL statements with a semi-colon character.
- "Character strings" and "date values" are enclosed in single quotation marks while using them in WHERE clause or otherwise.

2.3: SQL

Standard SQL statement groups

- Given below are the standard SQL statement groups:

Groups	Statements	Description
DQL	SELECT	DATA QUERY LANGUAGE – It is used to get data from the database and impose ordering upon it.
DML	DELETE INSERT UPDATE MERGE	DATA MANIPULATION LANGUAGE – It is used to change database data.
DDL	DROP TRUNCATE CREATE ALTER	DATA DEFINITION LANGUAGE – It is used to manipulate database structures and definitions.
TCL	COMMIT ROLLBACK SAVEPOINT	TCL statements are used to manage the transactions.
DCL (Rights)	REVOKE GRANT	They are used to remove and provide access rights to database objects.



Copyright © Capgemini 2015. All Rights Reserved 5

Standard SQL Statement groups:

- “SQL commands” are “instructions” used to communicate with the database to perform “specific tasks” that work with data.
 - A database is a collection of structures with appropriately defined authorizations and accesses. The tables, indexes are structures in the database and are called as “objects” in the database.
 - The names of tables, indexes, and those of columns are called “identifiers”.
- SQL commands can be used not only for searching the database, but also to perform various other functions.

For example: You can create tables, add data to tables, or modify data, drop the table, set permissions for users, etc.

Standard SQL Statement groups:

- “SQL commands” are “instructions” used to communicate with the database to perform “specific tasks” that work with data.

- A database is a collection of structures with appropriately defined authorizations and accesses. The tables, indexes are structures in the database and are called as “objects” in the database.

- The names of tables, indexes, and those of columns are called “identifiers”.


- SQL commands can be used not only for searching the database, but also to perform various other functions.

For example: You can create tables, add data to tables, or modify data, drop the table, set permissions for users, etc.


2.4: SQL * Plus & iSQLPlus Environment

SQL* Plus Tool

SQL*Plus The Oracle RDBMS Access Tool

Three Tools in One

PL/SQL
Proprietary
Oracle
Language
Non-ANSI Standard



Copyright © Capgemini 2015. All Rights Reserved. 5


SQL*PLUS:

- SQL* PLUS is an Oracle tool which accepts SQL, and SQLPLUS commands and PL/SQL blocks, and executes them. SQL*Plus commands can be abbreviated

2.4: SQL * Plus & iSQLPlus Environment

Logging to Oracle Server using iSQLPlus

- To log into the iSQL*Plus environment:
 - In the Windows browser, type the URL in the address field. The user will be directed to iSQL*Plus environment screen.



Oracle provides a browser based facility also to access SQL * Plus i.e iSQLPlus. Unlike SQL*Plus the commands in iSQLPlus cannot be abbreviated. Both SQL*Plus and iSQLPlus are Oracle proprietary interfaces.


How to access SQL * PLUS ?

1. Get your Oracle user name and password, and connect string from your DBA or Instructor.
2. As shown on the slide you get the login screen wherein the required details can be put in to login into Oracle

2.4: SQL * Plus & iSQLPlus Environment

Logging to Oracle Server using iSQLPlus

- To connect to the Oracle server:
 - Select Start, go to Programs, and select Oracle-OraHome81.
 - Go to Application Development, and select SQL Plus. You will get the following logon screen:



Similarly you can use the username, password and Host String details to use the SQL * Plus tool. This is a GUI based tool to interact with Oracle

- A. To enter a SQL> command**, type the command at the SQL > prompt. An SQL command can be continuously entered on a single line, or it can be spread over multiple lines. In case of any typing error, use BACKSPACE or DEL key to erase, and then continue typing.

```
SQL> SELECT empno,hiredate FROM emp WHERE hiredate >
'01-jan-82' ;
```

The command can also be entered as:

```
SQL>SELECT empno,hiredate
FROM emp
WHERE hiredate >'01-jan-82';
```

Summary

- In this lesson, you have learnt:
 - What is SQL?
 - Rules for SQL statements
 - Standard SQL statement groups
 - SQL*PLUS environment



Review Question

- Question 1: SQL ____.
- Option 1: cannot execute queries against a database.
- Option 2: can manipulate data from a database.
- Option 3: cannot retrieve data from a database.
- Option 4: can insert new records in a database.
- Option 5: can delete records from a database.



Review Question

- Question 2: SQL categories are ____.
- Option 1: DDL
- Option 2: DML
- Option 3: DSL
- Option 4: DQL
- Option 5: TCL
- Option 6: TDL



Add the notes here.