Grammar Notes

Function	Sample	Details
read byte	***readbyte*** 01h D1h	***readbyte***: key word to read byte value ***readword***: key word to read word value 01h: slave address (hex) D1h: register address (hex) 00h/0000h: user expect value (use for verification)(hex)
	readbyte 01h D1h 00h	
read word	***readword*** 01h D1h	
	readword 01h D1h 0000h	
write byte	***writebyte*** 01h D1h EFh	***writebyte***: key word to write byte value ***writeword***: key word to write word value 01h: slave address (hex) D1h: register address (hex) EFh: byte value need to be written 01EFh: word value need to be written
write word	***writeword*** 01h D1h 01EFh	
send	***send*** 01h D1h	send command
delay	***delay*** 50	delay 50 ms
loop	***loop 3*** ***readbyte*** 01h D1h 00h ***writebyte*** 01h D1h ***endloop***	***loop-endloop***: key word to achieve a loop 3: loop time (Support nesting)

Sample
readword 01h D2h ***writeword*** 01h D2h 00FFh # this is a test ***loop*** 3   ***writebyte*** 01h D1h FFh   ***loop*** 2   ***readbyte*** 01h D1h FFh   ***endloop*** ***endloop*** ***send*** 01h D1h #this is a test ***delay*** 100