


DUAL BOOT WINDOWS 11/LINUX MINT 22

WINDOWS 11 INSTALLATION

Insert the Windows ISO into the virtual CD and start the installation. During the installation process, create a partition of 23 GB in which you will install the operating system and another one of 8 GB

Create a virtual machine in VirtualBox with 4GB or RAM and 60G of hard disk





Crear máquina virtual

Disco duro virtual

Si lo desea puede añadir un nuevo disco duro virtual a la nueva máquina. Puede crear un nuevo archivo de disco duro o seleccionar uno existente. De forma alternativa puede crear una máquina virtual sin un disco duro virtual.

☒ **Crear un disco duro virtual ahora**

Tamaño de disco: 60,00 GB

4,00 MB 2,00 TB

☐ Reservar tamaño completo

☐ Usar un archivo de disco duro virtual existente

☐ No añadir un disco duro virtual

Ayuda

Anterior

Siguiente

Cancelar



Crear máquina virtual

Resumen

La siguiente tabla resume la configuración que ha elegido para la nueva máquina virtual. Cuando esté conforme con la configuración presione Finalizar para crear la máquina virtual. También puede volver atrás y modificar la configuración.



 Nombre y tipo de SO de la máquina	
Nombre de máquina	Javier
Carpeta de la máquina	/media/alumno/PortableSSD/Javier_
Imagen ISO	/media/alumno/PortableSSD/ISO/es-es_windows_11_consumer_editions_...
Tipo de SO invitado	Windows 11 (64-bit)
Omitir instalación desatendida	true
 Hardware	
Memoria base	4096
Procesador(es)	2
Habilitar EFI	true
 Disco	
Tamaño de disco	60,00 GB
Reservar tamaño completo	false

Ayuda


Anterior

Terminar


Cancelar




The user will be your name followed by your surname initials (ex: danielas) and the password will be “student”.



Check the Internet Access.





We don't have internet so we activate the network cable again.




Download and install Chrome.




**Install the Guest Additions.
Enable clipboard sharing and drag and drop.**




Create a shared folder with the Desktop of your host machine. This folder will be shown as Shared_Host





Open the disk manager and format the 8GB partition in NTFS with the drive letter Z:. After that, create a folder called Windows_yourinitials (ex: Windows_das) inside the partition. Open the folder and add a file.






Add a second hard drive called yourinitials_3GB (ex: das_3GB)







Open the disk manager and create a partition with all the space on disk2 and format it in FAT32 with the drive letter Y:



Summary of the machine configuration that appears in the right panel of VirtualBox when you select the machine



Disk manager window showing the partitions and their file systems.




Steps to follow to install Guest Additions on Windows.

In the upper left we select devices and install CD of the plugins...

Then we restart the virtual machine

Steps to follow to create the shared folder with the host machine in Windows.


We select devices, shared folder and select the folder created previously




LINUX MINT INSTALLATION

Start the Linux Mint installation. During the installation process, create the following partitions on the new disk attached:


- ☐ 1 partition of 20 GB for the operating system (EXT4 format). Mount point: /
- ☐ 1 partition of 5 GB with EXT4 format. Mount point: /home
- ☐ 1 swap partition with the remaining unpartitioned space




The user will be your name followed by your surname initials (ex: danielas) and the password “student”.




Check that when you start the machine, it allows you to choose between Windows and Linux.



Check the Internet access.




Download and install Chrome. (sudo dpkg -i packagename)




Install the Guest Additions.

```
VirtualBox Guest Additions installation
Archivo  Editar  Ver  Buscar  Terminal  Ayuda
_Verifying archive integrity... 100% MD5 checksums are OK. All good.
Uncompressing VirtualBox 7.0.22 Guest Additions for Linux 100%
VirtualBox Guest Additions installer
Copying additional installer modules ...
Installing additional modules ...
VirtualBox Guest Additions: Starting.
VirtualBox Guest Additions: Setting up modules
VirtualBox Guest Additions: Building the VirtualBox Guest Additions kernel
modules. This may take a while.
VirtualBox Guest Additions: To build modules for other installed kernels, run
VirtualBox Guest Additions: /sbin/rcvboxadd quicksetup <version>
VirtualBox Guest Additions: or
VirtualBox Guest Additions: /sbin/rcvboxadd quicksetup all
VirtualBox Guest Additions: Building the modules for kernel 6.8.0-38-generic.
```


Enable the clipboard sharing and drag and drop.




Perform the required actions in order to the shared folder you created before works on Linux as well.




Create a folder Linux_yourinitials (ex: Linux_das) inside the 5GB partition and add a file




Screenshot of the menu where you can choose to boot with Windows or Linux.




Summary of the machine configuration that appears in the right panel of VirtualBox when you select the machine.




Screenshot of Gparted showing all the partitions and files systems of each partition.



Steps carried out to make work the shared folder. Attach a screenshot of the commands used.




Screenshot of the contents of the shared folder from Linux Mint. The folder name must be shown.



SOME QUESTIONS


Start Windows. What partitions do you have access to and why? I have attached a screenshot of the file explorer after clicking “This computer”, and another screenshot of the disk manager.

We have access to a 23 GB partition and another 8 GB partition.



Boot Linux. What partitions do you have access to and why? Attach a screenshot of the file explorer where you can see the drives you have access to and another screenshot of the information Gparted displays.

We have access to a 20 GB partition, a 5 GB partition, and a 5 GB partition.



Partición	Nombre	Sistema de archivos	Punto de montaje	Etiqueta	Tamaño	Usado
/dev/sda1	EFI system partition	fat32	/boot/efi		100.00 MiB	37.08 MiB
/dev/sda2	Microsoft reserved partition	desconocido			16.00 MiB	---
/dev/sda3	Basic data partition	ntfs			22.29 GiB	14.23 GiB
/dev/sda4		ntfs			606.00 MiB	518.51 MiB
sin asignar		sin asignar			1.00 MiB	---
/dev/sda5	Basic data partition	ntfs		Z	8.00 GiB	28.55 MiB
/dev/sda6		ext4	/		19.07 GiB	8.60 GiB
/dev/sda7		ext4	/home		4.77 GiB	607.42 MiB
/dev/sda8		linux-swap			5.16 GiB	0.00 B
sin asignar		sin asignar			1.00 MiB	---

0 operaciones pendientes

Partitions. Why have we had to add a new 30GB disk for Linux partitions when there is available space on a 60GB disk? What solution would this problem have had?

To modify Linux files without entering directly. We should have put the memory we wanted from the beginning.

Remember that you created a swap partition in Linux. What is the swap partition for? What is the equivalent in Windows?

To exchange memory, as if it were RAM. On Windows the equivalent is the paging file.


SNAPSHOT

Create a snapshot of your virtual machine. What is a snapshot used for?

To save the state of your virtual machine and have a backup copy.

Start Linux Mint and run the following command: `sudo systemctl disable grub-common service`. What happens?

It syncs with grub services.



Restart Linux. Is it working? Because?

No, because everything is the same