

711.90 ± 1.01 kgCO₂e

ISO 14083 / GLEC v3.1

Operation carbon footprint — audited to ISO 14083 / GLEC

Carbon Intensity (ECI)206.8 gCO₂e/tkm — grade G

Benchmark: 62 (GLEC v3.1 / ICCT 2024 — INDICATIVE, pending certified values)

EcoTrace Index — not a regulatory standard

Veracity (VCI)

VCI 96.9% — Certified

EcoTrace Index — measurement reliability, not a regulatory standard

Operator	EcoTrace demo	Vehicle	Standard_HGV
Depot	Bristol	Operation type	long_haul
Segments	loaded 2 · empty 1	Empty-mileage ratio	5.4%
Loaded tkm	3442.8		

Per-SKU allocation

SKU 1	159.92 kgCO ₂ e
SKU 2	551.98 kgCO ₂ e


Trust & Verification

Certificate SHA-256

af66c47b0dd4f00c127d55184fd355934d3aa558508e4e7e74b7a41e498f27d1

Timestamp: pending (OpenTimestamps — awaiting Bitcoin confirmation)

Scan to verify at verify.ecotracedgreen.com



How to read this certificate

The audited figure — CO₂e (ISO 14083)

The carbon footprint above is computed to the ISO 14083 / GLEC standard. Everything else on the certificate is an EcoTrace reading aid that helps interpret it.

ECI — the energy label of a transport operation

Just as an EU appliance carries an A–G energy label that grades efficiency relative to useful capacity, the EcoTrace Carbon Intensity (ECI) grades an operation by grams of CO₂e per tonne·kilometre — its carrying efficiency — using the cargo mass identified by the Omega (Ω) Engine, not the declared mass. The grade compares the operation against a GLEC benchmark:

Grade	Intensity vs benchmark
A	≤ 0.60× benchmark
B	≤ 0.75× benchmark
C	≤ 0.90× benchmark
D	≤ 1.10× benchmark
E	≤ 1.30× benchmark
F	≤ 1.60× benchmark
G	> 1.60× benchmark

VCI — reliability of the measurement, not the amount of CO₂e

The Veracity (VCI) score is the confidence in the figure, expressed 0–100%. A high VCI does not mean low emissions — it means high confidence in the figure. It combines three drivers: signal (sufficient fuel and GPS data), physics (the model satisfied the conservation laws) and parameters (drivetrain values within admissible bands). Below 50% the measurement is REJECTED — not trustworthy enough to certify.

Transparency. CO₂e is computed to ISO 14083 / GLEC (an audited standard). ECI and VCI are proprietary EcoTrace indices, provided as reading aids; they are not regulatory standards.